


Humanitarian Assistance Networked Donor System

H.A.N.D.S: "Based on the need to speed up the processes of influencing an adversary, new concepts result in the adaptation of military doctrine, organization, training, material, infrastructure, interagency interaction, leadership, personnel and facilities" ... German Bundeswehr concept of "OOTW Operations Other Than WAR or "Vernetzte Operationsführung" circa 2003



"Shared situational awareness enables collaboration synchronization, and enhances sustainability, speed of command"



300 +TEMPLATES
STRUCTURED DATA
EXCHANGE
FFUIRNS FFUDNS OPSCODES
MAPPED TO SYMBOL SETS

Reuse adaptive procedural template guides from Battlefield Digitization among a federated systems of systems improving synergy, synchronicity to achieve shared sustainable goals



DOD SITUATION AWARENESS PROGRAM
SWORDS TO PLOWSHARES OOTW IDEA
BY GERMAN MILITARY CIRCA 2003



OPERATIONS
OTHER
THAN
WAR



Beacon Communities

Vernetzte Operationsführung



Proximity Beacons



JAEGERS



Closer < \$\$\$ < FUEL



FREELY

HEARTBEAT

EVENT / ALERT

Flash Heartbeat Message Bus


ALGORITHM



KAIJU



SYSTEM
Of
SYSTEMS



AFH - AFRICAN HANDS
ASH - ASIAN HANDS
AUH - AUSTRALIAN HANDS
EUH - EUROPEAN HANDS
NAH - NORTH AMERICAN HANDS
SAH - SOUTH AMERICAN HANDS
N... - NATIONAL HANDS
L... - LOCAL HANDS

WORLD BEYOND WAR.org
a global movement to end all wars

Neural Net



DAN MILLMAN












NOW A MAJOR MOTION PICTURE FROM LIONSGATE
WAY OF THE PEACEFUL WARRIOR
A BOOK THAT CHANGES LIVES

OFF SHORE
OUTER BANKS












Foundation Technology Trinity:

- 1. EPOCH (s) = Time intervals, cycles
 - 2. SPACE (land use meme) ex: IRS memo #1421 "Bitcoin transaction akin to land"
 - 3. SYNTAX structured data mapped to symbols for A.I. / man - machine interface

THESES: All net artifacts, net of \$ are formed with:
1) Epoch time cycle intervals ex: chip oscillations
2) Syntax parsed, processed in epoch time intervals

Time Epochs / Syntax:

How the net, net of \$ actually work...





All things internet, programmable net of money are formed using:
1) Epoch Time Cycles to 2) process (not) syntax as instructions

Epoch Time Cycles / Syntax



Internet / Internet of Money building blocks



Artificial intelligence (AI) syntax refers to the set of rules, principles governing the arrangement of words and phrases in a programming language. In the context of AI and natural language processing, syntax ensures that language is structured in a systematic way, for effective communication and comprehension.

Understanding syntax is essential for developers to write readable, maintainable, and scalable code

Net of \$\$\$ formed with:

1 EPOCH TIME CYCLES

2 {"Syntax"} "The Word"


"In the Beginning" Genesis Block

"All things internet, Internet of money are formed using time epoch cycles to process, parse, syntax as instructions"

"A blockchain is a consensus-based system. It only works if all nodes reach an identical state"

"A smart contract is a piece of code stored on a blockchain, triggered by blockchain transaction reads / writes data in the blockchain's Dbase"

NAMED DATA NETWORKING



"Blockchain consortiums are working less on distributed ledgers and more on Contract Description Languages CDL, DAML Digital Asset Modeling Language" Coindesk Article



SYNTAX LEXICON Library

1st Compiler



STRUCTURED DATA EXCHANGE TEMPLATE FORMS
300+ USE CASES

LOGIC / FILTERS

A.I.



SYNTAX / SYMBOL LEXICON LIBRARY



"BITCOIN MAKES MONEY PROGRAMMABLE.
MONEY IS SIMPLY DATA"

"BITCOIN'S VALUE = TIME ITSELF"

"Time is specified in units of block transaction confirmation times"



ALICE CORP VS CLS BANK

"claims may not be directed towards an abstract idea"

US SC 573 US 134 2347



BITCOIN BLOCKCHAIN BLOCKS, AGENTS, MOTES, BOTS, PACKETS, FRAMES, HEARTBEAT, PINGS, HOPS, BEACONS ARE METAPHORS / MEMES

USPTO 13/573,002 BASEBALL MEME PHYSICAL = OPPOSITE OF ABSTRACT



CLOCK FACE 360°
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE

COACH

3rd Base

STATISTICIAN

Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES

STATE META DATA SHARDS

State Meta Data Snapshots

Survey Point

MICRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"



Blockchain / crypto currency increments

90 feet

Blockchain BLOCK in 3D = CUBE

Cube has Length, Depth,

Height, Volume

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS #1421

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER


home plate

Δδ

Epoch Time Cycles

Time Stamp Server

Time Cycles



HEART BEACON CYCLE {"RWA"}
Series of systemic actions to achieve goals ex: form, maintain ECO sustainable

PROCEDURAL TEMPLATE
List Items point / refer to detailed treatises



Trade Federations i.e., closer = < fuel, CO₂



A continuous action, operation, or series of changes, sync deltas i.e., price indexes

Universal Event Bus Algorithm


Process Events by Precedence

Flash Heartbeat

</108> messages



Sync geo-spatial temporal Eco econometrics across space-time



MINIMUM LIST OF COMPONENTS / BUILDING BLOCKS, PROCESSES, PROCEDURES... AGREED ON BY TRADE FEDERATIONS TO ACHIEVE DAO DISTRIBUTED AUTONOMOUS ORGANIZATIONS CONSENSUS


DAO's in FEDERATIONS AGREE TO USE COMMON COMPONENTS, SHARED PROCESSES, METHODS, SIGNALING - TELEMETRY SCHEDULE & METRICS IN SMART CONTRACTS, SERVICE LEVEL AGREEMENTS

CHECKLIST: TRADE FEDERATION ECONOMIC FRAMEWORK EX:



- 1) Organize with Organization Identifiers {"Org_ID"}
- 2) Track RWA Real World Assets / Commodities by </URN>
- 3) DISTRIBUTED STATE MACHINE SNAPSHOTS @ 15 / N min
- 4) Honor Satoshi's intent for Crypto to be paired w markets
- 5) Use NIST Quantum Random Number Beacon QRNB

USPTO 13/573,002 = Spaceship Earth's Signals & Telemetry Annex





Symbols
Rule
The World
OPSCODE
BREVITY
CODES
Mapped
To symbols
2525A,C D



SYNC DELTA
DATA SNAPSHOTS

INFOCON
5 4 3 2 1
INFORMATION CONDITION

Federation
Gateway

In the beginning (of time)..
There was the word (syntax)



HFT START, STOP, Time to LIVE



USPTO 13/573,002
573 U.S. 134 SCt 2347

Alice in Wonderland Ruling




CBDC STABLE COINS
currencyindex




MEMO #1421



SWORDS
to
PLOWSHARES



FFIRNS / FFUDNS



$\Delta\delta$



MEMO #1421



Net, Net of \$\$\$ money consists:

- 1) Epoch Time Cycles
- 2) Syntax used / not in epochs

World Game Annex K

Signals & Telemetry



INTERNET, NET of \$\$\$ =
1. Epoch Time Cycles
2. Syntax instructions
</K.0099>



EVENT EVENT
MESSAGE MESSAGE
 $\Delta \delta$ Start, Stop, TTL
</Org_ID>
{URN}
{URN}
{URN} 300 + Use Case message sets
OPSCODE BREVITY CODES
- Symbols, symbol sets



INFOCON 5 4 3 2 1 INFORMATION CONDITION
TradeFi Commodities Real World Assets





ECO ECONOMIC EPOCHS
FRIEDMAN'S K% RULE
K% Rule Real GDP Pulse
Price Indexes in Time and Space
Schelling Point
INFOCON HEARTBEAT % REAL GDP
ALGORITHMIC REGULATION
FED COIN / WORLD COIN
IDMaps / SonarHops Time - Space Metrics
Real World Assets
QRNB NIST Beacon
Public Infrastructure Service
Time Series Databases



INFOCON 5 4 3 2 1 INFORMATION CONDITION
TradeFi Commodities Real World Assets



TIME TIME TIME
TIME TIME TIME
TIME TIME TIME
TIME TIME TIME




“Build a new model”
Standing on the shoulders of giants



Eco Economic Epochs
For Programmable \$\$\$
Programmable Economy
Eco Economic Epochs
Symbol / Message Sets A.I.
FIREFLY Inspired Heartbeat Algorithm





Tokenization of Physical Assets Enables Economy Of Everything



Thomas Edison's Monetary Option Cambridge University Press 2009

"Crops hold their value best over time"



NETWORK
CENTRIC
OPERATIONS
INFOCON
4 3 2 1
INFORMATION
CONDITION




"Thomas Edison publicly introduced his latest invention: a new type of money, a crop index commodity-backed currency that he believed was the long-term solution to America's monetary woes. "I want to cast the variable out of money. This gold money is not good enough. It's a fiction" "New York Times 1922





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE SYNC STOCHASTIC HARMONIZATION**






The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

RBF's World Game

Signals & Telemetry

Annex K




- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- **STRUCTURED DATA EXCHANGE**
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID>
- {“URN”} </URN> = COMMODITY




Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives

“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes” Eco sustainable, Equitable Economic econometrics.



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.





Artificial Intelligence / USPTO 13/573,002 Adaptive Procedural Template

Machine Learning: data input / output =
action (s): if, then else, or... do



Data, event cyclic time interval
sampling sync delta snapshots



Natural Language Processing programming
computers to process human languages to
facilitate interactions between humans /
computers

Data brevity OPSCODE sync delta
time slot samples @ set intervals
Mapped to symbols 25 A,B,C,D
MILSTD for Man – machine interface



Automation & robotics: machines do repetitive
tasks



Military = repetition. temporal ,
UTZ – UTC sync harmonization,
international standards

Machine Vision: Machines capture,
analyze visual information, data

Military = geo-spatial temporal Applique' overlays



Structured
Data



USE CASE: standards adherence support for IEEE, ITU, ISO international data, internet, internet of money, IoT, Artificial Intelligence A.I ... standards


Systemic, signaling, synchronization of state meta data encoded as brevity OPSCODE tokens stochastically harmonized over the UTZ

FROM	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	CODE GUIDE
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	C002 C203	C002 C203 F014 F541 S305 S309	C002 C203 E400 F002 F014 F015 F541 S201 S309 S507	
AMDPCS	TOKENS OPSCODE BREVITY CODES	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio		F002 F015 S201	C203 D630 E500 F002 F014	
AFATDS	F002 F014 F015 F541 S201		A.I.			
MCS	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	Rosetta Stone Syntax Lexicon Coder's Guide	A423 C505 C002 C203 C400 C505 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	M2M "SYMBOLS RULE THE WORLD"	

MESSAGE CATALOG 300 + Use Cases						
Information Categories and Examples						
Object Categories	Examples	Location	Movement	Identify	Status	Activity
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	EXCHANGE Message Sets spd/hdg	country / alliance, type/class	readiness	targeting, reconstituting COA ("Java JS")
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates	name, part-of relationships	BDA, op. metrics	repair, maintenance expansion, instantiation
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	ER Model	Class Diagram	Relational Database	Object DBMS
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Attribute	Field / Column	Attribute	Child Element or Element Attribute
		Domain Value	PURCHASE CODES	Instance, Value	TOKENS	DUI



Syntax code language parsed, processed during silicon chip generated epoch time cycles forms all things internet, net of money. state meta data sync delta heartbeat snapshots during epoch temporal micro-cycles




Machine-based system for transforming data from a source form to a target form, a tool is provided for sharing information established in developing a transformation model. The shared information may relate to rules for mapping source collection terms to standardized terms, rules for ordering or **SYNTAX**, rules for classifying terms or other transformation rules.

**US 7865358 CLAIM 1. method converting
textual data from source form to target
forms, where target form differs from
source form's linguistics, syntax**

**Multi-user functionality for converting
data from a first form to a second form**

Symbolic artificial intelligence: collection of all methods in artificial intelligence research that are based on high-level symbolic (human-readable) representations of problems, logic, and knowledge.



US Patent No: 7,257,455 DISCOVERY MACHINE Inc. Fig. 8 Discovery Machine® Inc. AL ARTIFICIAL 820

Williamsport PA
Little League
Baseball Capital of
the World

METHOD	
PK, FK3	<u>MT_OID</u> {"Org_ID"}
FK1 FK2	MT_NAME MT_DESCRIPTION MT_CMOID MT_CLOUD_ID (BEHAVIOR) LS_SEQUENCE

CLASS	
PK	<u>CL_OID</u>
	CL_NAME

TASK

PK	<u>TK_OID</u> {"Org_ID"}
FK1 FK2	TK_NAME TK_DESCRIPTION TK_CONDITION TK_CMOID TK_CLOUD_ID (FUNCTION)

BIZ COA 1,2,3

System and method for collecting, representing knowledge using task-method-knowledge with structure-behavior function in a computer system.. BIZ COA 1, 2, 3




COMPONENT		
PK	CP_OID	{"URN"}
-	CP_NAME	
	CP_SUBSTANCE	(BOOL)
	CP_PRIMTYPE	
FK1	CP_CLASSTYPE	
FK2	CP_CLOID	
	CP_COLLECTION	

CONNECTION	
PK	CN_OID
FK1	CN_TYPE (CLASSES ONLY)
FK2	CN_FROM
FK3	CN_TO
FK4	CN_SUBSTAN
FK5	CN_PARENT
	CN_NAME


Neuro-Symbolic AI

**Symbolic (human-readable)
representations**

Symbolic A



Breaking the world into symbols (rather than atoms and electrons)



Incorporate common sense reasoning and
intuition into your applications




ALGORITHMIC REGULATION


The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



UTZ TIME SYNC



"Heartbeat Synchronization strives to have nodes in a distributed system generate periodic local "heartbeat" events approximately at the same time. It differs from classical clock sync in that Nodes are not interested in counting cycles and agreeing on the ID of the current clock cycle. There is no requirement regarding the length of a cycle with respect to real time as long as the length is bounded and all nodes agree on it eventually"



Firefly - Heartbeat Algo



University of Bologna Italy / Hungary

LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE



ECO ECONOMIC HEARTBEAT



("108")



K%



TIME-SPACE SYNC

ECONOMIC MACRO CYCLES

K% GDP ECONOMIC PULSE FEDCOIN WORLDCOIN

Luxor Temple Egypt:
"The shortest path towards knowledge of truth is nature"




Temple of Man



LUXOR
EGYPT

FIREFLY inspired Heartbeat Sync Algo

PRECEDENCE UTZ SYNC SYNC
PROCESSING PULSE DELTAS



$\Delta\delta$

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.

UTZ TIME ZONE SYNC

UTZ TIME ZONE SYNC

UTZ STOCHASTIC HARMONIZATION

Sync To Closest Heartbeat

{“URN”} {“URN”} {“URN”}

Heartbeat Event Flash Message Bus

Fix ("108")

{"Org_ID"}

MFID EVENTS

Universal Metrics / Meters

ΣX $\Delta\delta$

Geo-spatial Temporal Syntax-Semantic Sync & Consensus

CURRENCY PAIR SAMPLING

ON / OFF SHORE

BTC

SYNC DELTA STATE META DATA SNAPS

Int'l Date Line

Adaptive Procedural Template (checklist): Foundation tech for programmable \$\$\$, Economy / DeFI



- Reuse, mod of System of systems engineering framework, Syntax Lexicon Library data elements
- STRUCTURED DATA EXCHANGE
Reuse brevity codes mapped to 2525D symbol sets comprised of 300 + message sets for A.I. - machine Block-Time DLT arbitrage among Trade Federations </Org_ID> {“URN”} </URN> = COMMODITY

Eco Economic Epoch GDP Heartbeat signals and telemetry framework




Spatial / temporal UTZ synchronization, stochastic harmonization, Time - Space Distance Estimation Service Common Consensus Algo meme Eco sustainable incentives
“We can synchronize ourselves, DAO Trade Federations in time - space for common purposes”
Eco sustainable, Equitable Economic econometrics.

USE CASE: Banks - Tech firms are forming teams to assert foundation tech as a legal basis for IP intellectual property claims for programmable \$\$\$ DeFI

Use Case: Tokenize Europe 2025 initiative: reuse DoD / NATO's structured data brevity OPSCODES mapped to 2525A, B, C, D symbols needed for A.I. man-machine interface Reuse, modify 300 + Use Case message set templates data element FFIRNs FFUDNS or, redo a time, people intensive process that took decades to create, test and refine.









TESLA Harmonic Sphere Flux Resonator

"When space-time spins, it creates mass. It produces energy in space that radiates. This radiation is what we call mass". Nassim Haramein

Nassim Haramein's work is geometrically based, at the fundamental level spacetime = honeycomb of overlapping spheres of energy each having a singularity at its center.

Yttrium iron garnet spheres serve as magnetically tunable filters and resonators for microwave frequencies. YIG filters are used for their high Q factors, typically between 100 and 200. Sphere made from a single crystal of synthetic yttrium iron garnet acts as a resonator. Wikipedia



YIG/graphene structures and the electrodes used to measure the dc voltage due to the IREE charge current in the graphene layer resulting from the spin currents generated by microwave FMR spin pumping.

IEEE 802.1AG HOP BY HOP DETECTION
IEEE 802.11 HbH HOP BY HOP CONTROL

The creation of spinlogic devices, which allow the control and transport of the spin current over long distances, is one of the major research challenges in spintronics. In this regard, graphene-a single atomic layer of carbon atoms in a honeycomb lattice [see Fig. 1(c)]-has attracted great attention as a promising material for spin-based devices due to its exceptional electronic transport properties, excellent charge carrier mobility, quantum transport, long spin diffusion lengths, and spin relaxation times [42]




CLOSER = < Infrastructure
= CHEAPER SLA

ElectroMagnetic waveforms




ENERGY / DATA
Over
Transmission
Lines / Airwaves

Hertzian waves
transmit Energy
in a PLANAR transverse
EM waveform
producing 'Radio waves'



All Photons and EM waves
can have various directions
of polarisation with respect to
their direction of propagation



Teslian waves
transmit Energy
in a LONGITUDINAL waveform
producing
'Action at a Distance'

In 1887, Heinrich Hertz demonstrated the reality of
Maxwell's electromagnetic waves by experimentally
generating radio waves in his laboratory.

Although they utilise the same EM energies,
different EM waveforms can be produced
where the Electric fields are in 90°
opposition to each other thus
leading to conflicting theories
of EM wave propagation

The E fields are co-linear with the direction of propagation


Through longitudinal waves, Tesla transferred energy to receiving devices.
He sent electrostatic forces through the air, transferred electrical energies
and noted the lethal forces produced by these waves.

Heinrich Hertz



(22 February 1857 - January 1 1894)

INTERNET = 1. TIME EPOCH CYCLES 2. Syntax (not) Processed in cycle




Nikola Tesla



(10 July 1856 - 7 January 1943)

Cycles per Second

Soon after Hertz's claim of discovering Maxwell's transverse EM waves Tesla visited him and personally demonstrated the experimental error to him.
Hertz agreed with Tesla and had planned to withdraw his claim, but varying agendas intervened and set the stage for a major rift in the 'accepted' theories
that soon became transformed into the fundamental "laws" of the electric sciences that have held sway in industry and the halls of academia to the present day



Volts per Second



V



PROPELLION SYSTEM USING THE ANTIGRAVITY FORCE OF THE VACUUM

ENERGY PRODUCTION




ABSTRACT: A propulsion system for aerial, terrestrial, underwater or space propulsion, through manipulation (or engineering) of the vacuum with proper electromagnetic interactions. Vacuum manipulation.. new form of propulsion, and has applications in ENERGY production and on CHANGE of TIME decay of radioactive elements. Opposing magnetic or electric fields create a mass repelling force, while attracting magnetic or electric fields create a mass attracting force. This vacuum manipulation process.. used to propel a mass that contains field sources that perturb the vacuum. .. the creation of a repulsion point in space through the interference of two or more longitudinal ELECTRO dynamic (micro) waves



$$\Delta\delta$$


THESIS: All things net, net of programmable \$\$\$ are formed using:

- 1) Time epochs created by quartz crystal silicon chips
- 2) Syntax used / not used as programming instructions during epoch time cycles



A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the **E** and **B** fields simply oscillate.


Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration"




"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

THESSIS: All things net, net of programmable \$\$\$ are formed using:


- 1) Time epochs created by quartz crystal silicon chips
 - 2) Syntax used / not used as programming instructions during epoch time cycles





Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light. mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html





"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla



OPSCODE Brevity Codes / Symbols




SYSTEM OF SYSTEMS STRUCTURED DATA





Fisher information flux flows are generated and stored in wave packets as they propagate. This temporal aspect is crucial for understanding how information builds up in a system over time

USPTO 13/573,002 Time – Space Meter




$$\partial \ell / \partial \theta = \nabla_{\theta} \cdot \left[\rho \theta \left(\frac{1}{2} \partial \ell / \partial \rho + \ell(\rho) \right) \right]$$

Note, $\partial \ell / \partial \rho = -10^7$ and incident conditions consisting of low Compton, no other terms, no other source would be negligible unless small otherwise no meaningful extraction. As seen in Fig. 3.6, the incident wave amplitude has the requirement $\rho = 10^9 \text{ rad/s}$, more specifically, the pixel footprint contains pixels and also compression ratios of the incident wave component will not match until the current requirement meet otherwise as general models.



Continuity equation for flow of Fisher information in wave scattering: Nature / ISF International Space Federation

An electromagnetic wave scattered at an object carries locally defined and conserved information about all of the object's constitutive parameters. Specifically, we introduce the density and flux of Fisher information for general types of wave fields and identify the corresponding sources and sinks of information through a fundamental continuity equation. Our theoretical predictions involve a movable object embedded in a disordered environment by measuring the corresponding Fisher information flux at microwave frequencies. Our results improve the understanding of the generation, propagation of information supports tracking and designing the flow of information in complex system of systems environments.




THESES: All things net, net of programmable \$\$\$ are formed using:

ENERGY / DATA WAVE METRICS / METERS



BELL STATE QUANTUM COMPUTING

1) Time epochs created by quartz crystal silicon chips

2) Syntax used / not used as programming instructions during epoch time cycles




Quantum Computing Vibrations encode, process data like quantum computers. A simple mechanical system built from aluminum rods uses vibrations to encode information, mimicking quantum computing in a non-quantum system. "Light is made from photons, the quantum of light." mechanical vibrations or sound waves can be described in a quantum-mechanical manner i.e., composed of phonons: the smallest possible units of mechanical vibration" Link: https://phys.org/news/2018-06-quantum_1.html




STANDING ELECTRO- MAGNETIC WAVE

A **standing** electromagnetic wave does not propagate along the x-axis; instead, at every point on the x-axis the E and B fields simply oscillate.



"Nature may reach the same result in many ways. Like a wave in the physical world, in the infinite ocean of the medium which pervades all.. Nikola Tesla

Water drop in pond meme <https://www.spaceandmotion.com/>



On Truth & Reality The Wave Structure of Matter (WSM) in Space

The pointlike Particle effect at the Wave Center

Paul Revere Linear, sequential meme

And as I shall explain in Einstein's relativity, when we apply this one law, where the wave velocity changes the wavelength also has a corresponding change such that we can never observe this change. This relates to the Lorentz transformations, the negative solution of the Michelson Morley experiment, and why we always measure a constant velocity of light even when it changes, thus why we cannot measure our motion through absolute space.

With respect to time, physics was always telling us that time is caused by frequency (and fundamentally by motion as the wave motion of space), since time equals the inverse of frequency $t=1/f$.

From our wave equation we see that while the velocity and wavelength change, the frequency remains constant, giving rise to an absolute time in the universe. This was one central problem of Einstein's relativity, he changed time and maintained a constant velocity of light, when the opposite is true. (Yes, this one property of waves from this simple wave equation has caused us so much confusion!).

"What we observe as material bodies and forces are nothing But Shapes and variations in the structure of space" Schrodinger

Physical Reality: 1. One Substance. Space exists with properties of an elastic solid wave medium, propagating longitudinal waves in all directions, thus forming standing waves in all directions. When these standing waves are in-phase (coherent) around a central point then a spherical standing wave naturally forms - space vibrates in and out around the central point, which we call the particle. There are two opposite phase spherical standing waves, which create the electron and positron (matter and antimatter),

2. One Law. The velocity of the waves is proportional to the wave amplitude (bigger waves travel faster). Where these waves are coherent, forming spherical standing wave 'particles', the wave amplitude is higher, and the waves travel faster. This, as i shall explain, is the foundation of all matter interactions, the source of causal connection and absolute truth.

Why matter and energy are equivalent, since a wave is a flow of energy between two states of the wave medium Space - kinetic energy (vibratory motion of space) and potential energy (elastic deformation of a nearly rigid space). Why matter and antimatter annihilate, due to destructive wave interference. How matter and antimatter can be created from apparently 'empty' space. How science can exist, since the spherical in and out waves provide continuous two way communication between matter in space (empirical knowledge), and the waves behave in a necessary manner due to this one law (logical knowledge).

Wave velocity is the velocity of light, $\sim 3 * 10^8$ m/s, the wavelength is the Compton wavelength $\sim 10^{-12}$ m, and the frequency $\sim 10^{20}$ Hz. So in a pin head there are roughly a billion billion billion standing waves, each vibrating a billion trillion times a second. i.e. These standing waves are very small, and vibrate very fast, thus explaining how such complex standing wave structures (like us) can evolve in space. The fundamental equation of the universe is the simple wave equation; Velocity (C) = Frequency (f) * Wavelength (y)

Combined with the equation of the sphere (which is also Pythagoras' Theorem and the metric equation of Special Relativity), and explains the geometric foundations of reality, why space is three dimensional. $x^2 + y^2 + z^2 = r^2$




"Simplicity is the ultimate sophistication".
(Leonardo da Vinci)


ACOUSTIC PHONON

USPTO 13/573,002

in-phase motion of neighboring ions in a lattice vibration





Phonons: A phonon is a quantum of the lattice vibration, the collective motion of atoms constituting a crystal. There are two types of phonons: optical and acoustic. The optical phonon has high-frequency oscillation in the THz range and the unit cell center of mass does not move. It undergoes a dipole interaction with light. The acoustic phonon propagates at sound velocity, which is the first derivative of the phonon dispersion curve at the Γ -point (wave vector $k \approx 0$) in the first Brillouin zone. A simple example is a one-dimensional diatomic chain, in which the unit cell contains two atoms. In a crystal of N unit cells, there are $2N$ atoms and $2N$ degrees of freedom of motion. The displacement of an atom from its equilibrium position is expressed using plane waves with reduced wave vectors, defined within the first Brillouin zone. The oscillations are approximated by $2N$ harmonic oscillators of different wave vectors. The vibrational frequency is related to the wave vector through the phonon dispersion relation. Phonons are created and annihilated in the harmonic oscillators. SOURCE: SCIENCE DIRECT: <https://sciedirect.com/topics/engineering/acoustic-phonon>



"nodes eventually agree" stochastic harmonization temporal sync

"Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value"




FIREFLY - INSPIRED HEARTBEAT SYNCHRONIZATION ALGORITHM
"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE" Δδ

THESIS: All things net, net of programmable \$\$\$ are formed using: 1. Time epochs created by quartz crystal silicon chips 2) Syntax used / not used as programming instructions during epoch - temporal time cycles





SOUND WAVES enable Different types of quantum tech to "talk"






www.RLighthouse.com



Quadrature amplitude modulation

QAM by setting a suitable constellation size, limited only by the noise level and linearity of the communications channel

“Similarly, the electromagnetic force will also be found to vary continuously and retain a TIME-AVERAGED value”



Sine wave of our blinking universe. The 4 fundamental forces will all be found to vary continuously when sampled at 2x the blinking frequency, per Nyquist-Shannon theory



USPTO 13/573,002
sawconcepts.com/index

NDN

IDMaps
SonarHops

{“Distance”}

{“Interest”}

vector

triangulation


Blockchain Quad-lemma

"five layers of blockchain tech:

- Infrastructure hardware layer
- Data layer
- Network layer
- Consensus layer
- Application / presentation layers

Blockchain layers:

- Layer 0
- Layer 1
- Layer 2
- Layer 3



Blockchain = series of hashed blocks carrying transactional records. The first block of the blockchain is the **Genesis block**. After that, every new block added to the blockchain is linked to the Genesis block through a (temporal) iterative process.

Database Flat File


"BLOCKCHAIN" = LEDGER / Database

Database flat file sama dengan file data pada spreadsheet (misal MS Excel™), berupa satu file berisi baris-baris dengan jumlah kolom tetap yang disimpan berurutan dalam file.

NIP	Nama	Nama Depan	Telp
123-45-6789	Santoso	Heru	021-316-1234
987-65-4321	Purnama	Widya	022-543-9876
987-65-4321	Jackson	Michael	021-234-5678
567-89-0123	Iskandar	Dodi	021-987-6431

NET, Net of programmable \$\$\$ Programming Reality Ground Truth

No Layers L0, L1, L2... only GENESIS EPOCH, Follow on Epoch time cycles, intervals, cycles




THESIS: All things internet, net of programmable money are formed using:

1. Time epochs created by oscillating quartz crystal silicon chips
2. Syntax used / not used as programming instructions during epoch time cycles



All things internet, internet of money, blockchains are formed by unicast, multicast, anycast protocols. Programmable money's improvements are in cryptography. The internet consists of unicast, multicast broadcast, anycast and workflow filters, publish – subscribe paradigms..



Alice Corp. v. CLS Bank International, 573 U.S. 134 SCt 2347 (2014) is a 2014 decision of the United States Supreme Court about patentable subject matter (patent eligibility).^[2] The issue in the case was whether certain claims about a computer-implemented, electronic escrow service for facilitating financial transactions covered abstract ideas ineligible for patent protection. The patents were held to be invalid because the claims were drawn to an abstract idea, and implementing those claims on a computer was not enough to transform that idea into patentable subject matter.




'BITCOIN IS A LANGUAGE / BITCOIN'S VALUE IS TIME ITSELF'




State Meta Data Snapshots



"BITCOIN MAKES MONEY HEART BEACON CYCLE PROGRAMMABLE. TIME – SPACE METER MONEY IS STRUCTURED DATA EXCHANGE SIMPLY DATA"



BLOCKCHAIN = TIME / SYNTAX



FROM	TO
0000-A000	0000-B000
0000-C000	0000-D000
0000-E000	0000-F000
0000-G000	0000-H000
0000-I000	0000-J000
0000-K000	0000-L000
0000-M000	0000-N000
0000-O000	0000-P000
0000-Q000	0000-R000
0000-S000	0000-T000
0000-U000	0000-V000
0000-W000	0000-X000
0000-Y000	0000-Z000
0000-A100	0000-B100
0000-C100	0000-D100
0000-E100	0000-F100
0000-G100	0000-H100
0000-I100	0000-J100
0000-K100	0000-L100
0000-M100	0000-N100
0000-O100	0000-P100
0000-Q100	0000-R100
0000-S100	0000-T100
0000-U100	0000-V100
0000-W100	0000-X100
0000-Y100	0000-Z100
0000-A200	0000-B200
0000-C200	0000-D200
0000-E200	0000-F200
0000-G200	0000-H200
0000-I200	0000-J200
0000-K200	0000-L200
0000-M200	0000-N200
0000-O200	0000-P200
0000-Q200	0000-R200
0000-S200	0000-T200
0000-U200	0000-V200
0000-W200	0000-X200
0000-Y200	0000-Z200
0000-A300	0000-B300
0000-C300	0000-D300
0000-E300	0000-F300
0000-G300	0000-H300
0000-I300	0000-J300
0000-K300	0000-L300
0000-M300	0000-N300
0000-O300	0000-P300
0000-Q300	0000-R300
0000-S300	0000-T300
0000-U300	0000-V300
0000-W300	0000-X300
0000-Y300	0000-Z300
0000-A400	0000-B400
0000-C400	0000-D400
0000-E400	0000-F400
0000-G400	0000-H400
0000-I400	0000-J400
0000-K400	0000-L400
0000-M400	0000-N400
0000-O400	0000-P400
0000-Q400	0000-R400
0000-S400	0000-T400
0000-U400	0000-V400
0000-W400	0000-X400
0000-Y400	0000-Z400
0000-A500	0000-B500
0000-C500	0000-D500
0000-E500	0000-F500
0000-G500	0000-H500
0000-I500	0000-J500
0000-K500	0000-L500
0000-M500	0000-N500
0000-O500	0000-P500
0000-Q500	0000-R500
0000-S500	0000-T500
0000-U500	0000-V500
0000-W500	0000-X500
0000-Y500	0000-Z500
0000-A600	0000-B600
0000-C600	0000-D600
0000-E600	0000-F600
0000-G600	0000-H600
0000-I600	0000-J600
0000-K600	0000-L600
0000-M600	0000-N600
0000-O600	0000-P600
0000-Q600	0000-R600
0000-S600	0000-T600
0000-U600	0000-V600
0000-W600	0000-X600
0000-Y600	0000-Z600
0000-A700	0000-B700
0000-C700	0000-D700
0000-E700	0000-F700
0000-G700	0000-H700
0000-I700	0000-J700
0000-K700	0000-L700
0000-M700	0000-N700
0000-O700	0000-P700
0000-Q700	0000-R700
0000-S700	0000-T700
0000-U700	0000-V700
0000-W700	0000-X700
0000-Y700	0000-Z700
0000-A800	0000-B800
0000-C800	0000-D800
0000-E800	0000-F800
0000-G800	0000-H800
0000-I800	0000-J800
0000-K800	0000-L800
0000-M800	0000-N800
0000-O800	0000-P800
0000-Q800	0000-R800
0000-S800	0000-T800
0000-U800	0000-V800
0000-W800	0000-X800
0000-Y800	0000-Z800
0000-A900	0000-B900
0000-C900	0000-D900
0000-E900	0000-F900
0000-G900	0000-H900
0000-I900	0000-J900
0000-K900	0000-L900
0000-M900	0000-N900
0000-O900	0000-P900
0000-Q900	0000-R900
0000-S900	0000-T900
0000-U900	0000-V900
0000-W900	0000-X900
0000-Y900	0000-Z900
0000-A1000	0000-B1000
0000-C1000	0000-D1000
0000-E1000	0000-F1000
0000-G1000	0000-H1000
0000-I1000	0000-J1000
0000-K1000	0000-L1000
0000-M1000	0000-N1000
0000-O1000	0000-P1000
0000-Q1000	0000-R1000
0000-S1000	0000-T1000
0000-U1000	0000-V1000
0000-W1000	0000-X1000
0000-Y1000	0000-Z1000
0000-A1100	0000-B1100
0000-C1100	0000-D1100
0000-E1100	0000-F1100
0000-G1100	0000-H1100
0000-I1100	0000-J1100
0000-K1100	0000-L1100
0000-M1100	0000-N1100
0000-O1100	0000-P1100
0000-Q1100	0000-R1100
0000-S1100	0000-T1100
0000-U1100	0000-V1100
0000-W1100	0000-X1100
0000-Y1100	0000-Z1100
0000-A1200	0000-B1200
0000-C1200	0000-D1200
0000-E1200	0000-F1200
0000-G1200	0000-H1200
0000-I1200	0000-J1200
0000-K1200	0000-L1200
0000-M1200	0000-N1200
0000-O1200	0000-P1200
0000-Q1200	0000-R1200
0000-S1200	0000-T1200
0000-U1200	0000-V1200
0000-W1200	0000-X1200
0000-Y1200	0000-Z1200
0000-A1300	0000-B1300
0000-C1300	0000-D1300
0000-E1300	0000-F1300
0000-G1300	0000-H1300
0000-I1300	0000-J1300
0000-K1300	0000-L1300
0000-M1300	0000-N1300
0000-O1300	0000-P1300
0000-Q1300	0000-R1300
0000-S1300	0000-T1300
0000-U1300	0000-V1300
0000-W1300	0000-X1300
0000-Y1300	0000-Z1300
0000-A1400	0000-B1400
0000-C1400	0000-D1400
0000-E1400	0000-F1400
0000-G1400	0000-H1400
0000-I1400	0000-J1400
0000-K1400	0000-L1400
0000-M1400	0000-N1400
0000-O1400	0000-P1400
0000-Q1400	0000-R1400
0000-S1400	0000-T1400
0000-U1400	0000-V1400
0000-W1400	0000-X1400
0000-Y1400	0000-Z1400
0000-A1500	0000-B1500
0000-C1500	0000-D1500
0000-E1500	0000-F1500
0000-G1500	0000-H1500
0000-I1500	0000-J1500
0000-K1500	0000-L1500
0000-M1500	0000-N1500
0000-O1500	0000-P1500
0000-Q1500	0000-R1500
0000-S1500	0000-T1500
0000-U1500	0000-V1500
0000-W1500	0000-X1500
0000-Y1500	0000-Z1500
0000-A1600	0000-B1600
0000-C1600	0000-D1600
0000-E1600	0000-F1600
0000-G1600	0000-H1600
0000-I1600	0000-J1600
0000-K1600	0000-L1600
0000-M1600	0000-N1600
0000-O1600	0000-P1600
0000-Q1600	0000-R1600
0000-S1600	0000-T1600
0000-U1600	0000-V1600
0000-W1600	0000-X1600
0000-Y1600	0000-Z1600
0000-A1700	0000-B1700
0000-C1700	0000-D1700
0000-E1700	0000-F1700
0000-G1700	0000-H1700
0000-I1700	0000-J1700
0000-K1700	0000-L1700
0000-M1700	0000-N1700
0000-O1700	0000-P1700
0000-Q1700	0000-R1700
0000-S1700	0000-T1700
0000-U1700	0000-V1700
0000-W1700	0000-X1700
0000-Y1700	0000-Z1700
0000-A1800	0000-B1800
0000-C1800	0000-D1800
0000-E1800	0000-F1800
0000-G1800	0000-H1800
0000-I1800	0000-J1800
0000-K1800	0000-L1800
0000-M1800	0000-N1800
0000-O1800	0000-P1800
0000-Q1800	0000-R1800
0000-S1800	0000-T1800
0000-U1800	0000-V1800
0000-W1800	0000-X1800
0000-Y1800	0000-Z1800
0000-A1900	0000-B1900
0000-C1900	0000-D1900
0000-E1900	0000-F1900
0000-G1900	0000-H1900
0000-I1900	0000-J1900
0000-K1900	0000-L1900
0000-M1900	0000-N1900
0000-O1900	0000-P1900
0000-Q1900	0000-R1900
0000-S1900	0000-T1900
0000-U1900	0000-V1900
0000-W1900	0000-X1900
0000-Y1900	0000-Z1900
0000-A2000	0000-B2000
0000-C2000	0000-D2000
0000-E2000	0000-F2000
0000-G2000	0000-H2000
0000-I2000	0000-J2000
0000-K2000	0000-L2000
0000-M2000	0000-N2000
0000-O2000	0000-P2000
0000-Q2000	0000-R2000
0000-S2000	0000-T2000
0000-U2000	0000-V2000
0000-W2000	0000-X2000
0000-Y2000	0000-Z2000

State Meta Data Snapshots

THE BITCOIN BLOCKCHAIN FOR DUMMIES



What is needed is an electronic payment system based on cryptographic proof instead of trust, allowing any two willing parties to transact directly with each other without the need for a trusted third party e.g., a bank.

Satoshi Nakamoto Bitcoin Paper



Satoshi Nakamoto



Craig WRIGHT
a.k.a.
Satoshi Nakamoto



"Bitcoin is a LANGUAGE"




Wright Brother's 1st Flight
Cape Hatteras Outer Banks

"THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER"


3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a hash of a block of items to be timestamped and widely publishing the hash, such as in a newspaper or Usenet post [2-5]. The timestamp proves that the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp reinforcing the ones before it.

**Bitcoin Protocol
for Dummies**
Part 4 Timestamp
Server



JapanNet Crypto Time Authentication Service (Timestamp Service)



CLOCK FACE 360°
90 / 90 / 90 / 90

MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base
STATISTICIAN
Metrics, Meters
Stat Mean Value Index

90 feet
Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

SETTLEMENTS / EXCHANGES
= TAXABLE EVENTS AKIN TO PROPERTY
IRS #1421
State Meta
Data Snapshots
Survey Point
MICRO CYCLES

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base



90 feet
Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

90 feet
Blockchain / crypto currency increments
Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume



ALICE Corp VS CLS
BANK SC 573 US 134 2347
CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS
Physical = Opposite of abstract = ALICE
HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002

first base
RUNNER Message Bus

Firefly – Heartbeat Algo
EVENTS
X
EVENTS
EPOCH CYCLES

MERKLE: Summary built from block's transaction ID's

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

Header - Contains service information (version info, nonce, previous block id and timestamp). {"Org_ID"}
Merkle - A summary built from the block's transaction identifiers.

Transaction's id list - list of transaction's identification hashes that was included into the block's merkle tree.

What happens if we think about Bitcoin through the lens of *land*?

HEART BEACON CYCLE
USPTO 13/573,002
SURVEY METHODS


SC ALICE CORP VS CLS BANK: “claims may not direct towards abstract ideas”

UTXO: unspent transaction output’. bitcoins that have been sent somewhere but not yet themselves been spent. The set of all unspent transaction outputs (UTXOs) can be thought of as the latest STATE of every bitcoin that has ever been mined.



Memo #1421: Purchased Bitcoins are treated akin to property

Plots A, B, C represent 3 unspent transaction outputs controlling N Bitcoins



Mined Bitcoins



BLOCKS / COINS PENDING ISSUE

B
A
C

$\Delta\delta$

Unmined Bitcoins



Un-mined coins -- think of them as parcels of land on “Bitcoin Island” not yet released:

IDMaps-SONARHOPS distance estimation query-reply service

- End-state Bitcoin quantity will be fixed like land

“Bitcoin as protocol of ownership, not transfer”

Coin never travel, but simply switch owners”

Step 1: prove coin ownership <Org_ID> Coin Issuer


Step 2: coins sent where, when Lat-Long, time stamp

Step 3: specify ownership <Org_ID> issuing agent


Step 4: Issuing Org of Record adjudicates w buyer




TRIANGULATION



DISTANCE ESTIMATION EUCLIDIAN GEOMETRY



IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships




IDMaps / SonarHops collects distance data & builds virtual Internet distance maps & estimates distance between IP address pairs




IDMaps Distance Metrics: latency (round-trip delay) available bandwidth estimation



The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Structured Data Exchange



SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon.

STRUCTURED
<CONTENT>
EXCHANGE
TEMPLATES

MIL STD 2525ABC

ASSETS

ASSET TOKENS

"SYMBOLS RULE THE WORLD"

11.8 - Kinematics
11.8.1 - Pos
11.8.1.1 -
11.8.1.2 -

STRATML

XAML

BINARY XML
Decision

UBL

DDL DATA
DEFINITION
LANGUAGE

Signal operating instructions (SOI): technical control coordination of signaling, telemetry Current situational awareness, data dictionary, network identification, channels, network directory, brevity code-words, signals. Units maintain 2 SOI copies: PEACE TIME version "Go-To-War" version = BIZ COA (s) <Org_ID1><Org_ID2><Org_ID3>



NATO MESSAGE TEMPLATES USE DATA SETS FOR STRUCTURED DATA EXCHANGE // POSITION FIELD IN MESSAGE PROCESSED BY TABLE, FIELD # IN A CONSISTENT, PREDICTABLE ORDER = AI FRIENDLY M2M AI

GOAL: vide a common lexicon / syntax / term library used among FEDERATIONS identified by Federated ID
GOAL: Provide a common, consistent, reliable schedule to share signaling and telemetry within federations.

MTL Machine Trust Language



vector

{"TRANSACTION ID"}

MESSAGE TEXT FORMAT :

SEG RPT OCC CLASSNAME SETID SEQ FIELD OCCURRENCE SET FORMAT NAME

O 11NUPRES EXER 1 /M /O // (NU) EXERCISE IDENTIFICATION

C 11NUPRES OPER 2 /M /O /O /O // (NU) OPERATION CODEWORD

M MIOPV1 1 MSGID 3 /M /M /O /O /O // (NU) MESSAGE IDENTIFIER



M MIP OUT ORDPLAN 4 /M /O /O /O // (NU) PLAN ORDER REFERENCE



SIOP POUT MSGREF 5 /M /M /M // (NU) REFERENCED MESSAGE

NUPRES DTG 6 /M // (NU) DATE-TIME GROUP

0 ORGID 7 /M /M /M /M /M /M /C // (NU) ORGANIZATION DESIGNATOR

M 11NUPRES GENTEXT 8 /M /M // (NU) 1.A ENEMY FORCES / COMPETITORS

M 11NUPRES GENTEXT 9 /M /M // (NU) 1.B FRIENDLY FORCES / TRADE FEDERATION

M 11NUPRES GENTEXT 10 /M /M // (NU) 1.C ATTACHMENT / DETACHMENT

O 11NUPRES GENTEXT 11 /M /M // (NU) 1.D COMMANDERS EVALUATION

O 11NUPRES GENTEXT 12 /M /M // (NU) 1.E ENVIRONMENTAL INFORMATION

M 11NUPRES GENTEXT 13 /M /M // (NU) 2. MISSION </108>K00.99 / FIX / SWIFT / E-911 Heartbeat Message

M 11NUPRES GENTEXT 14 /M /M // (NU) 3.A CONCEPT OF OPERATION

O 11NUPRES GENTEXT 17 /M /M // (NU) (3) RECONNAISSANCE SURVEILLANCE

O 11NUPRES GENTEXT 21 /M /M // (NU) (5) INFORMATION OPERATIONS

O 11NUPRES GENTEXT 28 /M /M // (NU) (5) COMMS INFORMATION SYSTEMS

O 11NUPRES GENTEXT 35 /M /M // (NU) 3.D COORDINATING INSTRUCTIONS

M 11NUPRES GENTEXT 36 /M /M // (NU) 4.A SUPPORT CONCEPT (Logistics)

M 11NUPRES GENTEXT 37 /M /M // (NU) 4.B MATERIEL AND SERVICES

SYMBOLS	Friend	Neutral	Hostile	DICAL EVAC & HOSPITALISATION
	Partner		Competitor	M - MILITARY OPERATIONS
1 - Horizontal				
2 - Vertical				
Confidence				
Bearing Angle				
Bearing Angle Rate				
Covariance Matrix				

TOKENIZED ECONOMY BREVITY CODE OPSCOSE MAPPET TO SYMBOLS

Δδ INDEX REFERENCE #:
M015 STATUS :

EFFECTIVE: 14-DEC-99

PURCHASE CODES

FEDERATED PEGS

{"URN"}

{"ASSET_CLASS"}

{"URN"}



{"ASSET_TYPES"}

ISO 10383 – MIC

Market Identifier Codes

{“URN”}

{“Org_ID”}

FROM	TO					CODE GUIDE			
	GCCS-A	TAIS	ASAS	AMDPCS	AFATDS	MCS			
ASAS	C002 C203 F002 F014 F015 F541 S201 S309	C002 C203	USMTF / XML MTF FORMATTED MESSAGE CATALOG = 300 + messages info exchange sets using common, CONSENSUS Message Text Formats MTFs. MTFs specify </CONTENT> / info agreed by group consensus presenting information in a logical, well specified unambiguous layout resulting in a highly efficient info payload to overhead ratio			C002 C203 F014 F541 S201 S309 S305 S507			
AMDPCS	TOKENS OPSCODE BREVITY CODES					F002 F015 S201			
AFATDS	F002 F014 F015 F541 S201					C203 C400 D630 E500 F002 F014			
						A.I.			
						INFOCON 5 4 3 2 1			
						INFORMATION CONDITION			
MCS	  	A423 C203 C505 F002 F014 F015 F541 S201	A423 A659 C002 C203 C400 C443 C447 C488 C501 C503 C504 C505 C506 C507 C508 E400 F002 F014 F015 F541 F658 F756 G489 K01.1 S201 S303 S507	A423 A659 A656 A690 C002 C203 C400 C505 F002 F014 F015 F541 S201	 	A423 C203 C505 F014 F015 F541 S201	M2M		
			ASSET TOKENS Token Economy			 			
						"SYMBOLS RULE THE WORLD"			
									
MESSAGE CATALOG 300 + Use Cases		Data Elements: entity, attribute, relationship equivalents			HEARTBEAT MESSAGE = K00.99 </108> {"108"}				
Information Categories and Examples									
Object Categories	Examples	Location	Movement	Identify	Status	Activity	Intent		
OOB	SYNTAX LEXICON	STRUCTURED DATA lat/long	spd/hdg	EXCHANGE country / alliance, type/class	Message readiness	Sets targeting, reconitering	COA {"Java JS"}		
Infrastructure	Comm, power, transportation, water/sewer	network, grid	throughput, flow rates,	name, part-of relationship	BDA, op levels	repair, broadcasts	YAML expansion plan		
Sociological	Culture, religion, economic, ethnic, government, history, languages	temples, historic structures	E-R Model	Class Diagram	Relational Database	XML DTD / Schema	TADILs	MTF	
Geophysical	Terrain, weather, climatology, oceanography, astrometry	feature lat/long, alt/dpth	Entity	Class	Table	Class	Element	Message	Message
			Attribute	Attribute	Field / Column	Attribute	Child Element or Element Attribute	DFI	FFIRN / FFN / FUDN
			Domain Value	PURCHASE CODES	Instance, Value	TOKENS		DUI	FUD

Information Elements Roles

- COI Determination Org Interaction
 - Search and Discovery
 - Ontologies STANDARDS
 - Taxonomies REFERENCE
 - Metadata Attributes / Filters



FFUDN: Field Format Unit Designator #

FIRN Field Format Index Reference

Structured military messaging ID's messages, message sets, data element, symbol fields <108>

BY Form Field Position & NUMBER



PROCESS MESSAGE BY PRECEDENCE UNIVERSAL EVENT / ALERT MESSAGE BUS

OPERATIONAL NODES / ACTIVITIES


DATA SYSTEM FUNCTIONS PERFORMANCE

1.4 - Classification	11.8 - Kinematics
11.4.1 - Category	11.8.1 - Pos / Vel / Acc (PVA)
11.4.1.1 - Confidence Level	11.8.1.1 - Acceleration
11.4.1.2 - Estimate Type	11.8.1.1.1 - Angular
11.4.1.2.1 - Alternative	1.1.2 - Linear
11.4.1.2.2 - Evaluated D	2 - Estimate Type
11.4.1.3 - Value	1.2.1 - Estimated
	1.2.2 - Observed
	1.2.3 - Predicted
	PURCHASE CODES

SYMBOL	Friend	Neutral	Hostile
2525C	Partner		Competitor
11.4.1.3.5	Surface		4 - Velocity
11.4.2	Platform / Point / Feature	Type	1.4.1 - Horizontal
11.4.3	Specific Type		1.4.2 - Vertical
11.4.4	Type Modifier		VA Confidence
11.4.5	Unit		1 - Bearing Angle
			2 - Bearing Angle Rate
			3 - Covariance Matrix



MIL STD 2525A, B, C, D



20022



STRUCTURED
DATA
EXCHANGE
SYNTAX LEXICON
ROSETTA STONE

Coder's Guide lexicon

STRUCTURED <CONTENT> EXCHANGE TEMPLATES	
MIL	STD 2525ABC
MIL	ASSET TOKENS
MIL	"SYMBOLS RULE THE WORLD"
MIL	11.8 - Kinematics 11.8.1 - Pos. 11.8.1.1 - 11.8.1.2 - Vertical 11.8.1.3 - Horizontal 11.8.1.4 - Vertical 11.8.1.5 - Bearing Angle 11.8.1.6 - Covariance Matrix

STRATML



XBRL

XAML

UBL

BINARY XML

DDL DATA
DEFINITION
LANGUAGE

INFOCODE

A.I.

4 3 2 1

INFORMATION
CONDITION

FFUDN: F

SYMBOLS
RULE THE
WORLD

INFOCON

4 3 2 1

INFORMATION
CONDITION

Symbolic artificial intelligence: collection of all methods in artificial intelligence

research that are based on high-level symbolic (human-readable) representations of problems, logic and search.[1] Symbolic AI used tools such as logic programming, production rules, semantic nets and frames, and it developed applications such as knowledge-based systems (in particular, expert systems), symbolic mathematics, automated theorem provers, ontologies, the semantic web, and automated planning and scheduling systems. The Symbolic AI paradigm led to seminal ideas in search, symbolic programming languages, agents, multi-agent systems, the semantic web, the strengths, imitations of formal knowledge and reasoning systems.

Physical symbol system (also called a formal system) takes physical patterns (symbols), combining them into structures (expressions) and manipulating them (using processes) to produce new expressions. The physical symbol system hypothesis (PSSH) is a position in the philosophy of artificial intelligence formulated by Allen Newell and Herbert A. Simon. They wrote: "A physical symbol system has the necessary and sufficient means for general intelligent action." [2] —Allen Newell and Herbert A. Simon

This claim implies both that human thinking is a kind of symbol manipulation (because a symbol system is necessary for intelligence) and that machines can be intelligent (because a symbol system is sufficient for intelligence).[3] The idea has philosophical roots in Hobbes (who claimed reasoning was "nothing more than reckoning"), Leibniz (who attempted to create a logical calculus of all human ideas), Hume (who thought perception could be reduced to "atomic impressions") and even Kant (who analyzed all experience as controlled by formal rules).[1] The latest version is called the computational theory of mind, associated with philosophers Hilary Putnam and Jerry Fodor.[4]

Source: Wikipedia: https://en.wikipedia.org/wiki/Physical_symbol_system

data from a first form to a second form

CONDITION

Rosetta
Stone
Syntax
LEXICON




FRT CP CLOUD

ABC A OPS CODE BREVITY CODES

Neuro-Symbolic AI

Symbolic (human-readable)
representations

Neural Networks
(Deep Learning)



Brevity
Codes

Symbolic AI

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,

Symbol sets = structured data




"SIGNS AND SYMSBOLS
NATO RULE THE WORLD, NOT
OTAN RULES OR LAWS



Confucius

Alpha-numeric OPS CODE

Brevity codes mapped to symbols,
Symbol sets = structured data



Situational Awareness Reference Architecture (SARA)

Identity, Inventory, Activity, and Sharing

<http://ics-isac.org/sara/>



ICS-ISAC

Industrial Control System
Information Sharing and
Analysis Center

IDENTITY: <UUID> = Devices, sensors
Federation
Gateway
<ORG_ID> Organizations

<ELEMENTS>

STRATML / IODEF RID CLASSES:
<GLOBAL><JOINT><SHARED>
<DOMAIN><FEDERATION>
<CITY><STATE><PRIVATE>

STRATEGIC
MARKUP

StratML

LANGUAGE

INVENTORY: Uniform Resource Name <URN>

<URN><URN>
<URN><URN>
<URN><URN>

<COMMODITY><WATER><ENERGY><AVAILABLE UNITS>

vector

GEO-SPATIAL TEMPORAL INTENSITY METRICS
UNIFIED EVENT / ALERT TRIGGER / THRESHOLDS

ACTIVITY: <EVENT><ALERT> <TIME_STAMP><ORG_ID><URN>

CONTENT LEXICON
ROSETTA STONE

NDN



NDN

<GEO_LOC_GPS><STATUS>
<Halt><Moving><Stale><Ready>

AVALANCHE

SHARING:

COMMON <TAGS>

<Organizational_ID>

Resource Names <URN>

<Time_Stamps>

<State-Meta_Data>

<DATA_CLASS_TYPE>

<Heartbeat_snapshots>

<TAG> LIBRARY
TEMPLATES

NDN

<INTEREST>

Cybox

INTEREST

STIX

INTEREST

Cybersecurity

Content

Sharing

Intelligence

Information

Knowledge

Wisdom

WELCOME TO THE FS-ISAC SECURITY AUTOMATION GROUP. OUR VISION IS
A FEDERATED NETWORK OF STIX-BASED REPOSITORIES SHARING INTELLIGENCE IN
REAL-TIME. AVALANCHE: STRENGTH IN NUMBERS, SECURELY SHARE INTELLIGENCE

NIST CYBER SECURITY FRAMEWORK

MIL-STD-2525A

STRUCTURED
<CONTENT>
TEMPLATES


USMTF / XML MTF FORMATTED MESSAGE CATALOG

Catalog has over 300 messages to choose from have a wide number of information exchange requirements using common, CONSENSUS Message Text Formats MTFs. MTFs specify <CONTENT> / information agreed by group consensus presenting information in a logical well specified and unambiguous layout i.e., templates

STRUCTURED
<CONTENT>
TEMPLATES



01
CYBER BEACON
NIST RANDOMNESS BEACON
NIST TIME BEACON




INBOUND SHARING / MICRO-CYCLES

NAMED DATA
NETWORKING
<Content> Centric

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS



ECONOMIC HEARTBEAT



K %



DAO

BITNATION


FEDERATE
SHARE
WIN

1. **FEDERATION:** Latin: **foedus, foederis, covenant, union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs


Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**

Federation
Gateway

 {"GLOBAL"}
 {"SHARED"}
 {"DOMAIN"}
 {"COMMUNITY"}
 {"PRIVATE"}
 {"GROUP ID"}


Bitcoin Group Signatures Dynamic Membership Multi-party Signature DMMS:
independent interest within group signatures – **FEDERATED ID** {"Org_ID"}

Bitcoin Mining Pools
MEME / METAPHOR MEDIATION



DISTRIBUTED AUTONOMOUS ORGANIZATION = DAO RAND Corp

term coined circa 1991 now in use by Blockchain tech corporations

Uniform_Resource_Name



HEARTBEAT MESSAGES

</RESOURCE> {"URN"}
 {"Asset_Class"} </URN>

IeT DEVICE / PLATFORM
IoT SENSOR DEVICE



STOCK EXCHANGE

MIC MARKET IDENTIFIER
CODES / BREVITY CODES



Office 365 Groups



Microsoft Teams



TJD



Signalling, Telemetry



EVENT BUS



Signal Telemetry


EVENT BUS

Signal Telemetry




FEDERATE: COMMON GOALS SYNCHRONIZED IN SPACE - TIME







ENABLE MAPPING OF GOVERNANCE / MANAGEMENT RESOURCES BY PRECEDENCE SHOWN IN GEO-SPATIO INTENSITY DASHBOARD VIEWS





The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **UTZ TIME ZONE STOCHASTIC HARMONIZATION**






The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



IDMaps: Global Internet Host Distance Estimation Service



NDN: CONTENT ROUTING / <StratML> NDN INTEREST = Time / Distance



IDMaps scalable Internet-wide architecture measures, disseminates distance information



HOP COUNTS



REACHABILITY



/localhost/nfd/fib/add-nexthop

Higher-level services collect distance information to build a virtual distance map of Internet & estimates distance between any IP address pair



IDMaps provides distance information used by SONAR/HOPS query/reply service

Name Prefix
<Org_ID> Trie (NPT)




NDN NAMES

NDN NAMED DATA NETWORK RIB / FIB Datasets event notification


Distance information adjusts to “permanent” topology changes e.g., splits, joins, adds, moves, drops, merges in lieu of formal merger / acquisition



TRIANGULATION



Time Series



NDN STRATEGY CHOICE MANAGER – RIB Routing Information Base add-nexthop

Datasets and Event Notification

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships



Distance Metrics: latency (e.g., round-trip delay) and, where possible, bandwidth.



MICRO-CYCLES



NDN INTEREST LIFETIME = TTL Time To Live

HEARTBEAT STATE META DATASNAPSHOTS

GEO-SPATIAL TEMPORAL INTENSITY METRICS, METERS, VECTORS



INFOCON / DEFCON ALERT EVENTS INFORM STAKEHOLDERS OF STATUS CHANGE i.e., NORMAL TO ELEVATED, HIGH OR SEVERE. ALERT LEVELS ARE ARBITRARY BUT MUST BE CONSISTENT e.g., 3 OR 5 FOR MACHINE TO MACHINE PROCESSING




Geo-Spatial Temporal Intensity NOVEL METRICS / METERS:




Paul Revere = linear, sequential



TCP/IP hop by hop counts, by hop controls



Water Drop = AREA / INTENSITY Cyclic Frequency



NAMED DATA NETWORKING

<INTEREST>
MQTT



NIST TIME BEACON

Hop Count

SOURCE NETWORK 172.16.0.0/16

omnisecu.com.R1

omnisecu.com.R2

omnisecu.com.R3

omnisecu.com.R4

DESTINATION NETWORK 172.27.0.0/16

START

INSTRUCTIONS TO MASTER CONTROLLER

Number of Hops = 3

TTL = Time To Live

STOP

CLOSER = FASTER, CHEAPER > CYCLE => INTEREST NAMED-DATA NETWORKING

IDMAPS
SONARHOPS
INTERNET TRIANGULATION

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT LEVEL > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

time synchronized, self-organizing, mesh Net

ALERT level > NEWSCAST ZONE

vector

WirelessHART

13/573,002 HEART BEACON CYCLE

Time -Space meter, metrics / Universal data event, alert bus
Internet of Everything “ability to hear the world’s heartbeat”





The four dimensions of Big Data

vector → VECTOR: quantity having direction and magnitude
position of a point in space relative to another point

TIME STAMP BY Org ID, URN Before FUSION CENTER

Position of a point in space relative to another point




Interface Name	HEARTBEAT Administration Interface [SCOP]					
Documentation URL	http://scop.sourceforge.net/ http://linuxvirtualserver.org/software/index.html					
API Information	 #leT					
Programmable Money World Computer / Blockchain	#Big_Data	Functionality Areas		Cloud Interface Management configuration, start, stop cloud services, edit configuration (heartbeat messages)	Cloudcenter	Cloudcenter
NIST TIME BEACON		API Operation Count		Web service access type Network Effects / A.I.	Web application, front end to [network, device, system, blockchain] heartbeat	Cloudcenter
Interface Characteristics		LANGUAGE / PLATFORM BINDINGS	PHP Java Erlang...	Cloudcenter		Cloudcenter
"The external environment could update <u>resources</u> at random... One solution is a heartbeat : defining a default lease duration delaying updates until the next cycle "		SCOP is a web application, PHP based front-end to heartbeat, IP Virtual Server ipvs and Idirectord [e.g., check interval @ 5 seconds] SCOP can start/stop services, view/ edit configuration files e.g., heartbeat message state management snapshots, backups, take a service online/offline, add/ remove virtual/real servers, services etc.	Satoshi Bitcoin Blockchain Time Stamp Server		Epoch Time Cycles E0 E1 E2 E3...	
QubitCoin Interval: Every 30 Seconds		<p>The solution we propose begins with a timestamp server. A timestamp server works by taking the current time and publishing the hash, such as in a timestamp or a time stamp [2]. The timestamp process that the data must have existed at the time it was timestamped. This is done by publishing the timestamped data on a public ledger, forming a chain, with each additional timestamp recording the previous one.</p> <p>THE SOLUTION WE PROPOSE BEGINS WITH A TIME STAMP SERVER</p> <p>Block chain</p> <p>What does a block look like?</p> <p>Simplified block structure:</p> <ul style="list-style-type: none"> Block info Previous Hash Timestamp Merkle Transactions id list <p>Headers: Contains version information (version info), previous block's hash (previous block), and timestamp (timestamp). Transactions: A list of transactions (tx) that are being added to the block. Merkle: A tree structure that summarizes all the transactions in the block.</p>				




- SDN is a *framework* to allow network administrators to *automatically* and dynamically manage and control a *large number* of network devices, *services*, topology, traffic paths, and packet handling (quality of

DevOps model and tools to enable scale, programmable agility, and policy-driven automation, and provides network virtualization to mask network configuration complexity with set of networking APIs



Netcentric / "network-centric" participating in a continuously evolving, complex community of people, devices, information and services interconnected by a network to optimize resource management and provide information on events and conditions.

Net-centric Enterprise Architecture : "massively distributed architecture with components, services available across and throughout an enterprise's entire lines-of-business."



USPTO APPLICATION 13,573,002 The Heart Beacon Cycle Time – Space Meter, Applique' Overlay

GIZMAG: New NASA network poised to bring internet to entire solar system

SCt 573 ALICE CORP VS CLS BANK PHYSICAL MEMES

INTERNET TCP/IP "PING", "HOPS",
"PACKETS", FRAMES = METAPHOR



TIME / DISTANCE SERVICE LEVEL
AGREEMENT SLA / O Operations

IEEE 802.15.4 OASIS MQTT

TELEMETRY TRANSPORT

IEEE 802.1AG HOP BY HOP
DETECTION

IEEE 802.11
HOP BY HOP CONTROL



Unused Resources / Unmet Needs

/localhost/nfd/fib/add-nexthop
Geo-Spatial Temporal
Metrics, Meters

DISTANCE
INFO SERVICE

Time Series

Value
Time



SonarHops

5
602

4

3 RISK

2

1

UNUSED RESOURCES
UNMET NEEDS



WATER DROP IN POND MEME IS
SONAR NAVY METAPHOR / MEME

NDN </INTEREST>
NDN {"DISTANCE"}

NAMED DATA
NETWORKING

IEEE C37.118
Harmonization
& Sync heartbeat
update Interval

CLOSER SOURCE
CHEAPER RATE



PAUL REVERE
LINEAR, SEQUENTIAL

603


(-)
NULL

+1

+2

RADIUS
WATER DROP IN POND MEME

Attribute Series



INTEREST
DISTANCE

Temporal Series



Geo
Spatial

TCP/IP HOP BY HOP COUNT

Energy Attenuates over Distances



Micro Grids Closer - Cheaper



BLOCKCHAIN
MICROGRIDS

Spatial
Econometrics



TIME-SPACE BEACON

INFOCON



METRICS / METERS

TRADE WITH EARTH

INFORMATION
CONDITION

???



SIRIUS DISCLOSURE



MOON =

HELIUM 3

"Numbers are the
Universal Language
offered by deity to humans as
confirmation of the truth"

MAIN ASTEROID BELT



MARS



MERCURY



VENUS



EARTH



STOCHASTIC

HARMONIZATION

Service Level Agreements

Farther = More Cost

➢ Fuel, Resources

ALGORITHM

UNIVERSAL

EVENT MESSAGE BUS

ERLANG

TIME- SPACE METRICS

FIREFLY-HEARTBEAT

ALGORITHM MESSAGE EVENT BUS

EPOCH / TIME CYCLES / INTERVALS

cycle n

n + 1

n + 2

Alpha
Numeric
Brevity
Codes

SYNTAX
LEXICON

K0.99


CODE

ANDERSON
INSTITUTE

Light minutes

Astronomical units

43 22 13 0 1.5 2.7 5.2



Blockchain

BLUEPRINT FOR A NEW ECONOMY



Blocktime Arbitrage MTL (machine trust language) time primitives might be assigned to a micropayment channel DAPP as a time arbiter. In blocktime, the time interval at which things are done is by block. This is the time that it takes blocks to confirm, so blockchain system processes like those involving smart contracts are ordered around the conception of blocktime quanta or units. Since blocktime is an inherent blockchain feature, one of the easiest ways to programmatically specify future time intervals for event conditions and state changes in blockchain-based events is via BLOCKTIME. Universal blocktime source example: a procedure call to NIST or other time oracle.



BLOCKTIME: A General Temporality of Blockchains Blocktime as blockchains' temporality allows the possibility of rejigging time and making it a malleable property of blockchains. The in-built time clock in blockchains is blocktime, the chain of time by which a certain number of blocks will have been confirmed. Time is specified in units of transaction block confirmation times, not minutes or hours like in a human time system. Block confirmation times are convertible to minutes. Conversion metrics might change over time. Network Economies: Economic System as Configurable Parameters

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.


Q: Which meme describes the myriad blockchain consensus algorithms the most comprehensively that uses an algorithm (based on nature = “shortest path to the knowledge of truth Luxor Temple) enabling distributed system of systems geo-spatial, UTZ Universal Time Zone temporal, semantic - syntactic sync, OPSCODE brevity code, data element & symbol (for A.I. man – machine interface) consensus?

Blockchain Consensus Algorithms & Mechanisms





In the world of blockchain consensus algorithms, consensus is the **HEART OF THE BLOCKCHAIN NETWORK**. Its main purpose is to achieve agreement on transactions among a distributed system (s)

Proof of Formulation: *PoF*: generation / propagation of blocks using a previously agreed sequence between participants of the generation of blocks, formed by two groups: a generator group and/or Formulator and a group of synchronization.



BLOCKCHAIN CONSENSUS ALGORITHMS

ULTIMATE GUIDE FOR BEGINNERS



www.developcoins.com

STABLE PROTOCOL THREE MAIN TYPES:

DeFi-Native: Cap Labs, Elixir, Level

Collateralized Debt Positions: Ducat, Felix


RWA-Backed:, EAnzen, Superstatethena (UStb update)

1) DeFi-Native collateral backing: stablecoin engine produces redeemable tokens of various denominations (USD, BTC, ETH, etc) system of external agents, such as market makers, MEV actors and RWA protocols, to access collateral and generate independent yield on behalf of holders. These actors keep profits over a predetermined threshold, incentivized to earn as much as possible. behavior is kept in check by security delegations from restaking protocols, support good actors, penalize bad ones

2) Collateralized Debt Positions (CDPs)

CDP protocols allow users to borrow assets by locking up collateral. When a user creates a CDP, they deposit a certain amount of ETH, BTC, USDC, or other assets into the protocol to borrow a proportionate amount of another asset, in this case a stablecoin. If the value of the deposited collateral falls below a specified threshold (loan-to-value level or collateral ratio), the CDP becomes under-collateralized and is recalled, or liquidated, with the protocol automatically selling off the underlying assets to repay the debt and maintain the stability of the system. After the underlying collateral is liquidated, the user usually gets to keep the asset they've borrowed, minus some kind of liquidation penalty.

3) RWA-Backed by off-chain real-world assets



PROOF-OF-WORK



THE PROBABILITY OF MINING A BLOCK IS DEPENDENT ON HOW MUCH WORK IS DONE BY THE MINER



TIMESTAMP marks the point that work started. Additionally, it contributes to the uniqueness of the work by an individual miner




THROTTLE equivalent to difficulty. State
•target = maximum value of 8 bytes Snap
(2^{64}) divided by the difficulty.



NONCE increments from 0..N until the target is met.



GUESS stores the guess
Effectively, it begins at infinity.



Proof-of-Work: users perform some form of work to participate. Work must be difficult for the client but easy for the server/network to verify. POW determines the approximate time between blocks = rate that new bitcoins are created. Work is submitted as a message/timestamp payload with a nonce value. Payloads are made unique through use of public key encryption or address.Nonce allows checking the work



MESSAGE example:
• Hash string
• Hash Table

300+Message Templates

FORM	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	FORMAT	
O'REILLY	BOOK	BOOK	BOOK	BOOK	BOOK	BOOK	BOOK	BOOK	BOOK	
Time Series Databases	CLOCK	CLOCK ADJUSTED	CALENDAR	HEARTBEAT	STOCHASTIC HARMONY	ACROSS TIME ZONES	LOGIC FILTERS	LOGIC GATES	SYNTAX LIBRARY LEXICON	
CLOCK FACE 360'	90 / 90 / 90 / 90	330 360 30 60 90	270 300 150 180 210	SATOSHI NAKAMOTO: "The solution we propose begins with a TIME STAMP SERVER"	2nd BASE	ALICE CORP VS CLS BANK SC 573 US 134 2347 CLAIMS MAY NOT DIRECT TOWARDS ABSTRACT IDEAS Physical = Opposite of abstract = ALICE HEART BEACON CYCLE TIME – SPACE METER USPTO 13/573,002	first base RUNNER Message Bus	Firefly – Heartbeat Algo X EVENTS	SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421	FLASH MESSAGE EVENT BUS
MACRO CYCLES	RULES / ROLES INSTRUCTIONS WORKFLOW UMPIRE COACH	90 feet	Blockchain BLOCK in 3D = CUBE Cube has Length, Depth, Height, Volume	90 feet	90 feet	90 feet	TIME STAMP SERVER	Epoch Time Cycles	t ₁ , t ₂ , t ₃	
STATISTICIAN Metrics, Meters	STATISTICAL MEAN VALUE INDEX	3 X 5 HASH TABLES STATE META DATA SHARDS	STATE META DATA SHARDS	SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY IRS #1421	FLASH MESSAGE EVENT BUS	TIME STAMP SERVER	Epoch Time Cycles	t ₁ , t ₂ , t ₃		
IRIS	FLASH MESSAGE EVENT BUS	TIME STAMP SERVER	Epoch Time Cycles	t ₁ , t ₂ , t ₃						

POW PAYLOAD : COMBINATIONS OF ENCRYPTED SYNTAX Attribute Series



In a proof-of-stake network, it is the number of coins held in a wallet that determines the "weight" of the user the likelihood for the user to receive the block reward. In a Proof-of-Weight consensus mechanism, any value, not just the amount of coins held, is used to determine the "weight" of a user.



TIME – SPACE MEASUREMENTS OF TOKENIZED COMMODITIES, SECURITIES... STOCHASTICALLY HARMONIZED ACROSS UTZ Universal Time Zone





The Volumetric Weight is often referred to as dimensional weight

$$\text{Volumetric Weight} = [\text{Width} \times \text{Length} \times \text{Height}]$$



On the Filecoin blockchain, for example, the amount of IPFS data that a user is storing is used as the weighted value.



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



OpenBazaar open source decentralized peer to peer network online commerce —using Bitcoin —no fees and no restrictions



- Creates an online store for users to sell goods for Bitcoin
- Connects these stores directly to each other on a global network
- Users browse individual stores, search for products across whole network
- A buyer directly connects, purchases good from the merchant using Bitcoin
- Bitcoin payments via escrow protect merchants & buyers during trade

OPENBAZAAR.ORG
BLOCKCHAIN ARBITRAGE




OpenBazaar is a different approach to online commerce. OpenBazaar connects buyers and sellers directly. Because there is no one in the middle of your transactions there are no fees, no restrictions, no accounts to create, and you only reveal personal information you choose.

PROJECT PHILOSOPHY: *MAKE TRADE FREE*


Mission: *shift trade to a decentralized platform*



Demurrage TERRATRC TRADE Fees REFERENCE CURRENCY
“Money of Peace”




COMMODITIES
ECONOMIC HEARTBEAT



STAT MEAN VALUE PULSE
REAL WORLD ASSETS RWA

STAT MEAN VALUE INDEX

CONTRIBUTIONS TO STATISTICS



Price Indexes in Time and Space
Methods and Practice

SchellingPoint

Free, open markets: Commodity / Currency Index

Creating open, competitive markets for services
that cannot be perfectly solved with technology

• Privacy </Org_ID>



HASH Values
Nonce Values </Org_ID>



Federation
Gateway

ORG ID

UTZ SYNC

</DATA>
("FILTERS")

FIREFLY – HEARTBEAT ALGO

SYNC EVENTS

TO CLOSEST HB CYCLE

$\Delta\delta$

UTZ SYNC

TO CLOSEST HB CYCLE

$\Delta\delta$

Bitcoin: OpenBazaar transactional currency



Cryptographic Security

- tamper-proof agreements
- 1) minimize potential disputes
- 2) fast-track dispute resolution



DON: DECENTRALIZED ORACLE NETWORKS



Explicit Staking

Chainlink nodes lock up LINK tokens as collateral that can be slashed for malicious and undesirable behavior.

Chainlink's explicit staking model's goal is to achieve a super-linear staking impact—a mechanism where malicious actors are required to have a budget significantly larger than the combined deposits of all nodes within a DON, creating increasingly greater security guarantees for high-value smart contract applications in a cost-efficient manner.

Explicit staking in Chainlink 2.0 oracle reports reflect the state of specific real-world events outside a blockchain (off-chain).

Chainlink's explicit staking mechanism protects against a broad range of attacks, including advanced strategies like prospective bribery, in which nodes are targeted according to their role in the network, such as those selected for report adjudication.



INFOCON
4 3 2 1
INFORMATION CONDITION

Behind each DON is a service agreement that will define the number of LINK tokens each oracle node is required to stake and key performance requirements, such as how far an individual node's response can deviate from the aggregated value and how far the aggregated value in an oracle report can deviate from the correct value it should represent. The service agreement can also define other parameters such as the data sources used, how often updates should occur, how much each node is paid, and more.

ALERT LEVEL >
NEWSCAST ZONE

Outputs produced by a DON are structured into reporting rounds, where each round involves the creation of a new oracle report containing each node's individual response for a particular piece of data (e.g. the price of ETH/USD), with all the individual responses aggregated into a single value (e.g. taking the median). A DON network's service agreement defines how each report should be generated & conditions in which a node's stake can be slashed.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle

FEDERATE / TRADE FEDERATIONS

Linear Sequential Meme

$$\dots -1 / 0 / +1 \dots \Delta \delta > \Sigma$$





VERITAS TOKENS P2P Capital Market smart contracts Eco Economic HEARTBEAT

Decentralized Trading Platform DAO ORACLE
access conventional, legacy financial data to
price, value, trade & settle OTC, P2P financials




INFOCON
5 4 3 2 1
INFORMATION
CONDITION



Zero Trust Transaction: money performs I.A.W. to terms agreed to by parties. Ex: purchase of widget from retail store where widget must be delivered to person B on TIME X, in Y condition at PLACE Z or person A does not get paid. Stock, currency, commodities, letters of credit, insurance underwriting, trading, intellectual property...


STATISTICAL MEAN VALUE INDEX PULSE

GDP INDEX ECONOMY K% RULE



Cost = stated rates that fluctuate with VeUSD exchange rate.
Veritas holders get priority. The ability to redeem Ve against USD gives clients instant value.

DAO Distributed Autonomous Organization Investor Pools










Proof-of-activity PoA is a combination of Proof of Work / Stake blockchain consensus algorithms:

Example of Proof-of-Activity (PoA)

Decred (DCR) is the most well-known cryptocurrency that uses the PoA consensus mechanism. With Decred, blocks are created about every five minutes.² The mining process for Decred begins with nodes (computers that participate in the network) looking for a solution to a cryptographic puzzle with a known difficulty level in order to create a new block. Once the solution has been found, it is broadcast to the network. The network then verifies the solution. At this point, the system becomes a PoS. The more DCR that a node has mined, the more likely they are to be chosen to vote on the block. (In DCR's blockchain, stakeholders earn tickets that grant them voting power in exchange for mining DCR.) Five tickets are chosen pseudo-randomly from the ticket pool; if at least 3 of the 5 vote "yes" to validate the block, it is permanently added to the blockchain. Both miners, voters are rewarded with DCR.



HEART BEACON CYCLE 13/573,002




SAWTOOTH LAKE POETIC CONSENSUS PROOF OF ELAPSED TIME: POET

"PoET for 'Proof of Elapsed Time', is a **lottery protocol** that builds on trusted execution environments (TEEs) provided by Intel's [Secure Guard Extensions] to address the needs of large populations of participants. The second, **Quorum Voting**, is an adaptation of the Ripple and Stellar consensus protocols and serves to address the needs of applications that require immediate transaction finality."



PROOF OF ELAPSED TIME




Voting Based Selection: stake size & block generators selected by votes

Voting based selection Instead of only using the stake size, the block generators can be selected by votes
ex: League MVP




Robert's Rules quorum = minimum # of voting members who must be present at meetings to conduct business of the group


TOURNAMENT LEAGUE BOARD



Capture ledger's state $\Delta \delta$
Transaction language changes ledger state
Consensus, transaction acceptance protocol





NEO Delegated Byzantine Fault Tolerance (dBFT)



No collusion between individuals or entities is possible. Participants in the network validate transactions adding to the ledger have no affiliation or relationship (political, adversarial, etc.) with the transaction or its participants. Only a permissionless platform can meet this set of criteria.

Specifically, a random selection algorithm called RS is developed to cooperate with the voting mechanism, which can effectively reduce the number of nodes participating in the consensus process. Our proposed scheme is characterized by the unpredictability, randomness, and Impartiality, which accelerate the system to reach consensus on the premise of ensuring system activity. ✓



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics



Hashgraph consensus algorithm for replicated state machines

- Consensus Event Time Stamps
- State Meta data consensus order
- **Virtual voting:** each member has a Hashgraph copy
- Famous witnesses

data structure that records who gossiped to whom in what order $\Delta\delta$

Gossip In Bitcoin: transactions and mined blocks are gossiped.
Consensus is enhanced via "gossip about gossip"



DAG "Directed Acyclic Graph" large number of blocks arrive at the same time. DAG system reaches consensus leveraging "Gossip"... information spread by a computer calling up other computers at random, sharing everything it knows

Community members reach consensus agreement on events / transactions order inside events, and agree on a timestamp for each event /transaction

DAG finite directed graph
= no directed cycles

Hashgraph Member Event Transaction Consensus Order Timestamp Gossip protocol Self-parent Other-parent Graph Hash Hashgraph

Consensus Order

$$\sum \Delta\delta \times$$

Round created Witness 0 / 1

Famous witness Election

Vote See Strongly see Supermajority

Decide Round created Round received


Consensus timestamp Consensus order $\Delta\delta$

Synchronous Asynchronous

Micro-Cycle State Meta Data Snapshots


Hash Nonce

The Heart Beacon Cycle Time – Space Meter
Adaptive Procedural Template Checklist
Heartbeat Sync Delta state meta data
structured data exchange snapshots
300 + Use Case message template sets
Rosetta Stone Syntax lexicon Coder's guide



Heart Beacon Cycle Time – Space Meter
Geo-Spatial Temporal Intensity Metrics


TRIANGULATION



vector

IDMaps assists Network Time Protocol (NTP) servers establish long term peering relationships

FIREFLY HEARTBEAT Synchronization Algorithm



"LENGTH OF REAL TIME CYCLE IS ARBITRARY AS LONG AS NODES EVENTUALLY AGREE"



Proof of Burn



Proof of burn (POB) operates on the principle of allowing miners to “burn” virtual currency tokens. They are then granted the right to write blocks in proportion to the coins burnt.


Iain Stewart, the inventor of the POB algorithm, uses an analogy to describe the algorithm: burnt coins are like mining rigs. In this analogy, a miner burns their coins to buy a virtual mining rig that gives them the power to mine blocks. The more coins burned by the miner, the bigger their virtual mining "rig" will be.²

To burn the coins, miners send them to a verifiably un-spendable address. This process does not consume many resources (other than the burned coins) and ensures that the network remains active and agile. Depending upon the implementation, miners are allowed to burn the native currency or the currency of an alternate chain, such as Bitcoin. In exchange, they receive a reward in the native currency token of the blockchain.



You can send out transactions to the network that will burn your own cryptocurrency coins. Other participants can mine/burn on top of your block, and you can also take the transactions of other participants to add them to your block. Essentially, all of this burning activity keeps the network agile, and participants are rewarded for their activities (both burning their own coins and burning other people's coins).

To prevent the possibility of unfair advantages for early adopters, the POB system has implemented a mechanism that promotes the periodic burning of cryptocurrency coins to maintain mining power. The power of burnt coins “decays” or reduces partially each time a new block is mined. This promotes regular activity by the miners, instead of a one-time, early investment. To maintain a competitive edge, miners may also need to periodically invest in better equipment as technology advances.



IEEE C37.118 Time Synchronization
Harmonization Heartbeat update Interval
PMU data time-stamp measure C37.118

Phase 2: Shared file stores data for 5 tags:

(1) Active ID

(2) Heartbeat 1.

(3) Heartbeat 2.

(4) Device Status 1.

(5) Device Status 2.




TAG	Volume / Size + / - Of rig	Token Award
{"Org_ID"} ActiveID	[UFO2_ACTIVEID]	</EVENT>
IF1_Heartbeat (IF-Node1)	[UFO2_HEARTBEAT:#]	</EVENT>
IF2_Heartbeat (IF-Node2)	[UFO2_HEARTBEAT:#]	</EVENT>
{"UUID"} IF1_DeviceStatus (IF-Node1)	[UFO2_DEVICESTAT:#]	</EVENT>
{"UUID"} IF2_DeviceStatus (IF-Node2)	[UFO2_DEVICESTAT:#]	</EVENT>
IF1_State (IF-Node1)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State
IF2_State (IF-Node2)	$\Delta\delta$	[UFO2_STATE:#] $\Delta\delta$ IF_State

Proof of Capacity PoC



consensus mechanism algorithm for mining devices to use hard drive space to decide mining rights, validate transactions

Proof of capacity for mining devices, also known as blockchain nodes, to use empty space on their hard drive to mine the available [cryptocurrencies](#).




Instead of repeatedly altering the numbers in the block header & repeated hashing for the solution value as in a PoW system, PoC works by storing a list of possible solutions on the mining device's hard drive before mining activity starts




The larger the hard drive, the > possible solution values one can store on the hard drive, the more chances a miner has to match required hash value from his list, resulting in more chances to win the mining reward.



Analogy: if lottery rewards are based on matching the most numbers on the winning ticket, then a player with a longer list of possible solutions will have better chances of winning. Additionally, the player is allowed to keep using the lottery ticket block numbers again and again repeatedly.



Bitcoin purchase akin to property




PoST Proof-of-Spacetime (PoST)

PoST shows that physically storing data (spent "spacetime" resource/allocated storage capacity to the network) over a certain period of time.




PoST users / nodes must prove that they are spending a certain amount of space for storage.




DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle FEDERATE / TRADE FEDERATIONS



The proposed Universal Timezone System would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.



Proof of Authority



{"GROUP ID"}
{"Org_ID"}

Not pay to play, Node identity is kept as stake

A PoA network are secured by validators, that are selected democratically by existing validators. The nodes on the PoA network are rewarded for validating the transactions on the network. The identity of the validator is kept anonymous by encryption and secured cryptographically. It is revealed only as a negative reinforcement when the validator processes a fraudulent or a malicious transaction.



A notary license verifies the identity of the person formally, a notary license is released by the Federation / Government after extensive verification. The identity of the validator is kept for cross-referencing with the notary data and blockchain data

Parity supports a Proof-of-Authority consensus engine. Proof-of-Authority is a replacement for Proof-of-Work, and can be used for private or centralized chains. PoA as tested by a Kovan test network improves outdated economic models.

1. **FEDERATION:** Latin: foedus, foederis, covenant, **union** of partially self-governing states or regions under a central (federal) government
2. A league or confederacy. Individuals / groups retain **AUTONOMY**
3. A federated body formed by nations, states, and... **unions**
each retaining control of internal affairs



Federation
Gateway
Net joins, drops, splits, merges, moves
Agile, adhoc NETOPS Vs acquisition preserves the **CHANNEL**



DISTRIBUTED AUTONOMOUS ORGANIZATIONS DAO

Heart Beacon Cycle


FEDERATE / TRADE FEDERATIONS



BTC NG NEX GEN / Heart Beacon Cycle 13/573,002

KEY BLOCKS:

- NO CONTENT = NULL
- LEADER ELECTION



MVP

EVENT BUS

MICRO BLOCKS:

- ONLY CONTENT
- NO CONTENTION



NDN


XBRIL / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS




SYNTAX
LEXICON LIBRARY


CPU CHIP
EPOCHS



long exponential
intervals (10 min)




COMMAND SYNTAX
RESTFUL State Transfer



Subjective Time to Prune

Additional metrics used by researchers included "time to prune", or the time it takes for miners whether they are on the correct "branch" or version of the blockchain they are processing transactions. As block sizes increase, suggested time to prune increases.



short deterministic
intervals (10 sec)

MACRO – CYCLES



ATOMIC CLOCK
MICRO-CYCLES





**real-time gross settlement system,
currency exchange, remittance network**

A.K.A Ripple Transaction Protocol or Ripple protocol, built on a distributed open source Internet protocol, consensus ledger and native currency called XRP. Ripple enables "secure, instant and nearly free global financial transactions of any size with no chargebacks." Ripple supports tokens representing fiat currency, cryptocurrency, commodity or any other unit of value such as frequent flier miles or mobile minutes. Ripple is based around a shared, public database or ledger, which uses a consensus process that allows for payments, exchanges and remittance in a distributed process.

Connects to receiving bank's Ripple Connect to exchange KYC, risk info, fees, payment details, expected time of funds delivery

Provides information about total costs of the transaction.

Workflows are serially executed
Except first two work flow are
workflows are based on event
pull model






PROTON A CHAIN Virtual Machine

CONTRACT C CHAIN Smart contract

PLATFORM P CHAIN Meta Data

EXCHANGE X CHAIN Cross blockchain



Universal @names Identity / Governance / Resources / Staking

Snowball Consensus

Algorithm

preference := pizza

consecutiveSuccesses := 0

while not decided:

ask k random people preference

if >= α give the same response:

preference := response with >=

α

if preference == old preference:

consecutiveSuccesses++

else:

consecutiveSuccesses = 1

else:

consecutiveSuccesses = 0

if consecutiveSuccesses > β:
decide(preference)



DAG Acyclic Graph Parameters:

n: number of participants

k (sample size): between 1 and n

α (quorum size): between 1 and k

β (decision threshold): >= 1

ALL THINGS NET, NET OF \$\$\$

1) EPOCH TIME INTERVALS




2) SYNTAX (not) used in epochs



BLOCKCHAIN EPOCH CLOCK TIME CYCLES

← cycle n → ← n + 1 → ← n + 2 → $\Delta\delta$

GENESIS BLOCK: "Layers" = follow on epoch time intervals
Block 0 Block 1 Block 2



SECURITY TOKEN: A DIGITAL ASSET THAT'S BACKED UP BY TANGIBLE ASSETS IN THE REAL WORLD

</URN>
</URN>
</URN>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" get paid"






OTA: Internet Of Things IOT distributed ledger
with microtransactions without fees

Tangle, a directed, ASYNCHRONOUS acyclic graph (DAG) for storing transactions

Contrary to Blockchains, consensus is no longer decoupled, It is an intrinsic part of the system for decentralized, self-regulating peer-to-peer network. Transfer value without fees

The iota network is ASYNCHRONOUS. In general, nodes do not necessarily see the same set of transactions. The tangle may contain conflicting transactions. The nodes do not have to achieve consensus on which valid transactions have the right to be in the ledger, meaning all of them can be in the tangle. However, in the case where there are conflicting transactions, the nodes need to decide which transactions will become orphaned. Nodes use the tip (unapproved transaction) selection algorithm to decide between two conflicting transactions. GHOST protocol main ledger = tree





ZEPPELIN

ZEPPELIN OPEN, GLOBAL ECONOMY

OpenZeppelin open framework of reusable, secure smart contracts in the Solidity language


zeppelinOS, operating system for smart contracts
“the rate of innovation in building decentralized applications is limited by the manual and duplicative efforts developers must make to ensure basic usability and security.”

ZEPPELIN / zeppelinOS Common Functionality:

zeppelinOS Kernel common set of functions for smart contracts requesting services from the OS rather than re-implementing them from scratch. Functions will be available as an on-chain standard library of reusable contracts and functions, nspired by [OpenZeppelin](#) Libraries


Create and customize your own ERC20 Token.

- Create capped, refundable and/or whitelisted crowdsales.
 - Create a trustless bug bounty.
 - Create pausable, ownable, balance-limited contracts.
 - Set up a token vesting or token locking contract.



 HEART BEACON CYCLE TIME – SPACE METER
ECO-ECONOMETRICS ON THE BITCOIN BLOCKCHAIN

Syntax 300 + Templates




STRUCTURED DATA EXCHANGE

LOGIC / FILTERS ALPHA-NUMERIC BREVITY CODES

STOCHASTIC HARMONIZATION for TELCO Mesh Fabrics



PARISIENNE



Micro Cycle State Snap




EGAAS

ELECTRONIC GOVERNMENT AS A SERVICE

Distributed digital asset registries were the first projects that used blockchain systems such as databases designed for secure storage of records on real estate property, stocks, copyright and so on. It is assumed hosting any document on the blockchain is equivalent to notarization of its content at a fixed time point.

The Heart Beacon Cycle HBC: an adaptive procedural checklist of form templates, procedures, SOP building blocks useful to form Eco-responsible trade federations Procedural template checklist items links to detailed technical, process... treatises



TEMPLATE ENGINE LANGUAGE ETF

ONWELL

NAMED DATA NETWORKING, corrections

Time Series Databases

BLOCKCHAIN PARSING, SYNCHRONIZATION




The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. **INCENTIVIZE ECO-FRIENDLY TRANSACTIONS**



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.





"EARTHDAY EVERYDAY ON THE BITCOIN BLOCKCHAIN"
"GIVE A HOOT, DON'T POLLUTE" Woodsy The Owl

GNOSIS

Gnosis Wisdom (WIZ) pay platform fees in Services layer, Wiz subsidize other participants fees, provide initial subsidies for markets, or market trading.

WIZ pegged to \$1 USD worth of fees. WIZ acts as coupon for \$1 of Gnosis

Gnosis tokens (GNO) generate Wisdom token s(WIZ) via smart contract

GNO token holders agree to "lock" tokens in a smart contract (30-365 days). A multiplier is added for longer lock durations. Smart contract determines selected lock duration and applies that duration to a formula regulating supply of WIZ tokens currently in use. Once users execute the contract, 30% of their WIZ are distributed for use, the remaining 70% is distributed proportionally over the locked duration. When lock duration expires, the locked GNO ceases to generate WIZ & GNO is freely transferable

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.




"Our mission is to build an accessible prediction market platform enabling free flow of useful information / the "Google" of Customized Information Searching"

Futarchy PREDICTION MARKETS
GnosisAMA

Gnosis trading interface alpha
WIZ token fee payment
INFORMATION ARBITRAGE ECONOMICS

TERRACYCLE Price Oracle



THE TERRA (TRC)

Trade Reference Currency



\$0.49 USD
B 0.001076 BTC

MICRO PAYMENTS
@bitcoin
Need Bitcoin?

Demurrage Fees



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme




Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme



Universal Meme




Universal Meme




Universal Meme




Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme




Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme




Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme



Universal Meme




Universal Meme



Universal Meme



Bitcoin Classic seeks to mitigate the problem of more transactions, which are causing transaction backlogs and increased transaction costs, by increasing the block size - the number of kilobytes in a block of transactions - from 1MB to 2MB.





ALL THINGS INTERNET FORMED W 1) TIME EPOCHS 2) SYNTAX



BitPay Core: limits: 1) block size 'hard limit' adjusted on a regular basis coinciding with difficulty adjustments, 2) miner set 'soft limit' like focal points in Unlimited. $\Delta\delta$



Bitcoin Unlimited: absence of a hard-coded block-size limit. Users manually set limits on their own nodes; Consensus on a limit expected to emerge naturally at Schelling focal point. Unlimited introduces a level of democracy into development, management of the implementation, . the community votes on changes.



Microsoft Blockchain modular framework:
choose combination of tech best fits Biz domain

AZURE: Core/Kernel/Universal Protocol

Fabric Tier consortium node CryptoDelegate in VM or UTXO Adapter, (Azure, AzureStack, AWS..)

Unspent Transaction Output protocols UTXO

Crypto Tokenized Assets Digital Bearer Bonds
unique identity for owned artifacts

Utility Cryptlets encryption, time & date events, external data access, authentication “CryptoDelegate” / adapter


Blockchain middleware: identity and operations management, data, intelligence services like analytics and machine learning. New middleware works with existing Azure services, like Active Directory and Key Vault

Blockchain Fabric: Blockchain Gateway Services [Interledger](#)-like services to allow for SmartContracts and tokenized objects to be passed between different ledger systems.

Data Services - key data services like distributed file systems (IPFS, Storj, etc) of off-chain data referenced by public keys.

Auditing, Advanced Analytics, Machine Learning, Dashboarding services for SmartContracts, Blockchains, Consortia, Regulators

Utility and Contract. Developers can discover and enlist Cryptlets into their SmartContracts to create more robust and trusted transactions. Contract Cryptlets are full delegation engines that act as SmartContract surrogates off the chain. Cryptlets provide execution logic and securely store data in the Smart Contract








ALPHA NUMERIC	
BREVITY CODES	
SYMBOL CODES	
STRUCTURED MILITARY MESSAGE	
TEMPLATE FORMS	LOGIC / FILTERS

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



MULTI-MEME MULTI-METER





ETHER: Compensate Resource Contribution

Gas: price to
Run contract
transactions

Casper is a security-deposit based economic consensus protocol. Nodes = "bonded validators" place security deposit (an action called "bonding") If a validator generates an invalid action, account deposits are forfeited along with consensus privilege. Use of security deposits address "nothing at stake" problem; that behaving badly is not expensive. Casper is an **EVENTUALLY CONSISTANT** blockchain-based consensus protocol. CASPER favors availability over consistency



Firefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local "heartbeat" events approximately at the same time with a goal of all nodes starting / ending cycles at the same time... **EVENTUALLY**



DFINITY

RANDOM # BEACON

NIST Beacon
A Public Randomness Service

QUANTUM RANDOM #

BLOCKCHAIN NERVOUS SYSTEM
HEARTBEAT {"108"} State Meta Data Snapshot Msgs

STATEFUL DECENTRALIZED NET PROTOCOL:
Decentralized process workflows instead of
Centralized Server farms

GROUP Signature is random number

- Number selects next group {"Org_ID"} {"Org_ID"}
- Next group use previous no. as message
- Verifiable Random Function
- Numbers verifiable using group public key
- New values produced in threshold agreement
- Random members {"Org_ID"} {"Org_ID"}**
- Each process is a member of multiple groups
- Groups intersect, have +/- 400 members
- BLS signature scheme**
- Math magic... If 51% of group members broadcast "signature shares" on a message, these are combined to create the group's threshold signature.

HYPER GEOMETRIC PROBABILITY CALCULATOR

CONSENSUS / RANDOM BEACON

Threshold relay chain generates randomness, records network metadata & validation tree "state root". State and updates to state stored on shards... State transitions passed to Validation Tree

Each process has mining identity

- Public key with meta data attached
- IDs mediate participation**
- Private network: trusted dealer defines list
- Public network: CC security deposit, USCIDs

UTZ TIME ZONE SYNC

USPTO 13/573,002 HEART BEACON CYCLE TIME – SPACE METER

CLOCK FACE 360'
90 / 90 / 90 / 90
330 360 30 60 90
300 270 240 210 180 150

BASEBALL "DIAMOND"
A diamond Is a square Is a block in 3D
2nd Base

Satoshi Nakamoto:
"The solution we propose begins with a TIME STAMP SERVER"

MACRO CYCLES

90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

3rd Base

STATISTICIAN Metrics, Meters

Universal Heartbeat Message Event Bus

3 X 5 HASH TABLES STATE META DATA SHARDS

SETTLEMENTS / EXCHANGES = TAXABLE EVENTS AKIN TO PROPERTY

IRS #1421

State Meta Data Snapshots Survey Point

MICRO CYCLES

home plate

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Time Cycles

EVENTS

Fix {"108"}

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Time Cycles

HBC "ORG_ID" {"URN"} CLASS ASSET TYPE {"UUID"} DEVICE TYPE INDEX CARD="SHARD"



core blockchain code written in Erlang, for distributed, fault-tolerant, soft real-time and highly available non-stop applications.

ERLANG API FOR BLOCKCHAIN



ORACLES: crucial feature for most contracts, whether encoded as text or as code, is the ability to refer to values from the environment. æternity Oracle Machine provides real-world data to the blockchain. Each user can ask questions about the environment. Anyone can answer. Consensus mechanism invoked in case of disagreement.

MIT-licensed modules for easy implementation in blockchain consortiums. Free and open access for developers build on the æternity platform.

CROSS – CHAIN ATOMIC SWAPS

AE Tokens AE are access tokens to the æternity network and act as a unit of account for the resources spent on æternity.



Aeons: energy for applications implemented on the platform.

ACCOUNTS & IDENTITY: æternity's accounts are permission-less, but allow customization via schema.org's semantic web scheme. Create & own (**federated group**) / individual identities on the æternity network



(“ORG_ID”)

NAMES (DNS) In the vein of Aaron Swartz' work and Namecoin, æternity features an easy to use name system, that is both decentralized and secure, while still supporting human-friendly, memorable names. The blockchain's state includes a mapping from unique human-friendly strings to fixed-size byte arrays, that are individually customizable.



EVENT BUS FIREFLY INSPIRED NEARTBEAT SYNC

HEARTBEAT FLASH MESSAGES EMULATE NEURAL NETWORKS

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic "heartbeat" events at approximately the same time. No need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree


AETERNITY CROSS-CHAIN ATOMIC SWAPS CORRESPOND TO HEART BEACON CYCLE'S USE OF BATTLEFIELD DIGITIZATION DERIVED HEARTBEAT SYNC DELTAS




TERRA TRC Terra Trade Reference Currency TRC "world currency" Bernard A. Liettaer Belgian economist proposed 1991 Basket of 9-12 most important commodities. Public issued demurrage fees for storage, shipping, handling

TOKENS REPRESENT REAL WORLD VALUE URN RESOURCES

ETHEREUM USES GAS GUAGE MEME INDICATING THRESHOLD MET / NOT MET



E F



ROLES Meters

$\Delta\delta$

RULES Metrics

HBC's PRIMARY USE CASE IS TO ORGANIZE INDIVIDUALS IN TRADE FEDERATION GROUPS RE-USING BATTLEFIELD DIGITIZATION / ARIN Organizational Identifier Org_ID for Ecosphere friendly trade

Federation Gateway
(“ORG_ID”)




American Registry for Internet Numbers

HYPER LEDGER OPEN SOURCE BLOCKCHAIN

Core APIs, & SDKs

$\Delta\delta$ Shared Ledger



HEART BEACON CYCLE
TIME – SPACE METER
USPTO 13/573,002


FEDERATION
Federation Gateway

METRICS ("Organization ID")
METERS


RESTFUL SYNC DELTA
CHANGE MANAGEMENT
MICRO-MACRO CYCLE




BLOCKTIME ARBITRAGE



Code execution environment, ledger data structures, modular consensus fwk & algos, and modular membership services, modular storage and event fwks, network peers



Alpha-Numerics



ROSETTA STONE


XBR / CDL / DAML
STOCK MIC CODES

STRUCTURED
MILITARY MESSAGE
TEMPLATE FORMS
LOGIC / FILTERS

SYNTAX
SYMBOL LIBRARY

300 + MESSAGE
TEMPLATES
USE CASES / GROUPED
DATA TRANSACTIONS
Alpha-Numeric Data
Element ID -- #'s are the
UNIVERSAL LANGUAGE

HYPER LEDGER USES
JSON ("tag") / YAML
Text indentation –
UNIVERSAL LANGUAGE
= ALPHA-NUMERICS



MICRO-MACRO CYCLE SCHEDULE



FFIRNS
FFUDNS



"All decentralized, blockchain-based networks are DAOs, or decentralized autonomous organizations" Bitcoinist

“A DAO can be summed up as an organization of people who communicate with each other via a “network protocol,” which is to say that they communicate with one another via a ruleset”


[LINK](http://bitcoinist.net/how-dash-dao-work/) <http://bitcoinist.net/how-dash-dao-work/>

"all digital currency networks, the base layer of people generating the blockchain — "miners," "stakers," "witnesses," "validators," or "forgers" — all get paid to do so" "consensus," or an agreement upon what the rules should be; and second, the execution of said rules.

“Its makeup is thus: the block reward is divvied up in three parts. The first 45 percent goes to [Dash’s miners](#). Another 45 percent goes to its Masternodes. And 10 percent is set aside to fund whatever other jobs or expenditures the Dash network deems necessary”

InstantX: To solve the problem of lag time in transactions, Masternodes are able to instantly lock transactions. Masternodes receive payments for their service to the network.

DAO: RAND THINK TANK TERM COINED + / - 2001



STOCHASTIC HARMONIZATION **FIREFLY-HEARTBEAT** EVENT BUS

HEART BEACON CYCLE = IMPROVEMENT TO NETWORK CENTRIC WARFARE



Briefly - Heartbeat synchronization: nodes in a distributed system generate periodic, local “heartbeat” events approximately at the same time with a goal of all nodes starting / ending cycles at the same time eventually = HB CYCLE

STATE: stored data at a given instant in time

STATE CHANNELS: blockchain interactions

which *could* occur on the blockchain, but instead get conducted *off* of the blockchain, without significantly increasing the risk of any participant.




1. Part of the blockchain state is locked via multisignature or smart contract convention, so that a specific set of participants must completely agree with each other to update it.





2. Participants update the state amongst themselves by constructing and signing transactions that *could* be submitted to the blockchain, but instead are made available for a new update "trumps" previous update.



3. Finally, participants submit the state back to the blockchain, which closes the state channel.





NEW UPDATES OVERWRITE THE PREVIOUS: simplest way is to have any unlocking attempt start a timer, during which any *newer* update can replace the old update (restarting the timer). When the timer completes, the channel is closed and the state adjusted to reflect the last update received. The length of the timer would be chosen for each state channel, balancing the inconvenience of a long channel closing time with the increased safety it would provide against internet connection or blockchain problems. Alternatively, one could structure channel with a financial penalty so anyone publishing an inaccurate update to the blockchain will lose more than gain by pretending later.




TWAP Algorithm Manages Bitcoin Price Volatility Algorithm


TWAP GOAL: provide a Time Weighted Average Price Benchmark



FIREFLY HEARTBEAT ALGO
STAT MEAN VALUE INDEX



STATE META
DATA SNAPSHOTS



TWAP Works To gauge trading performance, many traders in different asset classes (equity, fixed income, currency) often use average price as a benchmark. The two common ways to calculate an average are a time-weighted average price (TWAP) and a volume-weighted average price (VWAP). TWAP is the average price of a bitcoin over the course of a specified period of time i.e., Heart Beacon Cycle



The algorithm trades over a desired time, either 1, 6, 12 or 24 hours and will give you a TWAP over that time period. For example, set the TWAP algorithm to sell 12 bitcoins over 12 hours, the algorithm will sell throughout the period, aiming to get a 12-hour TWAP



VWAP is price multiplied by number of bitcoins traded, then divided by the total number of bitcoins traded during a time period. The time-weighted average price algorithm is matched to closest HB

Firefly Heartbeat Sync nodes strive to sync in a distributed system. Nodes emit periodic “heartbeat” events at approximately the same time. There is no need to sync during a cycle as long as the cycle length is bounded & nodes eventually agree. HBC’s improvement is stipulating a clock cycle value e.g., 5, 10, 15..



Block-Weighted-Average-Price (B-WAP) API creates a USD price for any block in the Bitcoin blockchain, based on BNC's Bitcoin Liquid Index (BLX). Automatically appropriates blockchain transactions with a USD price or technical indicator for traders.

Key Features:

Look up any bitcoin blockchain transaction and receive back a USD value for any transaction.



Built using historic bitcoin price index - the [BNC BLX](#).

API updated every 10 min with a 2 hour delay on latest blocks (due to the nature of Block propagation to ensure avoidance of publishing rates on orphaned blocks).

All rates time-stamped in UTC.



Ability to look up by time-stamp.

Ability to look up by block-height.

Asset Classes: Digital Currencies

Get by: Block-height, Time-stamp or Transaction


Transaction ID, Block ID, time-stamp, BWAP per block, Value in USD. BTC per transaction, bitcoin transaction fees per transaction.



"Blocks are a measure of time":

The Bitcoin Blockchain 'B-WAP'

• Exchanges Covered: Price discovery for the B-WAP comes from utilizing the BNC [Bitcoin Liquid Index](#) (BLX) bitcoin price calculation.

• Historical Rates: This API goes back to 2010-07-17 23:14:35 UTC.






UNIVERSAL EVENT BUS



- Choreographing workflow between firms with
 - Supports inclusion of regulatory & supervisory
 - Validating transactions solely between parties
 - Supporting a variety of consensus mechanisms
 - Recording explicit links between human-language documents and smart contract code



11.8 - Kinematics	
11.8.1 - Pos / Vel / Acc (PVA)	
11.8.1.1 - Acceleration	
11.8.1.1.1 - Circular	
11.8.1.1.2 - Linear	
11.8.1.1.2.1 - Estimate Type	
11.8.1.1.2.1.1 - Estimated	
11.8.1.1.2.1.2 - Observed	
11.8.1.1.2.2 - Predicted	
11.8.1.1.2.3 - Smoothed Data	
11.8.1.1.3 - Position	
11.8.1.1.3.1 - Bearing Angle	
11.8.1.1.3.2 - Azimuth, 2D H	
11.8.1.1.3.3 - Vertical	
11.8.1.1.4 - Velocity	
11.8.1.1.4.1 - Horizontal	
11.8.1.1.4.2 - Vertical	
11.8.1.1.5 - Confidence	
11.8.1.1.5.1 - Bearing Angle	
11.8.1.1.5.2 - Bearing Angle Rate	
11.8.1.1.5.3 - Covariance Matrix	

- PROOF OF WORK
 - PROOF OF STAKE
 - STATE CHANNELS
 - BITCOIN NEXGEN
 - LIGHTNING / DASH..



XBRL / CDL / DAML STOCK MIC CODES

STRUCTURED MILITARY MESSAGE TEMPLATE FORMS



300+ Use Case Templates




PROJECT LIGHTING


transactions sent over / off chain micropayment channels

Micropayment Channels

Setup: Alice creates transaction with 10 bitcoin to a 2-of-2 multisig with Bob




LIGHTNING



Millions of Transactions. Milliseconds of Delay.

Hashed TIME LOCK contracts component for global consensus

OP_CHECKLOCKTIMEVERIFY During Macro Cycle w/ Random # BEACON



Payment channels multi-hop hub spoke model like internet routing

FIREFLY – HEARTBEAT ALGORITHM



FIREFLY – HEARTBEAT

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES

INSTRUCTIONS

WORKFLOW

UMPIRE COACH

3rd Base

STATISTICIAN Metrics, Meters

Stat Mean Value Index

3 X 5 HASH TABLES STATE META DATA SHARDS

State Meta

Data Snapshots

Survey Point

MICRO CYCLES

home plate

time stamp server

epoch time cycles

fix "108"

FLASH MESSAGE EVENT BUS

TIME STAMP SERVER

Δδ

Sync Delta

State Meta

Data Snaps

adjacent fields

separate channels

payment channels

multi-hop hub

spoke model like internet routing

internet routing

node A

node B

node C

node D

node E

node F

node G

node H

node I

node J

node K

node L

node M

node N

node O

node P

node Q

node R

node S

node T

node U

node V

node W

node X

node Y

node Z

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH

node II

node JJ

node KK

node LL

node MM

node NN

node OO

node PP

node QQ

node RR

node SS

node TT

node UU

node VV

node WW

node XX

node YY

node ZZ

node AA

node BB

node CC

node DD

node EE

node FF

node GG

node HH


Electronic Product Code Information Services (EPCIS)

GS1 Standard for creating, sharing visibility event data



epcis

EPCIS DATA MODEL



SERVICE LAYER


XML

ObjectEvent

AggregationEvent

QuantityEvent

TransactionEvent






TERRA TRC



ECONOMIC HEARTBEAT




</FILTERS>{"FILTERS"}
</CLASS_TYPE>



HB MSG </108>
FIX PROTOCOL
INDUSTRY-DRIVEN MESSAGING STANDARD

LAST LOSS



PROCESS BY </PRECEDENCE>

SonarMaps ID_Hops




IEEE 802.15.4 OASIS MQTT
TELEMETRY TRANSPORT

IEEE C37.118 Harmonization & Sync heartbeat update Interval
IEEE 802.11 HOP BY HOP CONTROL


IEEE 802.1AG HOP BY HOP DETECTION

Paul Revere Linear, Sequential

Bitcoin = Property



Triangulation
Euclidian Geo
GPS GEO LOC
DATE TIME STAMP
NDN </INTEREST>
NDN {"DISTANCE"}





Demurrage Charges
vector

Heartbeat Snapshots
 $\Delta\delta$

MICRO CYCLES
To Closest Heartbeat



Decentralized Exchange Meets Decentralized Crowdfunding



A decentralized exchange called BitSquare has [launched a campaign](#) on the decentralized crowd funding app [Lighthouse](#). Its campaign is simultaneously an example of how powerful decentralized crowd funding is, and how difficult running a successful campaign is... segue to the MESH ECONOMY

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind **Coordinated Universal Time (UTC)**. However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC.



Autonomous Device Coordination Framework



- Registration
- Authentication
- Proximity based rules
- Consensus based rules
- Contracts
- Checklists

FEDERATION
AGREEMENTS
PROCEDURAL
TEMPLATE



FEDERATION

<UUID> <ORG_ID> <URN>

LDAP DIRECTORY

- Physical proximity
- Social proximity
- Temporal proximity
- Agreements
- Payments
- Barter


ADEPT Standard Peer Architecture – Logical View



ASSET SHARING WITHIN FEDERATION

BUSINESS LOGIC = WORKFLOW <XML_Wf>

FILE SHARING = CYCLIC SYNC DELTA LEDGER / DOCUMENT REFRESH



OPEN SOURCE = HBC = PROTOCOL AGNOSTIC

DATA LAYER: STATE META DATA TIME STAMPED BY <UUID><ORG_ID><URN> & DATA PREPPED & "DATA WRANGLLED PRIOR TO FUSION CENTER ENHANCED ANALYTICS / PROTECTS BANDWIDTH

* Could be optimized to hold the complete blockchain. Function of ADEPT Installer



Three ideas combined

HOW TRUTHCOIN WORKS:

1) Tradable Reputation

- Abstract Corp exists to prove consistency within / across TIME
- Collects \$ to power the mechanism.

2) SVD Cross-Validation

- Statistical technique: seeks importance.
- Gleans truth, measures conformity.



3) Strategic Use of TIME

- Funds can be ‘locked’ across time.
- Yet info-search-costs constantly fall.
- Net effect: time penalizes attackers only.

2. A kind of ‘Future Wikipedia’

	Wikipedia	Truthcoin
--	-----------	-----------

	Protocol (Decentralized)	Centralized Non-Protocol
Focus	Spoken English	Shakespeare’s Globe Theatre, The Library of Alexandria, MLA Citation Format, Walt Whitman, J.K. Rowling.
	Rules to American Football	The NFL, ESPN, The Buffalo Bills.
	Bluetooth	A Set of Stereo Speakers, The iPhone 6, A Car Radio Equipped with Bluetooth
	Bitcoin	VISA, PayPal, SWIFT, Western Union, Airline Miles, Amazon Coins, e-Gold, Liberty Reserve.

3. A software protocol


A protocol is a set of rules that determine how something is performed or accomplished





How 'Bitbanks' Could Solve Bitcoin's Volatility Problem

$$MV=PQ \text{ Money} \times \text{Velocity} = \text{Price} \times \text{Quantity}$$

The most important equation in monetary economics, the equation of exchange: $MV=PQ$. The quantity of money (M) times the rate spent (V for velocity) equals the price of everything bought (P) times the amount bought (Q for quantity). In Bitcoin, M Money is on a predetermined path, converging to 21m bitcoins. In relation to the other variables, Bitcoin is fixed. V, P, & Q fluctuate



Gamification is the use of game thinking and game mechanics in non-game contexts to engage users in solving problems. Gamification techniques strive to leverage people's natural desires for competition, achievement, status, self-expression, altruism, closure.



HOW GAMIFICATION WORKS:

5 COMMON MECHANICS

POINTS

Measure a user's achievements in relation to others
Can double as currency to exchange for rewards

BADGES

Reward achievements visually

LEVELS

Encourage users to progress and unlock new rewards

LEADERBOARDS

Organise players by rank

CHALLENGES

Encourage engagement by offering specific tasks to complete

4 MAIN WAYS TO DRIVE ENGAGEMENT

ACCELERATED FEEDBACK CYCLES


CLEAR GOALS AND RULES OF PLAY


A COMPELLING NARRATIVE

CHALLENGING BUT ACHIEVABLE TASKS









BUILDING BLOCKS



TASK ON / OFF

201

B1: BUILDING BLOCK 1: TCP/IP HEARTBEAT TIME STAMP & DATA GET / PUT OF ORG ID / URN IN MICRO / MACRO CYCLES PRIOR TO DATA FUSION CENTER INSERTION



MACRO CYCLES



.0001


MICRO CYCLES

216



202 FEDERATED GROUP JOINS, MERGE, ADDS, DROPS

B2: BUILDING BLOCK 2: ADAPTIVE, CYCLIC, ITERATIVE PROCEDURAL TEMPLATES: XML ARTIFACTS i.e. UNIT TASK ORDER & K00.99 HEARTBEAT SYNC DELTA MESSAGES / STATE META DATA SNAPSHOTS IN NETWORK EXECUTION MANAGEMENT MARKUP OF SERVICE INTERFACE ARTIFACTS




ADHOC / AGILE
FEDERATED <ID>
GROUPS SYNC'D
IN TIME / SPACE

215 LEADER'S
INTENT
DECISIONS



SYNC DELTA METRICS IN SLA CLAUSES AS
MOE, MOP METER IN TAX CODES, TRANCHE
CLASSES / RATINGS ARBITRAGE TRIGGERS




LENGTH, THRESHOLD, INTENSITY, DURATION



SEARCH FOLLOWED BY ARBITRAGE INVITES VIA BEACON NEWSCASTS. INVITE ACROSS SPACE / TIME



APPLIQUE' OVERLAYS



MAP VIEWS GEO-LOCATION SPECIFIC
SHOW SYNC DELTAS BY GROUP /
RESOURCE TYPE, EVENT CLASS /
NEWSCAST BY TRANCHE <CLASSES>

204

B4 BEACON TECH TYPE II: WATER DROP IN POND RADIUS, CIRCUMFERENCE GEO SPATIO-TEMPORAL

NIST RANDOMNESS BEACON: broadcast full-entropy bit-strings in blocks of 512 bits every 60 seconds. Each value is time-stamped, signed, & includes hash of previous value to chain sequence of values together. This prevents all, even the source, from retroactively changing an output packet without being detected. The beacon keeps all output packets and makes them available online. 1st, Beacon-generated numbers cannot be predicted before they are published. 2nd, public, Beacon's time-bound, authenticated nature of the Beacon proves true random numbers not known before a certain point in time. 3rd, this proof can be presented offline at any point in the future




NIST QUANTUM ENCRYPTION RANDOMIZATION BEACON

UNPREDICTABLE SAMPLING

SECURE AUTHENTICATION

SECURE MULTI


PARTY /
AUTHENTICATION



NIST

**NON
REPUDIATION**


Legend:
 - App: software application
 - DB: database
 - Fw: firewall
 - HSM: hardware security module
 - RNG: random-number generator



USPTO 13,573,002 Heart Beacon Cycle Geo-spatial, temporal Intensity

Metrics and Time - Space Meter uses PHYSICAL Memes / Metaphors

**NAMED DATA
NETWORKING**



NDN
</Interest>
</Distance>

SURVEY METHODS
+ TRIANGULATION
Euclidian Geometry

Geodesic System Routing Info Base RIB

ACCOUNT BELONGS TO </Org_ID>

RESOURCE TYPE: <URN><URN><URN>

DEVICE / SENSORS <UUID><UUID>

Higher-level services collect distance data to build virtual distance map State
of Internet & estimates distance between any IP address pair State
Snap Shots

Time / Distance Metrics



PROXIMITY

OFFSHORE BEACONS ONSHORE








NDN
</interest></distance>



NDN
</interest></distance>

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. Stochastic Harmonization






The main goal of the NIST Random # Beacon is to serve as a baseline for deployment of many interoperable beacons

ALL THINGS NET FORMED WITH: Building Blocks:
 1) EPOCH TIME CYCLES
 2) SYNTAX / Opcode Brevity codes Programmable Economy / \$\$\$

NIST Quantum Random Number Beacon



"The external environment could update resources at random... One solution is a **heartbeat**: defining a default lease duration delaying updates until the next cycle"

Building Blocks:
 Programmable Economy / \$\$\$



Satoshi Bitcoin Blockchain
Time Stamp Server

3. Timestamp Server

The solution we propose begins with a timestamp server. A timestamp server works by taking a batch of items to be timestamped and widely publishing the hash, such as in a newspaper or online post [3]. The timestamp proves for the data must have existed at the time, obviously, in order to get into the hash. Each timestamp includes the previous timestamp in its hash, forming a chain, with each additional timestamp confirming the previous one.



WORLD ECONOMIC Heartbeat
ALGORITHMIC REGULATION
HEARTBEAT SYNC DELTAS



PROOF of SPACE-TIME
Firefly - Heartbeat Sync Algorithm
Heartbeat Event Message Bus
UTZ stochastic harmonization

Epoch Time Cycles

E0 E1 E2 E3...



Structured Data Exchange

ROSETTA ("Org_ID") {"URN"}
STONE

BREVITY
CODES



Attribute Series



Time Series



Geo Spatial



Work flow Filters

SYNTAX LEXICON




QubitCoin Interval: Every 30 Seconds

The current standard time common throughout the world is based on a 24-hour clock, with zones that are either 12 hours ahead or behind Coordinated Universal Time (UTC). However, these time zones are decided upon by individual governments, without overall coordination and can even extend fourteen hours ahead UTC. INCENTIVIZE ECO-FRIENDLY TRANSACTIONS



The proposed **Universal Timezone System** would do away with all these different time zones. Instead, it would be the same time all over the world, all the time.

QUANTUM COMPUTING / HBC TIME – SPACE METER / METRICS




#QuantumComputing USct Alice Corp Vs CLS Bank compliant memes:
In quantum computing, a qubit (or quantum bit (sometimes qbit)) is a unit of quantum information—the quantum analogue of the classical binary bit. A qubit is a two-state quantum-mechanical system, such as the polarization of a single photon: the two states are vertical polarization and horizontal polarization. In a classical system, a bit has to be in one state or the other. Quantum mechanics allows a qubit to be in a superposition of both states at the same time, a fundamental quantum computing property

US Sct Alice Corp Vs CLS Bank Physical memes

Linear sequential “Paul Revere” meme = horizontal polarization


Vertical polarization vectors from a known point 0 null Sonar Hop meme



particle representation / samples



Instead of each bit having two potential states — on or off — a quantum bit or qubit has three. It can be on, off, or both, and you only know which one it is once you look at it. How can you tell if a bit of data is correct if looking at it might change its state?




qubits can be in a superposition of all the classically allowed states

silicon device movement is controlled through use of microwave pulses. As an electron spins up, a binary value of 1 is generated, when the electron spins down, a binary value of 0 is generated.




Fock state number state quantum state that is an element of a Fock space with a well-defined number of particles (or quanta)



Double-Slit Experiment

Screen with two slits



Screen


WAVE ?

PARTICLE ?


Sodium lamp



Light source	Rays of light coming from the source reach the slits	Interference of light waves due to two tiny slits and arrows indicate direction of wave propagation	Alternating bright and dark fringes due to interference of light waves	Intensity of the fringes shows the maxima and minima
--------------	------------------------------------------------------	-----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------	------------------------------------------------------




QUANTUM COMPUTING - RESISTANT ? - BASED ? THROUGH LENS OF SCOTUS ALICE LOOKING GLASS RULING





USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter

Main Embodiment: Baseball Diamond = block in 3D = cube



SCOTUS ALICE RULING: “Claims may not direct towards abstract ideas” / Physical = opposite of abstract



The Hopf Fibration

Edmund Harriss





FIGURE 2.11.1. The Hopf fibration

BLOCH SPHERE




Hopf Fibration / #Bloch sphere

"the most important object in the universe"

"Hopf fiber bundles pop up in 8 quantum physics situations"... USPTO 13/573,002 water drop in pond meme / scalar wave in 2D - 3D

Paul Revere linear - sequential hop count meme

The Bloch sphere provides a useful means of visualizing the state of a single qubit & operations on it. Any point on this sphere represents a linear combination of the 0 and 1 states with complex coefficients. A $\pi/2$ -pulse 'rotates' a qubit from the 0-state to a superposition state.






THE 1919 WORLD SERIES

'THE ALICE EFFECT...'

What Really Happened?

William A. Cook

imgflip.com



Alice Corp. v. CLS Bank International, 573 U.S. 134 S. Ct. 2347 (2014)
RULING: "claims may not direct towards abstract ideas"



USPTO SCREEN CAPTURES SUSPENDED PAIR RULES

- Moved Examination outside PAIR
- Admin forms, fees, amendments.. MUTED
- NO Time Stamps = TEMPORAL AMBIGUITY
- Screen captures before / after filing

CLOCK FACE 360'
90 / 90 / 90 / 90



MACRO CYCLES

RULES / ROLES
INSTRUCTIONS
WORKFLOW
UMPIRE
COACH

3rd Base

STATISTICIAN
Metrics, Meters

Stat Mean Value Index

3 X 5

HASH TABLES

STATE META

DATA SHARDS

SETTLEMENTS / EXCHANGES

= TAXABLE EVENTS

AKIN TO PROPERTY

IRS

#1421

I.R.S.

home plate

TIME

STAMP

SERVER

BASEBALL "DIAMOND"

A diamond Is a square Is a block in 3D
2nd Base



90 feet

Blockchain BLOCK in 3D = CUBE
Cube has Length, Depth, Height, Volume

Blockchain / crypto/currency increments

Time zones

Time zone




USPTO APPLICATION 13/573 002

The Heart Beacon Cycle Time-Space Meter



Main Embodiment: Baseball Diamond = block in 3D = cube

$$1 + 3 + 5 + 7 + 3 + 2 = 21 \quad 21 \text{ squared} = 441$$


"We can synchronize ourselves in time for a common purpose" Universal Blockchain Meme





First
Baseball
Players
Union
Formed
1870



Satoshi Bitcoin Blockchain Time Stamp Server



Metatron's Cube and the Platonic Solids




SEED OF LIFE



by: Tom Rimbault

"In the beginning (of time) there was the word"





"There is only one revolution tolerable to all men, all societies, all political systems: revolution by design and invention."

-Buckminster Fuller




THE GREAT CONJUNCTION IN AQUARIUS

HERALDING THE NEW AGE
On December 2020, Jupiter and Saturn unite in the sign of Aquarius, forming a configuration called a Great Conjunction which only happens once every twenty years. Great Conjunctions are often longterm beginnings or foundations formed out of unstable circumstances. In the sign of AQUARIUS, this is likely to mark a major technological boom that will culminate on 2030 and last until 2040, the next Great Conjunction.





Over the next ten years, we are going to see our world innovate unlike never before, particularly in the fields of AI, technology, science, space travel, UFOs, networks, and the Internet. Major Universal truths will also be revealed as we welcome the New Age of Aquarius. The old world will soon come to an end, paving way to the new order of things.

photo by werner du plessis



Forces of light on earth shall overcome the forces of darkness. Complete spiritual enlightenment on earth will occur.

~ Edgar Cayce



MILTON FRIEDMAN IS RECOGNIZED AS ONE OF THE GREAT ECONOMISTS OF THE 20TH CENTURY.

"ONLY A CRISIS—ACTUAL OR PERCEIVED—PRODUCES REAL CHANGE. WHEN THAT CRISIS OCCURS, THE ACTIONS THAT ARE TAKEN DEPEND ON THE IDEAS THAT ARE LYING AROUND."

That, I believe, is our basic function: to develop alternatives to existing policies, to keep them alive and available until the politically impossible becomes politically inevitable.



Milton Friedman — Preface to Capitalism & Freedom 1962

The K-Percent Rule was a proposal by economist Milton Friedman that the central bank should increase the money supply by a constant percentage every year.

The K-Percent Rule: sets the money supply growth at a rate equal to the growth of gross domestic product (GDP) yearly.

Milton Friedman

- 1912-2006
- Economist, monetarist
- 1946-1977: University of Chicago
- 1977-2006: Hoover Institution
- Essays on Positive Economics, A Theory of Consumption Function, Capitalism and Freedom, A Monetary History of the United States (1867-1960) - with Anna Schwartz, Price Theory, etc.
- Nobel Prize in Economics, 1976
- Considered as conservative, in reality liberal economist
- Advisor to President Nixon



The Age of Aquarius: Aquarius, Aquarius Rising @ 6:44 A.M. Feb 10th 1960


Buckminster Fuller "build a new model that makes the old model obsolete"

Socrates: focus all your energy on building the new, not fighting the old"

#algorithmic #stablecoin #buckminster #fuller #cryptocurrency #Milton #Friedman




METATRON'S CUBE
GENESIS OF ALL FORM



THE OZ KEY




THE LAW OF TIME




"Time is a created thing" Lao Tzu

"If you want to find the secrets of the universe, think in terms of energy, frequency and vibration." - Nikola Tesla



HOPF FIBRATION



USPTO 13/573,002 The Heart Beacon Cycle Time – Space Meter / Adaptive Template






World (Peace) Game
1961 simulation by
Buckminster to help
create solutions to
overpopulation, the
uneven distribution
of global resources.



DISNEY'S FANTASIA

USPTO 13/573,002 The Heart Beacon Cycle Time - Space Meter / Eco Economic Epochs for programmable \$\$\$ / Economy



UNIVERSAL LAW
CAUSE / EFFECT
ACTION /
INACTION
IF / Then /
or.. ELSE



Punxsutawney Pennsylvania:
State Insect: Firefly
Punxy: Known For Groundhog
Weather Prognosticator of World
Named for "Punkies"



punk·ie [púngkee] NOUN
1. a fly, almost invisible to the naked eye,
that sucks the blood of animals and other
insects, leaving painful hictng welts.



Patent Applicant 13/573,002 Curriculum Vitae

What does your name mean?



Steven + McGee

Intellectual

Revolutionary

You have a sharp spirit paired with a strong will. You have the power to change the world with your intelligence!


What does your name mean?



Steven + McGee

Endless Luck

You are an inspiration for your friends. Your loving ways, your huge heart and your beauty spread endless joy to the world!



BOOK OF THE CUBE

The Synchronicity 441 (21 x 21) cube matrix system represents the minimum fractal of totality. Calculated: 21×21 being the prime statement of totality ($21^2 = 1$ totality). $1 + 2 + 3 + 4 + 5 + 6 = 21$ (sum of totality). The Law of Time (Day).

Satoshi Nakamoto Reveal #2

CLOCK FACE DAY
90° / 90° / 90° / 90°

BASEBALL "DIAMOND"
A diamond is a square in a block in 3D
Blockchain BLOCK is 3D = CUBE
Cube has Length, Depth, Height, Volume

INFOCON
4 3 2 1
INFORMATION CONDITION

"As an avid lover of numerology and astrology, I use both in my day-to-day life. I believe God is the ultimate mathematician, as everything around us can be viewed as numbers" Satoshi Nakamoto White Paper 2008 "The solution we propose begins with a time - stamp server"



SIMPLE ALWAYS WINS... WHEN STANDING ON THE SHOULDERS OF GIANTS

