NAME

automake – manual page for automake 1.16.1

SYNOPSIS

automake-1.16 [*OPTION*]... [*Makefile*]...

DESCRIPTION

Generate Makefile.in for configure from Makefile.am.

Operation modes:

−−help print this help, then exit

−−version

print version number, then exit

−v, **−−verbose**

verbosely list files processed

−−no−force

only update Makefile.in's that are out of date

−W, **−−warnings=***CATEGORY*

report the warnings falling in CATEGORY

Dependency tracking:

−i, **−−ignore−deps**

disable dependency tracking code

−−include−deps

enable dependency tracking code

Flavors:

−−foreign

set strictness to foreign

−−gnits

set strictness to gnits

−−gnu set strictness to gnu

Library files:

−a, **−−add−missing**

add missing standard files to package

−−libdir=*DIR*

set directory storing library files

−−print−libdir

print directory storing library files

−c, **−−copy**

with **−a**, copy missing files (default is symlink)

−f, **−−force−missing**

force update of standard files

Warning categories include:

gnu   GNU coding standards (default in gnu and gnits modes)

obsolete

obsolete features or constructions

override

user redefinitions of Automake rules or variables

portability
> portability issues (default in gnu and gnits modes)

extra−portability
> extra portability issues related to obscure tools

syntax   dubious syntactic constructs (default)

unsupported
> unsupported or incomplete features (default)

all   all the warnings

no−CATEGORY
> turn off warnings in CATEGORY

none   turn off all the warnings

error   treat warnings as errors

Files automatically distributed if found (always):

ABOUT−GNU
> INSTALL   config.rpath   ltconfig

ABOUT−NLS
> NEWS   config.sub   ltmain.sh

AUTHORS
> README   depcomp   mdate−sh

BACKLOG
> THANKS   install−sh   missing

COPYING
> TODO   libversion.in   mkinstalldirs

COPYING.DOC
> ar−lib   ltcf−c.sh   py−compile

COPYING.LESSER
> compile   ltcf−cxx.sh   texinfo.tex

COPYING.LIB
> config.guess   ltcf−gcj.sh   ylwrap

> ChangeLog

Files automatically distributed if found (under certain conditions):

acconfig.h
> config.h.bot   configure   configure.in

aclocal.m4
> config.h.top   configure.ac   stamp−vti

AUTHOR
Written by Tom Tromey <tromey@redhat.com>

and Alexandre Duret−Lutz <adl@gnu.org>.

REPORTING BUGS
Report bugs to <bug−automake@gnu.org>.
GNU Automake home page: <http://www.gnu.org/software/automake/>.
General help using GNU software: <https://www.gnu.org/gethelp/>.

COPYRIGHT

permitted by law.

SEE ALSO

The full documentation for **automake** is maintained as a Texinfo manual. If the **info** and **automake** programs are properly installed at your site, the command

info automake

should give you access to the complete manual.