

## NAME

MUTTER – Clutter based compositing GTK2 Window Manager

## SYNOPSIS

**mutter** [--display=*DISPLAY*] [--replace] [--sm-client-id=*ID*] [--sm-disable] [--sm-save-file=*FILE-NAME*] [--version] [--help]

## DESCRIPTION

This manual page documents briefly **mutter**.

**mutter** is a minimal X window manager aimed at nontechnical users and is designed to integrate well with the GNOME desktop. **mutter** lacks some features that may be expected by traditional UNIX or other technical users; these users may want to investigate other available window managers for use with GNOME or standalone.

## OPTIONS

**--display=DISPLAY**

Connect to X display *DISPLAY*.

**--replace**

a window manager which is running is replaced by **mutter**. Users are encouraged to change the GNOME window manager by running the new WM with the **--replace** or **-replace** option, and subsequently saving the session.

**--sm-client-id=ID**

Specify a session management *ID*.

**--sm-disable**

Disable the session management.

**--sm-save-file=FILENAME**

Load a session from *FILENAME*.

**--version**

Print the version number.

**-, --help**

Show summary of options.

## CONFIGURATION

**mutter** configuration can be found under *Preferences->Windows* and *Preferences->Keyboard Shortcuts* on the menu-panel. Advanced configuration can be achieved directly through gsettings.

## SEE ALSO

**mutter-message(1)**

## AUTHOR

The original manual page was written by Thom May <thom@debian.org>. It was updated by Akira TAGOH <tagoh@debian.org> for the Debian GNU/Linux system (with permission to use by others), and then updated by Luke Morton and Philip O'Brien for inclusion in mutter.