NAME

AptPkg - interface to libapt-pkg

SYNOPSIS

use AptPkg;

DESCRIPTION

The AptPkg module provides a low-level XS interface to libapt-pkg.

Note that this interface is intended to be internal, and may change, see the AptPkg::Config, AptPkg::System, AptPkg::Version, AptPkg::Cache, Apt::Policy and AptPkg::Source classes for a higher level interface.

AptPkg

The AptPkg package provides the following functions:

```
_init_config(CONF)
```

Initialise a Configuration object (pkgInitConfig). See the init method in AptPkg::Config.

```
_init_system(CONF)
```

Return a pointer to the system object (pkgInitSystem). See the system method in AptPkg::Config.

```
_parse_cmdline(CONF, ARG_DEFS, ...)
```

Constructs a CommandLine instance, invokes the Parse method and returns the remaining arguments. See the parse_cmdline method in AptPkg::Config.

AptPkg::_config

The AptPkg::_config package wraps a Perl class around the Configuration class. It provides an instance of the global _config object, and exposes the following methods:

```
Find, FindFile, FindDir, FindB, FindAny, Set, Exists, ExistsAny, Tree and Dump.
```

The functions ReadConfigFile and ReadConfigDir are also provided within the package and may be used as methods.

AptPkg::_config::item

The AptPkg::_config::item package wraps a Perl class around the Configuration::Item class. The AptPkg::_config Tree method returns an instance of this class.

Methods:

```
Value, Tag, FullTag, Parent, Child and Next.
```

AptPkg::System

The AptPkg::System package wraps a Perl class around the pkgSystem class. It provides an instance of the global _system object, and exposes the following methods:

```
Label, VS, Lock and UnLock.
```

AptPkg::Version

The AptPkg::Version package wraps a Perl class around the pkgVersioningSystem class. It exposes the following methods:

```
{\tt Label,\ CmpVersion,\ CmpReleaseVer,\ CheckDep\ and\ UpstreamVersion.}
```

AptPkg::_cache

The AptPkg::_cache package wraps a Perl class around the pkgCacheFile class. It exposes the following methods:

Open, Close, FindPkg, PkgBegin, FileList, Packages, Policy, MultiArchCache and NativeArch.

AptPkg::Cache::_package

The AptPkg::Cache::_package package wraps a Perl class around the pkgCache::PkgIterator class. It exposes the following methods:

Next, Name, FullName, Arch, Section, VersionList, CurrentVer, RevDependsList, ProvidesList, Index, SelectedState, InstState, CurrentState and Flags.

AptPkg::Cache::_version

The AptPkg::Cache::_version package wraps a Perl class around the pkgCache::VerIterator class. It exposes the following methods:

VerStr, Section, MultiArch, Arch, ParentPkg, DescriptionList, TranslatedDescription, DependsList, ProvidesList, FileList, Index and Priority.

AptPkg::Cache::_depends

The AptPkg::Cache::_depends package wraps a Perl class around the pkgCache::DepIterator class. It exposes the following methods:

TargetVer, TargetPkg, ParentVer, ParentPkg, Index, CompType and DepType.

AptPkg::Cache::_provides

The AptPkg::Cache::_provides package wraps a Perl class around the pkgCache::PrvIterator class. It exposes the following methods:

Name, ProvideVersion, OwnerVer, OwnerPkg and Index.

AptPkg::Cache::_description

The AptPkg::Cache::_description package wraps a Perl class around the pkgCache::DescIterator class. It exposes the following methods:

LanguageCode, md5 and FileList.

AptPkg::Cache::_pkg_file

The AptPkg::Cache::_pkg_file package wraps a Perl class around the pkgCache::PkgFileIterator class. It exposes the following methods:

FileName, Archive, Component, Version, Origin, Label, Site, IndexType and Index.

AptPkg::Cache:: ver file

The AptPkg::Cache::_ver_file package wraps a Perl class around the pkgCache::VerFileIterator class. It exposes the following methods:

File, Index, Offset and Size.

AptPkg::Cache::_desc_file

The AptPkg::Cache::_desc_file package wraps a Perl class around the pkgCache::DescFileIterator class. It exposes the following methods:

File

AptPkg::Cache::_pkg_records

The AptPkg::Cache::_pkg_records package wraps a Perl class around the pkgRecords class. It exposes the following methods:

Lookup.

AptPkg::_policy

The AptPkg::_policy package wraps a Perl class around the pkgPolicy class. It exposes the following methods:

GetPriority and GetCandidateVer.

AptPkg:: source list

The AptPkg::_source_list package wraps a Perl class around the pkgSourceList class. Required as an argument to the AptPkg::_src_records constructor.

AptPkg::_src_records

The AptPkg::_src_records package wraps a Perl class around the pkgSrcRecords class. It exposes the following methods:

Restart, Find.

Constants

The following APT enumerations are included, used by attributes of AptPkg::Cache.

```
pkgCache::Version::VerMultiArch
AptPkg::Version::No,
                        AptPkg::Version::All,
                                                  AptPkg::Version::Foreign,
                                                  AptPkg::Version::Allowed,
AptPkg::Version::Same,
AptPkg::Version::AllForeign and AptPkg::Version::AllAllowed.
pkgCache::Dep::DepType
AptPkg::Dep::Depends,
                        AptPkg::Dep::PreDepends,
                                                     AptPkg::Dep::Suggests,
AptPkg::Dep::Recommends, AptPkg::Dep::Conflicts, AptPkg::Dep::Replaces,
AptPkg::Dep::Obsoletes AptPkg::Dep::DpkgBreaks and AptPkg::Dep::Enhances.
pkgCache::Dep::DepCompareOp
AptPkg::Dep::Or,
                         AptPkg::Dep::NoOp,
                                                      AptPkg::Dep::LessEq,
AptPkg::Dep::GreaterEq,
                           AptPkg::Dep::Less,
                                                     AptPkg::Dep::Greater,
AptPkg::Dep::Equals and AptPkg::Dep::NotEquals.
pkgCache::State::VerPriority
AptPkg::State::Important,
                                                   AptPkg::State::Required,
AptPkg::State::Standard, AptPkg::State::Optional and AptPkg::State::Extra.
pkgCache::State::PkgSelectedState
AptPkg::State::Unknown,
                           AptPkg::State::Install,
                                                       AptPkg::State::Hold,
AptPkg::State::DeInstall and AptPkg::State::Purge.
pkgCache::State::PkgInstState
AptPkg::State::Ok, AptPkg::State::ReInstReq, AptPkg::State::HoldInst and
```

AptPkg::State::HoldReInstReq. pkgCache::State::PkgCurrentState

AptPkg::State::NotInstalled, AptPkg::State::UnPacked, AptPkg::State::HalfConfigured, AptPkg::State::HalfInstalled, AptPkg::State::ConfigFiles, AptPkg::State::Installed, AptPkg::State::TriggersAwaited and AptPkg::State::TriggersPending.

pkgCache::Flag::PkgFlags

AptPkg::Flag::Auto, AptPkg::Flag::Essential and AptPkg::Flag::Important.

SEE ALSO

AptPkg::Config (3pm), AptPkg::System (3pm), AptPkg::Version (3pm), AptPkg::Cache (3pm), **AptPkg::Source** (3pm).

AUTHOR

Brendan O'Dea <bod@debian.org>