

NAME

GNU **cmp** – compare two files byte by byte

SYNOPSIS

cmp [*OPTION*]... *FILE1* [*FILE2* [*SKIP1* [*SKIP2*]]]

DESCRIPTION

Compare two files byte by byte.

The optional **SKIP1** and **SKIP2** specify the number of bytes to skip at the beginning of each file (zero by default).

Mandatory arguments to long options are mandatory for short options too.

-b, --print-bytes

print differing bytes

-i, --ignore-initial=SKIP

skip first SKIP bytes of both inputs

-i, --ignore-initial=SKIP1:SKIP2

skip first SKIP1 bytes of FILE1 and first SKIP2 bytes of FILE2

-l, --verbose

output byte numbers and differing byte values

-n, --bytes=LIMIT

compare at most LIMIT bytes

-s, --quiet, --silent

suppress all normal output

--help display this help and exit

-v, --version

output version information and exit

SKIP values may be followed by the following multiplicative suffixes: kB 1000, K 1024, MB 1,000,000, M 1,048,576, GB 1,000,000,000, G 1,073,741,824, and so on for T, P, E, Z, Y.

If a FILE is '-' or missing, read standard input. Exit status is 0 if inputs are the same, 1 if different, 2 if trouble.

AUTHOR

Written by Torbjorn Granlund and David MacKenzie.

REPORTING BUGS

Report bugs to: bug-diffutils@gnu.org

GNU diffutils home page: <<https://www.gnu.org/software/diffutils/>>

General help using GNU software: <<https://www.gnu.org/gethelp/>>

COPYRIGHT

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

[diff\(1\)](#), [diff3\(1\)](#), [sdiff\(1\)](#)

The full documentation for **GNU** is maintained as a Texinfo manual. If the **info** and **GNU** programs are properly installed at your site, the command

info GNU

should give you access to the complete manual.