

**NAME**

sleep – delay for a specified amount of time

**SYNOPSIS**

**sleep** *NUMBER*[*SUFFIX*]...

**sleep** *OPTION*

**DESCRIPTION**

Pause for *NUMBER* seconds. *SUFFIX* may be 's' for seconds (the default), 'm' for minutes, 'h' for hours or 'd' for days. Unlike most implementations that require *NUMBER* be an integer, here *NUMBER* may be an arbitrary floating point number. Given two or more arguments, pause for the amount of time specified by the sum of their values.

**--help** display this help and exit

**--version**

output version information and exit

**AUTHOR**

Written by Jim Meyering and Paul Eggert.

**REPORTING BUGS**

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report sleep translation bugs to <<https://translationproject.org/team/>>

**COPYRIGHT**

Copyright © 2018 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

**SEE ALSO**

sleep(3)

Full documentation at: <<https://www.gnu.org/software/coreutils/sleep>>  
or available locally via: info '(coreutils) sleep invocation'