NAME
    grub-mkfont − make GRUB font files

SYNOPSIS
    grub-mkfont [*OPTION*...] [*OPTIONS*] *FONT_FILES*

DESCRIPTION
    Convert common font file formats into PF2

    −a, **−−force−autohint**
        force autohint

    −b, **−−bold**
        convert to bold font

    −c, **−−asce**=*NUM*
        set font ascent

    −d, **−−desc**=*NUM*
        set font descent

    −i, **−−index**=*NUM*
        select face index

    −n, **−−name**=*NAME*
        set font family name

    −−no−bitmap
        ignore bitmap strikes when loading

    −−no−hinting
        disable hinting

    −o, **−−output**=*FILE*
        save output in FILE [required]

    −r, **−−range**=*FROM−TO[*,FROM−TO]
        set font range

    −s, **−−size**=*SIZE*
        set font size

    −v, **−−verbose**
        print verbose messages.

    −?, **−−help**
        give this help list

    −−usage
        give a short usage message

    −V, **−−version**
        print program version

    Mandatory or optional arguments to long options are also mandatory or optional for any corresponding
    short options.

REPORTING BUGS
    Report bugs to <bug−grub@gnu.org>.

SEE ALSO
    grub-mkconfig(8)

    The full documentation for **grub-mkfont** is maintained as a Texinfo manual. If the **info** and **grub-mkfont**
    programs are properly installed at your site, the command

        info grub-mkfont

should give you access to the complete manual.