NAME

B::Hooks::EndOfScope::PP - Execute code after a scope finished compilation - PP implementation

VERSION

version 0.24

DESCRIPTION

This is the pure-perl implementation of B::Hooks::EndOfScope based only on modules available as part of the perl core. Its leaner sibling B::Hooks::EndOfScope::XS will be automatically preferred if all dependencies are available and $\$ENV\{B_HOOKS_ENDOFSCOPE_IMPLEMENTATION\}$ is not set to 'PP'.

FUNCTIONS

on_scope_end

```
on_scope_end { ... };
on_scope_end $code;
```

Registers \$code to be executed after the surrounding scope has been compiled.

This is exported by default. See Sub::Exporter on how to customize it.

SUPPORT

Bugs may be submitted through the RT bug tracker https://rt.cpan.org/Public/Dist/Display.html?Name=B-Hooks-EndOfScope@rt.cpan.org mailto:bug-B-Hooks-EndOfScope@rt.cpan.org).

AUTHORS

- Florian Ragwitz <rafl@debian.org>
- Peter Rabbitson <ribasushi@leporine.io>

COPYRIGHT AND LICENCE

This software is copyright (c) 2008 by Florian Ragwitz.

This is free software; you can redistribute it and/or modify it under the same terms as the Perl 5 programming language system itself.