

NAME

dch-repeat – repeats a changelog entry into an older release

SYNOPSIS

```
dch-repeat --build-tree <PATH>
dch-repeat --source-release <RELEASE>
dch-repeat --target-release <RELEASE>
dch-repeat --devel-release <RELEASE>
dch-repeat --pocket <POCKET>
dch-repeat -h
```

DESCRIPTION

dch-repeat is used to repeat a changelog into an older release. It expects that **--build-tree** is laid out with each Ubuntu release as a separate directory ("feisty", "edgy", etc).

For example, if gimp had a security update prepared for Feisty in \$TREE/feisty/gimp-2.2.13, running **dch-repeat** in \$TREE/edgy/gimp-2.2.13 would pull in the latest changelog from the Feisty build.

OPTIONS

Listed below are the command line options for **dch-repeat**:

-h or --help

Display a help message and exit.

--build-tree PATH

Base of build trees. Default is /scratch/ubuntu/build.

-s or --source-release RELEASE

Which release to take changelog from.

--target-release RELEASE

Which release to build into.

--devel-release RELEASE

Which release is the development release.

--pocket POCKET

Which pocket to use.

AUTHOR

dch-repeat was written by Kees Cook <kees@ubuntu.com>. This manual page was written by Jonathan Patrick Davies <jpds@ubuntu.com>.

Both are released under the GNU General Public License, version 2.

SEE ALSO

dch(1).