NAME
> dpkg−distaddfile − add entries to debian/files

SYNOPSIS
> **dpkg−distaddfile** [*option...*] *filename section priority*

DESCRIPTION
> **dpkg−distaddfile** adds an entry for a named file to **debian/files**.
>
> It takes three non-option arguments, the filename and the section and priority for the **.changes** file.
>
> The filename should be specified relative to the directory where **dpkg−genchanges** will expect to find the files, usually **..**, rather than being a pathname relative to the current directory when **dpkg−distaddfile** is run.

OPTIONS
> **−f** *files-list-file*
>> Read or write the list of files to be uploaded here, rather than using **debian/files**.
>
> **−?**, **−−help**
>> Show the usage message and exit.
>
> **−−version**
>> Show the version and exit.

ENVIRONMENT
> **DPKG_COLORS**
>> Sets the color mode (since dpkg 1.18.5). The currently accepted values are: **auto** (default), **always** and **never**.
>
> **DPKG_NLS**
>> If set, it will be used to decide whether to activate Native Language Support, also known as internationalization (or i18n) support (since dpkg 1.19.0). The accepted values are: **0** and **1** (default).

FILES
> **debian/files**
>> The list of generated files which are part of the upload being prepared. **dpkg−distaddfile** can be used to add additional files.

SEE ALSO
> **deb−src−files**(5).