

NAME

gencnval – compile the converters aliases file

SYNOPSIS

gencnval [**-h**, **-?**, **--help**] [**-v**, **--verbose**] [**-c**, **--copyright**] [**-s**, **--sourcedir** *source*] [**-d**, **--destdir** *destination*] [*converterfile*]

DESCRIPTION

gencnval converts the ICU aliases file *converterfile* into the binary file **cnvalias.icu**. This binary file can then be read directly by ICU, or used by **pkgdata**(1) for incorporation into a larger archive or library.

If *converterfile* is not provided, the default ICU **convrtrs.txt** file is used.

OPTIONS

-h, **-?**, **--help**

Print help about usage and exit.

-v, **--verbose**

Display verbose output. This information can include information about conflicting aliases and the converters the aliases resolve to.

-c, **--copyright**

Include a copyright notice in the binary data.

-s, **--sourcedir** *source*

Set the source directory to *source*. The default source directory is specified by the environment variable **ICU_DATA**.

-d, **--destdir** *destination*

Set the destination directory to *destination*. The default destination directory is specified by the environment variable **ICU_DATA**.

ENVIRONMENT**ICU_DATA**

Specifies the directory containing ICU data. Defaults to **\${prefix}/share/icu/63.2/**. Some tools in ICU depend on the presence of the trailing slash. It is thus important to make sure that it is present if **ICU_DATA** is set.

FILES

icu/source/data/mappings/convrtrs.txt

Description of ICU's converters and their aliases. This data file is not normally installed, and it is available as a part of ICU source code.

VERSION

63.2

COPYRIGHT

Copyright (C) 2000-2004 IBM, Inc. and others.

SEE ALSO

pkgdata(1)