NAME

Enchant - a spellchecker

SYNOPSIS

enchant [-a] [-d dict] [-h] [-l] [-L] [-v]

DESCRIPTION

Enchant is an ispell-compatible spellchecker.

OPTIONS

- -a List suggestions in ispell pipe mode format.
- -d dict Use dictionary <dict>.
- **-h** Show short help.
- -l List only the misspellings.
- **-L** Include the line number in the output.
- **-v** Prints the program's version.

ENCHANT ORDERING FILE

Enchant has a global and a per-user ordering file named *enchant.ordering*. It lets the user specify which spelling backend to use for individual languages in the case when you care which backend gets used. The global file is located in *\$(datadir)/enchant* and the per-user file is located in *7.enchant*. The per-user file takes precedence, if found.

The ordering file takes the form language_tag:<comma-separated list of spelling backends>. I am currently aware of the following backends: aspell, myspell, ispell, uspell, hspell, voikko, and zemberek. '*' is used to mean "use this ordering for all languages, unless instructed otherwise." For example:

*:aspell,myspell,ispell en:aspell,myspell,ispell en_UK:myspell,aspell,ispell fr:myspell,ispell:aspell

DIRECTORIES IMPORTANT TO ENCHANT

Unless configured otherwise, Enchant's Myspell, Ispell, and Uspell backends will look for dictionaries in directories specific to Enchant, and will not use your system-wide installed dictionaries. This is for pragmatic reasons since many distributions install these dictionaries into different locations.

Like the *enchant.ordering* file described above, Enchant looks in the global directory for these dictionaries and a per-user directory. The per-user directory takes precedence if it is found. Enchant looks for Myspell dictionaries in \$(datadir)/enchant/myspell and ~/.enchant/myspell. Enchant looks for Ispell dictionaries in \$(datadir)/enchant/ispell and ~/.enchant/ispell. Enchant looks for Uspell dictionaries in \$(datadir)/enchant/uspell and ~/.enchant/uspell.

Packagers and users may wish to make symbolic links to the system—wide dictionary directories. Or, preferably, use the —with-myspell-dir, —with-ispell-dir, and —with-uspell-dir 'configure' arguments.

MORE INFORMATION

http://www.abisource.com/enchant/

SEE ALSO

aspell(1), ispell(1),

AUTHOR

Dom Lachowicz

WEB: http://www.abisource.com/enchant/ MAIL: domlachowicz@gmail.com