# **Matrix Data Structures**

**Shusen Wang** 

- **Dense matrix:** most of the elements are non-zero.
- Dense matrix can be stored in a fixed-size array.

#### **Row-Major Order**

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

Array:									
--------	--	--	--	--	--	--	--	--	--

#### **Row-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$\overline{a_{11}}$	$a_{12}$	$a_{13}$					

#### **Row-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$a_{11}$	$a_{12}$	$a_{12}$	$a_{21}$	$a_{22}$	$a_{23}$			
	14	13			43			

#### **Row-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$\begin{vmatrix} a_{11} & a_{12} & a_{13} & a_{21} & a_{22} & a_{23} & a_{31} & a_{32} & a_{33} \end{vmatrix}$	
----------------------------------------------------------------------------------------------------------------	--

#### **Row-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

Column-Major Order

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$a_{11}$	$a_{12}$	$a_{13}$	$a_{21}$	$a_{22}$	$a_{23}$	$a_{31}$	$a_{32}$	$a_{33}$	$a_{41}$	$a_{42}$	$a_{43}$
- 1	14	1.12	- 2 1		23	31	32	33	41	42	43

**Row-Major Order** 

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$a_{11}$	$a_{21}$	$a_{31}$	$a_{41}$				
							i

**Row-Major Order** 

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$a_{11}$	$a_{21}$	$a_{31}$	$a_{41}$	$a_{12}$	$a_{22}$	$a_{32}$	$a_{42}$		
1			**	12		<b>52</b>	1 4		

#### **Row-Major Order**

#### **Column-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### **Row-Major Order**

**Column-Major Order** 

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### **Row-Major Order**


$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### Column-Major Order

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### Getting a row is fast.

$a_{11}$	$a_{12}$	$a_{13}$	$a_{21}$	$a_{22}$	$a_{23}$	$a_{31}$	$a_{32}$	$a_{33}$	$a_{41}$	$a_{42}$	$a_{43}$	



$a_{11}$	$a_{12}$	$a_{13}$	$a_{21}$	$a_{22}$	$a_{23}$	$a_{31}$	$a_{32}$	$a_{33}$	$a_{41}$	$a_{42}$	$ a_{43} $

#### **Row-Major Order**

$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

#### Column-Major Order


$$\mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix} \qquad \mathbf{A} = \begin{bmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \\ a_{41} & a_{42} & a_{43} \end{bmatrix}$$

Getting a column is slow.

a	11	$a_{12}$	$a_{13}$	$a_{21}$	$a_{22}$	$a_{23}$	$a_{31}$	$a_{32}$	$a_{33}$	$a_{41}$	$a_{42}$	$a_{43}$	]

# **Sparse Matrix Data Structures**

## **Sparse Matrix**



Example of sparse matrix

- Sparse matrix: A matrix in which most elements are zeros.
- Question: How to store a sparse matrix?
- Bad solution: As a dense matrix.
- Good solution: Storing only the nonzero elements and their indices.

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$


$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:



$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:



nnz(A)

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

### How to slice a row?

CSR Matrix: 
$$A = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

### How to slice a row?

CSR Matrix: 
$$A = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

### How to slice a row?

CSR Matrix: 
$$A = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

#### **Getting a row is fast.**

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

### How to slice a column?

CSR Matrix: 
$$A = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

## How to slice a column?

CSR Matrix: 
$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

### How to slice a column?

CSR Matrix: 
$$A = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

#### Getting a column is slow.

Value:	10	5.5	30	40	7.1	2	70	9.2	26
Row Index:	1	1	2	2	2	3	3	4	4
Col Index:	1	2	3	4	6	2	5	4	6

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:

$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:



$$\mathbf{A} = \begin{bmatrix} 10 & 5.5 & 0 & 0 & 0 & 0 \\ 0 & 0 & 30 & 40 & 0 & 7.1 \\ 0 & 2 & 0 & 0 & 70 & 0 \\ 0 & 0 & 0 & 9.2 & 0 & 26 \end{bmatrix}$$

Value:	10	5.5	2	30	40	9.2	70	7.1	26
Row Index:	1	1	3	2	2	4	3	2	4
Col Index:	1	2	2	3	4	4	5	6	6

## **Memory Cost**

- 8 Bytes for a double-precision floating-point number (a value).
- 4 Bytes for a long integer (an index).
- Memory cost (Bytes) of CSR or CSC:

$$(8 + 4 + 4) \cdot \text{nnz}(\mathbf{A}) = 16 \cdot \text{nnz}(\mathbf{A}).$$

• Memory cost (Bytes) of an  $m \times n$  dense matrix:

8mn.

• If over 50% elements are zeros, then CSR and CSC save memory.

# Questions

## From CSR to dense matrix

Value:

29

Row Index:

Col Index:

## **Matrix L1 Norm**

Value: Row Index: Col Index: 

- The  $4\times6$  matrix **A** is stored as CSR matrix (in the above).
- Question: What is the  $\ell_1$ -norm of **A**?
- Hint: The matrix  $\ell_1$ -norm is  $||\mathbf{A}||_1 = \sum_{i=1}^4 \sum_{j=1}^6 |a_{ij}|$ .

# Thank You!

# **Solution**

## From CSR to dense matrix

Value:

9 8.2 29 2 3.1 5 2 1.5 7 10

Row Index:

1 1 1 2 2 3 4 4 4

Col Index:

2 4 5 6 1 2 2 3 4 6

#### Convert the CSR matrix to dense matrix:

$$\mathbf{A} = \begin{bmatrix} 0 & 9 & 0 & 8.2 & 29 & 2 \\ 3.1 & 5 & 0 & 0 & 0 & 0 \\ 0 & 2 & 0 & 0 & 0 & 0 \\ 0 & 0 & 1.5 & 7 & 0 & 10 \end{bmatrix}$$