Binary Tree

Shusen Wang

Stevens Institute of Technology

http://wangshusen.github.io/

Binary Tree



Parent and Children



Root and Leaves



Path



- A path connects two vertices.
- Its length is the number of edges along the path.

Depth of a vertex



The depth of vertex V is the length of the path from the root to V.

Depth (or height) of the tree



The depth (or height) of the tree is the maximum depth of the vertices.

Depth (or height) of the tree



The depth (or height) of the tree is the maximum depth of the vertices.

Sub-trees



Binary Tree Data Structure



Binary Tree Data Structure

Vertex:




```
struct vertex {
    int key;
    // declare values (optional)
    struct vertex* left;
    struct vertex* right;
};
```

Binary Tree Data Structure

Function for creating a new vertex.

```
struct vertex* newVertex(int key) {
      struct vertex* v = new vertex;
      v->key = key;
      v->left = NULL;
      v->right = NULL;
      return v;
};
```

Rotate a binary tree



Rotate a binary tree

```
void rotate(struct vertex* root) {
    // swap the left and right pointers
    vertex* ptr = root->left;
    root->left = root->right;
    root->right = ptr;
    // recursively rotate the subtrees
    if (root->left != NULL) rotate(root->left);
    if (root->right != NULL) rotate(root->right);
}
```

Thank You!

http://wangshusen.github.io/