```
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('123-45-6789', 'HOMER', 'WELLS', 'SEATTLE', 'WA', 'IS', 'FR', 3.00, '98121-1111');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('124-56-7890', 'BOB', 'NORBERT', 'BOTHELL', 'WA', 'FIN', 'JR', 2.70, '98011-
2121');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('234-56-7890', 'CANDY', 'KENDALL', 'TACOMA', 'WA', 'ACCT', 'JR', 3.50, '99042-
3321');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('345-67-8901', 'WALLY', 'KENDALL', 'SEATTLE', 'WA', 'IS', 'SR', 2.80, '98123-
1141');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('456-78-9012', 'JOE', 'ESTRADA', 'SEATTLE', 'WA', 'FIN', 'SR', 3.20, '98121-
2333');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('567-89-0123', 'MARIAH', 'DODGE', 'SEATTLE', 'WA', 'IS', 'JR', 3.60, '98114-
0021');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('678-90-1234', 'TESS', 'DODGE', 'REDMOND', 'WA', 'ACCT', 'SO', 3.30, '98116-
2344');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('789-01-2345', 'ROBERTO', 'MORALES', 'SEATTLE', 'WA', 'FIN', 'JR', 2.50, '98121-
2212');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('876-54-3210', 'CRISTOPHER', 'COLAN', 'SEATTLE', 'WA', 'IS', 'SR', 4.00, '98114-
1332');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('890-12-3456', 'LUKE', 'BRAZZI', 'SEATTLE', 'WA', 'IS', 'SR', 2.20, '98116-0021');
INSERT INTO student
        (stdNo, stdFirstName, stdLastName, stdCity,
         stdState, stdMajor, stdClass, stdGPA, stdZip)
        VALUES ('901-23-4567', 'WILLIAM', 'PILGRIM', 'BOTHELL', 'WA', 'IS', 'SO', 3.80, '98113-
1885');
```

```
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ( 'FIN300', 'FUNDAMENTALS OF FINANCE', 4);
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ( 'FIN450', 'PRINCIPLES OF INVESTMENTS', 4);
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ( 'FIN480', 'CORPORATE FINANCE', 4);
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ('IS320', 'FUNDAMENTALS OF BUSINESS PROGRAMMING', 4 );
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ( 'IS460', 'SYSTEMS ANALYSIS', 4);
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ( 'IS470', 'BUSINESS DATA COMMUNICATIONS', 4);
INSERT INTO course
        (CourseNo, crsDesc, CrsUnits)
        VALUES ('IS480', 'FUNDAMENTALS OF DATABASE MANAGEMENT', 4 );
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
         VALUES ('543-21-
0987','VICTORIA','EMMANUEL','BOTHELL','WA','MS','PROF',120000.0,'','2005-04-15','98011-
2242');
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
         VALUES ('765-43-
2109','NICKI','MACON','BELLEVUE','WA','FIN','PROF',65000.00,'','2006-04-11','98015-9945');
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
         VALUES ('654-32-1098', 'LEONARD', 'FIBON', 'SEATTLE', 'WA', 'MS', 'ASSC', 70000.00, '543-
21-0987','2003-05-01','98121-0094');
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
         VALUES ('098-76-5432', 'LEONARD', 'VINCE', 'SEATTLE', 'WA', 'MS', 'ASST', 35000.00, '654-
32-1098','2004-04-10','98111-9921');
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
         VALUES ('876-54-
3210', 'CRISTOPHER', 'COLAN', 'SEATTLE', 'WA', 'MS', 'ASST', 40000.00, '654-32-1098', '2008-03-
01', '98114-1332');
INSERT INTO faculty
        (FacNo, FacFirstName, FacLastName, FacCity, FacState,
         FacDept, FacRank, FacSalary, FacSupervisor, FacHireDate, FacZipCode)
```

```
VALUES ('987-65-4321', 'JULIA', 'MILLS', 'SEATTLE', 'WA', 'FIN', 'ASSC', 75000.00, '765-
43-2109','2009-03-15','98114-9954');
```

# INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (1111, 'IS320', 'SUMMER', 2017, 'BLM302', '10:30:00', NULL, 'MW');

## INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (1234, 'IS320', 'FALL', 2016, 'BLM302', '10:30:00', '098-76-5432', 'MW');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (2222, 'IS460', 'SUMMER', 2016, 'BLM412', '13:30:00', NULL, 'TTH');

## INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (3333, 'IS320', 'SPRING', 2017, 'BLM214', '08:30:00', '098-76-5432', 'MW');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (4321, 'IS320', 'FALL', 2016, 'BLM214', '15:30:00', '098-76-5432', 'TTH');

# INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (4444, 'IS320', 'WINTER', 2017, 'BLM302', '15:30:00', '543-21-0987', 'TTH');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (5555, 'FIN300', 'WINTER', 2016, 'BLM207', '08:30:00', '765-43-2109', 'MW');

# INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (5678, 'IS480', 'WINTER', 2017, 'BLM302', '10:30:00', '987-65-4321', 'MW');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (5679, 'IS480', 'SPRING', 2017, 'BLM412', '15:30:00', '876-54-3210', 'TTH');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (6666, 'FIN450', 'WINTER', 2017, 'BLM212', '10:30:00', '987-65-4321', 'TTH');

## INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (7777, 'FIN480', 'SPRING', 2017, 'BLM305', '13:30:00', '765-43-2109', 'MW');

# INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (8888, 'IS320', 'SUMMER', 2017, 'BLM405', '13:30:00', '654-32-1098', 'MW');

### INSERT INTO offering

(OfferNo, CourseNo, OffTerm, OffYear, OffLocation, OffTime, FacNo, OffDays) VALUES (9876, 'IS460', 'SPRING', 2017, 'BLM307', '13:30:00', '654-32-1098', 'TTH');

# INSERT INTO enrollment

(OfferNO, StdNo, EnrGrade) VALUES(1234, '123-45-6789', 3.30);

```
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(1234, '234-56-7890', 3.50);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(1234, '345-67-8901', 3.20);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(1234, '456-78-9012', 3.10);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(1234, '567-89-0123', 3.80);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(1234, '678-90-1234', 3.40);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(4321, '123-45-6789', 3.50);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(4321, '124-56-7890', 3.20);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(4321, '789-01-2345', 3.50);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (4321, '876-54-3210', 3.10);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (4321, '890-12-3456', 3.40);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES(4321, '901-23-4567', 3.10);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5555, '123-45-6789', 3.20);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5555, '124-56-7890', 2.70);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5678, '123-45-6789', 3.20);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5678, '234-56-7890', 2.80);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5678, '345-67-8901', 3.30);
INSERT INTO enrollment
        (OfferNO, StdNo, EnrGrade)
        VALUES (5678, '456-78-9012', 3.40);
```

```
3/27/2020
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5678, '567-89-0123', 2.60);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5679, '123-45-6789', 2.00);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5679, '124-56-7890', 3.70);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(5679, '678-90-1234', 3.30);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5679, '789-01-2345', 3.80);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5679, '890-12-3456', 2.9);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (5679, '901-23-4567', 3.1);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(6666, '234-56-7890', 3.1);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(6666, '567-89-0123', 3.6);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(7777, '876-54-3210', 3.4);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(7777, '890-12-3456', 3.7);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(7777, '901-23-4567', 3.4);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(9876, '124-56-7890', 3.5);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES(9876, '234-56-7890', 3.2);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (9876, '345-67-8901', 3.2);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (9876, '456-78-9012', 3.4);
 INSERT INTO enrollment
          (OfferNO, StdNo, EnrGrade)
         VALUES (9876, '567-89-0123', 2.6);
```

INSERT INTO enrollment

(OfferNO, StdNo, EnrGrade) VALUES(9876, '678-90-1234', 3.3);

INSERT INTO enrollment

(OfferNO, StdNo, EnrGrade) VALUES(9876, '901-23-4567',4);