

RStudio

File Edit Code View Plots Session Build Debug Tools Help

Go to file/function

Project: (None)

```
Console ~/  
launch(browser),  
  remote = NULL)  
{  
  WINDOWS <- .Platform$OS.type == "windows"  
  if (!WINDOWS) {  
    if (!is.function(browser) && (length(browser) != 1L |  
    |  
    !is.character(browser) || !nzchar(browser)))  
      stop("invalid browser name, check options(\"brows  
er\"").")  
    }  
    home <- if (is.null(remote)) {  
      port <- tools::startDynamicHelp(NA)  
      if (port > 0L) {  
        if (update)  
          make.packages.html(temp = TRUE)  
        paste0("http://127.0.0.1:", port)  
      }  
      else stop("help.start() requires the HTTP server to b  
e running",  
        call. = FALSE)  
    }  
    else remote  
    url <- paste0(home, "/doc/html/index.html")  
    if (WINDOWS) {  
      cat(gettextf("If nothing happens, you should open\n%s  
yourself\n",  
        squote(url)))  
    }  
    else if (is.character(browser)) {  
      writeLines(strwrap(gettextf("If the browser launched  
by '%s' is already running, it is *not* restarted, and you mu  
st switch to its window.",  
        browser), exdent = 4L))  
      writeLines(gettext("otherwise, be patient ..."))  
    }  
    browseURL(url, browser = browser)  
    invisible()  
  }  
  <bytecode: 0x000000000a688068>  
  <environment: namespace:utils>  
  > |
```

Environment History

Import Dataset

Global Environment

Environment is empty

Files Plots Packages Help Viewer

The R Language Find in Topic

Statistical Data Analysis

Manuals

- [An Introduction to R](#)
- [Writing R Extensions](#)
- [R Data Import/Export](#)
- [The R Language Definition](#)
- [R Installation and Administration](#)
- [R Internals](#)

Reference

- [Packages](#)
- [Search Engine & Keywords](#)

Miscellaneous Material