Table A.1: Overview of variables

Variables short	Variables description	Number of co using the vari the model
age_cat	categoy, age (15-59 , in 5 year groups)	32
age_HH_head	age of household head (standardized with Z-score normalization)	32
bankaccount	binary, 1 if household has bankaccount	31
bicycle	binary, 1 if household has bicycle	32
birth_last_3y	binary, 1 if women had a birth in the last three years	32
bmi	numeric, Body Mass Index	50
boat	binary, 1 if household has boat	27
canoe	binary, 1 if household has canoe	9
car	binary, 1 if household has car	32
cart	binary, 1 if household has cart	30
cattle	Number of cattle owned	22
~~child_born~~	~~binary, 1 if women has ever a child born~~	~~32~~
child_labor_HH	binary, 1 if household has child involved in child labor	1
computer	binary, 1 if household has computer	19
contraceptive_health_care	binary, 1 if contraceptive requires access to health facility	32
credit_union	binary, 1 if household has credit union	9
currently_working	binary, 1 if women is currently working	32
decides_health_care	binary, 1 if woman involved in decision about own healthcare	11
decides_purchases	binary, 1 if woman involved in HH purchases	11
dvd_player	binary, 1 if household has dvd player	16
education	category, highest education level attained (in 4 groups)	32
education_HH	category, highest education level attained in household (in 4 groups)	32
electricity	binary, 1 if household has electricity	32
ethnicity	category, Ethnicity of woman	32
female	binary, 1 if female household member	32
female_HH_head	binary, 1 if household head is female	32
~~female_spend_health_care~~	~~binary, 1 if women decides on health care~~	12
~~fertility_HH~~	~~binary, 1 if household wants to have another baby~~	~~32~~
generator	binary, 1 if household has generator	16
health_card	binary, 1 if woman has health card for child	13
heard_family_planning	binary, 1 if woman heard of family planning via any media form	32
heard_sti	binary, 1 if women heard of STI	30
heard_tuberculosis	binary, 1 if woman has ever heard of tuberculosis	8
HIV_witchcraft	binary, 1 if woman believes she can get HIV by witchcraft	23
ideal_nr_children	numeric, ideal number of children	26
internet_connection	binary, 1 if household has internet connection	13
iodine	binary, 1 if salt contains iodine	25
knows_mordern_method	binary, 1 if women knows modern method for contraception	32
language	category, Native language of woman	32
listen_radio	binary, 1 if women not at all listens to radio	32
literate	binary, 1 if someone is literate	32
~~malaria_insects~~	~~binary, if respondent thinks malaria contracted via other insects~~	1
~~malaria_mosquito~~	~~binary, if respondent thinks malaria contracted via mosquito~~	1
~~malaria_mother~~	~~binary, if respondent thinks malaria contracted via mother~~	1
~~malaria_sorcery~~	~~binary, if respondent thinks malaria contracted via sorcery~~	1

Commented [DK1]: Pepe please do:
-Update list of variables (I saw that many that were not used by any country were still included
-Add number of countries where variable using the variable in their model
-Order the variables based on the variable name short in ABC order

Commented [BS2]: Already represented by child_member_under_5

Commented [BS3]: I would keep it because correlation with education is not too high. Kathrin would drop it. @isabel, what do you think? Corr with edu_tertiary is 0.24 and with edu_secondary is 0.23

when ?

? should be all

only 1 and Hiv specific

ok to keep

malaria_transfusion	binary, if respondent thinks malaria contracted via blood transfusion	1
malaria_water	binary, if respondent thinks malaria contracted via drinking water	1
married	binary, 1 if person is married or with a partner	32
married_HH	binary, 1 if someone in household is married or with a partner	32
media	binary, 1 if woman has some exposure to mass media	32
media_HH	binary, 1 if household has some exposure to mass media	32
member_all_HH	Number of household members (standardized with Z-score normalization)	32
member_child_under_5	Number of household members <5 (standardized with Z-score normalization)	32
member_women_HH	Number of eligible women in household (standardized with Z-score normalization)	32
migrant	binary, 1 if someone has migrant status	1
mobile	binary, 1 if household has mobile telephone	32
mosquitonet	binary, 1 if household uses a mosquitonet for sleeping	
mosquitonets_nr	Number of mosquitonets (standardized with Z-score normalization)	29
motorcycle	binary, 1 if household has motorcycle	32
music_system	binary, 1 if household has music system	16
non_numeric_fertility_preference	binary, 1 if woman chose non-numeric response for ideal number of children	32
oven	binary, 1 if household has oven	16
owns_land	binary, 1 if household has owns land usable for agriculture	31
owns_livestock	binary, 1 if household owns livestock,herds or farm animals	32
pregnant	binary, 1 if women is pregnant	32
radio	binary, 1 if household has radio	32
read_newspaper	binary, 1 if women not at all reads newspapers or magazines	32
refrigerator	binary, 1 if household has refrigerator	32
region	category, Region	32
religion	category, religion of woman	32
rural	binary, 1 if rural place of residence	32
safe_cooking_fuel	binary, 1 if household uses safe cooking fuel	32
safe_drinking_water	binary, 1 if safe drinking water source	32
safe_floor_material	binary, 1 if safe floor material	32
safe_sewage_disposal	binary, 1 if household has safe sewage disposal	2
safe_toilet_facility	binary, 1 if safe toilet facility	32
safe_trash_disposal	binary, 1 if household has safe trash disposal	3
share_toilet	binary, 1 if household shares toilet with other households	8
slept	binary, 1 if person slept last night	32
smoke_inside	binary, 1 if household members smoke inside the house	29
smokes	binary, 1 if women smokes any cigarette or tobacco	30
soap	binary, 1 if soap present at place for hand washing	5
sondaughterdied	binary, 1 if women has either son or daughter who have died	32
sondaughterhome	binary, 1 if women has either son or daughter at home	32
tel	binary, 1 if household has landline telephone	30
television	binary, 1 if household has television	32
terminated_pregnancy	binary, 1 if women ever had a terminated pregnancy	32
tested_HIV	binary, 1 if women tested for HIV	30
toilet	binary, 1 if household has any facility	32
video_recorder	binary, 1 if household has video recorder	16
washing_machine	binary, 1 if household has washing machine	10
watch	binary, 1 if household has watch	30
watch_TV	binary, 1 if women not at all watches television	32
water_handwash_present	binary, 1 if water is present at handwashing place	4

Commented [BS4]: Already represented by child_member_under_5

water_interrupted	binary, 1 if water was interrupted for a full day or more	3
water_time	Time for HH to get to water source (minutes)	1
water_treated	binary, 1 if Anything done to water to make safe to drink	32
wealthindex	category, wealth index, combined (in quintiles)	32

Notes: Tables shows all variables used for the ML models, using all available variables in the DHS data. For each country all available variables were used, excluding variables that have no variation after creating the sub-sample for the outcome or that generate less than 10% missing data in order to avoid a too small sample (see details for variable selection in Section 3).

