

public static ~~void~~ int union (int[] a, int tamA, int[] b,
int tamB, int[] u) {

```
    int cont = 0;  
    for (int i = 0; i < tamA; i++) {  
        if (!busca(u, cont, a[i])) {  
            u[cont] = a[i];  
            cont++;  
        }  
    }
```

```
    for (int i = 0; i < tamB; i++) {  
        if (!busca(u, cont, b[i])) {  
            u[cont] = b[i];  
            cont++;  
        }  
    }
```

```
    return cont;  
}
```

public static boolean busca (int[] v, int tam, int x) {

```
    for (int i = 0; i < tam; i++) {  
        if (v[i] == x) {  
            return true;  
        }  
    }  
    return false;  
}
```

3,5

```

public static void rotaciona11ma(int[] v, int tam) {
    int aux = v[0];
    for (int i = 1; i < tam; i += 1) {
        v[i-1] = v[i];
    }
    v[tam-1] = aux;
}

```

150

```

public static void rotaciona(int[] v, int tam, int k) {
    if (k > 0) {
        for (int i = 0; i < k; i += 1) {
            rotaciona11ma(v, tam);
        }
    } else {
        for (int i = 0; i < -k * (tam-1); i += 1) {
            rotaciona11ma(v, tam);
        }
    }
}

```

tempo total no Pádemio → 7h34

tempo total no computador → 3h30

Notas Final → 80

```

public static void ordenar (int [] b, int m) {
    int clave;
    int j;
    for (int i = 1; i <= m-1; i++) {
        clave = b[i];
        j = i-1;
        while (j >= 0 && clave < b[j]) {
            b[j+1] = b[j];
            j--;
        }
        b[j+1] = clave;
    }
}

```

1.0

```

public static int generarSemRepetido (int [] b, int
tam, int [] wr) {
    int j = 0;
    for (int i = 0; i < tam; i++) {
        if (!repetido (wr, j, b[i])) {
            wr[j] = b[i];
            j++;
        }
    }
    return j;
}

```

1.5

```

public static boolean repetido (int [] b, int tam, int
x) {
    for (int i = 0; i < tam; i++) {
        if (b[i] == x) {
            return true;
        }
    }
    return false;
}

```