

Guía de instalación de TNTConcept 0.21.X

Índice de contenidos

1	Introducción.....	2
1.1	Convenciones y glosario.....	2
2	Prerrequisitos.....	3
3	Programas necesarios.....	3
4	Instalación de la aplicación web.....	3
4.1	Actualización desde versiones anteriores.....	4
4.1.1	Información necesaria.....	4
4.1.2	Nuevas propiedades.....	4
4.2	Instalación.....	5
4.2.1	Descargando e instalando Java Development Kit 1.6.....	5
4.2.2	Descargando e instalando MySQL.....	6
4.2.2.1	Configuración de la instancia de MySQL Server.....	9
4.2.3	Descargando e instalando MySQL GUI Tools.....	15
4.2.4	Descargando e instalando el servidor.....	16
4.2.4.1	Descargando e instalando Tomcat 6.....	16
4.2.4.2	Descargando e instalando JBoss Application Server 4.2.3 JDK6.....	19
4.2.5	Creando la base de datos inicial.....	21
4.2.6	Preparando la aplicación en el servidor.....	28
4.2.6.1	Configuración de Tomcat 6.....	28
4.2.6.2	Configuración de JBoss.....	29
4.2.7	Configuración de la aplicación.....	31
5	Migración de la base de datos.....	32
5.1	Explicación del concepto de migración y modo consola.....	32
5.2	Realización de la migración.....	33
6	Arranque de la aplicación.....	36
7	Licencia.....	37

1 Introducción

En este documento se explica cómo se debe actualizar o instalar la aplicación TNTConcept en su versión 0.21.X

1.1 Convenciones y glosario

A lo largo del documento se utilizan ciertas palabras clave que deben ser sustituidas por un valor dependiente del entorno. Se listan aquí dichas palabras:

- **\$TOMCAT6:** Hace referencia al directorio base de instalación de Tomcat 6. Por ejemplo, podría ser c:\tomcat o c:\tomcat6 en Windows.
- **\$JBoss:** Hace referencia al directorio base de instalación de JBoss. Por ejemplo, podría ser c:\jboss.
- **\$CONFIG:** Hace referencia al directorio de configuración de TNTConcept. Se recomienda que este directorio sea c:\tntconcept en sistemas Windows y /etc/tntconcept en sistemas Unix, pero su localización es totalmente configurable a través del fichero \$TOMCAT6/conf/server.xml.
- **\$DB:** Hace referencia al nombre de la base de datos. A partir de la versión 0.2 se recomienda llamar a la base de datos tntconcept. Sin embargo, en la versión 0.1, se recomendaba crear la base de datos con el nombre intraweb. El nombre de la base de datos es totalmente configurable a través del fichero \$TOMCAT6/conf/server.xml.
- **\$DBUSER:** Hace referencia a un usuario de base de datos con permisos de acceso y modificación para la base de datos \$DB. Este usuario se debe crear al crear la base de datos en la primera instalación de TNTConcept. El nombre de usuario de base de datos es totalmente configurable a través del fichero \$TOMCAT6/conf/server.xml (pero, obviamente, tiene que coincidir con el configurado en MySQL).
- **\$DBPASSWD:** Hace referencia a la contraseña del usuario \$DBUSER de base de datos. Esta contraseña se especifica al crear el usuario \$DBUSER en la creación de la base de datos en la primera instalación de TNTConcept. La contraseña es totalmente configurable a través del fichero \$TOMCAT6/conf/server.xml (pero, obviamente, tiene que coincidir con la configurada en MySQL).
- **\$TEMPDIR:** Hace referencia al directorio en el cual se ha descomprimido el fichero de instalación (tntconcept-web-tomcat-0.21.X-installer-tomcat-0.21.X.tar.gz o tntconcept-web-0.21.X-installer-jboss-0.21.X.tar.gz).

2 Prerrequisitos

Esta versión puede ser instalada desde cero o sobre cualquier versión superior a la versión 0.2.

Si tiene instalada la versión 0.1 y no tiene datos almacenados en la aplicación que desee mantener, se recomienda instalar desde cero. Sin embargo, si tiene la versión 0.1 instalada y desea mantener los datos, deberá previamente instalar la versión 0.2, y a continuación instalar la versión 0.21.X.

Otro prerrequisito a tener en cuenta es que a partir de la versión 0.10 se ha de migrar de servidor. Se puede elegir tanto Tomcat 6.0.X como JBoss 4.2.X. A continuación se muestra una tabla de compatibilidades de versiones de TNTConcept con servidores.

	<i>0,9 o anterior</i>	<i>0,10 o posterior</i>
<i>Tomcat 5.5</i>	X	
<i>JBoss 4.2.X</i>		X
<i>Tomcat 6</i>		X

(a partir de la versión 1.6 de JDK es necesario emplear JBoss 4.2.3 JDK6)

3 Programas necesarios

Para instalar la aplicación correctamente en su máquina necesitará:

- El Java Development Kit, versión 1.6.
- Tomcat 6.0.X o JBoss 4.2.3 JDK6.
- MySQL 5.0 o superior (recomendamos emplear 5.1.X).
- GUI Tools para MySQL.

4 Instalación de la aplicación web

Si está instalando la aplicación por primera vez, por favor, salte el apartado 4.1 y siga los pasos del apartado “4.2. Instalación”. Posteriormente, continúe con el capítulo 5.

Por el contrario, si está actualizando una instalación ya existente lea atentamente el punto 4.1.

4.1 Actualización desde versiones anteriores

IMPORTANTE

Si va a actualizar su aplicación recuerde que sólo puede aplicar la versión 0.21.X a una instalación de la versión 0.2 o superior, y nunca desde una versión 0.1. Consulte el capítulo “2. Prerrequisitos” para más información.

A partir de la versión 0.7 se han hecho modificaciones en la forma de obtener algunos ficheros de propiedades. Por favor, si está actualizando desde versiones anteriores, compruebe el apartado “4.2.7 Configuración de la Aplicación”.

4.1.1 Información necesaria

Si está actualizando desde una versión igual o anterior a la 0.9.X de TNTConcept probablemente tenga instalado y funcionando un Tomcat 5 y una base de datos MySQL con toda su información. Deberá por tanto consultar el archivo **\$TOMCAT5/conf/server.xml** y apuntar lo siguiente para poder configurar su nuevo servidor Tomcat 6 o JBoss 4.2.X (lo remarcado en color **rojo**):

```
<Context path="/tntconcept" docBase="tntconcept">
  <Manager pathname=""/>
  <Environment name="TNTConceptConfigDir" type="java.lang.String" value="$CONFIG"/>
  <Resource name="jdbc/TNTConcept" auth="Container" type="javax.sql.DataSource"
    maxActive="100" maxIdle="30" maxWait="10000" driverClassName="com.mysql.jdbc.Driver"
    username="$DBUSER" password="$DBPASSWD"
    url="jdbc:mysql://localhost:3306/$DB?autoReconnect=true"/>
</Context>
```

4.1.2 Nuevas propiedades

En el archivo **\$CONFIG/autentia.properties** se han incluido nuevas propiedades:

- **schemaSecurityMatrix**: Nombre del fichero de validación de Schema XML para el archivo de configuración de seguridad de la aplicación (securityConfiguration.xml). Esta propiedad no debería cambiarse.
- **ValidateSecurityMatrixXML**: Valor booleano que indica si hay que proceder (true) o no (false) a la validación del XML de configuración de seguridad (securityConfiguration.xml). Por defecto este valor está configurado a true, pero puede desactivar la validación cambiando su valor a false.

NOTA: Si la validación está activada y el fichero no cumple el esquema de validación, la aplicación no arrancará. El esquema de validación se ha adaptado al fichero actual, por lo que no debería haber ningún problema para que se realice la validación.

4.2 Instalación

Descomprima el fichero de instalación (tntconcept-web-tomcat-0.21.X-installer-tomcat-0.21.X.tar.gz o tntconcept-web-0.21.X-installer-jboss-0.21.X.tar.gz) en un directorio de su máquina (\$TEMPDIR).

Si ya tiene instalados JDK 1.6, MySQL 5.X y las GUI tools de MySQL, puede saltar directamente al punto 4.2.4 (si bien recomendamos revisar la configuración de la instancia de MySQL Server, en el punto 4.2.2.1).

Si no los tiene, vamos a ver a continuación la instalación detallada bajo Windows.

4.2.1 Descargando e instalando Java Development Kit 1.6

Descargue e instale de: <http://www.oracle.com/technetwork/java/javase/downloads/index.html> la última versión de JDK 6.



Overview Downloads Documentation Community Technologies Training

Java SE Downloads

Latest Release Next Release (Early Access) Embedded Use Real-Time Previous Releases

Download Download Download Download

Java Platform (JDK) JDK + JavaFX Bundle JDK + NetBeans Bundle JDK + Java EE Bundle

Here are the Java SE downloads in detail.

Java Platform, Standard Edition

JDK 6 Update 21 (JDK or JRE)

This release includes performance improvements, support for Oracle Enterprise Linux, Oracle VM, and Google Chrome. [Learn more](#)

What Java Do I Need? You must have a copy of the JRE (Java Runtime Environment) on your system to run Java applications and applets. To develop Java applications and applets, you need the JDK (Java Development Kit), which includes the JRE.

NOTE: The Firefox 3.6 browser requires Java SE 6 Update 10 or later. Otherwise, Java-based web applications will not work.

Download JDK Download JRE

JDK 6 Docs

- FAQ
- Installation Instructions
- ReadMe
- ReleaseNotes
- Oracle License
- Third Party Licenses
- Supported System Configurations

JRE 6 Docs

- Installation Instructions
- ReadMe
- ReleaseNotes
- Oracle License
- Third Party Licenses
- Supported System Configurations

4.2.2 Descargando e instalando MySQL


Desde: <http://dev.mysql.com/downloads/mysql/> puede descargar la versión 5.X

Download MySQL Community Server

MySQL Enterprise subscription is the most comprehensive offering of MySQL database software, services and support to ensure your business achieves the highest levels of reliability, security, and uptime. MySQL Enterprise includes the MySQL Enterprise Server software, which is the most reliable, secure and up-to-date version of the world's most popular open source database. Users also receive monthly rapid updates and quarterly service packs with the latest bug fixes of MySQL Enterprise Server.

MySQL Community Edition is a freely downloadable version of the world's most popular open source database that is supported by an active community of open source developers and enthusiasts.

MySQL Cluster Community Edition is available as a separate download. The reason for this change is so that MySQL Cluster Community Edition is the latest sources of MySQL Cluster Carrier Grade Edition.


[Important Platform Support Updates](#)

Online Documentation

- [MySQL 5.1 Documentation and Change History](#)
for the Generally Available (GA) Release
- [MySQL 5.5 Documentation and Change History](#)
for the Development release

Please report any bugs or inconsistencies you observe to our [Bugs Database](#).

Thank you for your support!


[Generally Available \(GA\) Releases](#)
[Development Releases](#)

MySQL Community Server 5.1.49

Select Platform:

Microsoft Windows

Select



 The Windows "msi-essential-*" installers do not include: Instance Manager tool, Documentation, Developer Tools

Windows (x86, 32-bit), MSI Installer <small>(mysql-5.1.49-win32.msi)</small>	5.1.49	105.9M	<div>Download</div>
MD5: 4723c700744059f2e8bac6553d2d7aa8			
Windows (x86, 32-bit), MSI Installer Essentials - Recommended <small>(mysql-essential-5.1.49-win32.msi)</small>	5.1.49	38.9M	<div>Download</div>
MD5: 8372891bcc88c0f6f713f5ff5af5178f			


Ejecute el fichero de instalación:



seleccione instalación típica




y, al finalizar la instalación, marque “Configure the MySQL Server now”




(puede también configurar la instancia de MySQL Server posteriormente, ejecutando MySQL Server Config Wizard).


4.2.2.1 Configuración de la instancia de MySQL Server




Marque "Detailed Configuration"




Selección "Server Machine"




Selección "Multifunctional Database"




Mantenga las opciones por defecto para el espacio de tablas:




y para el número de conexiones (Decision Support (DSS)/OLAP):




Mantenga el puerto por defecto y añada *firewall exception*:



Después seleccione “Manual Selected Default” y elija UTF-8:




Mantenga la opción por defecto de instalar como servicio de Windows:




No olvide anotar la clave de administrador:



Y, finalmente, pulse en ejecutar:




Tras la ejecución, debería obtener la siguiente pantalla:



4.2.3 Descargando e instalando MySQL GUI Tools

Descargue de: <http://dev.mysql.com/downloads/gui-tools/>



MySQL GUI Tools Bundle: Archived Downloads

Important: Read the EOL Announcement for the MySQL GUI Tools Bundle (Administrator, Query Browser, Migration Toolkit)

Users of the MySQL GUI Tools Bundle should plan to upgrade to MySQL Workbench. MySQL Workbench provides DBAs and developers an integrated tools environment for:

- Database Design & Modeling
- SQL Development (replacing MySQL Query Browser)
- Database Administration (replacing MySQL Administrator)

[Download MySQL Workbench »](#)

MySQL GUI Tools: Archived Online Documentation

- [MySQL Administrator Documentation](#)
- [MySQL Query Browser Documentation](#)
- [MySQL Migration Toolkit Documentation](#)

MySQL GUI Tools: Archived Downloads


Windows downloads

The install package uses the Windows Installer, which is built in to Windows XP and more recent Microsoft Windows versions.

Download an updated [Windows Installer for Windows 2000](#)

Platform	Version	Size	Download
Windows (x86)	5.0-r17	16.9M	Download
			MDS: a309ba3531bfb5497ebafab51ae5e7db
Without installer (unzip in C:\)	5.0-r17	16.1M	Download
			MDS: 54593fd76f2fb13a2f6c5ac4a200293e

Instale las tools con las opciones por defecto (instalación completa):



4.2.4 Descargando e instalando el servidor

Debe seleccionar entre Tomcat 6 y JBoss 4.2.3 JDK6 (versión de JBoss 4.2.X compatible con JDK 1.6).

Nuevamente veremos el proceso de instalación para Windows.

4.2.4.1 Descargando e instalando Tomcat 6

Descargue de la página de Apache: <http://tomcat.apache.org/download-60.cgi> la última versión de Tomcat 6:

6.0.29

Please see the [README](#) file for packaging information. It explains what every distribution contains.


Binary Distributions

- Core:
 - [zip](#) ([pgp](#), [md5](#))
 - [tar.gz](#) ([pgp](#), [md5](#))
 - [32-bit Windows zip](#) ([pgp](#), [md5](#))
 - [64-bit Windows zip](#) ([pgp](#), [md5](#))
 - [64-bit Itanium Windows zip](#) ([pgp](#), [md5](#))
 - [32-bit/64-bit Windows Service Installer](#) ([pgp](#), [md5](#))
- Deployer:
 - [zip](#) ([pgp](#), [md5](#))
 - [tar.gz](#) ([pgp](#), [md5](#))


Descargue el Windows Service Installer y ejecútelo.




Seleccione la instalación normal:




E instale en c:\tomcat (no es obligatorio utilizar este directorio, es sólo una recomendación):



Defina login y contraseña para el administrador del servidor:



y seleccione la versión de Java que tiene instalada (el asistente se la ofrecerá por defecto):





La instalación crea un servicio en Windows (Apache Tomcat 6) que inicia o para el servidor Tomcat.

Para administrar dicho servicio, utilice las *Herramientas Administrativas* del *Panel de Control* (en Windows7 las encontrará bajo *Sistema y Seguridad*).

4.2.4.2 Descargando e instalando JBoss Application Server 4.2.3 JDK6

En <http://labs.jboss.com/jbossas/downloads/>, seleccione 4.2.3:

5.0.0.Beta1	88 MB	2006-11-17	LGPL	Release Notes 	Download  Downloads: 126319
-------------	-------	------------	------	---	---

Note: Downloads counter is updated once per day.

4.2

Name	Size	Release date	License	Release notes	Download
4.2.3	100 MB	2008-07-18	LGPL	Release Notes 	Download  Downloads: 203718
4.2.2	90MB	2007-10-22	LGPL	Release Notes 	Download  Downloads: 618396
4.2.1	90 MB	2007-07-16	LGPL	Release Notes 	Download  Downloads: 226171
4.2.0	90 MB	2007-05-11	LGPL	Release Notes 	Download  Downloads: 190890























Note: Downloads counter is updated once per day.

4.0

Name	Size	Release date	License	Release notes	Download
4.0.5	77 MB	2006-10-18	LGPL	Release Notes 	Download  Downloads: 447379

y elija GA-jdk6:

Browse Files for JBoss.org


File/Folder Name	Platform	Size	Date ↓	Downloads	Notes/Subscribe
Subdirectory (view all files)					
▼ JBoss		299.5 MB	2008-07-18	457,292	 
▼ JBoss-4.2.3.GA		299.5 MB	2008-07-18	457,292	 
 jboss-4.2.3.GA.zip.SHA-256		64 Bytes	2008-07-18	2,375	
 jboss-4.2.3.GA.zip.MD5		32 Bytes	2008-07-18	3,673	
 jboss-4.2.3.GA.zip		99.5 MB	2008-07-18	211,894	
 jboss-4.2.3.GA-src.tar.gz.SHA-256		64 Bytes	2008-07-18	1,274	
 jboss-4.2.3.GA-src.tar.gz.MD5		32 Bytes	2008-07-18	1,810	
 jboss-4.2.3.GA-src.tar.gz		100.4 MB	2008-07-18	32,560	
 jboss-4.2.3.GA-jdk6.zip.SHA-256		64 Bytes	2008-07-18	2,032	
 jboss-4.2.3.GA-jdk6.zip.MD5		32 Bytes	2008-07-18	4,141	
 jboss-4.2.3.GA-jdk6.zip		99.7 MB	2008-07-18	197,533	

Una vez descargado el fichero, descomprímalo en algún lugar de su sistema de ficheros. Por ejemplo, en c:\jboss.


4.2.5 Creando la base de datos inicial

Una vez instalado el servidor MySQL y sus herramientas, puede crear la base de datos que empleará TNTConcept.


Para ello, ejecute la herramienta **MySQL Administrator**, que le solicitará la contraseña de root configurada anteriormente:




En la lista de esquemas (pulse en *Catalogs* y sitúese en la ventana inferior izquierda), elija crear un nuevo esquema con el botón secundario:



y creelo con el nombre de “tntconcept” (puede usar otro nombre, pero éste coincidirá con el resto de configuraciones posteriores):




A continuación, pulse en *User Administration* y nuevamente con el menú emergente elija *Add new user* para crear el usuario que utilizará la aplicación:



Necesitará ahora darle un nombre y asignarle una contraseña. En la guía se empleará "tnt" y "tnt" (nótese que no es estrictamente necesario crear un nuevo usuario. Si lo desea puede obviar estos pasos y saltar directamente a la ejecución de MySQL Query Browser empleando root, si bien el resto del documento de configuración asume la creación del usuario tnt).

Una vez realizado, pulse en *Apply Changes*:



The screenshot shows the MySQL Administrator interface. The title bar reads "MySQL Administrator - Connection: root@localhost:3306". The menu bar includes File, Edit, View, Tools, Window, and Help. On the left, a tree view shows various server management options, with "User Administration" selected. Below this, the "Users Accounts" section lists "root" and a "New User" button. The main pane displays the "New User" configuration form, which is divided into three tabs: "User Information", "Schema Privileges", and "Resources". The "User Information" tab is active, showing fields for "Login Information" (MySQL User, Password, Confirm Password) and "Additional Information" (Full Name, Description, Email, Contact Information, Icon). The "MySQL User" field contains "tnt", and the "Password" and "Confirm Password" fields contain "root". The "Full Name" field is empty. The "Description" field contains "Additional description of the user". The "Email" field is empty. The "Contact Information" field is empty. The "Icon" field shows a default user icon, with "Load from disk" and "Clear Image" buttons. At the bottom right, there are "Add new user" and "Apply changes" buttons.

MySQL Administrator - Connection: root@localhost:3306

File Edit View Tools Window Help

Server Information
Service Control
Startup Variables
User Administration
Server Connections
Health
Server Logs
Replication Status
Backup
Restore
Catalogs

Users Accounts

root
New User

User Information Schema Privileges Resources

New User
Login and additional information on the user

Login Information

MySQL User: The user has to enter this MySQL User name to connect to the MySQL Server

Password: Fill out this field if you want to set the user's password

Confirm Password: Again, enter the user's password to confirm


Additional Information

Full Name: The user's full name


Description: Additional description of the user

Email: The user's email address

Contact Information: Optional contact information


Icon:  Icon assigned to the user

En la pestaña *Schema Privileges* seleccione el esquema "tntconcept" creado anteriormente, y pase todos los permisos de la lista de la derecha a la lista de la izquierda usando el botón correspondiente. Aplique los cambios.




Cierre la aplicación MySQL Administrator y ejecute **MySQL Query Browser**.

Acceda como usuario "tnt" a la base de datos "tntconcept":




A continuación, debe ejecutar el script de creación de la base de datos que acompaña a la instalación de la aplicación.


Para ello, en el menú *File* elija *New Script Tab*:



Y pegue en la nueva pestaña el contenido del script \$TEMPDIR/sql/mysql/createTables.sql. Pulse en **Execute**:



Con este procedimiento ya tiene instalada la base de datos y puede cerrar la aplicación MySQL Query Browser (salga sin guardar el script).




4.2.6 Preparando la aplicación en el servidor

Como se indicó anteriormente, puede optar por emplear un servidor Tomcat 6 o un servidor JBoss 4.2.3. A continuación se describe la forma de configurar uno u otro servidor (recuerde que necesitará haber descargado el paquete de instalación de TNTConcept correspondiente al servidor elegido).

En ambos casos, necesitará un fichero JAR de conexión a MySQL (el driver JDBC).

Dicho fichero se puede descargar del sitio web de MySQL: <http://dev.mysql.com/downloads/connector/j/>



Download Connector/J

MySQL Connector/J is the official JDBC driver for MySQL.

[Online Documentation](#)

- [Connector/J Documentation and Change History](#)

Please report any bugs or inconsistencies you observe to our [Bugs Database](#).
Thank you for your support!

MySQL Software is provided under the GPL License.
OEMs, ISVs and VARs can purchase commercial licenses.

Generally Available (GA) Releases


Connector/J 5.1.13

Select Platform:

Platform Independent

Looking for previous GA versions?

Platform Independent (Architecture Independent), Compressed TAR Archive (mysql-connector-java-5.1.13.tar.gz)	5.1.13	3.6M	Download	MD5: 6bb2bc742d96341dd4621c07a6fcb1
Platform Independent (Architecture Independent), ZIP Archive (mysql-connector-java-5.1.13.zip)	5.1.13	3.8M	Download	MD5: 2e1bbd848bc999fe1c8ae9ce980adc2c9

 We suggest that you use the MD5 checksums and GnuPG signatures to verify the integrity of the packages you download.

A veces puede venir incluido en la distribución de MySQL, dependiendo del sistema operativo. También se adjunta una copia de dicho fichero (mysql-connector-java-5.1.X-bin.jar) en el directorio \$TEMPDIR/lib del archivo de instalación.

4.2.6.1 Configuración de Tomcat 6

Únicamente debe colocar el fichero \$TEMPDIR/app/tntconcept.war proporcionado en el archivo de instalación en el directorio \$TOMCAT6/webapps.

Es necesario configurar el contexto de la aplicación web en Tomcat para indicarle cómo acceder a la base de datos y al directorio de configuración de la aplicación. Para ello modifique el fichero \$TOMCAT6/conf/server.xml.

Abra dicho fichero y defina un nuevo contexto de aplicación web con el siguiente fragmento XML, que deberá incluir dentro del host virtual, justo antes de la etiqueta `</Host>`:

```
<Context path="/tntconcept" docBase="tntconcept">
  <Manager pathname=""/>
  <Environment name="TNTConceptConfigDir" type="java.lang.String" value="$CONFIG"/>
  <Resource name="jdbc/TNTConcept" auth="Container" type="javax.sql.DataSource"
    maxActive="100" maxIdle="30" maxWait="10000" driverClassName="com.mysql.jdbc.Driver"
    username="$DBUSER" password="$DBPASSWD"
    url="jdbc:mysql://localhost:3306/$DB?autoReconnect=true"/>
</Context>
```

`</Host>` ¡OJO! Deje la etiqueta `</Host>` detrás del contexto

Debe cambiar los valores en **rojo** por los valores propios de su instalación (si se trata de una actualización lea el punto 4.1.1). En cuanto al valor de la variable de contexto `TNTConceptConfigDir` (`$CONFIG`), se recomienda utilizar `/etc/tntconcept` en sistemas Unix y `c:/tntconcept` en Windows, aunque se puede apuntar a cualquier otro directorio.

El nombre de la base de datos (`$DB`) deberá ser sustituido por el nombre real de su base de datos. Por ejemplo, si usted instaló la versión 0.1, la base de datos se llamará probablemente `intraweb`. Para el resto de versiones se recomienda llamar a la base de datos `tntconcept`.

En el ejemplo seguido en esta guía, el fichero tendría el siguiente aspecto:

```
<Context path="/tntconcept" docBase="tntconcept">
  <Manager pathname=""/>
  <Environment name="TNTConceptConfigDir" type="java.lang.String" value="c:/tntconcept"/>
  <Resource name="jdbc/TNTConcept" auth="Container" type="javax.sql.DataSource"
    maxActive="100" maxIdle="30" maxWait="10000" driverClassName="com.mysql.jdbc.Driver"
    username="tnt" password="tnt"
    url="jdbc:mysql://localhost:3306/tntconcept?autoReconnect=true"/>
</Context>
```

Además, necesitará copiar el fichero JAR de conexión a MySQL en el directorio `$TOMCAT6/lib`.

4.2.6.2 Configuración de JBoss

Únicamente debe colocar el fichero `$TEMPDIR/app/tntconcept.war` proporcionado en el archivo de instalación en el directorio `$JBOSSE/server/default/deploy`.

Es necesario crear un `datasource` para acceder a la base de datos. Para ello, copie el fichero `$TEMPDIR/jboss/tntconcept-ds.xml` a `$JBOSSE/server/default/deploy` y edítelo:

```
<datasources>
  <local-tx-datasource>
    <jndi-name>jdbc/TNTConcept</jndi-name>
    <connection-url>jdbc:mysql://localhost:3306/$DB</connection-url>
    <driver-class>com.mysql.jdbc.Driver</driver-class>
    <user-name>$DBUSER</user-name>
    <password>$DBPASSWD</password>
  </local-tx-datasource>
</datasources>
```


modificando los valores que están en **rojo**, por los valores correctos de su entorno (si está realizando una actualización, leer punto 4.1.1).

En el ejemplo seguido en esta guía, el fichero tendría el siguiente aspecto:

```
<datasources>
  <local-tx-datasource>
    <jndi-name>jdbc/TNTConcept</jndi-name>
    <connection-url>jdbc:mysql://localhost:3306/tntconcept</connection-url>
    <driver-class>com.mysql.jdbc.Driver</driver-class>
    <user-name>tnt</user-name>
    <password>tnt</password>
  </local-tx-datasource>
</datasources>
```

También es necesario indicar al servidor cuál es el directorio de configuración de la aplicación. Para ello, copie el fichero \$TEMPDIR/jboss/tntconcept-service.xml a \$JBOSS/server/default/deploy y edítelo:

```
<server>
  <mbean code="org.jboss.naming.JNDIBindingServiceMgr"
    name="jboss.tests:service=JNDIBindingServiceMgr">
    <attribute name="BindingsConfig" serialDataType="jxbx">
      <jndi:bindings
        xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
        xmlns:jndi="urn:jboss:jndi-binding-service:1.0"
        xs:schemaLocation="urn:jboss:jndi-binding-service:1.0 resource:jndi-binding-service_1_0.xsd">
        <jndi:binding name="TNTConceptConfigDir">
          <jndi:value type="java.lang.String">$CONFIG</jndi:value>
        </jndi:binding>
      </jndi:bindings>
    </attribute>
    <depends>jboss:service=Naming</depends>
  </mbean>
</server>
```

modificando el valor que está en **rojo** para que apunte al directorio de configuración (si está realizando una actualización, leer punto 4.1.1).

Se recomienda utilizar /etc/tntconcept en sistemas Unix y c:/tntconcept en Windows, aunque se puede apuntar a cualquier otro directorio.

En el ejemplo seguido en esta guía, el fichero tendría el siguiente aspecto:

```
<server>
  <mbean code="org.jboss.naming.JNDIBindingServiceMgr"
    name="jboss.tests:service=JNDIBindingServiceMgr">
    <attribute name="BindingsConfig" serialDataType="jbx">
      <jndi:bindings
        xmlns:xs="http://www.w3.org/2001/XMLSchema-instance"
        xmlns:jndi="urn:jboss:jndi-binding-service:1.0"
        xs:schemaLocation="urn:jboss:jndi-binding-service:1.0 resource:jndi-binding-service_1_0.xsd">
        <jndi:binding name="TNTConceptConfigDir">
          <jndi:value type="java.lang.String">c:/tntconcept</jndi:value>
        </jndi:binding>
        </jndi:bindings>
      </attribute>
      <depends>jboss:service=Naming</depends>
    </mbean>
  </server>
```

Además, necesitará copiar el fichero JAR de conexión a MySQL en el directorio \$JBOSS/server/default/lib.

4.2.7 Configuración de la aplicación

Una vez definido el contexto, deberá copiar los ficheros de configuración del directorio \$TEMPDIR/config del paquete de instalación al directorio \$CONFIG (el que ha especificado en los ficheros de configuración en el paso anterior). Dichos ficheros son:

- log4j.properties (configuración de las trazas)
- autentia.properties (ficheros de propiedades de la aplicación)
- logo.bmp (logotipo a usar en los informes)
- securityConfiguration.xml (fichero de configuración de seguridad)
- securityConfiguration.xsd (esquema de validación del anterior)
- Carpeta docroot. Contiene los ficheros de estilos (.css) de la aplicación.

Una vez copiados, puede editar los ficheros y cambiar los parámetros de configuración a su gusto. Se explican a continuación las propiedades más importantes a cambiar. Las demás no es necesario modificarlas a menos que sepa exactamente lo que está haciendo.

IMPORTANTE

Todas las rutas de fichero o directorio que se introduzcan en los ficheros de configuración deben utilizar la barra /, en lugar de la \ (inversa). Esto se aplica incluso en sistemas Windows. Si se utiliza la barra \ en Windows, la aplicación puede no volcar trazas, no ser capaz de anexar ficheros a los registros y es incluso posible que no arranque.

- **log4j.properties:**
 - En la sección “# Default file appender”, descomente la propiedad `log4j.appender.file.File` de acuerdo a la plataforma en la que esté (Windows o Unix) para especificar el directorio donde se quieran volcar las trazas de la aplicación. Estas trazas se generan durante la ejecución de la aplicación y pueden servir para depurar errores u obtener información de lo que esta pasando.
 - En la sección “# Migration log appender”, descomente la propiedad `log4j.appender.migration.File` de acuerdo a la plataforma en la que esté (Windows o Unix) para especificar el directorio donde se quieran volcar las trazas de migración de la base de datos de la aplicación. Estas trazas sólo se generan cuando se actualiza la aplicación de una versión a otra.
 - En la sección “# Security log appender”, descomente la propiedad `log4j.appender.security.File` de acuerdo a la plataforma en la que esté (Windows o Unix) para especificar el directorio donde se quieran volcar las trazas relacionadas con seguridad.
- **autentia.properties:**
 - En la sección “# Uploaded files path”, descomente la propiedad `pathFicheros` de acuerdo a la plataforma en la que esté (Windows o Unix) para especificar el directorio donde se quieran almacenar los ficheros anexos de la aplicación. Los ficheros anexos son documentos binarios (ficheros Word, imágenes, PDFs, ...) que se pueden subir al servidor asociados a ciertos tipos de registro (por ejemplo, los CVs de los usuarios, los documentos de calidad, ...)
 - En la sección “# Personal report path”, descomente la propiedad `pathReports` de acuerdo a la plataforma en la que esté (Windows o Unix) para especificar el directorio donde se quieran almacenar los ficheros de reportes personales. La aplicación permite emplear reportes propios del usuario (aparte de los ya definidos), que deben crearse con JasperReports y cargarse en este directorio.
 - `reportLogoName`. Esta propiedad contiene el nombre de la imagen que se usa para los informes. Esta imagen se busca con el nombre indicado aquí y en la ruta de configuración (\$CONFIG).
 - `isUsingExternalCss`. Esta propiedad indica si los ficheros de estilos css se buscan dentro de el directorio \$CONFIG (valor true) o se usan los que se incluyen en el .war de la aplicación.
 - `documentRoot`. Nombre de la carpeta dentro de \$CONFIG donde se buscan los ficheros de estilos (.css). Sólo tiene sentido si la anterior vale true.

5 Migración de la base de datos


Antes de entrar a la aplicación es necesario migrar la estructura de la base de datos y los contenidos al formato de la versión instalada. Es evidente que a la vez que evoluciona la aplicación, debe evolucionar la estructura de los datos. Con cada nueva versión se añaden campos, tablas y se pueden modificar ciertos valores de los datos. Todas estas modificaciones se llevan a cabo mediante scripts SQL que alteran la base de datos para adecuarla de la versión anterior a la actualmente instalada.

5.1 Explicación del concepto de migración y modo consola

El proceso de migración se intenta hacer de la forma mas automática posible para que no sea necesario trabajar con las herramientas de MySQL a bajo nivel. Para ello existe el concepto de modo consola o bloqueado de la aplicación.

Cuando se instala una nueva versión de TNTConcept, el contenido de los datos en base de datos y las clases Java ejecutables no están sincronizados: las nuevas clases esperan encontrar campos y tablas que podrían no existir en la versión anterior. Para detectar esta condición, la aplicación, al arrancar, comparará la versión de las clases Java con la versión de los datos en base de datos (almacenada en una tabla llamada Version). Si la versión de las clases Java es superior a la de la base de datos, la aplicación entra en modo consola y se “bloquea”.

Cuando la aplicación está bloqueada sólo se puede acceder a la consola de la aplicación, que es una sencilla página que permite migrar la base de datos (es decir, lanzar los scripts SQL que migrarán la base de datos):




Una vez que se entra a la consola con un usuario administrador y se ejecutan los scripts de migración, la base de datos se modifica y la aplicación se desbloquea, con lo que no volverá a aparecer la consola hasta la próxima actualización de versión. No todas las actualizaciones de versión requieren una migración de la base de datos.

5.2 Realización de la migración


IMPORTANTE

Se recomienda encarecidamente hacer una copia de seguridad de la base de datos antes de migrarla por si fallase algo en dicho proceso. Esto no es necesario si está instalando la aplicación por primera vez, sólo si está actualizando.

Arranque Tomcat (o JBoss) y conéctese a la aplicación tecleando la siguiente dirección en el navegador: <http://localhost:8080/tntconcept>. Observará que, al conectarse, no sale la pantalla de inicio habitual, sino la consola de administración de TNTConcept:




En esta pantalla, introduzca un usuario administrador y su contraseña (el usuario administrador por defecto es admin y la contraseña adminadmin), lo que dará paso al menú de consola. Pulse en “Migrar base de datos” y aparecerá en la parte inferior de la pantalla una explicación de la función y un botón para efectuar la migración:



Pulsando el botón se ejecutarán los scripts de actualización de la base de datos. La aplicación nos informará del resultado cuando haya terminado el proceso. Se puede consultar el resultado detallado de dicha migración en el fichero de trazas configurado en \$CONFIG/log4j.properties, bajo la clave log4j.appenders.migration.File.

Una vez migrada la base de datos, si todo ha ido bien, pulse en “Salir de la consola”.



A continuación, cierre el navegador y arranque un nuevo navegador, y acceda de nuevo a la dirección: <http://localhost:8080/tntconcept>.

6 Arranque de la aplicación

Si todo está bien configurado y los servicios de Tomcat (o JBoss) y MySQL arrancados, puede ir a un navegador y ejecutar la aplicación (<http://localhost:8080/tntconcept/>):



Para poder entrar por primera vez, al instalar la aplicación se crea un usuario con perfil administrador y los siguientes datos:


Usuario: admin

Contraseña: adminadmin

(en el primer acceso se solicitará el cambio de contraseña).

También debe tener en cuenta que cuando cree un nuevo usuario (desde el menú Administración → Usuarios), siempre se le asigna una contraseña por defecto. Esta contraseña es 'password'.

La contraseña del usuario actual se puede cambiar desde el menú Administración.

Adicionalmente, se pueden reinicializar las contraseñas de los usuarios con un usuario administrador entrando en el formulario de edición del usuario en cuestión y pulsando el icono .

Además la aplicación crea una empresa inicial de nombre 'Nuestra empresa' con sus datos vacíos. Esta empresa se debe editar e introducir los datos correctos de su empresa. Los informes y otras partes de la aplicación utilizan los datos de dicha empresa para generar información.

7 Licencia

GNU Free Documentation License
Version 1.3, 3 November 2008

Copyright (C) 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
<<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

0. PREAMBLE

The purpose of this License is to make a manual, textbook, or other functional and useful document "free" in the sense of freedom: to assure everyone the effective freedom to copy and redistribute it, with or without modifying it, either commercially or noncommercially. Secondly, this License preserves for the author and publisher a way to get credit for their work, while not being considered responsible for modifications made by others.

This License is a kind of "copyleft", which means that derivative works of the document must themselves be free in the same sense. It complements the GNU General Public License, which is a copyleft license designed for free software.

We have designed this License in order to use it for manuals for free software, because free software needs free documentation: a free program should come with manuals providing the same freedoms that the software does. But this License is not limited to software manuals; it can be used for any textual work, regardless of subject matter or whether it is published as a printed book. We recommend this License principally for works whose purpose is instruction or reference.

1. APPLICABILITY AND DEFINITIONS

This License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants a world-wide, royalty-free license, unlimited in duration, to use that work under the conditions stated herein. The "Document", below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you". You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law.

A "Modified Version" of the Document means any work containing the Document or a portion of it, either copied verbatim, or with modifications and/or translated into another language.

A "Secondary Section" is a named appendix or a front-matter section of the Document that deals exclusively with the relationship of the

publishers or authors of the Document to the Document's overall subject (or to related matters) and contains nothing that could fall directly within that overall subject. (Thus, if the Document is in part a textbook of mathematics, a Secondary Section may not explain any mathematics.) The relationship could be a matter of historical connection with the subject or with related matters, or of legal, commercial, philosophical, ethical or political position regarding them.

The "Invariant Sections" are certain Secondary Sections whose titles are designated, as being those of Invariant Sections, in the notice that says that the Document is released under this License. If a section does not fit the above definition of Secondary then it is not allowed to be designated as Invariant. The Document may contain zero Invariant Sections. If the Document does not identify any Invariant Sections then there are none.

The "Cover Texts" are certain short passages of text that are listed, as Front-Cover Texts or Back-Cover Texts, in the notice that says that the Document is released under this License. A Front-Cover Text may be at most 5 words, and a Back-Cover Text may be at most 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or (for images composed of pixels) generic paint programs or (for drawings) some widely available drawing editor, and that is suitable for input to text formatters or for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, or absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format is not Transparent if used for any substantial amount of text. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII without markup, Texinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for human modification. Examples of transparent image formats include PNG, XCF and JPG. Opaque formats include proprietary formats that can be read and edited only by proprietary word processors, SGML or XML for which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The "Title Page" means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires to appear in the title page. For works in formats which do not have any title page as such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The "publisher" means any person or entity that distributes copies of

the Document to the public.

A section "Entitled XYZ" means a named subunit of the Document whose title either is precisely XYZ or contains XYZ in parentheses following text that translates XYZ in another language. (Here XYZ stands for a specific section name mentioned below, such as "Acknowledgements", "Dedications", "Endorsements", or "History".) To "Preserve the Title" of such a section when you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards disclaiming warranties: any other implication that these Warranty Disclaimers may have is void and has no effect on the meaning of this License.

2. VERBATIM COPYING

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies, and that you add no other conditions whatsoever to those of this License. You may not use technical measures to obstruct or control the reading or further copying of the copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large enough number of copies you must also follow the conditions in section 3.

You may also lend copies, under the same conditions stated above, and you may publicly display copies.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license notice requires Cover Texts, you must enclose the copies in covers that carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also clearly and legibly identify you as the publisher of these copies. The front cover must present the full title with all words of the title equally prominent and visible. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you should put the first ones listed (as many as fit reasonably) on the actual cover, and continue the rest onto adjacent pages.

If you publish or distribute Opaque copies of the Document numbering

more than 100, you must either include a machine-readable Transparent copy along with each Opaque copy, or state in or with each Opaque copy a computer-network location from which the general network-using public has access to download using public-standard network protocols a complete Transparent copy of the Document, free of added material. If you use the latter option, you must take reasonably prudent steps, when you begin distribution of Opaque copies in quantity, to ensure that this Transparent copy will remain thus accessible at the stated location until at least one year after the last time you distribute an Opaque copy (directly or through your agents or retailers) of that edition to the public.

It is requested, but not required, that you contact the authors of the Document well before redistributing any large number of copies, to give them a chance to provide you with an updated version of the Document.

4. MODIFICATIONS

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things in the Modified Version:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if there were any, be listed in the History section of the Document). You may use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons or entities responsible for authorship of the modifications in the Modified Version, together with at least five of the principal authors of the Document (all of its principal authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title page the name of the publisher of the Modified Version, as the publisher.
- D. Preserve all the copyright notices of the Document.
- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve in that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.
- H. Include an unaltered copy of this License.
- I. Preserve the section Entitled "History", Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section Entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified

Version as stated in the previous sentence.

- J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.
- K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.
- L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.
- M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.
- N. Do not retitle any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.
- O. Preserve any Warranty Disclaimers.

If the Modified Version includes new front-matter sections or appendices that qualify as Secondary Sections and contain no material copied from the Document, you may at your option designate some or all of these sections as invariant. To do this, add their titles to the list of Invariant Sections in the Modified Version's license notice. These titles must be distinct from any other section titles.

You may add a section Entitled "Endorsements", provided it contains nothing but endorsements of your Modified Version by various parties—for example, statements of peer review or that the text has been approved by an organization as the authoritative definition of a standard.

You may add a passage of up to five words as a Front-Cover Text, and a passage of up to 25 words as a Back-Cover Text, to the end of the list of Cover Texts in the Modified Version. Only one passage of Front-Cover Text and one of Back-Cover Text may be added by (or through arrangements made by) any one entity. If the Document already includes a cover text for the same cover, previously added by you or by arrangement made by the same entity you are acting on behalf of, you may not add another; but you may replace the old one, on explicit permission from the previous publisher that added the old one.

The author(s) and publisher(s) of the Document do not by this License give permission to use their names for publicity for or to assert or imply endorsement of any Modified Version.

5. COMBINING DOCUMENTS

You may combine the Document with other documents released under this License, under the terms defined in section 4 above for modified versions, provided that you include in the combination all of the

Invariant Sections of all of the original documents, unmodified, and list them all as Invariant Sections of your combined work in its license notice, and that you preserve all their Warranty Disclaimers.

The combined work need only contain one copy of this License, and multiple identical Invariant Sections may be replaced with a single copy. If there are multiple Invariant Sections with the same name but different contents, make the title of each such section unique by adding at the end of it, in parentheses, the name of the original author or publisher of that section if known, or else a unique number. Make the same adjustment to the section titles in the list of Invariant Sections in the license notice of the combined work.

In the combination, you must combine any sections Entitled "History" in the various original documents, forming one section Entitled "History"; likewise combine any sections Entitled "Acknowledgements", and any sections Entitled "Dedications". You must delete all sections Entitled "Endorsements".

6. COLLECTIONS OF DOCUMENTS

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in the various documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of the documents in all other respects.

You may extract a single document from such a collection, and distribute it individually under this License, provided you insert a copy of this License into the extracted document, and follow this License in all other respects regarding verbatim copying of that document.

7. AGGREGATION WITH INDEPENDENT WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume of a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation is not used to limit the legal rights of the compilation's users beyond what the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are not themselves derivative works of the Document.

If the Cover Text requirement of section 3 is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the whole aggregate.

8. TRANSLATION

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include translations of some or all Invariant Sections in addition to the original versions of these Invariant Sections. You may include a translation of this License, and all the license notices in the Document, and any Warranty Disclaimers, provided that you also include the original English version of this License and the original versions of those notices and disclaimers. In case of a disagreement between the translation and the original version of this License or a notice or disclaimer, the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "History", the requirement (section 4) to Preserve its Title (section 1) will typically require changing the actual title.

9. TERMINATION

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, receipt of a copy of some or all of the same material does not give you any rights to use it.

10. FUTURE REVISIONS OF THIS LICENSE

The Free Software Foundation may publish new, revised versions of the

GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to it, you have the option of following the terms and conditions either of that specified version or of any later version that has been published (not as a draft) by the Free Software Foundation. If the Document does not specify a version number of this License, you may choose any version ever published (not as a draft) by the Free Software Foundation. If the Document specifies that a proxy can decide which future versions of this License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Document.

11. RELICENSING

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A "Massive Multiauthor Collaboration" (or "MMC") contained in the site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future copyleft versions of that license published by that same organization.

"Incorporate" means to publish or republish a Document, in whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first published under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

ADDENDUM: How to use this License for your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright (c) YEAR YOUR NAME.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with...Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.