LOOP

Benchmarking

Evaluated Competitors

- **GoReact** 🎥
- **Campus Virtual** 🎓
- **Google Classroom** 📚
- **Duolingo** 🦉

Legend or Symbols

- ● Most relevant
- ↑ Increase
- ✚ Include
- ✖ Remove
- ↓ Reduce

↑ INCREASE

- One-tap evaluable criteria (predefined markers) 🎥
- Reuse of rubrics across evaluations 📚
- Score per criterion visible while evaluating 🎓
- Visible progress toward the goal after each action 🦉

✚ INCLUDE


- **Live evaluation with Good / Fair / Improve buttons** ●
- **Action plan: checklist for each low-scoring criterion** ●
- **Close the loop: confirm review before a new submission** ●
- **Voice notes and timer during the presentation**
- **Return the evaluation with a notification to the student**

↓ REDUCE

- Steps to upload a rubric 🎓
- Dependence on video to evaluate 🎥
- Free-text comments as the only feedback channel 📚
- Pressure from notifications and streak loss 🦉

✖ REMOVE

- Multi-step rubric upload flow 🎓
- Video recording and storage 🎥
- Punitive streaks and competitive leagues 🦉
- General feedback with no per-criterion structure 📚



Capture 1 · Grading screen with video, comments, markers and timeline. Feedback is tied to the exact second of the presentation, which is the model Loop's live evaluation follows.


1. Time-stamped comment feed
2. One-click markers (letter + label)
3. Ratings and comments timeline
4. Comment box with timeline stamp and character counter
5. Two rating mechanisms (1–7 slider and letter markers)
6. Inactive feedback modes: small, light gray

Images and comments about GoReact

GoReact anchors every comment to a moment of the video. The feed (1) lists comments by timestamp, one-click markers (2) tag recurring observations such as gestures or eye contact, and the timeline (3) shows where ratings and comments concentrate. The comment box (4) keeps the timeline stamp and a character counter beside the text, so the evaluator never loses context.

Areas to improve: two rating mechanisms coexist, a 1–7 slider and letter-coded markers (5), and no legend for the letters is visible, so users must memorize them (Nielsen: recognition rather than recall). The inactive feedback modes (6) are small and light gray, with an estimated contrast of 4.1:1 sampled from the screenshot, below the WCAG AA 4.5:1 for small text.

> **Takeaway for Loop:** adopt one-tap markers tied to each criterion, limited to three states and without requiring video.



Rúbrica de Evaluación – Actividad E1: Modelamiento de Procesos de Negocio


Criterio	4 pts – Logro alto	2 pts – Logro medio	1 pt – Logro inicial	0 pts – Sin logro
Claridad y corrección del BPMN a nivel de actividades (evaluación individual)	El modelo es claro, completo y usa correctamente la notación BPMN. Todas las actividades están bien detalladas.	El modelo es claro, pero tiene algunos errores menores de notación o de detalle en actividades.	El modelo presenta varios errores de notación o falta de detalle importante en las actividades.	El modelo incumple con los requisitos mínimos o está ausente.
Identificación precisa de roles involucrados (evaluación individual)	Todos los roles están claramente identificados y correctamente asignados a las actividades.	Se identifican los roles principales, pero hay omisiones o asignaciones poco claras.	Hay confusión en la identificación o asignación de roles a las actividades.	Los roles están ausentes del modelo.
Uso correcto de datos como insumo o producto en el BPMN (evaluación individual)	Se representan de forma precisa y clara los datos como insumo y/o producto, con notación adecuada.	Se representan los datos, pero de forma parcial o con algunas inconsistencias en la notación.	Los datos se representan de manera poco clara o incorrecta.	Carece de representación de datos en el proceso.
Coherencia con el proceso definido por el equipo (evaluación individual)	El modelo individual está completamente alineado con el proceso general del equipo.	El modelo individual tiene coherencia general con el proceso del equipo, con leves desviaciones.	Hay diferencias importantes entre el modelo individual y el proceso definido por el equipo.	El modelo carece de relación con el proceso definido o de justificación de elección.
Modelo BPMN a nivel de procesos del equipo (evaluación grupal)	El equipo presenta un modelo claro, correcto y bien estructurado a nivel de procesos.	El equipo presenta un modelo que es correcto en lo general, pero con algunos errores menores de estructura o notación.	El equipo presenta un modelo con varios errores o está incompleto.	El equipo no presenta modelo o es infuncional.

Rúbrica de Evaluación – Presentaciones

Criterio	4 pts – Logro alto	2 pts – Logro medio	1 pt – Logro inicial	0 pts – Sin logro
Uso adecuado y preciso de terminología del área informática	Utiliza con precisión, naturalidad y coherencia el vocabulario técnico del área, demostrando dominio disciplinar.	Usa adecuadamente la mayoría de los términos técnicos, con pequeñas imprecisiones o repeticiones.	Utiliza algunos términos técnicos, pero con errores, ambigüedad o fuera de contexto.	Ausencia de terminología técnica, o lo hace de forma incorrecta y confundiendo constantemente los términos
Seguridad, dominio del tema y estructura clara en la presentación	Se expresa con total seguridad y dominio del contenido. Presentación bien estructurada y sin depender de apoyos.	Muestra buen dominio del tema, aunque depende del guion o apoyos. La estructura es clara en general.	Muestra inseguridad o vacilaciones. La estructura de la presentación es poco clara o inconsistente.	Carece de dominio del tema. La exposición es caótica o sin estructura comprensible.
Claridad, fluidez y coherencia al expresarse	Se comunica con claridad, buena entonación y ritmo fluido. Las ideas están bien conectadas y son comprensibles.	Se comunica con claridad aceptable. Hay algunos tropiezos o pausas, pero no impiden la comprensión global.	El discurso es entrecortado o confuso. Las ideas no siempre se conectan lógicamente.	La exposición es difícil de seguir, con frases inconexas o sin hilo conductor.

Capture 1 · Rubrics attached to the assignment as an image. BPMN activity and Presentations rubrics cross criteria with four point levels.

1. Level header with explicit points (4/2/1/0)
2. Color-coded criteria column
3. Presentations rubric: terminology, mastery, fluency
4. Small, dense text inside a flat image



Criterios de calificación

Profundidad del análisis técnico	No se identifican correctamente los problemas del sistema, el análisis es superficial o incompleto. *0 puntos*	Se identifican algunos problemas, pero falta profundidad o justificación. *1 puntos*	Diagnóstico detallado, basado en evidencia técnica sólida, cubre distintas dimensiones del sistema. *2 puntos*
Uso e interpretación de métricas	Las métricas usadas no son apropiadas o no se interpretan correctamente. *0 puntos*	Se aplican algunas métricas adecuadas, pero con interpretación parcial o limitada. *1 puntos*	Se usan múltiples métricas relevantes con interpretación técnica clara y justificada. *2 puntos*
Propuesta de mantención	No hay una propuesta clara o no es coherente con el diagnóstico. *0 puntos*	Propuesta parcialmente viable, pero poco fundamentada o incompleta. *1 puntos*	Propuesta bien estructurada, viable, y alineada con los hallazgos del análisis. *2 puntos*
Cálculo de costos	No hay	Hay un intento de	Estimaciones

Capture 2 · Native "Criterios de calificación" table. Criteria against three levels (0/1/2 points) shown in the assignment page.


1. Criteria in their own bold column
2. Points shown under each descriptor
3. Narrow columns: cells run 7–8 lines
4. Large empty margin beside the table
5. Points labels ≈4.3:1 contrast; "1 puntos"

Images and comments about Campus Virtual


In Campus Virtual the rubric reaches students inside the assignment itself, as a guide to prepare the presentation. Both captures cross criteria with performance levels and explicit points, so the student knows how each criterion is scored before presenting (Nielsen: visibility of system status). The Presentations rubric in Capture 1 (3) already covers the criteria Loop needs, such as terminology, mastery and structure, and fluency, and the color-coded rows (2) help tell criteria apart.

Areas to improve: the rubric in Capture 1 appears as a flat picture of a table, with small, dense text (4) that is hard to scale or reuse (Nielsen: aesthetic and minimalist design; flexibility and efficiency of use). In the native view (Capture 2) descriptors are squeezed into narrow columns (3) beside a large empty margin (4), and the points labels (5) have a sampled contrast of about 4.3:1, below WCAG AA 4.5:1, plus a singular/plural slip ('1 puntos'). The two rubrics also use different scales (4/2/1/0 versus 0/1/2), so no common standard is evident. Our own testing notes add that uploading a rubric takes several steps and that feedback is one-way.

> **Takeaway for Loop:** keep criteria with visible points, but present them as one-tap buttons per criterion instead of long text tables, and let teachers reuse rubrics without uploading images.



Capture 1 · Classwork tab. Each assignment card shows submission counters and the class-comment count. (1) Classwork tab, (2) comment counter, (3) Turned in / Assigned counters.




Capture 2 · Student work view. The teacher sees each submission, sorts by status and returns work; the score appears as ___/20.

Images and comments about Google Classroom

In the Classwork tab (Capture 1) each assignment card summarizes its state at a glance: submitted work (2 Turned in), the number of class comments and the due date, which supports visibility of system status. In the Student work view (Capture 2) the teacher can sort by status, select all students and use Return for batch actions, with the score field visible next to each student.


Areas to improve: grading is a single score out of 20 with no criterion-level breakdown, so students receive a number instead of a map of what failed (Nielsen: match between the system and the real world). The label 'Assigned' beside 'Turned in' may be ambiguous, since it counts students who have not submitted yet.

> **Takeaway for Loop:** adopt the grade-then-return step and the status counters, but attach feedback to each rubric criterion.




Capture 1 · Onboarding: daily goal. Progress bar and clear options reduce effort.

1. Progress bar
2. Back arrow (undo)
3. Four labeled goal options
4. Single primary action



Capture 2 · Streak screen. Effort is shown as a number and a week view.

1. Streak counter
2. Weekly calendar
3. Short explanation
4. Single primary action
5. Unchecked days: ≈1.7:1 contrast



Capture 3 · Streak-at-risk notification. Urgency is built with an angry mascot.

1. Streak at risk (74)
2. Urgency message
3. Angry mascot

Images and comments about Duolingo

Duolingo turns daily practice into a visible habit. During onboarding, a progress bar and a back arrow (Capture 1) show where the user is and allow undoing, while four labeled goal options and one green call to action keep the decision simple. After a lesson, the streak screen (Capture 2) celebrates effort with a large counter, a weekly calendar and a short explanation.

Areas to improve: the streak notification (Capture 3) uses an angry mascot and 'Last chance!' to create urgency around loss, which may cause anxiety (persuasion ethics). Also, the unchecked days in Capture 2 (5) have an estimated contrast of 1.7:1 against the background, below the 3:1 suggested for UI components (WCAG 1.4.11).

> **Takeaway for Loop:** adapt the progress feedback and the goal-setting step, and reject punitive streaks and guilt-driven notifications.