T is for Topology

Tanya Strydom¹, Andrew P. Beckerman¹

¹University of Sheffield,

Corresponding author: Tanya Strydom, t.strydom@sheffield.ac.uk

Abstract

5 Pending...

6 Plain Language Summary

- We want to know a bit more about the different network topology generators (pre-
- dict tools) and how they differ i.e., their strengths and weaknesses

1 Introduction

- The standard run of the mill that we cannot always feasibly construct networks be-
- cause 1. hard, 2. time (yay dinosaurs, but also the future and impending doom I
- guess), and 3. probably something else meaningful that's just slipping my mind at
- the moment.

23

24

25

26

27

28

29

30

31

33

- Maybe a brief history of the development of predictive tools? Sort of where the
- $_{15}$ $\,\,$ theory/body of work was based and how that has changed?
- Maybe start here with discussing the core mechanistic differences that models will
- work at some are really concerned about (and thus constrained by) structure,
- others are more mechanistic in nature i.e., species a has the capacity to eat species
- 19 b because traits (read gob size), and then you get Rohr et al. (2010) and Strydom et
- al. (2022) that sit in the weird liminal latent space...
- At some point we are going to need to discuss the key differences and implications between predicting a metaweb and a network realisation.
 - Do we need to delve into individual-based networks? (sensu Tinker 2012, Araújo 2008) I think its probably a step too far and one starts delving into apples and pears type of comparisons. Especially since these work off of already existing networks and its more about about 'tweaking' those so not so much de novo predictions. Although this might be useful to keep in mind when it comes to re-wiring... Also on that note do we opn the re-wiring door here in this ms or wait it out a bit.

2 Data & Methods

2.1 Overview of topology generators

I know table are awful but in this case they may make more sense

Table 1: Lets make a table that gives an overview of the different topology generators that we will look at

Model	Reference	Core Mechanism
Niche model	Cohen et al. (1997)	structural
Cascade model	Williams & Martinez (2000)	$\operatorname{structural}$
PFIM	Shaw et al. (2024)	mechanistic
Log-ratio	Rohr et al. (2010)	latent trait space
Nested hierarchy	Cattin et al. (2004)	_
ADBM	Petchey et al. (2008)	mechanistic
Stochastic	Rossberg et al. (2006)	
Transfer learning	Strydom et al. (2022)	latent trait space
Trait-based	Caron et al. (2022)	mechanistic

2.2 Datasets used

- $_{34}$ Here I think we need to span a variety of domains, at minimum aquatic and terres-
- trial but maybe there should be a 'scale' element as well i.e., a regional and local

network. I think there is going to be a 'turning point' where structural will take over from mechanistic in terms of performance. More specifically at local scales bioener-getic constraints (and co-occurrence) may play a bigger role in structuring a network whereas at the metaweb level then mechanistic may make more (since by default its about who can potentially interact and obviously not constrained by real-world scenarios) sensu Caron et al. (2023)

3 Results

42

45

46

47

48

49

50

51

53

55

57

58

59

62

63

65

66

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

85

How we want to compare and contrast. I think there won't be a 'winner' and thus we need to think of 'tests' that are going to measure performance in different situations/settings. With that in mind I think some valuable points to consider would be:

- Structural vs pairwise link predictions (graph vs node level)
- % of links correctly retrieved
- connectence
- trophic level
- generalism vs specialism
- something related to false positives/negatives
- Data 'cost' (some methods might need a lot lot of supporting data vs something very light weight)
- I think it would be remiss to not also take into consideration computational cost
- something about the network output I'm acknowledging my biases and saying that probabilistic (or *maybe* weighted) links are the way

4 Conclusion

References

```
Source: Article Notebook
```

- Caron, D., Maiorano, L., Thuiller, W., & Pollock, L. J. (2022). Addressing the Eltonian shortfall with trait-based interaction models. *Ecology Letters*, 25(4), 889–899. https://doi.org/10.1111/ele.13966
- Caron, D., Brose, U., Lurgi, M., Blanchet, G., Gravel, D., & Pollock, L. J. (2023, May). Trophic interaction models predict interactions across space, not food webs. EcoEvoRxiv. https://doi.org/10.32942/X29K55
- Cattin, M.-F., Bersier, L.-F., Banašek-Richter, C., Baltensperger, R., & Gabriel, J.-P. (2004). Phylogenetic constraints and adaptation explain food-web structure. Nature, 427(6977), 835–839. https://doi.org/10.1038/nature02327
- Cohen, J. E., Newman, C. M., & Steele, J. H. (1997). A stochastic theory of community food webs I. Models and aggregated data. *Proceedings of the Royal Society of London. Series B. Biological Sciences*, 224(1237), 421–448. https://doi.org/10.1098/rspb.1985.0042
- Petchey, O. L., Beckerman, A. P., Riede, J. O., & Warren, P. H. (2008). Size, foraging, and food web structure. *Proceedings of the National Academy of Sciences*, 105(11), 4191–4196. https://doi.org/10.1073/pnas.0710672105
- Rohr, R. P., Scherer, H., Kehrli, P., Mazza, C., & Bersier, L.-F. (2010). Modeling Food Webs: Exploring Unexplained Structure Using Latent Traits. *The American Naturalist*, 176(2), 170–177. https://doi.org/10.1086/653667
- Rossberg, A. G., Matsuda, H., Amemiya, T., & Itoh, K. (2006). Food webs: Experts consuming families of experts. *Journal of Theoretical Biology*, 241(3), 552–563. https://doi.org/10.1016/j.jtbi.2005.12.021
- Shaw, J. O., Dunhill, A. M., Beckerman, A. P., Dunne, J. A., & Hull, P. M. (2024, January). A framework for reconstructing ancient food webs using functional trait data. bioRxiv. https://doi.org/10.1101/2024.01.30.578036

Strydom, T., Bouskila, S., Banville, F., Barros, C., Caron, D., Farrell, M. J., et al. (2022). Food web reconstruction through phylogenetic transfer of low-rank network representation. *Methods in Ecology and Evolution*, 13(12), 2838–2849. https://doi.org/10.1111/2041-210X.13835
Williams, R. J., & Martinez, N. D. (2000). Simple rules yield complex food webs.

Nature, 404(6774), 180–183. https://doi.org/10.1038/35004572