

# SportsAPI

documentation



**STATSCORE**  
SPORTS.DATA.TECHNOLOGY

1. Product overview .....	3
2. Integration guide .....	6
2.1 API service .....	7
2.1.1 API resources .....	14
2.1.1.1 areas.index .....	15
2.1.1.2 competitions.index .....	17
2.1.1.3 competitions.show .....	20
2.1.1.4 events.index .....	23
2.1.1.5 events.show .....	34
2.1.1.6 groups.index .....	42
2.1.1.7 incidents.index .....	45
2.1.1.8 languages.index .....	48
2.1.1.9 livescore.index .....	49
2.1.1.10 participants.compare .....	58
2.1.1.11 participants.index .....	68
2.1.1.12 participants.seasons.show .....	72
2.1.1.13 participants.show .....	75
2.1.1.14 participants.squad .....	78
2.1.1.15 rounds.index .....	81
2.1.1.16 seasons.index .....	83
2.1.1.17 seasons.show .....	87
2.1.1.18 sports.index .....	90
2.1.1.19 sports.show .....	92
2.1.1.20 stages.index .....	98
2.1.1.21 standings.index .....	101
2.1.1.22 standings.show .....	104
2.1.1.23 statuses.index .....	108
2.1.1.24 tours.index .....	110
2.2 AMQP service .....	112
2.2.1 Messages types .....	113
2.2.1.1 Message: event .....	114
2.2.1.2 Message: event_keep_alive .....	117
2.2.2 Messages examples .....	118
2.2.2.1 Message: event - example .....	119
2.2.2.2 Message: event_keep_alive - example .....	128

# PRODUCT OVERVIEW

---

Welcome to the SportsAPI documentation. In this section, you'll find information that will be useful for evaluating SportsAPI, and getting to know it when you're starting out.

This service gives you access to all kinds of sports statistics and liverscores in XML or JSON format. It provides the fastest and the most extensive real-time sports data service on the market. We provide in-depth technical documentation of our SportsAPI and sample code examples, so our feed can be easily integrated into your systems. All data is verified and supervised in real-time 7/24/365 by our highly trained professional team. Reliable and secure data transmission is the most important factor, so we use the latest technology across our entire infrastructure.

This documentation describes the functionality of SportsAPI. All implementation needs to be done in accordance with this document. We offer full support and technical assistance in the adaptation of the product to the exact needs of each customer.

## Subscription

When buying a subscription, you will be asked to specify the data package you would like on your request. We provide two data packages listed below. You will receive credentials for logging to the special backoffice area - [backoffice.softnetsport.com](https://backoffice.softnetsport.com) and your username, client identifier and secret\_token for authentication to the AMQP and API service.

For more information, please contact our sales department at [sales@statscore.com](mailto:sales@statscore.com)

**STATISTICS** - this package contains fixtures, results, extended standings, head-to-head comparisons and extended competitions stats.

The package contains access to the following resources:

Resource name	Short description	Full description
areas.index	Returns a list of areas (world, continents, countries)	areas.index
competitions.index	Returns a list of competitions	competitions.index
competitions.show	Returns competition details specified by unique identifier	competitions.show
events.index	Returns a list of events	events.index
events.show	Returns event details specified by a unique identifier	events.show
groups.index	Returns a list of groups	groups.index
incidents.index	Returns a list of possible incidents during the event	incidents.index
languages.index	Returns a list of languages (en, pl, de) to which requested data can be translated	languages.index
participants.index	Returns a list of participants	participants.index
participants.show	Returns participant details specified by a unique identifier	participants.show
participants.compare	Returns information about comparisons of participants	participants.compare
participants.squad	Returns a list of personnel related to the selected team	participants.squad
seasons.index	Returns a list of seasons	seasons.index
seasons.show	Returns information concerning the selected season	seasons.show
sports.index	Returns a list of sports supported in the SportsAPI	sports.index

sports.show	Returns information for the selected sport including statuses, result types, details and stats that are available for the requested sport	sports.show
stages.index	Returns a list of stages	stages.index
standings.index	Returns a list of standings	standings.index
standings.show	Returns standings specified by a unique identifier	standings.show
standings-types.index	Returns a list of standing types	standings-types.index
statuses.index	Returns a list of possible event status	statuses.index
tours.index	Returns tours related to the competitions	tours.index

**LIVESCORE** - this package includes live scores for all supported sports, updated in real-time.

The package contains access to the following resources:

Resource name	Short description	Full description
areas.index	Returns a list of areas (world, continents, countries)	areas.index
competitions.index	Returns a list of competitions	competitions.index
competitions.show	Returns competition details specified by a unique identifier	competitions.show
livescore.index	Returns live events	livescore.index
events.show	Returns event details specified by a unique identifier	events.show
groups.index	Returns a list of groups	groups.index
languages.index	Returns a list of languages (en, pl, de) to which requested data can be translated	languages.index
participants.index	Returns a list of participants	participants.index
participants.show	Returns participant details specified by a unique identifier	participants.show
seasons.index	Returns a list of seasons	seasons.index
seasons.show	Returns information concerning the selected season	seasons.show
sports.index	Returns a list of sports supported in the softnetSPORT API Service	sports.index
sports.show	Returns information for the selected sport including statuses, result types, details and stats that are available for the requested sport	sports.show
stages.index	Returns a list of stages	stages.index
statuses.index	Returns a list of possible event status	statuses.index
tours.index	Returns tours related to the competitions	tours.index

The main idea of the the product is to deliver every incidents that happens during the sports events (goals scored, cards received, corner taken etc). You can use JSON messages provided in real time through the AMQP (Advanced Message Queuing Protocol) server described in [AMQP service](#) or XML / JSON feed using our [API service](#).

## Available sports

Below you'll find a list of sports and data (Ranges) available in SportsAPI product. Please note that not all data will be available for every competition. Each competition ranges comes with different ranges based on the availability of reliable sources.

1	Alpine skiing
2	American football

3	Badminton
4	Baseball
5	Basketball
6	Beach volleyball
7	Biathlon
8	Bowls
9	Cricket
10	Cross country
11	Darts
12	Formula 1
13	Handball
14	Ice hockey
15	Nordic combined
16	Rugby
17	Ski jumping
18	Snooker
19	Soccer
20	Speed skating
21	Speedway
22	Table Tennis
23	Tennis
24	Volleyball

## Privacy policy

The information contained in this document is confidential and cannot be disclosed to any third party without the written permission of softnetSPORT. Disclosure, publication or dissemination of documents or any other information contained in this document violates the law.

# INTEGRATION GUIDE

---

In this section, you'll find information that will be useful for integration SportsAPI, and getting to know it when you're starting out:

- [API service](#)
  - [API resources](#)
    - [areas.index](#)
    - [competitions.index](#)
    - [competitions.show](#)
    - [events.index](#)
    - [events.show](#)
    - [groups.index](#)
    - [incidents.index](#)
    - [languages.index](#)
    - [livescore.index](#)
    - [participants.compare](#)
    - [participants.index](#)
    - [participants.seasons.show](#)
    - [participants.show](#)
    - [participants.squad](#)
    - [rounds.index](#)
    - [seasons.index](#)
    - [seasons.show](#)
    - [sports.index](#)
    - [sports.show](#)
    - [stages.index](#)
    - [standings.index](#)
    - [standings.show](#)
    - [statuses.index](#)
    - [tours.index](#)
  - [AMQP service](#)
    - [Messages types](#)
      - [Message: event](#)
      - [Message: event\\_keep\\_alive](#)
    - [Messages examples](#)
      - [Message: event - example](#)
      - [Message: event\\_keep\\_alive - example](#)

## API service

The API service is based on the REST architecture and supports a number of resources accessed with HTTP protocol. The client should send a HTTP GET request and in return will receive a return list document in JSON or XML format. The default response format is JSON. You can change the default response format to XML by adding ".xml" extension after the <resource\_name> in the requested URL (please see below). The encoding used in our XML is UTF-8. API support multiple simultaneous requests from authenticated customers.

We have standardized the output for ALL sports, so we offer same format and data structure. However for each sports there are different event details, incidents and statistics that are explained in more detail in the Sports data structure section.

Please note that new event details, incidents and statistics could be added in the future. Whenever new features are added to the API you will find a description in the API changelog

### Authentication

Access to the API is based on the oAuth 2.0 authorization method. This means access is given using a unique token without any IP's restriction.

The client is authenticated using a GET request including query string parameters: client\_id and secret\_key. These parameters are assigned to you by our sales department. On confirmation of the client\_id/secret\_key combination, the special oAuth token is then returned. Maximum period of time the token is valid is 24 hours from the time it was generated. This token should be sent with all subsequent requests.

Example token request:

[https://api.softnetsport.com/v2/oauth.xml?client\\_id=<YOUR\\_CLIENT\\_ID>&secret\\_key=<YOUR\\_SECRET\\_KEY>](https://api.softnetsport.com/v2/oauth.xml?client_id=<YOUR_CLIENT_ID>&secret_key=<YOUR_SECRET_KEY>)

### Retrieving data

For access to the feed it is necessary to send a URL request containing the following segments:

Base URL: [https://api.softnetsport.com/<api\\_version>/<resource\\_name>?token=<YOUR\\_TOKEN>](https://api.softnetsport.com/<api_version>/<resource_name>?token=<YOUR_TOKEN>)

api_version	Defines which version of API you want to use. The segment is required. Current API version: v2
resource_name	Defines requested resource_name. The segment is required.
your_token	Valid token generated during authentication process

In the event you would like additional filtering of the data, you can request a combination of the resource query parameters. For example the following URL returns all events for basketball (sport\_id=1): [https://api.softnetsport.com/<api\\_version>/events?token=<YOUR\\_TOKEN>&sport\\_id=1](https://api.softnetsport.com/<api_version>/events?token=<YOUR_TOKEN>&sport_id=1). The possible parameters for all resources are described in the detailed specifications.

### Feed structure

All responses to a successful request (http status code = 200) have the same structure:

```

<?xml version="1.0" encoding="UTF-8"?>
<api version="2.0" timestamp="1425992728">
<method name="events.index" details="<link for method description>" total_items="10" next_page="<link o
r empty value>"
previous_page="<link or empty value>">
<parameter name="id" value="7" />
<parameter name="lang" value="en" />
</method>

<data>
    <----DATA---->
</data>

</api>

```

Element `<api>` is heading element for each response. The `<api>` element includes attributes:

- version - means the version in which the data is processed. You should always use the proper version in your code. You can switch the version in the URL request. For more information about versions please see our API changelog.
- timestamp - UNIX TIMESTAMP value from API server. This value is generated on every request.

The `<data>` element contains all requested information.

For each request the HTTP Status code is also returned with a response. A list of all possible HTTP status codes:

HTTP status code	Cause
200 OK	Successful request
304 Not Modified	Sent if data is older than provided "If-Modified-Since" HTTP Header
400 Bad Request	You have provided a parameter that the function does not support
401 Unauthorized	You have not provided a username/password or authkey
403 Forbidden	You have not been authenticated or your subscription does not permit you to request the data you have requested
404 Not Found	You have requested non-existent data
429 Too Many Requests	You have made too many requests
500 Internal Server Error	Error is caused by a malfunction on our side. Our IT department is notified about this automatically
501 Not Implemented	The sport and/or function you have requested does not exist
503 Service unavailable	The Web server is currently unable to handle the HTTP request due to maintenance of the server

## Unsuccessful requests/ errors

For unsuccessful requests the response contains `<error>` element:



```

<?xml version="1.0" encoding="UTF-8"?>
<api version="2.0" timestamp="1425992728">
<method name="events.index" details="<link for method description>" total_items="10" next_page="<link o
r empty value>" previous_page="<link or empty value>">
<parameter name="id" value="7" />
<parameter name="lang" value="en" />
</method>

<error status="400" message="The request could not be understood by the server" internal_code="1" />

</api>

```

Here is a general explanation about possible error codes:

Internal code	HTTP status	Message
Internal code	HTTP status	Message
1	403	Your membership package has expired or is inactive. For more information, please contact our sales department at <a href="mailto:sales@statscore.com">sales@statscore.com</a>
2	403	Invalid credentials. Either the username or the password you provided is incorrect
3	400	The timestamp parameter you passed is smaller than the allowed minimum limit for this parameter. When getting this error, the <message> element will contains more information about the minimal timestamp allowed. In the event you want all the information since our minimal timestamp, do not pass the timestamp parameter
4	400	Invalid parameter. The format of the parameter is invalid. For more details about the invalid parameter, see the <message> element
5	429	You have exceeded the data amount you are allowed. For more information, please contact our sales department at <a href="mailto:sales@statscore.com">sales@statscore.com</a>
6	500	Internal error. When getting this error code, please try resending your request, also inform our support team at <a href="mailto:tech-support@statscore.com">tech-support@statscore.com</a> so we can fix this problem as soon as possible.
7	403	Your membership package does not include requested sport
8	403	Your membership package does not include requested season
9	403	Your host IP for API connection is invalid.
10	403	Your subscription has expired or is inactive. For more information, please contact our sales department at <a href="mailto:sales@statscore.com">sales@statscore.com</a>
11	402	Your membership package does not include requested method or access to this method has expired
12	404	The requested resource was not found
13	400	Invalid parameter. The date_from or date_to parameter is invalid.
14	400	Required parameter is missing.
15	503	We are performing scheduled maintenance. We should be back shortly

## Using timestamp

When any request is made, the response contains a timestamp value showing the time of the last generated response.

If you want to receive feed updates rather than refresh the whole feed then you can store this value and use it in your next request. In the documentation of each resource we have included cache times. The cache times need to be considered when calling particular requests.

For example: Suppose you refreshed all your data and got the following header in the response XML:

```
<api version="2.0" timestamp="1425992728">
  <method name="events.index" details="<link for method description>"
  total_items="10" next_page="<link or empty value>"
  previous_page="<link or empty value>">
    <parameter name="id" value="7"/>
    <parameter name="lang" value="en"/>
  </method>
  <data>
    <!--DATA-->
  </data>
```

The next request should be as follows:

```
https://api.softnetsport.com/<api_version>/<resource_name>/[identifier
]?token=<your_token>&timestamp=1425992728
```

## Languages

The default feed language is English. If you would like to get the feed translated you can add as a query parameter (lang) to your request e.g. <https://api.softnetsport.com/v2/areas.xml&lang=pl> returns the areas in the Polish language. The list of more popular languages are listed below, or you can get the list of all languages available using: <https://api.softnetsport.com/v2/languages.xml>

Possible value	Translation language	Possible value	Translation language	Possible value	Translation language
br	Brasilian	id	Indonesian	ro	Romanian
cs	Czech	it	Italian	ru	Russian
de	German	ka	Georgian	sr	Serbian
el	Greek	ko	Korean	sv	Swedish
en	English	mx	Mexican	th	Thai
es	Spanish	nl	Dutch	tr	Turkish
fi	Finnish	no	Norwegian	vi	Vietnamese
fr	French	pl	Polish	zh	Chinise
hr	Croatian	pt	Portuguese		

Please note that all dates and times are always displayed in the UTC format. This also applies for the

timestamps available at the top of the feed structure. All dates used in our services use the ISO 8601 date and time format. For some resources you can use the query parameter "tz" which determines timezone for the output data. The list of available timezones are listed below.

## Time, date & timezones

Example: [https://api.softnetsport.com/v2/events.xml?token=<YOUR\\_TOKEN>&tz=Europe/Warsaw](https://api.softnetsport.com/v2/events.xml?token=<YOUR_TOKEN>&tz=Europe/Warsaw)

Africa/Abidjan	America/Godthab	Antarctica/Vostok	Europe/Andorra	UTC
Africa/Accra	America/Goose_Bay	Arctic/Longyearbyen	Europe/Athens	UTC+1
Africa/Addis_Ababa	America/Grand_Turk	Asia/Aden	Europe/Belgrade	UTC+2
Africa/Algiers	America/Grenada	Asia/Almaty	Europe/Berlin	UTC+3
Africa/Asmara	America/Guadeloupe	Asia/Amman	Europe/Bratislava	UTC+4
Africa/Bamako	America/Guatemala	Asia/Anadyr	Europe/Brussels	UTC+5
Africa/Bangui	America/Guayaquil	Asia/Aqtau	Europe/Bucharest	UTC+6
Africa/Banjul	America/Guyana	Asia/Aqtobe	Europe/Budapest	UTC+7
Africa/Bissau	America/Halifax	Asia/Ashgabat	Europe/Busingen	UTC+8
Africa/Blantyre	America/Havana	Asia/Baghdad	Europe/Chisinau	UTC+9
Africa/Brazzaville	America/Hermosillo	Asia/Bahrain	Europe/Copenhagen	UTC+10
Africa/Bujumbura	America/Indiana/Indianapolis	Asia/Baku	Europe/Dublin	UTC+11
Africa/Cairo	America/Indiana/Knox	Asia/Bangkok	Europe/Gibraltar	UTC+12
Africa/Casablanca	America/Indiana/Marengo	Asia/Beirut	Europe/Guernsey	UTC+13
Africa/Ceuta	America/Indiana/Petersburg	Asia/Bishkek	Europe/Helsinki	UTC+14
Africa/Conakry	America/Indiana/Tell_City	Asia/Brunei	Europe/Isle_of_Man	UTC-1
Africa/Dakar	America/Indiana/Vevay	Asia/Choibalsan	Europe/Istanbul	UTC-2
Africa/Dar_es_Salaam	America/Indiana/Vincennes	Asia/Chongqing	Europe/Jersey	UTC-3
Africa/Djibouti	America/Indiana/Winamac	Asia/Colombo	Europe/Kaliningrad	UTC-4
Africa/Douala	America/Inuvik	Asia/Damascus	Europe/Kiev	UTC-5
Africa/El_Aaiun	America/Iqaluit	Asia/Dhaka	Europe/Lisbon	UTC-6
Africa/Freetown	America/Jamaica	Asia/Dili	Europe/Ljubljana	UTC-7
Africa/Gaborone	America/Juneau	Asia/Dubai	Europe/London	UTC-8
Africa/Harare	America/Kentucky/Louisville	Asia/Dushanbe	Europe/Luxembourg	UTC-9
Africa/Johannesburg	America/Kentucky/Monticello	Asia/Gaza	Europe/Madrid	UTC-10
Africa/Juba	America/Kralendijk	Asia/Harbin	Europe/Malta	UTC-11
Africa/Kampala	America/La_Paz	Asia/Hebron	Europe/Mariehamn	UTC-12
Africa/Khartoum	America/Lima	Asia/Ho_Chi_Minh	Europe/Minsk	
Africa/Kigali	America/Los_Angeles	Asia/Hong_Kong	Europe/Monaco	
Africa/Kinshasa	America/Lower_Princes	Asia/Hovd	Europe/Moscow	
Africa/Lagos	America/Maceio	Asia/Irkutsk	Europe/Oslo	
Africa/Libreville	America/Managua	Asia/Jakarta	Europe/Paris	
Africa/Lome	America/Manaus	Asia/Jayapura	Europe/Podgorica	
Africa/Luanda	America/Marigot	Asia/Jerusalem	Europe/Prague	
Africa/Lubumbashi	America/Martinique	Asia/Kabul	Europe/Riga	
Africa/Lusaka	America/Matamoros	Asia/Kamchatka	Europe/Rome	
Africa/Malabo	America/Mazatlan	Asia/Karachi	Europe/Samara	
Africa/Maputo	America/Menominee	Asia/Kashgar	Europe/San_Marino	

Africa/Maseru	America/Merida	Asia/Kathmandu	Europe/Sarajevo	
Africa/Mbabane	America/Metlakatla	Asia/Khandyga	Europe/Simferopol	
Africa/Mogadishu	America/Mexico_City	Asia/Kolkata	Europe/Skopje	
Africa/Monrovia	America/Miquelon	Asia/Krasnoyarsk	Europe/Sofia	
Africa/Nairobi	America/Moncton	Asia/Kuala_Lumpur	Europe/Stockholm	
Africa/Ndjamena	America/Monterrey	Asia/Kuching	Europe/Tallinn	
Africa/Niamey	America/Montevideo	Asia/Kuwait	Europe/Tirane	
Africa/Nouakchott	America/Montserrat	Asia/Macau	Europe/Uzhgorod	
Africa/Ouagadougou	America/Nassau	Asia/Magadan	Europe/Vaduz	
Africa/Porto-Novo	America/New_York	Asia/Makassar	Europe/Vatican	
Africa/Sao_Tome	America/Nipigon	Asia/Manila	Europe/Vienna	
Africa/Tripoli	America/Nome	Asia/Muscat	Europe/Vilnius	
Africa/Tunis	America/Noronha	Asia/Nicosia	Europe/Volgograd	
Africa/Windhoek	America/North_Dakota/Beulah	Asia/Novokuznetsk	Europe/Warsaw	
America/Adak	America/North_Dakota/Center	Asia/Novosibirsk	Europe/Zagreb	
America/Anchorage	America/North_Dakota/New_Salem	Asia/Omsk	Europe/Zaporozhye	
America/Anguilla	America/Ojinaga	Asia/Oral	Europe/Zurich	
America/Antigua	America/Panama	Asia/Phnom_Penh	Indian/Antananarivo	
America/Araguaina	America/Pangnirtung	Asia/Pontianak	Indian/Chagos	
America/Argentina/Buenos_Aires	America/Paramaribo	Asia/Pyongyang	Indian/Christmas	
America/Argentina/Catamarca	America/Phoenix	Asia/Qatar	Indian/Cocos	
America/Argentina/Cordoba	America/Port-au-Prince	Asia/Qyzylorda	Indian/Comoro	
America/Argentina/Jujuy	America/Port_of_Spain	Asia/Rangoon	Indian/Kerguelen	
America/Argentina/La_Rioja	America/Porto_Velho	Asia/Riyadh	Indian/Mahe	
America/Argentina/Mendoza	America/Puerto_Rico	Asia/Sakhalin	Indian/Maldives	
America/Argentina/Rio_Gallegos	America/Rainy_River	Asia/Samarkand	Indian/Mauritius	
America/Argentina/Salta	America/Rankin_Inlet	Asia/Seoul	Indian/Mayotte	
America/Argentina/San_Juan	America/Recife	Asia/Shanghai	Indian/Reunion	
America/Argentina/San_Luis	America/Regina	Asia/Singapore	Pacific/Apia	
America/Argentina/Tucuman	America/Resolute	Asia/Taipei	Pacific/Auckland	
America/Argentina/Ushuaia	America/Rio_Branco	Asia/Tashkent	Pacific/Chatham	
America/Aruba	America/Santa_Isabel	Asia/Tbilisi	Pacific/Chuuk	
America/Asuncion	America/Santarem	Asia/Tehran	Pacific/Easter	
America/Atikokan	America/Santiago	Asia/Thimphu	Pacific/Efate	
America/Bahia	America/Santo_Domingo	Asia/Tokyo	Pacific/Enderbury	
America/Bahia_Banderas	America/Sao_Paulo	Asia/Ulaanbaatar	Pacific/Fakaofu	
America/Barbados	America/Scoresbysund	Asia/Urumqi	Pacific/Fiji	
America/Belem	America/Sitka	Asia/Ust-Nera	Pacific/Funafuti	
America/Belize	America/St_Barthelemy	Asia/Vientiane	Pacific/Galapagos	
America/Blanc-Sablon	America/St_Johns	Asia/Vladivostok	Pacific/Gambier	
America/Boa_Vista	America/St_Kitts	Asia/Yakutsk	Pacific/Guadalcanal	
America/Bogota	America/St_Lucia	Asia/Yekaterinburg	Pacific/Guam	
America/Boise	America/St_Thomas	Asia/Yerevan	Pacific/Honolulu	
America/Cambridge_Bay	America/St_Vincent	Atlantic/Azores	Pacific/Johnston	
America/Campo_Grande	America/Swift_Current	Atlantic/Bermuda	Pacific/Kiritimati	
America/Cancun	America/Tegucigalpa	Atlantic/Canary	Pacific/Kosrae	
America/Caracas	America/Thule	Atlantic/Cape_Verde	Pacific/Kwajalein	

America/Cayenne	America/Thunder_Bay	Atlantic/Faroe	Pacific/Majuro	
America/Cayman	America/Tijuana	Atlantic/Madeira	Pacific/Marquesas	
America/Chicago	America/Toronto	Atlantic/Reykjavik	Pacific/Midway	
America/Chihuahua	America/Tortola	Atlantic/South_Georgia	Pacific/Nauru	
America/Costa_Rica	America/Vancouver	Atlantic/St_Helena	Pacific/Niue	
America/Creston	America/Whitehorse	Atlantic/Stanley	Pacific/Norfolk	
America/Cuiaba	America/Winnipeg	Australia/Adelaide	Pacific/Noumea	
America/Curacao	America/Yakutat	Australia/Brisbane	Pacific/Pago_Pago	
America/Danmarkshavn	America/Yellowknife	Australia/Broken_Hill	Pacific/Palau	
America/Dawson	Antarctica/Casey	Australia/Currie	Pacific/Pitcairn	
America/Dawson_Creek	Antarctica/Davis	Australia/Darwin	Pacific/Pohnpei	
America/Denver	Antarctica/DumontDUrville	Australia/Eucla	Pacific/Port_Moresby	
America/Detroit	Antarctica/Macquarie	Australia/Hobart	Pacific/Rarotonga	
America/Dominica	Antarctica/Mawson	Australia/Lindeman	Pacific/Saipan	
America/Edmonton	Antarctica/McMurdo	Australia/Lord_Howe	Pacific/Tahiti	
America/Eirunepe	Antarctica/Palmer	Australia/Melbourne	Pacific/Tarawa	
America/El_Salvador	Antarctica/Rothera	Australia/Perth	Pacific/Tongatapu	
America/Fortaleza	Antarctica/Syowa	Australia/Sydney	Pacific/Wake	
America/Glace_Bay	Antarctica/Troll	Europe/Amsterdam	Pacific/Wallis	

## API resources

The list of resources of API service available for the SportsAPI product is listed below:

- [areas.index](#)
- [competitions.index](#)
- [competitions.show](#)
- [events.index](#)
- [events.show](#)
- [groups.index](#)
- [incidents.index](#)
- [languages.index](#)
- [livescore.index](#)
- [participants.compare](#)
- [participants.index](#)
- [participants.seasons.show](#)
- [participants.show](#)
- [participants.squad](#)
- [rounds.index](#)
- [seasons.index](#)
- [seasons.show](#)
- [sports.index](#)
- [sports.show](#)
- [stages.index](#)
- [standings.index](#)
- [standings.show](#)
- [statuses.index](#)
- [tours.index](#)

## areas.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/areas">https://api.softnetsport.com/v2/areas</a>
Method	GET
Description	Returns a list of all available areas (continents and countries)
Cache	60 seconds
Authorization required	No

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
parent_area_id	xsd:int	Identifier which is parent to the selected area
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/areas.xml">https://api.softnetsport.com/v2/areas.xml</a>	Returns a list of all areas and sub-areas in XML format
<a href="https://api.softnetsport.com/v2/areas">https://api.softnetsport.com/v2/areas</a>	Returns a list of all areas and sub-areas in JSON format
<a href="https://api.softnetsport.com/v2/areas.xml?parent_area_id=209">https://api.softnetsport.com/v2/areas.xml?parent_area_id=209</a>	Returns a list of the areas which are sub-areas of area_id = 209 (Europe)

### Output elements

areas	
areas > area	

id	Unique identifier for the area
area_code	Three character area code e.g. GER, POL, FRA
name	Name of the area. Possible translation of the attribute
parent_area_id	Identifier for the parent area e.g. parent area for Poland is Europe and parent area for Europe is World
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP



## competitions.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/competitions">https://api.softnetsport.com/v2/competitions</a>
Method	GET
Description	Returns a list of all available competitions
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines the language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
area_type	xsd:string	Determines type of area in which competitions are played. Possible values: <ul style="list-style-type: none"><li>• country</li><li>• international</li></ul>
type	xsd:string	Determines type competition. Possible values: <ul style="list-style-type: none"><li>• country_league - e.g. Premier Division</li><li>• country_cups - e.g. FA Cup</li><li>• international - e.g. World Cup</li><li>• international_clubs - e.g. Champions League</li><li>• friendly - friendly matches</li><li>• individual - for speedway individual competitions such as Speedway GP</li><li>• team - for speedway national competitions</li><li>• single - for tennis competitions</li><li>• double - for tennis competitions</li><li>• mixed - for tennis competitions</li><li>• undefined - for other competitions</li></ul> For more than one area type you should provide values separated by a comma ","

area_id	xsd:int	Determines the area in which competition are played. API provides the following areas: <a href="#">areas.index</a>  For more than one area you should provide values separated by a comma ",". The complete list of possible areas can be retrieved using the API resource: areas.index
sport_id	xsd:int	Determines the sport identifier in which the competitions are played. The complete list of possible sports can be retrieved using the API resource: sports.index
tour_id	xsd:int	Determines the tour identifier in which the competitions are played. The complete list of possible tours can be retrieved using the API resource: tours.index
multi_ids	xsd:string	List of competition identifiers should be separated by a comma (e.g. 123,234,321) for the selected competitions details. (Up to 100 ids)
gender	xsd:string	Determines competition gender. Allows selection of e.g. only WTA Womens Competitions in Tennis. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in competitions that occurred or were updated after this timestamp will be returned
short_name	xsd:string	Determines competition short_name. The attribute must have minimum 3 characters.
sort_type	xsd:string	Determines sort type for competitions (internal usage only). Possible values: <ul style="list-style-type: none"> <li>• tour</li> </ul>
date_from	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. UTC Format. Return only competition with event start date greater than or equal date_from.
date_to	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. UTC Format. Return only competition with event start date less than or equal date_to.
status_type	xsd:string	Return only competition with event status live,finished,scheduled,other,cancelled,interrupted,deleted.
tz	xsd:string	Custom timezone for date_from and date_to.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/competitions.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/competitions.xml?token={{YOUR_TOKEN}}</a>	Returns a list of all competitions in XML format
<a href="https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}</a>	Returns a list of all competitions in JSON format
<a href="https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}&amp;type=country_league&amp;gender=male">https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}&amp;type=country_league&amp;gender=male</a>	Returns a list of all mens competitions which are country leagues
<a href="https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}&amp;type=international_cup&amp;sport_id=5&amp;area_id=203&amp;gender=male">https://api.softnetsport.com/v2/competitions?token={{YOUR_TOKEN}}&amp;type=international_cup&amp;sport_id=5&amp;area_id=203&amp;gender=male</a>	Returns a list of all international cups, mens competitions for soccer which are played in Europe

### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	<p>Competition gender. Possible values:</p> <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	<p>Competitions type. Possible values:</p> <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	<p>Type of area in which competitions are played. Possible values:</p> <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition

## competitions.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/competitions/{competition_id}">https://api.softnetsport.com/v2/competitions/{competition_id}</a>
Method	GET
Description	Returns data for a single competition
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Data type	Description
competition_id	xsd:int	REQUIRED. The requested competition identifier

### Query parameters

Name	Data type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines the language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>

## Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/competitions/1528.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/competitions/1528.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for a single competition e.g. Premier League in XML format
<a href="https://api.softnetsport.com/v2/competitions/1528?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/competitions/1528?token={{YOUR_TOKEN}}</a>	Returns detailed data for a single competition e.g. Premier League in JSON format

### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

## events.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/events">https://api.softnetsport.com/v2/events</a>
Method	GET
Description	Returns the events related with competitions, seasons, stages and groups
Cache	30 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. There is more information concerning authorization in the API introduction section
lang	xsd:string	Determines the language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 50.  Possible values: 5, 10, 25, 50, 100
date_from	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. Date from which events should be returned. If you use a single date_from parameter you will receive all events that start in the 24 hours from requested date
date_to	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. End date of returned events. The maximum period between date_from and date_to parameter is 30 days. This rule is not valid when you use the following query parameter in your request: season_id, stage_id, group_id, participant_id
sport_id	xsd:int	Determines the sport identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>
area_id	xsd:int	Determines the area identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible areas can be retrieved using the API resource: <a href="#">areas.index</a>
competition_id	xsd:int	Determines the competition identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible competitions can be retrieved using the API resource: <a href="#">competitions.index</a>
season_id	xsd:int	Determines the season identifier in which the events are played. The complete list of possible seasons can be retrieved using the API resource: <a href="#">seasons.index</a>
stage_id	xsd:int	Determines the stage identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible stages can be retrieved using the API resource: <a href="#">stages.index</a>
group_id	xsd:int	Determines the group identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible groups can be retrieved using the API resource: <a href="#">groups.index</a>

participant_id	xsd:int	Determines the identifier of the participant. The complete list of possible participants can be retrieved using the API resource: participants.index
multi_ids	xsd:string	List of events identifiers separated by a comma (e.g. 123,234,321) for which you want to get the events details. (Up to 100 ids)
venue_type	xsd:string	<p>Additional parameter for participant filter. Works only when participant_id query is used. Determines if the provided participant plays as the home or away team. By default the value of "all" is set. Possible values:</p> <ul style="list-style-type: none"> <li>• home - filters events in which the selected participant plays as the home team</li> <li>• away - filters events in which the selected participant plays as the away team</li> <li>• all - filters events in which the selected participant plays as the home team or the away team</li> </ul>



sort_type	xsd:string	<p>Determines sort order of data. Possible values:</p> <ul style="list-style-type: none"> <li>• day - events are sorted by: <ul style="list-style-type: none"> <li>• country.name ascending</li> <li>• competition.country_sort ascending</li> <li>• event.day ascending</li> <li>• event.competition_id ascending</li> <li>• event.stage_id ascending</li> <li>• event.group_id ascending</li> <li>• event.start_date ascending</li> <li>• event.id ascending</li> </ul> </li> <li>• competition - (default) events are sorted by: <ul style="list-style-type: none"> <li>• country.name</li> <li>• competition.country_sort ascending</li> <li>• event.competition_id ascending</li> <li>• event.day ascending</li> <li>• event.stage_id ascending</li> <li>• event.group_id ascending</li> <li>• event.start_date ascending</li> <li>• event.id ascending</li> </ul> </li> <li>• start_date - events are sorted by <ul style="list-style-type: none"> <li>• event.start_date</li> <li>• country.name ascending</li> <li>• competition.country_sort ascending</li> <li>• event.day ascending</li> <li>• event.competition_id ascending</li> <li>• event.stage_id ascending</li> <li>• event.group_id ascending</li> <li>• event.id ascending</li> </ul> </li> <li>• most_popular - events are sorted by <ul style="list-style-type: none"> <li>• the competition.overall_sort (most popular)</li> <li>• country.name ascending</li> <li>• competition.country_sort ascending</li> <li>• event.competition_id ascending</li> <li>• event.day ascending</li> <li>• event.stage_id ascending</li> <li>• event.start_date ascending</li> <li>• event.group_id ascending</li> <li>• event.id ascending</li> </ul> </li> </ul>
sort_order	xsd:string	<p>Additional parameter for sort_type which determines the direction of sorting (ascending, descending)</p> <p>By default the value of "desc" is set. Possible values:</p> <ul style="list-style-type: none"> <li>• asc - sort ascending</li> <li>• desc - sort descending</li> </ul>
status_id	xsd:string	<p>Determines the identifier of the event status. The complete list of possible statuses can be retrieved using the API resource: statuses.index</p>

status_type	xsd:string	<p>Determines the identifier of the status type. Can be comma separated string. Possible values:</p> <p>Possible values:</p> <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
coverage_type	xsd:string	<p>Determines coverage type. Possible values:</p> <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from tv transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	xsd:string	<p>Possible values:</p> <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>
events_details	xsd:string	<p>Determines if subnodes of events will be visible. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - events subnodes will be shown</li> <li>• no - events subnodes will not be shown</li> </ul>
competitions_details	xsd:string	<p>Determines if parent nodes of events will be visible. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - events parent nodes will be shown</li> <li>• no - events parent nodes will not be shown</li> </ul>
item_status	xsd:string	<p>Describes the status for the item (record). Possible values:</p> <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When in the case of an event being added by mistake</li> </ul>
verified_result	xsd:string	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is verified with official source</li> <li>• no - result is not verified with official source</li> </ul>
product	xsd:string	<p>Possible values:</p> <ul style="list-style-type: none"> <li>• scoutsfeed</li> <li>• livescorepro</li> </ul> <p>Required with booked.</p>

booked	xsd:string	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> <p>Required with product.</p>
tz	xsd:string	Determines timezone for the output data. The complete list of possible time zones is included in the API introduction section
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in events that occurred or were updated after this timestamp will be returned.

#### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/events.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/events.xml?token={{YOUR_TOKEN}}</a>	Returns a list of all events in XML format
<a href="https://api.softnetsport.com/v2/events?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/events?token={{YOUR_TOKEN}}</a>	Returns a list of all events in JSON format

#### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages

competitions > competition > seasons > season > stages > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages > stage > groups

competitions > competition > seasons > season > stages > stage > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

competitions > competition > seasons > season > stages > stage > groups > group > events

id	Unique identifier for the event
client_event_id	Unique event identifier for the client.
booked	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> <p>Required with product.</p>
booked_by	<p>When the value is 0 then event was autobooked.</p> <p>Has value only when query parameter product is provided.</p>
name	Name of the event e.g. Spain - Italy
start_date	Date when the event starts in the format DATE_TIME (2015-03-01 11:02)
ft_only	<p>Determines when the result/score of the event is updated. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - result/score is updated only when the event is finished</li> <li>• no - result/score is updated during the event</li> </ul>
coverage_type	<p>Type of event coverage. Can be comma separated string. Possible values:</p> <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from TV transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	<p>Information concerning scouts coverage. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>
status_id	Unique identifier of the event status
status_name	Name of the event status
status_type	<p>Type of status. Possible values:</p> <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
clock_time	How many seconds have passed in the current event period. Possible empty value
clock_status	<p>Clock status. Possible value:</p> <ul style="list-style-type: none"> <li>• running</li> <li>• stopped</li> </ul>

bet_status	Possible value: <ul style="list-style-type: none"> <li>• active</li> <li>• suspended</li> </ul>
relation_status	Relation status. Attribute for internal purposes. Possible value: <ul style="list-style-type: none"> <li>• not_started - for an event that has not started</li> <li>• in_progress - for a live event</li> <li>• finished - for an event that has finished</li> <li>• 30_min_left - scout confirms his ability to deliver the coverage 30 min before the event</li> <li>• 5_min_left - scout confirms his ability to deliver the coverage 5 min before the event</li> </ul>
source	Identifier of scout related to the event. Attribute for internal purposes
winner_id	Who is the winner of the match
progress_id	Who advanced to the next round
day	Day of the season
sport_id	Unique identifier for the sport in which event is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which event is played
round_id	Unique identifier for the round in which event is played. Possible null value.
round_name	Name of the round
neutral_venue	Determines if the event is played at a neutral venue. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
verified_result	Possible value: <ul style="list-style-type: none"> <li>• yes - result is verified with an official source</li> <li>• no - result is not verified with an official source</li> </ul>
ut	Information about when the date and time of the event record was last updated. Format UNIX_TIMESTAMP
old_event_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for event
competition_id	Unique identifier for the competition
competition_short_name	Abbreviated name of the competition

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details > detail

additional information related to event

id	Unique identifier for the detail
name	Name of the detail. Possible values are different depending on the sport
value	Value related to the detail

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant

counter	Number of participant in the event. Participant with counter="1" is the home team.
---------	--

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>team</li> <li>person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>male</li> <li>female</li> <li>mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results > result



id	Unique identifier for the result
short_name	Abbreviated name of the result.
name	Name of the result. Possible values are different depending on the sport
value	Value related to the result
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats > stat

id	Unique identifier for the statistic
short_name	Abbreviated name of the statistic.
name	Name of the statistic. Possible values are different depending on the sport
value	Value related to the statistic
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

## events.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/events/{event_id}">https://api.softnetsport.com/v2/events/{event_id}</a>
Method	GET
Description	Returns a single event with details including participants, partial results, stats, lineups and important incidents for the event
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Data type	Description
event_id	xsd:int	REQUIRED. The requested event identifier

### Query parameters

Name	Data type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
tz	xsd:string	Determines timezone for the output data

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/events/6367.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/events/6367.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected event in XML format
<a href="https://api.softnetsport.com/v2/events/6367?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/events/6367?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected event in JSON format

### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages

competitions > competition > seasons > season > stages > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages > stage > groups

competitions > competition > seasons > season > stages > stage > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

competitions > competition > seasons > season > stages > stage > groups > group > events

id	Unique identifier for the event
client_event_id	Unique event identifier for the client.
booked	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> <p>Required with product.</p>
booked_by	<p>When the value is 0 then event was autobooked.</p> <p>Has value only when query parameter product is provided.</p>
name	Name of the event e.g. Spain - Italy
start_date	Date when the event starts in the format DATE_TIME (2015-03-01 11:02)
ft_only	<p>Determines when the result/score of the event is updated. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - result/score is updated only when the event is finished</li> <li>• no - result/score is updated during the event</li> </ul>
coverage_type	<p>Type of event coverage. Can be comma separated string. Possible values:</p> <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from TV transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	<p>Information concerning scouts coverage. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>
status_id	Unique identifier of the event status
status_name	Name of the event status
status_type	<p>Type of status. Possible values:</p> <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
clock_time	How many seconds have passed in the current event period. Possible empty value
clock_status	<p>Clock status. Possible value:</p> <ul style="list-style-type: none"> <li>• running</li> <li>• stopped</li> </ul>

bet_status	Possible value: <ul style="list-style-type: none"> <li>• active</li> <li>• suspended</li> </ul>
relation_status	Relation status. Attribute for internal purposes. Possible value: <ul style="list-style-type: none"> <li>• not_started - for an event that has not started</li> <li>• in_progress - for a live event</li> <li>• finished - for an event that has finished</li> <li>• 30_min_left - scout confirms his ability to deliver the coverage 30 min before the event</li> <li>• 5_min_left - scout confirms his ability to deliver the coverage 5 min before the event</li> </ul>
source	Identifier of scout related to the event. Attribute for internal purposes
winner_id	Who is the winner of the match
progress_id	Who advanced to the next round
day	Day of the season
sport_id	Unique identifier for the sport in which event is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which event is played
round_id	Unique identifier for the round in which event is played. Possible null value.
round_name	Name of the round
neutral_venue	Determines if the event is played at a neutral venue. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
verified_result	Possible value: <ul style="list-style-type: none"> <li>• yes - result is verified with an official source</li> <li>• no - result is not verified with an official source</li> </ul>
ut	Information about when the date and time of the event record was last updated. Format UNIX_TIMESTAMP
old_event_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for event
competition_id	Unique identifier for the competition
competition_short_name	Abbreviated name of the competition

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details > detail

additional information related to event

id	Unique identifier for the detail
name	Name of the detail. Possible values are different depending on the sport
value	Value related to the detail

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant

counter	Number of participant in the event. Participant with counter="1" is the home team.
---------	--

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>team</li> <li>person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>male</li> <li>female</li> <li>mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results > result

id	Unique identifier for the result
short_name	Abbreviated name of the result.
name	Name of the result. Possible values are different depending on the sport
value	Value related to the result
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats > stat

id	Unique identifier for the statistic
short_name	Abbreviated name of the statistic.
name	Name of the statistic. Possible values are different depending on the sport
value	Value related to the statistic
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > lineups

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > lineups > lineup



id	Unique identifier for lineup related to event
type	Type of participant in lineup. Possible values: <ul style="list-style-type: none"> <li>• player</li> <li>• coach</li> </ul>
bench	Determines if participant (player) is in the starting line up for the event. Possible values: <ul style="list-style-type: none"> <li>• empty (if participant - player is in the starting line up)</li> <li>• yes (if participant - player is on the bench)</li> </ul>
participant_id	Unique identifier for the participant (player, coach)
participant_name	Name of the participant (player, coach)
participant_area_id	Identifier for area represented by the participant
shirt_nr	Shirt number. Could be empty value
participant_slug	Friendly url for the participant

competitions > competition > seasons > season > stages > stage > groups > group > events > event > events\_incidents

competitions > competition > seasons > season > stages > stage > groups > group > events > event > events\_incidents > incident

this node includes only important incidents from the event

id	Unique identifier for a incident that has occurred in the event
incident_id	Identifier for the incident
incident_name	Name of incident e.g. goal, yellow card, red card etc
participant_id	Unique identifier for event participant (team or player) related to incident
participant_name	Participants (team or player) name related to incident. e.g. Cristiano Ronaldo, Leo Messi, Roger Federer
participant_slug	Friendly url for the participant
subparticipant_id	Unique identifier for the player, who is a member of participant squad e.g. Real Madrid, Barcelona
subparticipant_slug	Friendly url for the subparticipant. Possible empty value
subparticipant_name	Subparticipant name
event_status_id	Identifier for event status in which the incident occurred
event_status_name	Name of event status in which the incident occurred
event_time	Event minute and second in which the incident occurred
info	Additional information about the incident
for	Only for internal use. Possible values: <ul style="list-style-type: none"> <li>• all</li> <li>• none</li> <li>• own</li> <li>• rival</li> </ul>
ut	Information about the date and time of when the event incident record was last updated. Format UNIX_TIMESTAMP

## groups.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/groups">https://api.softnetsport.com/v2/groups</a>
Method	GET
Description	Returns a list of all available groups that played in the selected stage
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
stage_id	xsd:int	REQUIRED. Identifier of the stage related to the group. The complete list of possible stages can be retrieved using the API resource: <a href="#">stages.index</a>
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/groups.xml?token={{YOUR_TOKEN}}&amp;stage_id=74732">https://api.softnetsport.com/v2/groups.xml?token={{YOUR_TOKEN}}&amp;stage_id=74732</a>	Returns a list of all groups for the selected stage (Group stage in UEFA Champions League) in XML format
<a href="https://api.softnetsport.com/v2/groups.xml?token={{YOUR_TOKEN}}&amp;stage_id=74732">https://api.softnetsport.com/v2/groups.xml?token={{YOUR_TOKEN}}&amp;stage_id=74732</a>	Returns a list of all groups for the selected stage (Group stage in UEFA Champions League) in JSON format

### Output elements

competition
-------------

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competition > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

competition > season > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

competition > season > stage > groups

competition > season > stage > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

## incidents.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/incidents">https://api.softnetsport.com/v2/incidents</a>
Method	GET
Description	Returns incidents, which may occur during the event
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page.
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
sport_id	xsd:int	REQUIRED. Identifier for the sport
important	xsd:string	Determines if incidents are important e.g. goals, cards, substitutions. By default all types are included.  Allowed values: <ul style="list-style-type: none"><li>• yes - returns only important incidents</li><li>• no - returns only unimportant incidents</li></ul>
important_for_trader	xsd:string	Determines type of incidents (if it is important for trader). By default all types are included.  Allowed values: <ul style="list-style-type: none"><li>■ yes - returns only incidents important for trader</li><li>■ no - returns only incidents not important for trader</li></ul>
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

## Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/incidents.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/incidents.xml?token={{YOUR_TOKEN}}</a>	Returns a list of all incidents in XML format
<a href="https://api.softnetsport.com/v2/incidents?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/incidents?token={{YOUR_TOKEN}}</a>	Returns a list of all incidents in JSON format
<a href="https://api.softnetsport.com/v2/incidents.xml?token={{YOUR_TOKEN}}&amp;sport_id=1">https://api.softnetsport.com/v2/incidents.xml?token={{YOUR_TOKEN}}&amp;sport_id=1</a>	Returns a list of incidents which are used in basketball

## Output elements

incidents
incidents > incident

id	xsd:array	Incident identifier. Unique for sport.
action	xsd:string	Describes type of operation. Possible values: <ul style="list-style-type: none"> <li>• insert</li> <li>• update</li> <li>• delete</li> </ul>
old_id	xsd:int	DEPRECATED. Old Id
event_id	xsd:int	REQUIRED. The event identifier
incident_id	xsd:int	Incident id in data.sports.incidents node for event. The complete list of possible incidents can be retrieved using the API resource: sports.show
participant_id	xsd:int	Participant id
participant_team_id	xsd:int	Participant team id
participant_name	xsd:string	Participant name.
status_id	xsd:int	Status id in data.sports.statuses node for event. The complete list of possible statuses can be retrieved using the API resource: statuses.index
minute	xsd:int	Incident time: minute
second	xsd:int	Incident time: second
home_score	xsd:int	Home Score
away_score	xsd:int	Away Score
home_score1	xsd:int	Home Score 1
away_score1	xsd:int	Away Score 1
home_score2	xsd:int	Home Score 2
away_score2	xsd:int	Away Score 2
x_pos	xsd:int	Ball position on X axis (percentage)
y_pos	xsd:int	Ball position on Y axis (percentage)
add_data	xsd:string	Custom information
display_info	xsd:string	Label for incidents
counter	xsd:int	Subsequent number of the incydent type in the event. Example: 5th goal in the match.
ct	xsd:int	Created date
ut	xsd:int	Last update date
dt	xsd:int	Deleted date
old_added_id	xsd:int	DEPRECATED. Old Id
sort_type	xsd:string	Determines sort order of data. Possible values: <ul style="list-style-type: none"> <li>• id - Incidents are sorted by the id of the Incident</li> </ul>
for	xsd:string	Determine what the participant includes incident <ul style="list-style-type: none"> <li>• all</li> <li>• own</li> <li>• rival</li> <li>• none</li> </ul>

## languages.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/languages">https://api.softnetsport.com/v2/languages</a>
Method	GET
Description	Returns a list of all available languages
Cache	60 seconds
Authorization required	No

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 250.  Possible values: 5, 10, 25, 50, 100, 250, 500
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/languages.xml">https://api.softnetsport.com/v2/languages.xml</a>	Returns a list of all languages in XML format
<a href="https://api.softnetsport.com/v2/languages">https://api.softnetsport.com/v2/languages</a>	Returns a list of all languages in JSON format

### Output elements

languages	
languages > language	
id	Unique identifier for the language
code	Two character language code
name	Name of the language
original_name	Name of the language untranslated e.g. German when untranslated is Deutsch
active	Status for the language. Possible values: <ul style="list-style-type: none"><li>yes - supported language</li><li>no - currently not supported. The language will be supported in the near future</li></ul>
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP



## Resource information

URL	<a href="https://api.softnetsport.com/v2/livescore">https://api.softnetsport.com/v2/livescore</a>
Method	GET
Description	Returns LIVE events related to competitions, seasons, stages and groups
Cache	30 seconds
Authorization required	Yes

## Method parameters

Name	Type	Description
There are no method parameters in this resource		

## Query parameters

Name	Type	Description
Name	Type	Description
token	xsd:string	REQUIRED. There is more information concerning authorization in the API introduction section
lang	xsd:string	Determines the language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 50.  Possible values: 5, 10, 25, 50, 100
date_from	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. Date from which events should be returned. If you use a single date_from parameter you will receive all events that start in the 24 hours from requested date
date_to	xsd:string	Selection datetime, format 'yyyy-mm-dd hh:mm:ss'. End date of returned events. The maximum period between date_from and date_to parameter is 30 days. This rule is not valid when you use the following query parameter in your request: season_id, stage_id, group_id, participant_id
sport_id	xsd:int	Determines the sport identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>
area_id	xsd:int	Determines the area identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible areas can be retrieved using the API resource: <a href="#">areas.index</a>
competition_id	xsd:int	Determines the competition identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible competitions can be retrieved using the API resource: <a href="#">competitions.index</a>
season_id	xsd:int	Determines the season identifier in which the events are played. The complete list of possible seasons can be retrieved using the API resource: <a href="#">seasons.index</a>
stage_id	xsd:int	Determines the stage identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible stages can be retrieved using the API resource: <a href="#">stages.index</a>
group_id	xsd:int	Determines the group identifier in which the events are played. Possibility to input multiple identifiers, separated by comma. The complete list of possible groups can be retrieved using the API resource: <a href="#">groups.index</a>

participant_id	xsd:int	Determines the identifier of the participant. The complete list of possible participants can be retrieved using the API resource: participants.index
multi_ids	xsd:string	List of events identifiers separated by a comma (e.g. 123,234,321) for which you want to get the events details. (Up to 100 ids)
venue_type	xsd:string	Additional parameter for participant filter. Works only when participant_id query is used. Determines if the provided participant plays as the home or away team. By default the value of "all" is set. Possible values: <ul style="list-style-type: none"> <li>• home - filters events in which the selected participant plays as the home team</li> <li>• away - filters events in which the selected participant plays as the away team</li> <li>• all - filters events in which the selected participant plays as the home team or the away team</li> </ul>
sort_type	xsd:string	Determines sort order of data. Possible values: <ul style="list-style-type: none"> <li>• day - events are sorted by the day of the event</li> <li>• competition - events are sorted by the name of the competition</li> <li>• start_date - events are sorted by the start_date</li> <li>• most_popular - competitions are sorted by the overall_sort</li> </ul>
sort_order	xsd:string	Additional parameter for sort_type which determines the direction of sorting (ascending, descending) By default the value of "desc" is set. Possible values: <ul style="list-style-type: none"> <li>• asc - sort ascending</li> <li>• desc - sort descending</li> </ul>
status_id	xsd:string	Determines the identifier of the event status. The complete list of possible statuses can be retrieved using the API resource: statuses.index
status_type	xsd:string	Determines the identifier of the status type. Can be comma separated string. Possible values: Possible values: <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
coverage_type	xsd:string	Determines coverage type. Possible values: <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from tv transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	xsd:string	Possible values: <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>

events_details	xsd:string	Determines if subnodes of events will be visible. Possible values: <ul style="list-style-type: none"> <li>• yes - events subnodes will be shown</li> <li>• no - events subnodes will not be shown</li> </ul>
competitions_details	xsd:string	Determines if parent nodes of events will be visible. Possible values: <ul style="list-style-type: none"> <li>• yes - events parent nodes will be shown</li> <li>• no - events parent nodes will not be shown</li> </ul>
item_status	xsd:string	Describes the status for the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When in the case of an event being added by mistake</li> </ul>
verified_result	xsd:string	Possible value: <ul style="list-style-type: none"> <li>• yes - result is verified with official source</li> <li>• no - result is not verified with official source</li> </ul>
product	xsd:string	Possible values: <ul style="list-style-type: none"> <li>• scoutsfeed</li> <li>• livescorepro</li> </ul> Required with booked.
booked	xsd:string	Possible value: <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> Required with product.
tz	xsd:string	Determines timezone for the output data. The complete list of possible time zones is included in the API introduction section
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in events that occurred or were updated after this timestamp will be returned.

#### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/livescore.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/livescore.xml?token={{YOUR_TOKEN}}</a>	Returns a list of all in progress (live) events in XML format
<a href="https://api.softnetsport.com/v2/livescore?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/livescore?token={{YOUR_TOKEN}}</a>	Returns a list of all in progress (live) events in JSON format

#### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages

competitions > competition > seasons > season > stages > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

competitions > competition > seasons > season > stages > stage > groups

competitions > competition > seasons > season > stages > stage > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

competitions > competition > seasons > season > stages > stage > groups > group > events

id	Unique identifier for the event
client_event_id	Unique event identifier for the client.
booked	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> <p>Required with product.</p>
booked_by	<p>When the value is 0 then event was autobooked.</p> <p>Has value only when query parameter product is provided.</p>
name	Name of the event e.g. Spain - Italy
start_date	Date when the event starts in the format DATE_TIME (2015-03-01 11:02)
ft_only	<p>Determines when the result/score of the event is updated. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - result/score is updated only when the event is finished</li> <li>• no - result/score is updated during the event</li> </ul>
coverage_type	<p>Type of event coverage. Can be comma separated string. Possible values:</p> <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from TV transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	<p>Information concerning scouts coverage. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>
status_id	Unique identifier of the event status
status_name	Name of the event status
status_type	<p>Type of status. Possible values:</p> <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
clock_time	How many seconds have passed in the current event period. Possible empty value
clock_status	<p>Clock status. Possible value:</p> <ul style="list-style-type: none"> <li>• running</li> <li>• stopped</li> </ul>

bet_status	Possible value: <ul style="list-style-type: none"> <li>• active</li> <li>• suspended</li> </ul>
relation_status	Relation status. Attribute for internal purposes. Possible value: <ul style="list-style-type: none"> <li>• not_started - for an event that has not started</li> <li>• in_progress - for a live event</li> <li>• finished - for an event that has finished</li> <li>• 30_min_left - scout confirms his ability to deliver the coverage 30 min before the event</li> <li>• 5_min_left - scout confirms his ability to deliver the coverage 5 min before the event</li> </ul>
source	Identifier of scout related to the event. Attribute for internal purposes
winner_id	Who is the winner of the match
progress_id	Who advanced to the next round
day	Day of the season
sport_id	Unique identifier for the sport in which event is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which event is played
round_id	Unique identifier for the round in which event is played. Possible null value.
round_name	Name of the round
neutral_venue	Determines if the event is played at a neutral venue. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
verified_result	Possible value: <ul style="list-style-type: none"> <li>• yes - result is verified with an official source</li> <li>• no - result is not verified with an official source</li> </ul>
ut	Information about when the date and time of the event record was last updated. Format UNIX_TIMESTAMP
old_event_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for event
competition_id	Unique identifier for the competition
competition_short_name	Abbreviated name of the competition

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details

competitions > competition > seasons > season > stages > stage > groups > group > events > event > details > detail

additional information related to event

id	Unique identifier for the detail
name	Name of the detail. Possible values are different depending on the sport
value	Value related to the detail

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant

counter	Number of participant in the event. Participant with counter="1" is the home team.
---------	--

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>team</li> <li>person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>male</li> <li>female</li> <li>mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results > result



id	Unique identifier for the result
short_name	Abbreviated name of the result.
name	Name of the result. Possible values are different depending on the sport
value	Value related to the result
data_type	<p>Defines type of field generated on front (internal purpose only)</p> <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats

competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > stats > stat

id	Unique identifier for the statistic
short_name	Abbreviated name of the statistic.
name	Name of the statistic. Possible values are different depending on the sport
value	Value related to the statistic
data_type	<p>Defines type of field generated on front (internal purpose only)</p> <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

## participants.compare

### Resource information

URL	<a href="https://api.softnetsport.com/v2/participants/{participant_id}/compare">https://api.softnetsport.com/v2/participants/{participant_id}/compare</a>
Method	GET
Description	Returns the comparisons between two participants
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Data type	Description
participant_id	xsd:int	REQUIRED. The requested participant identifier to compare

### Query parameters

Name	Data type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
compare_participant_id	xsd:int	REQUIRED. Second participant id to compare
events_details	xsd:string	Determines if subnodes of events will be visible. Possible values: <ul style="list-style-type: none"><li>• yes - events subnodes will be shown</li><li>• no - events subnodes will be hidden</li></ul>
competitions_details	xsd:string	Determines if parent nodes of events will be visible. Possible values: <ul style="list-style-type: none"><li>• yes - events parent nodes will be shown</li><li>• no - events parent nodes will be hidden</li></ul>
tz	xsd:string	Determines timezone for the output data

## Method calling examples

Link	
<a href="https://api.softnetsport.com/v2/participants/136928/compare.xml?token={{YOUR_TOKEN}}&amp;sport_id=5&amp;compare_participant_id=136929">https://api.softnetsport.com/v2/participants/136928/compare.xml?token={{YOUR_TOKEN}}&amp;sport_id=5&amp;compare_participant_id=136929</a>	Full comparison
<a href="https://api.softnetsport.com/v2/participants/136928/compare?token={{YOUR_TOKEN}}&amp;compare_participant_id=136929">https://api.softnetsport.com/v2/participants/136928/compare?token={{YOUR_TOKEN}}&amp;compare_participant_id=136929</a>	Full comparison

### Output elements

## participants

### participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>■ yes</li> <li>■ no</li> </ul>

### participants > participant > details

### participants > participant > details > detail

founded	Date when the team was founded
phone	Phone number
email	Email address
address	Address where the team is located
venue_id	Unique identifier for the venue in which the team plays home games
venue_name	Name of the venue in which the team plays home games
weight	Participants weight
height	Participants height
nickname	Participants nickname
position_name	Name of the participants position
birthdate	Participants date of birth
born_place	Participants place of birth
is_retired	Determines if participant has retired. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
subtype	Participant subtype name. Possible values: <ul style="list-style-type: none"> <li>• athlete</li> <li>• coach</li> <li>• referee</li> <li>• director</li> </ul>

#### head2head

#### head2head > all\_matches\_stats

participant1_won	Number of matches won for the first participant (first compare team) in all head2head matches
participant1_draw	Number of draws for the first participant (first compare team) in all head2head matches
participant1_lost	Number of matches lost for the first participant (first compare team) in all head2head matches
participant2_won	Number of matches won for the second participant (second compare team) in all head2head matches
participant2_draw	Number of draws for the second participant (second compare team) in all head2head matches
participant2_lost	Number of matches lost for the second participant (second compare team) in all head2head matches
total_events_played	Number of events played

#### head2head > last\_10\_matches\_stats

participant1_won	Number of matches won for the first participant (first compare team) in the last 10 matches
participant1_draw	Number of draws for the first participant (first compare team) in the last 10 matches
participant1_lost	Number of matches lost for the first participant (first compare team) in the last 10 matches
participant2_won	Number of matches won for the second participant (second compare team) in the last 10 matches
participant2_draw	Number of draws for the second participant (second compare team) in the last 10 matches
participant2_lost	Number of matches lost for the second participant (second compare team) in the last 10 matches

```
head2head > h2h_events
```

```
head2head > h2h_events > competitions
```

```
head2head > h2h_events > competitions > competition
```

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
head2head > h2h_events > competitions > competition > seasons	
head2head > h2h_events > competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

head2head > h2h\_events > competitions > competition > seasons > season > stages

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events

id	Unique identifier for the event
client_event_id	Unique event identifier for the client.
booked	<p>Possible value:</p> <ul style="list-style-type: none"> <li>• yes - result is booked in selected product</li> <li>• no - result is not booked in selected product</li> </ul> <p>Required with product.</p>
booked_by	<p>When the value is 0 then event was autobooked.</p> <p>Has value only when query parameter product is provided.</p>
name	Name of the event e.g. Spain - Italy
start_date	Date when the event starts in the format DATE_TIME (2015-03-01 11:02)
ft_only	<p>Determines when the result/score of the event is updated. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - result/score is updated only when the event is finished</li> <li>• no - result/score is updated during the event</li> </ul>
coverage_type	<p>Type of event coverage. Can be comma separated string. Possible values:</p> <ul style="list-style-type: none"> <li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li> <li>• from_tv - means the scout is relaying the event from TV transmission (max. latency 8 seconds)</li> <li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li> </ul>
scoutsfeed	<p>Information concerning scouts coverage. Possible values:</p> <ul style="list-style-type: none"> <li>• yes - means that play by play incidents will be available for the event</li> <li>• no - means that play by play incidents will not be available for the event</li> </ul>
status_id	Unique identifier of the event status
status_name	Name of the event status
status_type	<p>Type of status. Possible values:</p> <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
clock_time	How many seconds have passed in the current event period. Possible empty value
clock_status	<p>Clock status. Possible value:</p> <ul style="list-style-type: none"> <li>• running</li> <li>• stopped</li> </ul>



bet_status	Possible value: <ul style="list-style-type: none"> <li>• active</li> <li>• suspended</li> </ul>
relation_status	Relation status. Attribute for internal purposes. Possible value: <ul style="list-style-type: none"> <li>• not_started - for an event that has not started</li> <li>• in_progress - for a live event</li> <li>• finished - for an event that has finished</li> <li>• 30_min_left - scout confirms his ability to deliver the coverage 30 min before the event</li> <li>• 5_min_left - scout confirms his ability to deliver the coverage 5 min before the event</li> </ul>
source	Identifier of scout related to the event. Attribute for internal purposes
winner_id	Who is the winner of the match
progress_id	Who advanced to the next round
day	Day of the season
sport_id	Unique identifier for the sport in which event is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which event is played
round_id	Unique identifier for the round in which event is played. Possible null value.
round_name	Name of the round
neutral_venue	Determines if the event is played at a neutral venue. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
verified_result	Possible value: <ul style="list-style-type: none"> <li>• yes - result is verified with an official source</li> <li>• no - result is not verified with an official source</li> </ul>
ut	Information about when the date and time of the event record was last updated. Format UNIX_TIMESTAMP
old_event_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for event
competition_id	Unique identifier for the competition
competition_short_name	Abbreviated name of the competition
head2head > h2h_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > details	
head2head > h2h_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > details > detail	

id	Unique identifier for the detail
name	Name of the detail. Possible values are different depending on the sport
value	Value related to the detail

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>team</li> <li>person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>male</li> <li>female</li> <li>mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>yes</li> <li>no</li> </ul>

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participants > participant > results > result

id	Unique identifier for the result
short_name	Abbreviated name of the result.
name	Name of the result. Possible values are different depending on the sport
value	Value related to the result
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participant > participant > stats

head2head > h2h\_events > competitions > competition > seasons > season > stages > stage > groups > group > events > event > participant > participant > stats > stat

id	Unique identifier for the statistic
short_name	Abbreviated name of the statistic.
name	Name of the statistic. Possible values are different depending on the sport
value	Value related to the statistic
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

## participants.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/participants">https://api.softnetsport.com/v2/participants</a>
Method	GET
Description	Returns a list of all available participants (teams or persons) for all sports
Cache	60 seconds
Autorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
sport_id	xsd:int	REQUIRED. Identifier for the sport. Allows you to filter participants for the selected sport. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>
season_id	xsd:int	Determines the season id, in which participants participated. e.g. to get all participants that played in Premiership in 2014/15. The complete list of possible seasons can be retrieved using the API resource: <a href="#">seasons.index</a>
area_id	xsd:int	Determines the area represented by the participant. The complete list of possible areas can be retrieved using the API resource: <a href="#">areas.index</a>
multi_ids	xsd:string	List of participant identifiers separated by a comma (e.g. 123,234,321) for the details of the participant you want returned. (Up to 100 ids)
type	xsd:string	Participant type. Possible values: <ul style="list-style-type: none"><li>• team</li><li>• person</li></ul>
subtype	xsd:string	Participant subtype. Possible values: <ul style="list-style-type: none"><li>• athlete</li><li>• coach</li><li>• playing_coach</li><li>• referee</li><li>• director</li></ul>
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes for participants that occurred or were updated after this timestamp will be returned.

## Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/participants.xml?token={{YOUR_TOKEN}}&amp;sport_id=5">https://api.softnetsport.com/v2/participants.xml?token={{YOUR_TOKEN}}&amp;sport_id=5</a>	Returns a list of participants for soccer in XML format
<a href="https://api.softnetsport.com/v2/participants?token={{YOUR_TOKEN}}&amp;sport_id=5">https://api.softnetsport.com/v2/participants?token={{YOUR_TOKEN}}&amp;sport_id=5</a>	Returns a list of participants for soccer in JSON format
<a href="https://api.softnetsport.com/v2/participants?token={{YOUR_TOKEN}}&amp;sport_id=5&amp;season_id=45">https://api.softnetsport.com/v2/participants?token={{YOUR_TOKEN}}&amp;sport_id=5&amp;season_id=45</a>	Returns team participants for soccer Premiera Division for the season 2014/2015

## Output elements

participants
participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>■ yes</li> <li>■ no</li> </ul>

[participants](#) > [participant](#) > details

[participants](#) > [participant](#) > details > detail

founded	Date when the team was founded
phone	Phone number
email	Email address
address	Addres where the team is located
venue_id	Unique identifier of the venue in which the team plays home games
venue_name	Name of the venue in which the team plays home games
weight	Participants weight
height	Participants height
nickname	Participants nickname
position_name	Name of the participants position
birthdate	Participanst birthdate
born_place	Participants place of birth
is_retired	<p>Determines if the participant has retired. Possible values:</p> <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
subtype	<p>Participant subtype name. Possible values:</p> <ul style="list-style-type: none"> <li>• athlete</li> <li>• coach</li> <li>• referee</li> <li>• director</li> </ul>

## participants.seasons.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/participants/{participant_id}/seasons/{season_id}">https://api.softnetsport.com/v2/participants/{participant_id}/seasons/{season_id}</a>
Method	GET
Description	Returns the season details for given participant and season
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
participant_id	xsd:int	REQUIRED. The requested participant identifier
season_id	xsd:int	REQUIRED. The requested season identifier

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/participants/213/seasons/25323.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/213/seasons/25323.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected season in XML format
<a href="https://api.softnetsport.com/v2/participants/213/seasons/25323?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/213/seasons/25323?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected season in JSON format

### Output elements

competitions
competitions > competition



id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	<p>Determines the season year e.g.</p> <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

## participants.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/participants/{participant_id}">https://api.softnetsport.com/v2/participants/{participant_id}</a>
Method	GET
Description	Returns a single participants information
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Data type	Description
participant_id	xsd:int	REQUIRED. The requested participant identifier

### Query parameters

Name	Data type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data

## Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/participants/136928.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/136928.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for a single participant: FC Barcelona in XML format
<a href="https://api.softnetsport.com/v2/participants/136928?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/136928?token={{YOUR_TOKEN}}</a>	Returns detailed data for a single participant: FC Barcelona in JSON format

### Output elements

participants
participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>■ yes</li> <li>■ no</li> </ul>
participants > participant > details	
participants > participant > details > detail	

founded	Date when the team was founded
phone	Phone number
email	Email address
address	Address where the team is located
venue_id	Unique identifier for the venue in which the team plays home games
venue_name	Name of the venue in which the team plays home games
weight	Participants weight
height	Participants height
nickname	Participants nickname
position_name	Name of the participants position
birthdate	Participants date of birth
born_place	Participants place of birth
is_retired	Determines if participant has retired. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
subtype	Participant subtype name. Possible values: <ul style="list-style-type: none"> <li>• athlete</li> <li>• coach</li> <li>• referee</li> <li>• director</li> </ul>

## participants.squad

### Resource information

URL	<a href="https://api.softnetsport.com/v2/participants/{participant_id}/squad">https://api.softnetsport.com/v2/participants/{participant_id}/squad</a>
Method	GET
Description	Returns a list of personnel related to selected team
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
participant_id	xsd:int	REQUIRED. The requested participant (team) identifier

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
season_id	xsd:int	The requested season identifier

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/participants/136928/squad.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/136928/squad.xml?token={{YOUR_TOKEN}}</a>	Returns a list of personnel for the selected team in XML format
<a href="https://api.softnetsport.com/v2/participants/136928/squad?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/participants/136928/squad?token={{YOUR_TOKEN}}</a>	Returns a list of personnel for the selected team in JSON format

### Output elements

participants
participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>■ yes</li> <li>■ no</li> </ul>
participants > participant > details	
participants > participant > details > detail	

founded	Date when the team was founded
phone	Phone number
email	Email address
address	Address where the team is located
venue_id	Unique identifier of the venue in which the team plays home games
venue_name	Name of the venue in which the team plays home games
weight	Participants weight
height	Participants height
nickname	Participants nickname
position_name	Name of the participants position
birthdate	Participants date of birth
born_place	Participants place of birth
is_retired	<p>Determines if participant has retired. Possible values:</p> <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
subtype	<p>Participant subtype name. Possible values:</p> <ul style="list-style-type: none"> <li>• athlete</li> <li>• coach</li> <li>• playing_coach</li> <li>• referee</li> <li>• director</li> </ul>



## rounds.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/rounds">https://api.softnetsport.com/v2/rounds</a>
Method	GET
Description	Returns a list of all available rounds which could be related to the event f.e Round 1, Quarterfinals etc.
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in stages that occurred or were updated after this timestamp will be returned.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/rounds.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/rounds.xml?token={{YOUR_TOKEN}}</a>	Returns the rounds in XML format
<a href="https://api.softnetsport.com/v2/rounds?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/rounds?token={{YOUR_TOKEN}}</a>	Returns the rounds in JSON format

### Output elements

rounds	
rounds > round	
id	Unique identifier for the round
name	Name of the the round. Possible translation of the attribute
sort	Order of round. Sorting direction is ascending
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP



## seasons.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/seasons">https://api.softnetsport.com/v2/seasons</a>
Method	GET
Description	Returns a list of all available seasons played in the competitions
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
sport_id	xsd:int	Determines the sport to which the season belongs. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>
competition_id	xsd:int	Determines the competition to which the season belongs. The complete list of possible competitions can be retrieved using the API resource: <a href="#">competitions.index</a>
participant_id	xsd:int	Determines the participant that is included in the seasons. The complete list of possible participants can be retrieved using the API resource: <a href="#">participants.index</a>
multi_ids	xsd:string	List of season identifiers separated by a comma (e.g. 123,234,321) for the season details you want to get.(Up to 100 ids)
year	xsd:string	Determines the season year e.g. <ul style="list-style-type: none"><li>■ 1970</li><li>■ 1970/71</li><li>■ 1971</li><li>■ 1971/72</li><li>■ 2000</li><li>■ 2000/01</li><li>■ 2014</li><li>■ 2014/15</li></ul>
sort_type	xsd:string	Determines sort order of data. Possible values: <ul style="list-style-type: none"><li>• competitions - competitions are sorted by overall_sort</li><li>• seasons - seasons are sorted by year</li></ul>

sort_order	xsd:string	Additional parameter for sort_type which determines the direction of sort (ascending, descending) By default the value of "desc" is set. Possible values: <ul style="list-style-type: none"> <li>• asc - sort ascending</li> <li>• desc - sort descending</li> </ul>
area_id	xsd:int	Determines the area represented by the participant. The complete list of possible areas can be retrieved using the API resource: areas.index
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in the seasons that occurred or were updated after this timestamp will be returned.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}</a>	Returns a list of season names in XML format
<a href="https://api.softnetsport.com/v2/seasons?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/seasons?token={{YOUR_TOKEN}}</a>	Returns a list of season names in JSON format
<a href="https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;competition_id=1507">https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;competition_id=1507</a>	Returns the seasons played in the competition - Primera Division
<a href="https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;sport_id=5">https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;sport_id=5</a>	Returns all competition seasons played in soccer
<a href="https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;year=2014/15">https://api.softnetsport.com/v2/seasons.xml?token={{YOUR_TOKEN}}&amp;year=2014/15</a>	Returns all competition seasons played in the season year 2014/15.

### Output elements

competitions
competitions > competition

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competitions > competition > seasons	
competitions > competition > seasons > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	<p>Determines the season year e.g.</p> <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

## seasons.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/seasons/{season_id}">https://api.softnetsport.com/v2/seasons/{season_id}</a>
Method	GET
Description	Returns the seasons played in the competitions
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
season_id	xsd:int	REQUIRED. The requested season identifier

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/seasons/15.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/seasons/15.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected season in XML format
<a href="https://api.softnetsport.com/v2/seasons/15?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/seasons/15?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected season in JSON format

### Output elements

competition
-------------

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competition > season	



id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

rounds

rounds > round

id	Unique identifier for the round
name	Name of the the round. Possible translation of the attribute
sort	Order of round. Sorting direction is descending
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

## sports.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/sports">https://api.softnetsport.com/v2/sports</a>
Method	GET
Description	Returns a list of all available sports
Cache	60 seconds
Authorization required	No

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page.
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 100.  Possible values: 5, 10, 25, 50, 100, 250, 500
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/sports.xml">https://api.softnetsport.com/v2/sports.xml</a>	Returns a list of all sports in XML format
<a href="https://api.softnetsport.com/v2/sports">https://api.softnetsport.com/v2/sports</a>	Returns a list of all sports in JSON format

### Output elements

sports
sports > sport

id	Unique identifier for the sport
name	Name of the sport. Possible translation of the attribute
url	Name that is used in the url address in API
active	<p>Sports status that shows if the sport is currently supported in API.</p> <p>Possible values:</p> <ul style="list-style-type: none"> <li>• yes - sport is supported</li> <li>• no - sport will be supported in the near future</li> </ul>
has_timer	<p>Defines if sport use timer.</p> <p>Possible values:</p> <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
template	<p>Internal attribute.</p> <p>Possible values:</p> <ul style="list-style-type: none"> <li>• default</li> <li>• fixed_incidents</li> </ul>
incidents_positions	<p>Defines if sport uses incidents positions.</p> <p>Possible values:</p> <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

## sports.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/sports/{sport_id}">https://api.softnetsport.com/v2/sports/{sport_id}</a>
Method	GET
Description	Returns information including statuses, result types, details and statistics available for the requested sport
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
sport_id	xsd:int	REQUIRED. The requested sport identifier

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/sports/5.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/sports/5.xml?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected sport in XML format
<a href="https://api.softnetsport.com/v2/sports/5?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/sports/5?token={{YOUR_TOKEN}}</a>	Returns detailed data for the selected sport in JSON format

### Output elements

sport
-------

id	Unique identifier for the sport
name	Name of the sport
url	Name which is used in url address in API
active	Sport status which means if the sport is supported or not supported in API. Possible values: <ul style="list-style-type: none"> <li>• yes - sport is supported</li> <li>• no - sport will be supported in the near future</li> </ul>
has_timer	Defines if sport use timer. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
participant_quantity	Show information about events participants quantity in sport. Possible values: <ul style="list-style-type: none"> <li>• 2</li> <li>• more</li> </ul>
template	Internal attribute. Possible values: <ul style="list-style-type: none"> <li>• default</li> <li>• fixed_incidents</li> </ul>
incidents_positions	Defines if sport uses incidents positions. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

sport > statuses

sport > statuses > status

id	Unique identifier for the status
name	Name of the status
short_name	Abbreviated name of the status. Max 10 characters
type	Type of the status. Possible values: <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

sport > results

sport > results > result

id	Unique identifier for the result
short_name	Abbreviated name of the result.
name	Name of the result available in all events for the selected sport
code	Attribute for internal purpose
type	Defines type of the result. Possible values: <ul style="list-style-type: none"> <li>• team,</li> <li>• person,</li> <li>• team_and_person</li> </ul>
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

sport > stats

sport > stats > team

sport > stats > team > stat

id	Unique identifier for the stat
short_name	Abbreviated name of the statistic.
name	Name of the stats available for teams in the selected sport
code	Attribute for internal purpose
data_type	Defines type of field generated on front (internal purpose only) <ul style="list-style-type: none"> <li>• integer</li> <li>• decimal</li> <li>• binary_text</li> <li>• binary</li> <li>• text</li> <li>• signed_integer</li> </ul>

sport > stats > person

sport > stats > person > stat

id	Unique identifier for the stat
short_name	Abbreviated name of the statistic.
name	Name of the stats available for individuals in the selected sport
code	Attribute for internal purpose

data_type	<p>Defines type of field generated on front (internal purpose only)</p> <ul style="list-style-type: none"> <li>integer</li> <li>decimal</li> <li>binary_text</li> <li>binary</li> <li>text</li> <li>signed_integer</li> </ul>
-----------	---

sport > details

sport > details > detail

id	Unique identifier for the detail
name	Name of the detail available in all events for the selected sport
code	Attribute for internal purpose
data_type	<p>Defines type of field generated on front (internal purpose only)</p> <ul style="list-style-type: none"> <li>integer</li> <li>decimal</li> <li>binary_text</li> <li>binary</li> <li>text</li> <li>signed_integer</li> </ul>
description	Description note of detail
input	Input name e.g. select/input etc
type	Type attribute of input
related_statuses	Statuses related to detail
format	Input format e.g. for date: "Y-m-d H:i:s"
nullable	Determines if input can be send with null value
default	Determines default value

sport > details > detail > possible\_values

sport > details > detail > possible\_values > possible\_value

key	Label of value
value	Possible value

sport > incidents

sport > incidents > incident

id	Unique identifier for the incident
name	Name of the incident available in all events for the selected sport
important	Determines if the incident is important e.g. goals, cards, substitutions. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
important_for_trader	Determines if incident is important for traders. Possible values: <ul style="list-style-type: none"> <li>• yes - incident is important for trader</li> <li>• no - incident isn't important for trader</li> </ul>
sport_id	Unique identifier for the sport in which a event is played. The complete list of possible sports can be retrieved using the API resource: sports.index
type	Type of incident. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• event</li> </ul>
group	A group which incident belongs to.
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP
code	Attribute for internal purpose
for	Determine what the participant includes incident <ul style="list-style-type: none"> <li>• all</li> <li>• own</li> <li>• rival</li> <li>• none</li> </ul>

sport > standings\_types

sport > standings\_types > standings\_type

id	Unique identifier for the standings type
name	Name of the standing type
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

sport > standings\_types > standings\_type > columns

sport > standings\_types > standings\_type > columns > column

id	Unique identifier for the column
name	Name of the column
short_name	Abbreviated name of the column
code	Attribute for internal purpose

sport > standings\_types > venues\_details

sport > standings\_types > venues\_details > detail



id	Unique identifier for the venue detail
name	Name of the venue detail
description	Description of the venue detail

## stages.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/stages">https://api.softnetsport.com/v2/stages</a>
Method	GET
Description	Returns a list of all available stages played in a particular season
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
season_id	xsd:int	REQUIRED. Determines season to which stages belongs
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in stages that occurred or were updated after this timestamp will be returned.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/stages.xml?token={{YOUR_TOKEN}}&amp;season_id=2212">https://api.softnetsport.com/v2/stages.xml?token={{YOUR_TOKEN}}&amp;season_id=2212</a>	Returns the stages played in the season Primera Division 2014/15 in XML format
<a href="https://api.softnetsport.com/v2/stages.xml?token={{YOUR_TOKEN}}&amp;season_id=2212">https://api.softnetsport.com/v2/stages.xml?token={{YOUR_TOKEN}}&amp;season_id=2212</a>	Returns the stages played in the season Primera Division 2014/15 in XML format

### Output elements

competition
-------------

id	Unique identifier for the competition
name	Name of the the competition e.g. U19 World Champ. Possible translation of the attribute
short_name	Abbreviated name of the competition e.g. U19 WCH, Max 20 characters. Possible translation of the attribute
mini_name	Mini name of the competition. Max 3 characters in length e.g. U19
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
type	Competitions type. Possible values: <ul style="list-style-type: none"> <li>• country_league - e.g Premier Division</li> <li>• country_cups - e.g. FA Cup</li> <li>• international - e.g. World Cup</li> <li>• international_clubs - e.g. Champions League</li> <li>• friendly - friendly matches</li> <li>• individual - for speedway individual competitions such as Speedway GP</li> <li>• team - for speedway national competitions</li> <li>• single - for tennis competitions</li> <li>• double - for tennis competitions</li> <li>• mixed - for tennis competitions</li> <li>• undefined - other</li> </ul>
area_id	Unique identifier for area in which competitions are played. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Name of area in which competitions are played. Possible translation of the attribute
area_type	Type of area in which competitions are played. Possible values: <ul style="list-style-type: none"> <li>• country</li> <li>• international</li> </ul>
area_sort	The parameter used to sort competitions in a country e.g. Premier League is 1st and the Championship is 2nd in English competitions. Sorting direction is ascending
area_code	Max 3 characters, area in which competitions are played
overall_sort	The parameter used to sort competitions. Sorting direction is ascending
sport_id	Unique identifier for the sport in which the competition is played. The complete list of possible sports can be retrieved using the API resource: sports.index
sport_name	Name of the sport in which the competition is played. Possible translation of the attribute
tour_id	Unique identifier for the tour in which the competition is played. The complete list of possible tours can be retrieved using the API resource: tours.index
tour_name	Name of the tour in which the competition is played
ut	Information about when the date and time of the competition record was last updated. Format UNIX_TIMESTAMP
old_competition_id	DEPRECATED. The attribute will be removed in the next API version
slug	friendly url for competition
competition > season	

id	Unique identifier for the season.
name	Name of the season e.g. Premiership 2014/15
year	Determines the season year e.g. <ul style="list-style-type: none"> <li>• 1970</li> <li>• 1970/71</li> <li>• 1971</li> <li>• 1971/72</li> <li>• 2000</li> <li>• 2000/01</li> <li>• 2014</li> <li>• 2014/15</li> </ul>
ut	Information about the date and time of when the season record was last updated. Format UNIX_TIMESTAMP
old_season_id	deprecated. The attribute will be removed in the next API version

competition > season > stages

competition > season > stages > stage

id	Unique identifier for the stage
name	Name of the stage. Possible translation of the attribute
start_date	Date when stage begins. Format YYYY-MM-DD
end_date	Date when stage ends. Format YYYY-MM-DD
show_standings	Determines if the stage contains standings. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
groups_nr	The number of groups that are part of the stage
sort	The sort order for the stage. Sorting direction is ascending
is_current	Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
ut	Information about the date and time of when the stage record was last updated. Format UNIX_TIMESTAMP
old_stage_id	deprecated. The attribute will be removed in the next API version

## standings.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/standings">https://api.softnetsport.com/v2/standings</a>
Method	GET
Description	Returns the single standings data
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page.
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
object_type	xsd:string	Should always be used with object_id parameter Determines object type. Possible values: <ul style="list-style-type: none"><li>• sport</li><li>• season</li><li>• competition</li><li>• stage</li><li>• event</li></ul>
object_id	xsd:int	Should always be used with object_type parameter Determines object id which is the unique identifier
type_id	xsd:int	Identifier for the standing type you want to get results for
subtype	xsd:int	Determines subtype of standings. Possible values: <ul style="list-style-type: none"><li>■ standings</li><li>■ under_over</li><li>■ form</li><li>■ overall_stats</li></ul>
sport_id	xsd:int	Determines the sport identifier
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

item_status	xsd:string	<p>Describes status of the item (record). Possible values:</p> <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an standing was added by mistake</li> </ul>
-------------	------------	--

#### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/standings.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/standings.xml?token={{YOUR_TOKEN}}</a>	Returns the list of available standings in XML format
<a href="https://api.softnetsport.com/v2/standings?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/standings?token={{YOUR_TOKEN}}</a>	Returns the list of available standings in JSON format

#### Output elements

standings_list
standings_list > standings

id	Unique identifier for the standings
name	Name of the standings
sport_id	Unique identifier for the sport in which standings occurs
sport_name	Name of the sport
type_id	Unique identifier for the standings type. e.g. Away standings, World Cup standings, Event's final result
type_name	Name of standings type. e.g. Standings table, Top scorers, Cards
subtype	Name of subtype for standings. Possible values: <ul style="list-style-type: none"> <li>• standings</li> <li>• under_over</li> <li>• form</li> <li>• overall_stats</li> <li>• event (final results of F1 Australian Grand Prix)</li> </ul>
object_id	Unique identifier for object selected in the object_type
object_type	Type of object (kind of scope) for which data is generated. Possible values: <ul style="list-style-type: none"> <li>• sport (e.g. WTA Ranking)</li> <li>• season (standings for England Premiership)</li> <li>• stage (standings in second round of competitions)</li> <li>• <a href="#">event (final results of F1 Australian Grand Prix)</a></li> </ul>
object_name	Name of the selected object
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
reset_group_rang	Describes type of rank in groups. Possible values: <ul style="list-style-type: none"> <li>■ yes - (default) each possible group in standings has it's own rank and it starts from value 1</li> <li>■ no - all possible groups share the same rank e.g. rank in group B could start from the value higher than last value in group A.</li> </ul>
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

## standings.show

### Resource information

URL	<a href="https://api.softnetsport.com/v2/standings/{standing_id}">https://api.softnetsport.com/v2/standings/{standing_id}</a>
Method	GET
Description	Returns single standings data
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
standing_id	xsd:int	REQUIRED. The requested standing identifier

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data
subparticipant_id	xsd:int	Determines unique subparticipant id. Could be necessary to show e.g. top scorers from a single team
participant_id	xsd:string	List of participant identifiers separated by a comma (e.g. 123,234,321) for which you want to get results.

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/standings/21.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/standings/21.xml?token={{YOUR_TOKEN}}</a>	Returns the selected standings in XML format
<a href="https://api.softnetsport.com/v2/standings/21?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/standings/21?token={{YOUR_TOKEN}}</a>	Returns the selected standings in JSON format

### Output elements

standings
standings > standing



id	Unique identifier for the standings
name	Name of the standings
sport_id	Unique identifier for the sport in which the standings occurs
sport_name	Name of the sport
type_id	Unique identifier for the standings type. e.g. Away standings, World Cup standings, Event's final result
type_name	Name of standings type. e.g. Standings table, Top scorers, Cards
subtype	Name of subtype of standings. Possible values: <ul style="list-style-type: none"> <li>standings</li> <li>under_over</li> <li>form</li> <li>overall_stats</li> </ul>
object_id	Unique identifier for object selected in the object_type
object_type	Type of object (kind of scope) for which data is generated. Possible values: <ul style="list-style-type: none"> <li>sport (e.g. WTA Ranking)</li> <li>season (standings for England Premiership)</li> <li>stage (standings in second round of competitions)</li> </ul>
object_name	Name of selected object e.g. European Championship (competition_season), Premier League (competition_season), FC Barcelona (team), Relegation Round (stage), FC Barcelona - Manchester United (event)
item_status	Describes status of the item (record). Possible values: <ul style="list-style-type: none"> <li>active - the record is active</li> <li>deleted - the record was deleted by the admin. When an event was added by mistake</li> </ul>
reset_group_rang	Describes type of rank in groups. Possible values: <ul style="list-style-type: none"> <li>yes - (default) each possible group in standings has it's own rank and it starts from value 1</li> <li>no - all possible groups share the same rank e.g. rank in group B could start from the value higher than last value in group A.</li> </ul>
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP

standings > standing > groups

standings > standing > groups > group

id	Unique identifier for the group
name	Name of the group
ut	Information about the date and time of when the group record was last updated. Format UNIX_TIMESTAMP

standings > standing > groups > group > participants

standings > standing > groups > group > participants > participant

id	Unique identifier of the participant
type	Participant type. Possible values: <ul style="list-style-type: none"> <li>• team</li> <li>• person</li> </ul>
name	Participants name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
gender	Participants gender. Possible value: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed (e.g for mixed doubles in tennis )</li> </ul>
area_id	Unique identifier for the area represented by the participant.
area_name	Area name represented by the participant.
area_code	Max 3 characters in length for the abbreviated area name e.g. GER, POL, FRA.
sport_id	Unique identifier for the sport in which the participant is involved.
sport_name	Name of the sport in which the participant is involved.
national	Determines if participant is a national team. Possible values: <ul style="list-style-type: none"> <li>• yes</li> <li>• no</li> </ul>
website	Participants official website
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP
old_participant_id	deprecated. The attribute will be removed in the next API version
slug	friendly url for participant
logo	Attribute for internal purpose
virtual	Determines if the participant is real player / team or virtual. Possible values: <ul style="list-style-type: none"> <li>■ yes</li> <li>■ no</li> </ul>

standings > standing > groups > group > participants > participant > columns

standings > standing > groups > group > participants > participant > columns > column

id	Unique identifier for the column
name	Name of the column
short_name	Abbreviated name of the column
code	Attribute for internal purpose

standings > standing > groups > group > corrections

standings > standing > groups > group > corrections > correction

participant_id	Identifier for the participant
participant_name	Name of the participant
value	Correction value, e.g. "+2"
reason	<p>Determines the reason of corrections. Possible reasons:</p> <ul style="list-style-type: none"> <li>• Association decision</li> <li>• Disqualified</li> <li>• Financial issues</li> <li>• Quit</li> <li>• Regulations</li> </ul>

standings > standing > groups > group > zones

standings > standing > groups > group > zones > zone

name	Name of the zone
colour	The CSS colour for the zone

## statuses.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/statuses">https://api.softnetsport.com/v2/statuses</a>
Method	GET
Description	Returns a list of all available statuses for events from all sports
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Data type	Description
token	xsd:string	REQUIRED. More information concerning authorization in API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
sport_id	xsd:int	REQUIRED. Identifier of the sport. Allows the filter status for selected sport. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes that occurred or were updated after this timestamp will be returned

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/statuses.xml?token={{YOUR_TOKEN}}&amp;sport_id=5">https://api.softnetsport.com/v2/statuses.xml?token={{YOUR_TOKEN}}&amp;sport_id=5</a>	Returns a list of all statuses for soccer in XML format
<a href="https://api.softnetsport.com/v2/statuses?token={{YOUR_TOKEN}}&amp;sport_id=5">https://api.softnetsport.com/v2/statuses?token={{YOUR_TOKEN}}&amp;sport_id=5</a>	Returns a list of all statuses for soccer in JSON format

### Output elements

statuses
statuses > status

id	Unique identifier for the status
name	Name of the status. Possible translation of the attribute
short_name	Abbreviated name of the status. Max 10 characters. Possible translation of the attribute
type	Type of status. Possible values: <ul style="list-style-type: none"> <li>• live</li> <li>• scheduled</li> <li>• finished</li> <li>• cancelled</li> <li>• interrupted</li> <li>• deleted</li> <li>• other</li> </ul>
ut	Information about when the date and time of the record was last updated. Format UNIX_TIMESTAMP

## tours.index

### Resource information

URL	<a href="https://api.softnetsport.com/v2/tours">https://api.softnetsport.com/v2/tours</a>
Method	GET
Description	Returns a list of all available tours related to the competitions e.g. ATP Tour, WTA Tour
Cache	60 seconds
Authorization required	Yes

### Method parameters

Name	Type	Description
There are no method parameters in this resource		

### Query parameters

Name	Type	Description
token	xsd:string	REQUIRED. There is more information concerning authorization in the API introduction section
lang	xsd:string	Determines language for the output data. The complete list of possible languages can be retrieved using the API resource: <a href="#">languages.index</a>
page	xsd:int	Determines offset of paginated data. Default value is 1 which means first page
limit	xsd:int	Determines maximum number of returned records on page. Used in paginated data. Default value is 500.  Possible values: 5, 10, 25, 50, 100, 250, 500
timestamp	xsd:unix_timestamp	Selection date, format UNIX_TIMESTAMP. Only changes in tours that occurred or were updated after this timestamp will be returned.
sport_id	xsd:int	Determines the sport identifier in which the tours are played. The complete list of possible sports can be retrieved using the API resource: <a href="#">sports.index</a>

### Method calling examples

Link	Description
<a href="https://api.softnetsport.com/v2/tours.xml?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/tours.xml?token={{YOUR_TOKEN}}</a>	Returns a list of all tours in XML format
<a href="https://api.softnetsport.com/v2/tours?token={{YOUR_TOKEN}}">https://api.softnetsport.com/v2/tours?token={{YOUR_TOKEN}}</a>	Returns a list of all tours in JSON format

### Output elements

tours
tours > tour

id	Unique identifier for the tour
name	Name of the tour. Possible translation of the attribute
sport_id	Identifier for sport
sort_order	Attribute used to sort tours, ascending
ut	Information about the date and time of when the tour record was last updated. Format UNIX_TIMESTAMP

## AMQP service

The AMQP service sends the messages to the customer's queue. The communication is done by sending messages in JSON format. The AMQP server is based on RabbitMQ: <https://www.rabbitmq.com/clients.html>. For receiving the real time messages customers should establish connection with the AMQP server.

### Authentication

For authentication to the AMQP server you should use following credentials:

AMQP server	<a href="https://queue.softnetsport.com">queue.softnetsport.com</a>
Port	5672 (standard SSL port for AMQP)
Virtual host	statscore
Queue	Queue name is separate for each customer and will be send by softnetSPORT administrator. By default queue name is the same as your USERNAME.
Username	YOUR_USERNAME. The parameters are assigned to you by our sales department
Password	YOUR_SECRET_KEY. The parameters are assigned to you by our sales department

### Message structure and type

AMQP server delivers a few message types that are described in the Message types section. Whenever new attributes are added to the AMQP messages you will find a description in AMQP changelog section.

Each message in the AMQP service includes the attribute "action".

This attribute describes the type of action taken for any new data. Possible values:

- insert - new data generated by the scout
- update - existing data was updated by the scout (e.g. the incident "yellow card" is updated when the scout fills in the name of the player (participant))
- delete - data was deleted (e.g. when a scout adds an incident by mistake, he can delete it)



## Messages types

The list of AMQP messages available for the SportsAPI product is listed below:

- [Message: event](#)
- [Message: event\\_keep\\_alive](#)

## Message: event

This type of message is sent when changes are made in the event e.g. stats were edited/corrected or event start date was changed etc.

### Message structure

.message	
id	Unique identifier for the message
type	event
source	Internal attribute, please dont use this attribute
ut	Information about the date and time of when the message was created. Format UNIX_TIMESTAMP.
..data	
...event	
id	Identifier of the event
action	Describes type of operation for the event. Possible values: <ul style="list-style-type: none"><li>• insert - new event generated</li><li>• update - event was updated</li><li>• delete - event was deleted</li></ul>
start_date	Start date for the event in format: YYYY-MM-DD hh:mm
name	Name of the event
ft_only	Determines if only the full time result/score of the event is given. Possible values: <ul style="list-style-type: none"><li>• yes - result/score is updated only when the event is finished</li><li>• no - result/score is updated during the event</li></ul>
coverage_type	Type of event coverage. Possible values: <ul style="list-style-type: none"><li>• from_venue - means the scout is relaying the event directly from the stadium (max. latency 1 second)</li><li>• from_tv - means the scout is relaying the event from tv transmission (max. latency 8 seconds)</li><li>• basic - for this type of coverage we don't provide detailed event incidents (max. latency around 60 seconds)</li></ul>
status_id	Unique identifier of the event status. The list of available statuses you can find in API service method: statuses.index
sport_id	Identifier for the sport in which the event is played. The list of available sports you can find in API service method: sports.index
round_name	Unique identifier for the round in which event is played. The list of available rounds you can find in API service method: rounds.index. Possible null value
round_id	Name of the round. Possible null value.
day	Day of the season. This attribute is deprecated and will no longer used
neutral_venue	Determines if event is played at a neutral venue. Possible values: <ul style="list-style-type: none"><li>• yes</li><li>• no</li></ul>

item_status	Describes status for the item (record). Possible values: <ul style="list-style-type: none"> <li>• active - the record is active</li> <li>• deleted - the record was deleted by the admin. In the case of when an event was added by mistake</li> </ul>
clock_time	Number of seconds that have passed in the current period
clock_status	Clock status. Possible value: <ul style="list-style-type: none"> <li>• running</li> <li>• stopped</li> </ul>
area_id	Identifier for the area in which the competitions are played
competition_id	Unique identifier for the competition. The list of available competitions you can find in API service method: competitions.index
season_id	Unique identifier for the season.
stage_id	Unique identifier for the stage
tour_id	Unique identifier for the tour in which a competition is played. sThe list of available competitions you can find in API service method: tours.index
gender	Competition gender. Possible values: <ul style="list-style-type: none"> <li>• male</li> <li>• female</li> <li>• mixed</li> </ul>
bet_status	Bet status. Possible values: <ul style="list-style-type: none"> <li>• active</li> <li>• suspended</li> </ul>
....details	
id	Unique identifier for the event details e.g: 1st quarter start time, length of the period. Possible values are different depending on the sport.
value	Value related to the event detail
....participants	Only last changed participant will be sent in the message.
counter	Number of participants in the event. Participant with counter="1" is the home team, "2" is the away team
id	Unique identifier of the participant. The list of available participants you can find in API service method: participants.index
name	Participant name
short_name	Participants abbreviated name, max length: 20 characters
acronym	Max 3 characters in length mini name, e.g. BAR, REA
area_id	Determines the area represented by the participant. The complete list of possible areas can be retrieved using the API resource: areas.index
area_name	Area name represented by the participant
area_code	Max 3 characters in length of the abbreviated area name e.g. GER, POL, FRA
ut	Information about the date and time of when the record was last updated. Format UNIX_TIMESTAMP
.....results	
id	Unique identifier for the result. Possible values are different depending on the sport. For more information please find node details in the sports.show API method
value	Value related to the results
.....stats	

id	Unique identifier for the statistic. Possible values are different depending on the sport. For more information please find node details in the sports.show API method
value	Value related to the statistic
.....subparticipants	
id	Unique identifier of the subparticipant.
.....results	
id	Unique identifier for the result. Possible values are different depending on the sport. For more information please find node details in the sports.show API method
value	Value related to the results
.....stats	
id	Unique identifier for the statistic. Possible values are different depending on the sport. For more information please find node details in the sports.show API method
value	Value related to the statistic

## Message: event\_keep\_alive

Every 30 seconds you should receive at least 1 message from each event. The AMQP service will be sending messages for a particular event at the earliest, 30 minutes before the event start time and up until the end of the event when the scout confirms the result.



This message type is not included in feed.index and feed.show methods available in API service

## Message structure

.message	
id	For this message type id attribute has no value.
type	event_keep_alive
source	Internal attribute, please dont use this attribute
ut	Information about the date and time of when the message was created. Format UNIX_TIMESTAMP
..data	
...event_keep_alive	
event_id	Identifier of the event. More information about event identifiers in the API method: events.index

## Messages examples

- [Message: event - example](#)
- [Message: event\\_keep\\_alive - example](#)

### Structure - event

```
{
  "id": 5872,
  "type": "event",
  "source": 1142,
  "ut": 1468481679,
  "data": {
    "event": {
      "id": 1867802,
      "action": "update",
      "start_date": "2016-07-14 01:00",
      "ft_only": "no",
      "coverage_type": "from_low_latency_tv",
      "status_id": 33,
      "sport_id": 5,
      "day": 3,
      "neutral_venue": "yes",
      "item_status": "active",
      "clock_time": 5409,
      "clock_status": "running",
      "area_id": 94,
      "competition_id": 1513,
      "season_id": 25439,
      "stage_id": 78673,
      "tour_id": null,
      "gender": "male",
      "bet_status": "suspended",
      "relation_status": "not_started",
      "status_type": "live",
      "name": "Deportivo Cali - La Equidad",
      "round_id": 3,
      "round_name": "Round 3",
      "details": [
        {
          "id": 8,
          "value": 5
        },
        {
          "id": 16,
          "value": 45
        },
        {
          "id": 17,
          "value": 2
        },
        {
          "id": 19,
          "value": "2016-07-14 08:04:14"
        },
        {

```

```

        "id": 20,
        "value": null
    },
    {
        "id": 36,
        "value": null
    },
    {
        "id": 44,
        "value": null
    },
    {
        "id": 45,
        "value": null
    },
    {
        "id": 50,
        "value": null
    },
    {
        "id": 58,
        "value": "No Extra Time"
    }
],
"participants": [
    {
        "id": 137079,
        "counter": 1,
        "name": "Asociacion Deportivo Cali",
        "short_name": "Deportivo Cali",
        "acronym": "DEP",
        "area_id": 94,
        "area_name": "Colombia",
        "area_code": "COL",
        "ut": 1467120109,
        "stats": [
            {
                "id": 8,
                "value": 0
            },
            {
                "id": 9,
                "value": 0
            },
            {
                "id": 10,
                "value": 0
            },
            {
                "id": 11,
                "value": 1
            },
            {
                "id": 12,

```



```
        "value": null
    },
    {
        "id": 13,
        "value": 0
    },
    {
        "id": 14,
        "value": 0
    },
    {
        "id": 15,
        "value": 0
    },
    {
        "id": 16,
        "value": 0
    },
    {
        "id": 17,
        "value": 0
    },
    {
        "id": 18,
        "value": 0
    },
    {
        "id": 19,
        "value": 2
    },
    {
        "id": 20,
        "value": 2
    },
    {
        "id": 21,
        "value": 0
    },
    {
        "id": 22,
        "value": 0
    },
    {
        "id": 23,
        "value": null
    },
    {
        "id": 24,
        "value": 0
    },
    {
        "id": 25,
        "value": 0
    },
    },
```

```

    {
      "id": 26,
      "value": 0
    },
    {
      "id": 27,
      "value": 0
    },
    {
      "id": 28,
      "value": 0
    },
    {
      "id": 29,
      "value": 0
    },
    {
      "id": 30,
      "value": 1
    },
    {
      "id": 31,
      "value": 0
    },
    {
      "id": 32,
      "value": 0
    },
    {
      "id": 33,
      "value": 0
    }
  ],
  "results": [
    {
      "id": 2,
      "value": 2
    },
    {
      "id": 3,
      "value": null
    },
    {
      "id": 4,
      "value": 2
    },
    {
      "id": 5,
      "value": null
    },
    {
      "id": 7,
      "value": null
    },
  ],

```

```

    {
      "id": 104,
      "value": null
    },
    {
      "id": 133,
      "value": null
    },
    {
      "id": 134,
      "value": null
    }
  ]
},
{
  "id": 137082,
  "counter": 2,
  "name": "Club Deportivo La Equidad Seguros S. A.",
  "short_name": "La Equidad",
  "acronym": "LA ",
  "area_id": 94,
  "area_name": "Colombia",
  "area_code": "COL",
  "ut": 1457611007,
  "stats": [
    {
      "id": 8,
      "value": 0
    },
    {
      "id": 9,
      "value": 0
    },
    {
      "id": 10,
      "value": 0
    },
    {
      "id": 11,
      "value": 0
    },
    {
      "id": 12,
      "value": null
    },
    {
      "id": 13,
      "value": 0
    },
    {
      "id": 14,
      "value": 0
    },
    {

```

```
    "id": 15,  
    "value": 0  
  },  
  {  
    "id": 16,  
    "value": 0  
  },  
  {  
    "id": 17,  
    "value": 0  
  },  
  {  
    "id": 18,  
    "value": 0  
  },  
  {  
    "id": 19,  
    "value": 0  
  },  
  {  
    "id": 20,  
    "value": 0  
  },  
  {  
    "id": 21,  
    "value": 0  
  },  
  {  
    "id": 22,  
    "value": 0  
  },  
  {  
    "id": 23,  
    "value": null  
  },  
  {  
    "id": 24,  
    "value": 0  
  },  
  {  
    "id": 25,  
    "value": 0  
  },  
  {  
    "id": 26,  
    "value": 0  
  },  
  {  
    "id": 27,  
    "value": 0  
  },  
  {  
    "id": 28,  
    "value": 0  
  }
```

```

    },
    {
      "id": 29,
      "value": 0
    },
    {
      "id": 30,
      "value": 0
    },
    {
      "id": 31,
      "value": 0
    },
    {
      "id": 32,
      "value": 0
    },
    {
      "id": 33,
      "value": 0
    }
  ],
  "results": [
    {
      "id": 2,
      "value": 0
    },
    {
      "id": 3,
      "value": null
    },
    {
      "id": 4,
      "value": 0
    },
    {
      "id": 5,
      "value": null
    },
    {
      "id": 7,
      "value": null
    },
    {
      "id": 104,
      "value": null
    },
    {
      "id": 133,
      "value": null
    },
    {
      "id": 134,
      "value": null
    }
  ]

```

}  
]  
}  
]

```
}  
}  
}
```

Message: event\_keep\_alive - example

#### Structure - event\_keep\_alive

```
{
  "id": null,
  "type": "event_keep_alive",
  "source": 1142,
  "ut": 1461677895,
  "data": {
    "event_keep_alive": {
      "event_id": 1802251,
      "action": "update",
      "clock_time": 1161,
      "clock_status": "running"
    }
  }
}
```