



This form must be completed and submitted with every assignment, as per the department's Academic Integrity and AI Policy. Transparency is essential to proving your creative ownership and learning process.

Part 1: Student & Assignment Details

Student Name:	<u>Yasmin Briffa</u>	ID Number:	<u>0603199M</u>
Unit:	<u>Introduction to Web Development</u>	Task:	<u>2</u>
	<u>[GRD5.1] (25-26)</u>		
Date:	<u>14th May 2026</u>		

Part 2: Declaration of AI Use

Please select one of the following options:

☐ **Option A: No AI Used:** I declare that I did not use any generative AI tools in the conception, development, or creation of this assignment. The submitted work is entirely my own.

☒ **Option B: AI Used:** I declare that I did use AI tools to assist in the creation of this assignment. I have provided a transparent and accurate account of its use in Part 3 below and have submitted all required process work in support of my final submission.

Part 3: Description of How AI Was Used

(Please tick all that apply and provide a brief, specific example for each. For an explanation of each refer to the AI Use Policy Manual)

- | | |
|--|--|
| ☐ Ideation & Brainstorming | ☒ Research & Summarization |
| ☒ Text Generation & Refinement (Writing/Scripting) | ☒ Image/Asset Generation: |
| ☐ Other (Please specify): | |

I used Claude AI with the Figma MCP extension in VS Code to help me get started with the structure and workflow of the project. Before starting this course, I had no previous coding experience, so I found it difficult to understand where to begin even after looking through tutorials and course materials.

I used AI mainly as a support and learning tool to help me understand the coding process and structure. The AI-generated code did not fully match my Figma designs, so I had to go in myself and refine smaller details to better fit my intended design and assignment requirements.

I also used the Bootstrap documentation and other online resources to help me understand and implement parts of the website design. Although Bootstrap gave me a basic understanding of the code, I still struggled at times to understand how to properly apply or customise certain elements for my website, and sometimes I did not know the correct terms to search for. Because of this, I used AI assistance to help tweak and adapt parts of the code so I could achieve the final design I wanted.

All final design choices, refinements, and implementation decisions were completed by me.

I also wish I could have dedicated more time to this assignment. However, due to other assignment deadlines during the same period, I was limited on time, which is another reason why I used AI assistance to help build the basic structure of my website more efficiently and meet the submission deadline. At times I felt very stuck and embarrassed to ask for help, so using AI helped reduce some of the stress while also helping me continue learning throughout the process.

Below please find prompts used as evidence and clarification:

- Adding Bootstrap modals
- Fixing carousel overlays
- Linking model profiles
- Adding filters
- Contact form with mailto
- Login page with tab switching
- Debugging Bootstrap integrity errors
- Fixing image paths
- CSS fixes for buttons and overlays

if there are images oof models used across other pages what do i do? cause at the moment im separating the images accordingly like featuredmodels1 etc...

What you're doing is actually the best approach! Naming them by section like `featured-model-1.jpg` makes your code much easier to read and manage.

For images used across multiple pages (like a model photo that appears on both `models.html` and `model-profile.html`) — just **use the same file once** in your `images/` folder and reference it from both pages like:

```
html
```

```
src="images/featured-model-1.jpg"
```

Can you screenshot the bottom of your `index.html` file?



I can see the problem! The Bootstrap script tag is **missing** before the closing `</body>` tag. The carousel JavaScript is trying to use `bootstrap.Carousel` but Bootstrap hasn't been loaded yet.

So the carousel script runs and says *"I need Bootstrap to work"* but Bootstrap hasn't loaded yet because the script tag that loads it is **missing** from the bottom of your file.

By adding the Bootstrap script tag **before** the carousel code, you're essentially saying:

1. ☒ Load Bootstrap first (set up the kitchen)
2. ☒ Then run the carousel code (chef can now cook)

That's why the carousel wasn't working — it was trying to use Bootstrap before Bootstrap was even loaded on the page!

Does that make sense? 😊

how do suggest I code an automated Bootstrap carousel for my modeling agency website?

Great question! Here's how a simple Bootstrap carousel works:

The basic structure:

html

```
<div id="myCarousel" class="carousel slide" data-bs-ride="carousel" data-bs-interval="500">
  <div class="carousel-inner">

    <!-- First slide - must have "active" class -->
    <div class="carousel-item active">
      
    </div>

    <!-- Second slide -->
    <div class="carousel-item">
      
    </div>

  </div>
</div>
```

```
<!-- Second slide -->
<div class="carousel-item">
  
</div>

<!-- Third slide -->
<div class="carousel-item">
  
</div>

</div>
</div>
```

The key attributes:

- `data-bs-ride="carousel"` — starts the carousel automatically
- `data-bs-interval="3000"` — changes slide every 3 seconds
- `class="carousel slide"` — adds the sliding animation
- `active` — marks which slide shows first

Why it works without JavaScript: Bootstrap reads the `data-bs-` attributes automatically


```

2    ml lang="en">
37   dy>
125  main id="main-content">
130      Bootstrap carousel
131      -->
132      <section id="hero" aria-label="Hero - featured imagery slideshow">
133
134          <div id="heroCarousel" class="carousel slide" data-bs-ride="caro
135              <div class="carousel-inner">
136                  <div class="carousel-item active">
137                      
139                  <div class="carousel-item">
140                      
142                  <div class="carousel-item">
143                      
145                  <div class="carousel-item">
146                      
148                  <div class="carousel-item">
149                      
151                  <div class="carousel-item">
152                      
154              </div>
155          </div>

```

Reference: <https://getbootstrap.com/docs/5.3/components/carousel/#autoplaying-carousels>

The above is not original design, my carousel was missing for examples so i had to go make amendments myself.




why is this happening?

12 May

I can see the problem in the console — it's showing **404 Not Found** errors for `newfaces2.jpg`, `newfaces4.jpg`, `newfaces5.jpg`.

This means the code is looking for files named `newfaces2.jpg` but your actual files in the images folder are named `new-face-page2.jpg` (with dashes and "page" in the name).



i need the model name in the middle / center of the model image

"In css/style.css, find the model name text style on the models page and add `text-align: center` to center it below each model image."

The below casting card was too huge, so i had to ask AI for help on how to reduce the size



7.0.0.1:5501/casting-detail.html

Verified

RUNWAY SHOW

Casting models for an upcoming runway presentation during fashion week. Strong walk and confident presence required.

Location: Milan

Date: 5 July

Rate: €300 (show)

Apply Now!

View Details

How to create a filters drop down menu using bootstrap

Here's how Bootstrap's collapse works for a filter dropdown:

The button that opens/closes the filter panel:

html

```
<button class="btn" data-bs-toggle="collapse" data-bs-target="#filterPanel">
  Filters
</button>
```

The filter panel that shows/hides:

html

```
<div class="collapse" id="filterPanel">
  <!-- filter content goes here -->
</div>
```

```
<!--
  Button to open filter options so users can narrow down the list
-->
<button class="btn-filters" type="button" aria-label="Open casting filters" aria-expanded="false">
  <i class="bi bi-sliders" aria-hidden="true"></i>
  Filters
</button>
</div>
</div>
```

Reference from Bootstrap docs: <https://getbootstrap.com/docs/5.3/components/collapse/>

- I wanted to arrange the layout of the title for the following pages

Post a Casting Opportunity

Kindly fill in the form below

* All castings are reviewed by admin before being published.

CONTACT US

For any inquiries, collaborations, or just to say hello, we would love to hear from you! Reach out and our team will get back to you as soon as possible.

Send Message

For Post A Casting Form and Contact page I want the main / title and tagline text to be centered how do you suggest to do that without breaking the page layout

Simple! Just add `text-align: center` to the heading and tagline. Here's how:

In your CSS find the heading style for each page and add:

CSS

```
text-align: center;
```

Or even simpler — you can use Bootstrap's built in utility class directly in the HTML without touching the CSS at all:

Find your heading tag and add `text-center` class:

html

```
<h1 class="text-center">Contact Us</h1>
<p class="text-center">For any inquiries...</p>
```



```

<link rel="stylesheet" href="css/style.css" />

<!-- Styles that only apply to this post a casting page -->
<style>

/*
 * PAGE INTRO SECTION
 * The area at the top with the title ' Post a Casting' and the subtit
 */
.pc-intro {
  background-color: var(--mud-cream);
  padding-top: 120px;
  padding-bottom: 48px;
  text-align: center;
}

```

Somehow my carousel placed itself at the bottom of the page before the footer, wanted to ask AI how can I move the carousel upwards to sit under the nav bar, so i could understand exactly what i needed to do.

Somehow my carousel placed itself at the bottom how can I move the carousel upwards to sit beneath the header / nav bar

03:54   

In your CSS find the hero carousel section and add `margin-top: 0` and make sure `padding-top` accounts for the fixed navbar height.

Press **Cmd + F** in VS Code and search for `hero-carousel` or `hero-img` and check if there's any margin pushing it down.

The fix is usually adding this to your hero section:

CSS

```

.hero-carousel {
  margin-top: 0;
  padding-top: 0;
}

```



MUDELLI

Quick Links

[Browse Models](#)

Support

[Help Center](#)

Follow Us

[Facebook](#) [Instagram](#) [Twitter](#)

Realised the issue that the carousel code moved to the bottom so i just had to remove it from there and then paste to the top of the code. However, this how it was looking:

MUDELLI

[Home](#)

[Models](#)

[Casting Calls](#)

[Become A Model](#)

[Contact](#)

[LOGIN](#) [REGISTER NOW!](#)

Discover Castings

Apply to roles that match your talent, or post castings to find the right faces.



I was having issues with the cropped images on my pages, especially in the model's gallery portfolio, i asked for assistance.

For my user-dashboard I had designed a tab switching effect, i had no idea how to do it by myself:

Yes! This is called a **tab switching** effect with JavaScript. It's actually quite simple and something you can learn quickly.

Here's a basic tutorial:

HTML — each menu item has a `data-tab` attribute:

html

```
<button data-tab="profile">Profile</button>
<button data-tab="portfolio">Portfolio</button>
```

HTML — each section has a matching `id`:

html

```
<div id="profile">Profile content here</div>
<div id="portfolio">Portfolio content here</div>
```

CSS — hide all sections by default:



CSS — hide all sections by default:

css

```
.tab-content { display: none; }
.tab-content.active { display: block; }
```

JavaScript — show the clicked section:

javascript



```
document.querySelectorAll('[data-tab]').forEach(function(btn) {
  btn.addEventListener('click', function() {
    document.querySelectorAll('.tab-content').forEach(function(tab) {
      tab.classList.remove('active');
    });
    document.getElementById(btn.dataset.tab).classList.add('active');
  });
});
```

model profiles are basically the same 3 models as the top 3 profiles, so when they click. view profile it opens for each of them?

Yes exactly! But that means you'd need 3 separate profile pages:

- `model-profile-millie.html`
- `model-profile-elena.html`
- `model-profile-sofia.html`


And in `top3.html` each **View Profile** button links to the correct one:

```
html

<!-- Millie's button -->
<a href="model-profile-millie.html">View Profile</a>

<!-- Elena's button -->
<a href="model-profile-elena.html">View Profile</a>

<!-- Sofia's button -->
<a href="model-profile-sofia.html">View file</a>
```



Why this works:

- `object-fit: contain` — shows the whole image without cropping (vs `cover` which crops to fill)

```
296  ∨ .sp-portfolio-img {  
297      width: 100%;  
298      height: 520px;  
299      object-fit: contain;  
300      background-color: var(--mud-cream);  
301      display: block;  
302      transition: transform 0.35s ease;  
303  }
```

Of course! Here's how to add an image in HTML:

html

```

```

That's it! Three parts:

- `src="images/login-image.jpg"` — tells the browser where to find the image
- `alt="Model photo"` — describes the image for screen readers (accessibility)

So in your `login.html`, find where the image should go on the left side and add that line. If you open the file and show me what's there I can tell you exactly where to put it! 😊

how can i adjust the size of the image so the model's face is not cropped

Find this in your CSS:

CSS

```
.login-img {
```

You'll see something like:

CSS

```
object-position: top center;
```



CSS

```
object-position: top center;
```

Change it to:

CSS

```
object-position: center center;
```

This will center the image vertically so the face shows properly instead of being cropped at the top! 😊

Discover Castings

Apply to roles that match your talent, or post castings to find the right faces.



I need AI to help me merge the banner and carousel into one section, so the text sits on top of the image.

The Book Model button doesn't open anything

The buttons look correct in your code. The issue might be that Bootstrap JS is loading BEFORE the modals exist on the page.

Look at your code — the Bootstrap JS script is here:

html

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.m
```

And then the modals come AFTER it. That should be fine.

Try this — open your browser, right click on the page and click **Inspect**, then click the **Console** tab.

Do you see any red error messages? Share a screenshot of what you see! 😊

yes:

Failed to find a valid digest in the 'integrity' attribute for resource '<https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js>' with computed SHA-384 integrity 'YvpcrYf0tY3lHB60NNkmXc5s9fDVZLESaAA55NDzOxhy9GkcIdslK1eN7N6jl eHz'. The resource has been blocked.

That's the problem! The Bootstrap JS integrity hash is wrong so the browser is blocking it.

Find this line in your code:

html

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.m
  integrity="sha384-YvpcrYf0tY3lHB60NNkmXc4s9bIOgUxi8T/jzmA36oqMWERKf0aCMtX6tkTQ1C
  crossorigin="anonymous"></script>
```



Replace it with:

html

```
<script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.m
```

I just removed the `integrity` attribute completely — this will allow Bootstrap to load properly and your modals should work! 😊

I was experiencing an issue with the book model button and modal form, each time i tested it and clicked on book model on a different profile, the name of the model of who are booking was not changing accordingly:

give me the steps again

Here are the steps for Sofia's page:

Step 1 — Open `model-profile-sofia.html` in VS Code

Step 2 — Press **Cmd + F** and search for `btn-` to find what prefix Sofia's page uses (it will be something like `btn-sp-book`)

Step 3 — Copy all the modal code from Elena's page (everything from `<!-- Book Model`
`Modal -->` to the closing `</script>` tag)

Step 4 — Paste it before `</body>` in Sofia's page

Step 5 — Find the button class names and change them to match Sofia's prefix. So if Sofia uses `btn-sp-` , change:

- `btn-ep-book` → `btn-sp-book`
- `btn-ep-message` → `btn-sp-message`

Step 6 — Change all mentions of "Elena Vella" to "Sofia Rossi" in the modal titles and thank you text

Step 7 — Make sure the Bootstrap JS script has no `integrity` attribute

Step 8 — Save and press **Cmd + Shift + R** to refresh! 😊

Post a casting, needs a modal when clicking Submit Casting with a Thank you confirmation where can i find this exactly on Bootstrap

Here's the exact Bootstrap page:

👉 <https://getbootstrap.com/docs/5.3/components/modal/>

Scroll down to "**Live demo**" section — that shows exactly how to trigger a modal with a button.

The specific code you need is:

The button:

html

```
<button type="button" data-bs-toggle="modal" data-bs-target="#thankYouModal">
  Submit Casting
</button>
```

The modal:

html

```
<div class="modal fade" id="thankYouModal" tabindex="-1">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-body">
        Thank you! Your casting has been submitted.
      </div>
      <div class="modal-footer">
        <button type="button" data-bs-dismiss="modal">Close</button>
      </div>
    </div>
  </div>
</div>
```

[Apply Now!](#)[View Details](#)

✓ Verified

SUMMER CAMPAIGN

Looking for fresh faces for a summer fashion campaign with a lifestyle brand. The shoot will focus on natural, sunlit visuals and effortless styling.

Location: Malta

Dates: 12-14 June

Rate: €250/day

[Apply Now!](#)[View Details](#)

Rate: €350/day

[Apply Now!](#)[View Details](#)

✓ Verified

FITNESS SHOOT

Activewear brand campaign featuring movement and fitness-based shots. Energetic and athletic models preferred.

Location: Barcelona

Date: 18 June

Rate: €220

[Apply Now!](#)[View Details](#)

✓ Verified

My “hero” carousel in my homepage was not working, i had to use AI:

Your Bootstrap carousel itself is mostly correct — the problem is likely this line:

</> HTML

```
<script defer src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js">
```

You are loading **Bootstrap 5.3.8 JS**, but your CSS is:

</> HTML

```
bootstrap@5.3.3
```

Bootstrap **5.3.8** does not officially exist on jsDelivr/CDN right now, so the JS probably fails to load completely.

That means:

- `data-bs-ride="carousel"` never activates
- navbar toggle may also fail
- all Bootstrap JavaScript components stop work

Fix

Replace this:

</> HTML

```
<script defer src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.8/dist/js/bootstrap.bundle.min.js"></sc
```

with:

</> HTML

```
<script  
  src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js">  
</script>
```

Use the **SAME** version for both CSS and JS.

Of course! Here's how to add an image in HTML:

html

```

```

That's it! Three parts:

- `src="images/login-image.jpg"` — tells the browser where to find the image
- `alt="Model photo"` — describes the image for screen readers (accessibility)

So in your `login.html`, find where the image should go on the left side and add that line. If you open the file and show me what's there I can tell you exactly where to put it! 😊

wanted to ask, i have drop down menu for filters, in the models and casting page, how to make it work? and what about overlays on figma i designed an popup overlay: messaging a model, when applying for a casting, booking a model and when a user posts a casting or a model applies for a ccasting or becoome a model application they get a pop up saying thank you bla bla ... i need to know to code do that

Great questions! Let me explain both:

1. Dropdown Filter Menu

This uses simple JavaScript. When you click the filter button, a hidden dropdown appears. Here's the basic concept:

html

```
<!-- Filter button -->
<button onclick="toggleFilter()">Filters</button>
<!-- Hidden dropdown -->
```



```
<!-- Hidden dropdown -->
<div id="filterDropdown" style="display:none;">
  <select>
    <option>All Categories</option>
    <option>Fashion</option>
    <option>Commercial</option>
  </select>
</div>
```

javascript



```
function toggleFilter() {
  var dropdown = document.getElementById('filterDropdown');
  if (dropdown.style.display === 'none') {
    dropdown.style.display = 'block';
  } else {
    dropdown.style.display = 'none';
  }
}
```



2. Popup Overlays (Modals)

Bootstrap already has this built in! It's called a **Modal**. Here's the basic structure:

html



```
<!-- Trigger button -->
<button data-bs-toggle="modal" data-bs-target="#thankYouModal">
  Apply Now
</button>

<!-- The popup -->
<div class="modal fade" id="thankYouModal">
  <div class="modal-dialog">
    <div class="modal-content">
      <div class="modal-body">
        <h2>Thank You!</h2>
        <p>Your application has been submitted successfully.</p>
        <button data-bs-dismiss="modal">Close</button>
      </div>
    </div>
  </div>
</div>
```



1. **Apply Now modal** — form that pops up when clicking "Apply Now!"
2. **Thank You modal** — confirmation popup after submitting

Find this line in your code:

```
html

<a href="become-a-model.html" class="btn-apply"
  aria-label="Apply now for the Summer Campaign casting">
  Apply Now!
</a>
```

Replace it with:

```
html

<button class="btn-apply" data-bs-toggle="modal" data-bs-target="#applyModal"
  aria-label="Apply now for the Summer Campaign casting">
  Apply Now!
</button>
```



Then paste this code just before the closing `</body>` tag (before the Bootstrap script):

```
html
<!--
  Apply Now Modal
  This popup appears when the user clicks Apply Now
-->
<div class="modal fade" id="applyModal" tabindex="-1" aria-labelledby="applyModalLabel"
  <div class="modal-dialog modal-lg modal-dialog-centered">
    <div class="modal-content" style="border-radius:0; border:none;">

      <!-- Modal header -->
      <div class="modal-header" style="background-color:#1E2D4D; border:none; padding:10px">
        <h2 class="modal-title" id="applyModalLabel"
          style="font-family:'Playfair Display',serif; font-size:24px; color:#C9A84E">
          Apply for Summer Campaign
        </h2>
        <button type="button" class="btn-close btn-close-white" data-bs-dismiss="modal"
          aria-label="Close application form"></button>
      </div>
```



how to link these to the respective profile pages from the models page?

In your `models.html`, find each model card and add a link to their profile page.

For each model card, wrap the image or add a button like this:

Millie Evans:

html

```
<a href="model-profile-millie.html">View Profile</a>
```

Elena Vella:

html

```
<a href="model-profile-elena.html">View Profile</a>
```

Before:

html

```
<div class="model-card">
  
  <p>Millie Evans</p>
</div>
```

After:

html

```
<a href="model-profile-millie.html" style="text-decoration:none;">
  <div class="model-card">
    
    <p>Millie Evans</p>
  </div>
</a>
```



Just add `<a href="...">` before the card and `</a>` after it!

Do the same for Elena and Sofia with their respective links. That's it! 😊

not working i only got the an underline under the models name

The link is working — you just need to remove the underline! Find this in your `<style>` section and add one line:

CSS



```
.model-grid-card a,  
a .model-grid-card {  
  text-decoration: none;  
  color: inherit;  
}
```

Or the quickest fix — in your HTML, make sure the `<a>` tag wraps the entire card like this:

html

```
<div class="col-lg-3 col-md-6 col-sm-6">  
  <a href="model-profile-millie.html" style="text-decoration:none; color:inherit; di  
    <article class="model-grid-card" tabindex="0" aria-label="Model: Millie Evans">
```

Or the quickest fix — in your HTML, make sure the `<a>` tag wraps the entire card like this:

html



```
<div class="col-lg-3 col-md-6 col-sm-6">  
  <a href="model-profile-millie.html" style="text-decoration:none; color:inherit; di  
    <article class="model-grid-card" tabindex="0" aria-label="Model: Millie Evans">  
      <div class="model-img-wrap">  
          
          ...measurements...  
        </div>  
      </div>  
      <p class="model-grid-name">Millie Evans</p>  
    </article>  
  </a>  
</div>
```

The key addition is `display:block;` in the style — this makes the link fill the whole card area! 😊

PASTED

yes thats what i did

I can see the issue! You have the `<a>` tag in the wrong place for Millie. Here's exactly what to fix:

Find this messy code for Millie:

html

```
<a href="model-profile-millie.html" style="text-decoration:none; color:inherit; disp
<a class="model-grid-card" tabindex="0" aria-label="Model: Millie Evans">
```

Replace it with this:

html

```
<a href="model-profile-millie.html" style="text-decoration:none; color:inherit; disp
<article class="model-grid-card" tabindex="0" aria-label="Model: Millie Evans">
```

And find the closing tag which currently says:

html

```
</article>
</a>
```

Make sure it looks exactly like that — `</article>` first then `</a>`.

☒ I confirm that I have submitted all required process and development materials alongside my final work, as outlined in the AI Policy.

☒ I confirm that the information provided on this form is a complete and accurate representation of my use of AI tools for this assignment. I have read and understood the Academic Integrity and AI Policy, and I am aware that failing to declare AI use, or misrepresenting its use, constitutes **plagiarism** and will result in disciplinary action.

Print to PDF and include in your submission once completed.