

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 01


ghimirebibek0227@gmail.com

100%

Page 1 of 9

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 01


34. **Make a screen capture** showing the contents of the 0002665_hash.csv file.



Applying the Daubert Standard to Forensic Evidence (4e)

Digital Forensics, Investigation, and Response, Fourth Edition - Lab 01

37. Make a screen capture showing the contents of the RecycleBinEvidence_hash.csv file.




38. Make a screen capture showing the contents of the MyRussianMafiaBuddies_hash.csv file.



Applying the Daubert Standard to Forensic Evidence (4e)


Digital Forensics, Investigation, and Response, Fourth Edition - Lab 01

39. Make a screen capture showing the contents of the Nice guys_hash.csv file.




Part 3: Verify Hash Codes with E3

14. Make a screen capture showing the MD5 and SHA1 values for the MyRussianMafiaBuddies.txt file.



16. Make a screen capture showing the MD5 and SHA1 values for the Nice Guys.png file.




17. Describe how the hash values produced by E3 for the incriminating files compare to those produced by FTK. Do they match?

The hash values produced by E3 for the incriminating files match the values generated by FTK. Since both tools use the same standard hashing algorithms (such as MD5 or SHA-1), identical hash results confirm that the files have not been altered. This consistency verifies the integrity and authenticity of the evidence across both forensic tools.


Section 2: Applied Learning

Part 1: Extract Evidence Files and Create Hash Codes with FTK Imager

5. Make a screen capture showing the contents of the suspicious email file in the Display pane.




16. Make a screen capture showing the **two hash values** for the suspicious email file.



Part 2: Verify Hash Codes with Autopsy

11. Make a screen capture showing the **MD5 field** in the Result Viewer.




12. **Describe** how the hash value produced by Autopsy compares to the values produced by FTK Imager for the two .eml files.

The hash values generated by Autopsy and FTK Imager for the two .eml files should be identical if the same hashing algorithm is used, since both tools rely on standard forensic methods. Matching hashes confirm that the files have not been altered and maintain their integrity, while any differences would indicate either a change in the file content or the use of different hashing algorithms.

Part 3: Verify Hash Codes with E3

7. **Make a screen capture** showing the MD5 value produced by E3.




8. **Describe** how the hash value produced by E3 compares to the values produced by FTK Imager for the two .eml files and the value produced by Autopsy.

The hash value produced by E3 (EnCase) should match the values generated by FTK Imager and Autopsy for the two .eml files, as all three tools use standard hashing algorithms. If the same algorithm is applied, identical hash values confirm that the files are unchanged and maintain their integrity across all tools, while any mismatch would suggest either file alteration or use of different hashing methods.

Section 3: Challenge and Analysis

Part 1: Verify Hash Codes on the Command Line

Make a screen capture showing the hash values for the Evidence_drive1.001 file.



Part 2: Locate Additional Evidence

Define the original file names and file paths for each of the three files.

Original File Name: \$R354ELH.xlsx File Path: Evidence_drive2.001/NONAME

[NTFS]/[root]/\$RECYCLE.BIN/S-1-5-21-4050736057-2770387751-2791612479-1001/\$R354ELH.xlsx

Original File Name: \$RBQEOTL.doc File Path: Evidence_drive2.001/NONAME

[NTFS]/[root]/\$RECYCLE.BIN/S-1-5-21-4050736057-2770387751-2791612479-1001/\$RBQEOTL.doc

Original File Name: \$RX3177E.pdf File Path: Evidence_drive2.001/NONAME

[NTFS]/[root]/\$RECYCLE.BIN/S-1-5-21-4050736057-2770387751-2791612479-1001/\$RX3177E.pdf