BEECHAT VAULT NA_V2_P



PRODUCT DESCRIPTION

Beechat Vault NA_V2_P NFC Tag 01 – is an ultra small size NFC tag – 9.7×9.7×1.6mm using the ST chip M24SR64-Y with 8-Kbyte (64-kbit) EEPROM memory and uses the NFC ISO/IEC 14443 Type A interface. Working distance – up to 20mm.


01


KEY FEATURES

- 1. Compatible with Android and iOS as well as NFC ISO/IEC 14443 compatible readers.
- 2. High storage capacity, capable of storing large amounts of information via NFC compared to other tags on the market.
- 3. AES-128-bit password protection available on-tag.
- 4. 200 years data retention, and all weather enclosure.

02

PRODUCT IMAGE





Beechat Vault NA_V2_P NFC Tag 01

TECHNICAL SPECIFICATIONS

Layout

Contactless interface

Memory

Working distance

Size


Weight

Working Frequency

Matching (S11) on 13.56MHz

S11 Graph





- NFC Forum Type 4 Tag
- ISO/IEC 14443 Type A
- 106 Kbps data rate
- 8-Kbyte (64-kbit) EEPROM
- Support of NDEF data structure
- Data retention: 200 years
- Write cycle endurance:
- 1 million Write cycles at 25 °C
- 600k Write cycles at 85 °C
- 500k Write cycles at 105 °C
- Read up to 246 bytes in a single command
- Write up to 246 bytes in a single command
- 7 bytes unique identifier (UID)
- 128 bits passwords protection Forum Type 4 Tag
- ISO/IEC 14443 Type A
- 106 Kbps data rate


up to 20 mm

9.7×9.7×1.6mm

2g

13.56 Mhz

< -7dB







• Layers: 4

• PCB Thickness: 0.8

Impedance: no JLC7628
Outer Copper Weight: 1
Inner Copper Weight: 0.5
Material Type: FR4-Stand

• ard Tg 130-140C

• Appearance Quality: IPC Class 2

Standard

a) JLC7628 Stackup:

Layer	Material type	Thickness (mm)	
Top Layer 1	Copper	0.035	
Prepreg	7628*1	0.2	
Inner Layer 2	Copper	0.0175	0.3 mm (with copper core)
Core	Core	0.265	
Inner Layer 3	Copper	0.0175	
Prepreg	7628*1	0.2	
Bottom Layer 4	Copper	0.035	

This document is copyright © October 30, 2021 Beechat Network Systems Ltd. All rights reserved. This document is provided for information purposes only; contents are subject to change without notice. It is not warranted to be error-free, nor subject to any other warranties or conditions including implied warranties and conditions of merchantibility or fitness for a particular purpose. All trademarks, logos and brand names are the property of their respective owners. All company, product and service names used in this document are for identification purposes only. Use of these names, trademarks and brands does not imply endorsement.

