

## ASSIGNMENT – 6.2

B.Varun

2303A52020

Batch – 38

### Task Description-1 (Classes – Data Validation)

- Prompt AI to generate a Student class with attributes: name, roll\_no, and marks. Add a method is\_pass() that returns whether the student has passed (marks  $\geq 40$ ).

### Expected Output-1

- Python class with constructor and validation logic
- Clear method implementation returning pass/fail status
- Students analyze correctness and clarity of class design

### PROMPT:

Generate a Student class with attributes: name, roll\_no, and marks. Add a method is\_pass() that returns whether the student has passed (marks  $\geq 40$ )

### CODE:

```
ai week 6.py > ...
1  class Student:
2      def __init__(self, name, roll_no, marks):
3          self.name = name
4          self.roll_no = roll_no
5          self.marks = marks
6
7      def is_pass(self):
8          return self.marks >= 40
9
10
11     name = input("Enter student's name: ")
12     roll_no = input("Enter student's roll number: ")
13     marks = float(input("Enter student's marks: "))
14
15     student = Student(name, roll_no, marks)
16
17     if student.is_pass():
18         print(f"{student.name} has passed.")
19     else:
20         print(f"{student.name} has failed.")
21
```

## OUTPUT:

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/Program  
ktop/WEB/ai week 6.py"  
Enter student's name: varu  
Enter student's roll number: 555  
Enter student's marks: 65  
varu has passed.  
PS C:\Users\varun\OneDrive\Desktop\WEB>
```

## EXPLANATION:

This program creates a Student class to store a student's name, roll number, and marks. The constructor saves these details when the object is created. The `is_pass()` method checks if the marks are 40 or more to decide pass or fail. The program takes input from the user and shows the result.

### Task Description-2 (Loops – Pattern Generation)

- Ask AI to generate a function that prints a right-angled triangle star pattern using a for loop. Then regenerate the same pattern using a while loop.

### Expected Output-2

- Correct pattern output using both loop types
- Logical loop structure with proper condition

## PROMPT:

generate a function that prints a right-angled triangle star pattern using a for loop

## CODE:

```
ai week 6.py > ...  
1  def print_triangle_pattern(n):  
2      for i in range(1, n + 1):  
3          print("*" * i)  
4  
5  n = int(input("Enter the number of rows for the triangle pattern: "))  
6  print_triangle_pattern(n)
```

## OUTPUT:

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/Program  
.py"  
Enter the number of rows for the triangle pattern: 6  
*  
**  
***  
****  
*****  
*****
```

## PROMPT:

generate a function that prints a right-angled triangle star pattern using a while loop

**CODE:**

```
ai week 0.py > ...
1 def print_triangle_pattern(rows):
2     i = 1
3     while i <= rows:
4         j = 1
5         while j <= i:
6             print("*", end="")
7             j += 1
8         print()
9         i += 1
10
11
12 user_input = int(input("Enter the number of rows for the triangle pattern: "))
13 print_triangle_pattern(user_input)
14
```

**OUTPUT:**

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/Program
Enter the number of rows for the triangle pattern: 6
*
**
***
****
*****
******
PS C:\Users\varun\OneDrive\Desktop\WEB>
```

**EXPLANATION:**

These two programs print a right-angled triangle star pattern. The first program uses a for loop where the number of stars printed in each line increases with every loop iteration. The second program uses while loops to achieve the same result by controlling the number of rows and stars using conditions. Both programs produce the same output but use different looping methods.

**Task Description-3 (Conditional Statements – Number Analysis)**

- Ask AI to write a function that checks whether a given number is positive, negative, or zero using if-elif-else. Test the function with multiple inputs.

**Expected Output-3**

- Function correctly classifies numbers
- Proper handling of all conditions
- Students analyze decision logic

**PROMPT:**

Write a function that checks whether a given number is positive, negative, or zero using if-elif-else

**CODE:**

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/P
1  def check_number():
2      try:
3          num = float(input("Enter a number: "))
4          if num > 0:
5              print("The number is positive.")
6          elif num < 0:
7              print("The number is negative.")
8          else:
9              print("The number is zero.")
10     except ValueError:
11         print("Invalid input. Please enter a numeric value.")
12
13
14     check_number()
```

**OUTPUT:**

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/P
Enter a number: 25
The number is positive.
PS C:\Users\varun\OneDrive\Desktop\WEB>
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/P
Enter a number: -25
The number is negative.
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/P
Enter a number: 0
The number is zero.
PS C:\Users\varun\OneDrive\Desktop\WEB> █
```

**EXPLANATION:**

This program asks the user to enter a number and checks whether it is positive, negative, or zero. It prints the result using if-elif-else. If the user enters something that is not a number, it shows an error message.

**Task Description-4 (Nested Conditionals)**

- Generate a function `check_discount(age, is_member)` that determines discount eligibility:
  - Age  $\geq 60 \rightarrow$  Senior discount
  - Member  $\rightarrow$  Additional discount

**Use nested if statements.**

#### Expected Output-4

- Python code using nested conditionals
- Clear explanation of decision flow

### PROMPT:

Generate a function `check_discount(age, is_member)` that determines discount eligibility:

- Age  $\geq 60 \rightarrow$  Senior discount
- Member  $\rightarrow$  Additional discount

Use nested if statements

### CODE

```
1  def check_discount(age, is_member):
2      if age >= 60:
3          if is_member:
4              return "Eligible for senior and member discounts."
5          else:
6              return "Eligible for senior discount only."
7      else:
8          if is_member:
9              return "Eligible for member discount only."
10         else:
11             return "Not eligible for any discounts."
12
13
14 age = int(input("Enter your age: "))
15 is_member_input = input("Are you a member? (yes/no): ").strip().lower()
16 is_member = is_member_input == 'yes'
17
18 result = check_discount(age, is_member)
19 print(result)
20
```

### OUTPUT:

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "
Enter your age: 50
Are you a member? (yes/no): yes
Eligible for member discount only.
PS C:\Users\varun\OneDrive\Desktop\WEB> █
```

### EXPLANATION:

This program checks discounts using age and membership. If the person is 60 or older, they get a senior discount. If they are also a member, they get both discounts. If they are under 60, only members get a discount. If none of these apply, no discount is given.

### Task Description-5 (Class – Mathematical Opera)

- Ask AI to create a `Circle` class with methods to calculate `area()` and `circumference()` given the radius.

### Expected Output-5

- Correct mathematical computation

- Well-structured class with methods
- Code explanation provided

**PROMPT:**

create a Circle class with methods to calculate area () and circumference () given the radius

**CODE:**

```
import math

class Circle:
    def __init__(self, radius):
        self.radius = radius

    def area(self):
        return math.pi * (self.radius ** 2)

    def circumference(self):
        return 2 * math.pi * self.radius

radius = float(input("Enter the radius of the circle: "))
circle = Circle(radius)

print(f"Area of the circle: {circle.area()}")
print(f"Circumference of the circle: {circle.circumference()}")
```

**OUTPUT:**

```
PS C:\Users\varun\OneDrive\Desktop\WEB> & "C:/Program
Enter the radius of the circle: 20
Area of the circle: 1256.6370614359173
Circumference of the circle: 125.66370614359172
PS C:\Users\varun\OneDrive\Desktop\WEB>
```

**EXPLANATION:**

This program creates a Circle class that stores the radius of a circle. It uses one method to find the area and another method to find the circumference. The radius is taken from the user, and the results are printed.

