Table: OrderItems

Four order lines. The pair OrderID + ProductID must be unique. Order 1 totals NGN 58,000; order 2 totals NGN 45,000; order 3 totals NGN 16,000. Create Orders and Products first.

Columns

Column	Meaning
OrderID	Part of the primary key and a foreign key to Orders.
ProductID	Part of the primary key and a foreign key to Products.
Quantity	Number of units sold; must be greater than zero.
UnitPrice	Price per unit at the time of sale; kept for history.

Create, insert and display

```
USE GreenBasketDB;
GO

CREATE TABLE dbo.OrderItems
(
 OrderID INT NOT NULL,
 ProductID INT NOT NULL,
 Quantity INT NOT NULL CHECK (Quantity > 0),
 UnitPrice DECIMAL(10,2) NOT NULL CHECK (UnitPrice > 0),
PRIMARY KEY (OrderID, ProductID),
 FOREIGN KEY (OrderID) REFERENCES dbo.Orders(OrderID), FOREIGN
KEY (ProductID) REFERENCES dbo.Products(ProductID) );

INSERT INTO dbo.OrderItems
 (OrderID, ProductID, Quantity, UnitPrice)
VALUES
 (1, 1, 2, 25000.00),
 (1, 3, 1, 8000.00),
 (2, 2, 3, 15000.00),
 (3, 3, 2, 8000.00);

SELECT * FROM dbo.OrderItems ORDER BY OrderID, ProductID;
```

How to use this file

Run once after its parent tables exist. Run only the final SELECT again when you want to inspect the data. Re-running CREATE TABLE or the same INSERT values causes duplicate-object or duplicate-key errors; this is expected, not a reason to delete the database.