DAW - WEB INTERFACE DESIGN

UNIT 3.
USE OF STYLES

15/10/2026

Professor:
Begoña Rodríguez Ferreras

begona.rodfer.1@educa.jcyl.es

CSS STYLE SHEETS

Objectives:

- Analyze the different options for presenting information in web documents.
- Assess the importance of defining and applying a style guide in web application development.
- Select colors and other design elements for on-screen display.
- Create and use design templates.
- Recognize the possibility of modifying HTML tags.
- Define styles directly.
- Apply global styles using external style sheets.
- Identify the different properties of each element.
- Create style classes.

CSS STYLE SHEETS (II)

4.1. Introduction to CSS
4.2. How to Use External Style Sheets
4.3. Media: Adapting to the Viewing Environment or Device
    4.3.1. @media
    4.3.2. @import
4.4. The CSS Box Model
4.5. Inheritable CSS Properties
4.6. CSS3
4.7. Bootstrap 4: Responsive and Attractive Design
    4.7.1. Containers
    4.7.2. Grid System: Columns in Bootstrap
    4.7.3. Typography
    4.7.4. Colors
4.8. YUI (Yahoo! User Interface)

INTRODUCTION TO CSS

When working with web pages written in HTML and XHTML, it is desirable for them to have a specific style and a well-defined appearance.

The most efficient way to achieve this is to separate the part where the content is placed, represented by files programmed in HTML, from the part of the project that contains aspects related to presentation.

This is where CSS (Cascading Style Sheets) comes in, a style sheet language responsible for controlling the appearance of websites.

The use of CSS style sheets provides numerous advantages: it improves the accessibility of the document, reduces the complexity of maintenance, whether it is carried out by the original developer or by third parties, and also facilitates the display of the website on different devices.

BROWSER ENGINES AND CSS SUPPORT

- Not all browsers implement CSS features at the same pace.
- The rendering engine is the component responsible for interpreting HTML, CSS, and JavaScript and displaying web content.
- Modern browsers offer a high level of compatibility with current CSS standards.
- Main Rendering Engines
  - Blink → Chrome, Edge, Opera
  - Gecko → Firefox
  - WebKit → Safari

INTERNAL CSS STYLES

- CSS styles can be added directly to an HTML page using the <style> tag.
- The <style> section is typically placed inside the <head> element.
- This approach is useful for learning or styling a single page.
- For larger websites, it is recommended to use external CSS files.

```
<html>
 <head>
  <meta http-equiv="Content-Type" content="text/html; charset=iso-8859
  -1"/>
  <title>
    Ejemplo de estilos CSS en el propio documento
  </title>
  <style type="text/css">
    p {
      color: black; font-family: Verdana;
    }
  </style>
 </head>
 <body>
  <p>Un parrafo de texto.</p>
 </body>
</html>
```

INTERNAL CSS STYLES (II)

FUNDAMENTAL

The main disadvantage of not using CSS files and instead defining styles directly within the HTML code is that, if a change to the defined styles is required, all pages that include the style to be modified must be updated.

HOW TO USE EXTERNAL STYLE SHEETS

Nowadays, external style sheets are commonly used.


In this case, instead of having the code responsible for styling the website within the HTML document itself, that code is stored in a separate file.

From the main HTML page, the CSS file is accessed through the <link> tag.

The only particular aspect to keep in mind is that the file containing the styles must have the .css extension.

As many CSS files as needed can be linked to a web page

HOW TO USE EXTERNAL STYLE SHEETS (II)



HOW TO USE EXTERNAL STYLE SHEETS (III)

The purpose of each attribute used to link an HTML document to a CSS style sheet is as follows:

- **rel:** Specifies the type of relationship between the linked resource (the CSS file) and the HTML document. For CSS files, the value is stylesheet.
- **type:** Specifies the type of the linked resource. For CSS files, the value is text/css.
- **href:** Specifies the URL of the CSS file. This URL can be either relative or absolute and may point to an internal or external resource.
- **media:** Specifies the media type to which the CSS styles will be applied. CSS media types and their operation will be explained in more detail later.

HOW TO USE EXTERNAL STYLE SHEETS (IV)

Nowadays, the use of CSS in HTML is widespread because a single CSS file can be used to apply the same style guide to all the HTML pages of a website.

In this way, one of the most important principles of graphic design is achieved: **maintaining a consistent style across all the pages that make up the site**.

In addition, if a common style change is required across all pages, it is sufficient to modify the style sheet, and the changes will automatically be applied throughout the entire website linked to that CSS file.

HOW TO USE EXTERNAL STYLE SHEETS (V)

- Ejemplo:

```
<html>
 <head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
    <title>
            Ejemplo de estilos CSS en el propio documento
    </title>
    <link rel="stylesheet" type="text/css" media="screen, handheld"
    href="hojaEst.css">
 </head>
 <body>
  <p>Un párrafo de texto.</p>
 </body>
</html>
```

El código CSS (hojaEst.css):

```
p {
        color: red; font-family: Verdana;
}
```

¿ANY QUESTION?