DAW - WEB INTERFACE DESIGN

UNIT 2.
USE OF STYLES

15/10/2026

Professor:
Begoña Rodríguez Ferreras

begona.rodfer.1@educa.jcyl.es

REVIEW OF MARKUP LANGUAGE PROGRAMMING

Objectives:

- Analyze and select appropriate colors and typefaces for on-screen visualization
- Use frames and tables to present information in an organized way
- Identify new elements and tags introduced in the latest version of HTML, HTML5
- Recognize the possibilities for modifying HTML tags
- Evaluate the usefulness of style sheets (CSS) to achieve a uniform design across the entire website

STYLE GUIDES. MAIN ELEMENTS AND DESIGN GUIDELINES

- Just as in daily life we follow traffic rules or action protocols, web design also relies on what are known as style guides
- Standardizing styles through the creation of a style guide, which gathers the criteria and rules a project must follow, ensures that a webpage or website has a more uniform and appealing appearance for the user
- Just as style guides are created for magazines or books, they are also used in the development of web interfaces
- This set of rules for the design and writing of documents is common across all types of media, both spoken and visual
- Their goal is to achieve a **coherent, effective and correct message**

AUDIENCE AND PURPOSE OF A STYLE GUIDE

- A style guide is intended for the designers and programmers responsible for creating the web interface
- Its mission is to support better decision-making both during the design process and in the later maintenance phase of the website
- This is especially important because website maintenance is often carried out by multiple people
- The guide should include aspects such as: how photographs and images are introduced, the color palette, typefaces, and other visual and structural criteria

AUDIENCE AND PURPOSE OF A STYLE GUIDE (II)





TYPOGRAPHY


- Refers to the typeface chosen for a design.
- Familiar fonts improve readability and user experience.
- Select functional fonts that display correctly across all browsers.
- Good typography improves readability, usability, and accessibility.

CHOOSING THE RIGHT TYPOGRAPHY

When selecting a typeface, consider:

- **Font family:** Choose widely supported fonts (e.g., Arial) to ensure compatibility across browsers.
- **Style:** Avoid overusing bold or underlining. Underlined text is commonly associated with hyperlinks and may confuse users.
- **Font size:** Use a size that is easy to read on different screens and devices.
- **Color:** Dark text on a light background provides better readability. Avoid low-contrast or risky combinations, such as pink text on a red background.

CHOOSING THE RIGHT TYPOGRAPHY (II)



FROM SAFE FONTS TO WEB FONTS

- Early websites relied on safe fonts, which were pre-installed on users' devices.
- Today, most browsers support the **@font-face** rule.
- This allows designers to use almost any typeface through services such as **Google Fonts**.
- Users do not need to have the font installed on their device.
- TrueType (TTF) and OpenType (OTF) fonts can be converted into web formats such as:
  - WOFF (Web Open Font Format)
  - EOT (Embedded OpenType)

TYPOGRAPHY BEST PRACTICES FOR WEB DESIGN

a) Use no more than 2-3 typefaces in the same project.
b) Choose clear and readable fonts.
c) Ensure good contrast between text and background.
d) Avoid overly long lines of text.
e) Use a line spacing (leading) 1.5 points larger than the body text size.
f) Avoid justified text; left alignment is usually easier to read.
g) Minimize the use of underlining and reserve it for hyperlinks.

TYPOGRAPHY SERIES

@kenny.kenray

Font Psychology

CHOOSING THE RIGHT STYLE WITH PURPOSE

Serif

Aa

Baskerville / Garamond / Georgia

Reliable
Respectable
Dependable
Conventional
Neutral

Books
Newspapers
Fashion

Sans Serif

Aa

Futura / Gill Sans / Montserrat

Clean
Simple
Futuristic
Modern
Direct

Signages
Social Media
Websites

Script

Aa

Bickham Script / Snell Roundhand

Personal
Feminine

Invitations
Greetings
Weddings

free font

Slab Serif

Aa

Archer / Museo Slab / Clarendon

Bold
Confident
Strong
Reliable
Solid

Billboards
Sports
Displays

© Ken Ray Communications Sdn Bhd

Save for reference

Ps | DESIGN BASICS

FREE FONTS. BIG IMPACT.

Free Fonts Every Designer Should Have

VERSATILE / PROFESSIONAL / 100% FREE / PERFECT FOR ANY PROJECT

Great design starts with great fonts.

Here are the best free fonts every designer should have in their toolkit — clean, versatile and ready for any project.

1 SANS-SERIF (CLEAN & VERSATILE)

Inter

Clean, modern and highly readable.
Perfect for UI, web and body text.

Use for: UI, web, body text — Google Fonts

2 SANS-SERIF (MODERN & STYLISH)

Montserrat

Geometric, clean and professional.
Works great for headlines and branding.

Use for: Headlines, branding, posters — Google Fonts

3 SERIF (CLASSIC & TIMELESS)

Playfair Display

Elegant and sophisticated.
Perfect for luxury, fashion and editorial design.

Use for: Titles, luxury, editorial — Google Fonts

4 SERIF (MODERN & CLEAN)

Lora

Balanced, readable and stylish.
Great for long-form content and print.

Use for: Body text, articles, blogs — Google Fonts

5 DISPLAY (BOLD & IMPACTFUL)

Bebas Neue

Strong, tall and attention-grabbing.
Perfect for posters, banners and headlines.

Use for: Headlines, posters, banners — Google Fonts

6 SCRIPT (ELEGANT & CREATIVE)

Allura

Stylish, flowing and personal.
Adds a human touch to your designs.

Use for: Quotes, logos, invitations — Google Fonts

7 MONO (TECH & MINIMAL)

Space Grotesk

Modern, clean and technical.
Great for tech, UI and minimal designs.

Use for: UI, tech, minimal — Google Fonts

8 DISPLAY (UNIQUE & CREATIVE)

Anton

Bold, confident and full of character.
Perfect for making a strong statement.

Use for: Posters, social media, branding — Google Fonts

9 SERIF (STRONG & CLASSY)

Merriweather

Readable, professional and timeless.
Great for long text and editorial work.

Use for: Articles, blogs, print — Google Fonts

10 SANS-SERIF (FRIENDLY & ROUND)

Poppins

Clean, modern and friendly.
Works well for both headings and body text.

Use for: UI, web, branding — Google Fonts

11 SERIF (ELEGANT & REFINED)

Cormorant Garamond

Graceful, refined and sophisticated.
Perfect for luxury and high-end brands.

Use for: Luxury, editorial, branding — Google Fonts

12 SCRIPT (CASUAL & NATURAL)

Pacifico

Friendly, casual and full of personality.
Great for creative and fun designs.

Use for: Logos, quotes, social media — Google Fonts

★ QUICK TIPS

- Use trusted sources like Google Fonts.
- Pair a display font with a clean sans-serif or serif.
- Aa — Keep a good balance (2–3 fonts per design).
- Make sure the font fits your brand's personality.
- Always check license (most are free for personal & commercial use).

"The right font doesn't just show your words — it shows your personality."

@gfx.om

BETTER FONTS / BETTER DESIGNS

TYPOGRAPHY RULES

GOOD TYPOGRAPHY MAKES CONTENT CLEAR, ATTRACTIVE & MEMORABLE

1. HIERARCHY

Use size, weight, and contrast to show importance and guide the reader's eye.

MOST IMPORTANT

Main Heading

Subheading

Section Title

This is body text. It supports the message and should be easy to read.

Learn more...

LEAST IMPORTANT

2. CONTRAST

Use contrast in font styles, sizes, and weights to create visual interest.

BOLD vs. light

LARGE vs. small

Serif vs. Sans-serif

UPPERCASE vs. lowercase

3. ALIGNMENT

Alignment creates order and connection. Left alignment is easiest to read on screens.

Left Aligned
This text is aligned to the left. It creates a clean reading flow.

Center Aligned
This text is centered. Best for headings and short text.

Right Aligned
This text is aligned to the right. Use it sparingly.

Justified
This text is justified. It aligns both left and right margins for a clean block of text.

4. READABILITY

Choose readable fonts, use good line length and spacing, and ensure clear letterforms.

GOOD

Easy to read with proper spacing and line length.

The quick brown fox jumps over the lazy dog.

POOR

Hard to read due to tight spacing and long lines.

The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog. The quick brown fox jumps over the lazy dog.

5. FONT PAIRING

Pair fonts that complement each other. Combine contrast with harmony.

GOOD PAIRINGS

Playfair Display + Montserrat

Raleway + Merriweather

Lora + Open Sans

Poppins + Lato

POOR PAIRINGS

Comic Sans + Papyrus

Impact + Curlz MT

6. WHITESPACE

Whitespace (or negative space) gives content room to breathe and improves focus.

Clean & Clear
Good use of whitespace makes content feel organized and easy to read.

Crowded & Busy
Too little whitespace makes content feel cluttered and overwhelming.

7. CONSISTENCY

Be consistent with fonts, sizes, colors, and styles across all designs.

A Font Choices · Tt Sizes & Weights · Colors · Styles & Formatting

Consistency builds a strong visual identity and improves user experience.

8. LIMIT FONT STYLES

Use a maximum of 2–3 fonts and limit weights and styles to keep designs clean and professional.

DO

Aa Aa Aa

2 Fonts (with a few weights)

Clean. Focused. Professional.

DON'T

Aa Aa Aa

Aa Aa Aa Aa

Too many fonts create confusion.

9. COLOR & TYPOGRAPHY

Ensure enough contrast between text and background for accessibility.

GOOD CONTRAST

Aa

Easy to read

POOR CONTRAST

Aa

Hard to read

Aim for high contrast to make content accessible to everyone.

10. PURPOSE & TONE

Choose fonts that match the purpose and tone of your message.

Professional	Montserrat / Lato
Friendly	Roboto / Nunito
Creative	Playfair Display / Poppins
Elegant	Cormorant / Lora

Great typography is invisible. You don't notice the type—you notice the message.

Ps | DESIGN BASICS

BETTER FONTS. BETTER DESIGNS.

10 Font Combinations Every Designer Should Know

PERFECT PAIRINGS / BETTER HIERARCHY / STRONGER DESIGNS

Great design isn't just about what you say, but how you say it.

1

Modern Living

SIMPLE SPACES. BETTER DAYS.

Montserrat + Lora

A clean and elegant combination. Montserrat brings the modern, bold presence, while Lora adds a touch of sophistication.

Montserrat (Bold) + Lora (Regular)

2

The Creative Mindset

IDEAS / DESIGN / IMPACT

Playfair Display + Montserrat

A classic and modern duo. Playfair Display gives a stylish, high-end feel, while Montserrat keeps it clean and readable.

Playfair Display (Bold) + Montserrat (Regular)

3

GOOD THINGS Take Time

STAY PATIENT / STAY GROWING

Bebas Neue + Poppins

Bebas Neue adds strength and impact, while Poppins balances it with a clean and friendly look.

Bebas Neue (Bold) + Poppins (Regular)

4

Minimal & Clean

LESS CLUTTER. MORE IMPACT.

Cormorant Garamond + Helvetica

Cormorant Garamond brings elegance and style, while Helvetica adds clarity and balance for a clean finish.

Cormorant Garamond (Medium) + Helvetica (Regular)

5

Nature Heals

BREATHE / EXPLORE / RECONNECT

Fraunces + Inter

Fraunces gives a bold, organic feel, while Inter keeps it modern and easy to read. A great mix of character and clarity.

Fraunces (Bold) + Inter (Regular)

6

BIG DREAMS

SMALL STEPS

Anton + Open Sans

Anton creates a strong visual impact, while Open Sans keeps the message clean and easy to read.

Anton (Bold) + Open Sans (Regular)

7

Better Together

IDEAS / PEOPLE / PROGRESS

Cormorant Infant + Roboto

Cormorant Infant adds a stylish, creative touch, while Roboto ensures good readability and a clean layout.

Cormorant Infant (Bold) + Roboto (Regular)

8

URBAN STYLE

BOLD LOOKS. REAL PEOPLE.

Bebas Neue + Raleway

Bebas Neue brings the bold, urban energy, while Raleway adds a clean, minimal and modern balance.

Bebas Neue (Bold) + Raleway (Regular)

9

FRESH IDEAS

FOR A BRIGHTER TOMORROW

Archivo Black + Lora

Archivo Black gives a strong, confident headline, while Lora adds a refined and human touch.

Archivo Black (Bold) + Lora (Regular)

10



Space Grotesk + Merriweather

Space Grotesk feels modern and techy, while Merriweather adds readability and a timeless, classic vibe.

Space Grotesk (Bold) + Merriweather (Regular)

QUICK TIPS

- Use a bold font for headlines.
- Choose a simpler font for body text.
- Maintain contrast between the fonts.
- Keep it consistent across your designs.

GOOD FONTS / GOOD VIBES / GREAT DESIGNS

COLOR IN WEB DESIGN

- Large websites often use a different color for each section, making it easier for users to identify where they are.
- A consistent color scheme helps improve navigation and usability.
- Be consistent and use the same color for the same purpose throughout the site.
- Aim to create a sense of visual harmony.
- Consider the principles of color psychology when selecting colors.

COLOR IN WEB DESIGN (II)

Color	Associated Meaning
Blue	Trustworthy Business
Red	Love
Orange	Fun
Pink	Fashion
Green	Nature

ICONOGRAPHY IN WEB DESIGN

- Icons represent the actions or functions they are associated with.
- Maintain a consistent visual style across all icons, pages, and sections of the website.
- Icons help reduce the need for excessive text, making interfaces cleaner and easier to use.
- Choosing the right icons is essential for effective communication.
- If users cannot easily understand an icon's meaning, it fails to save them time and may create confusion.

HTML MARKUP LANGUAGE REVIEW

- HTML (HyperText Markup Language) is the standard markup language used to create web pages.
- It presents content in a structured and user-friendly format.
- HTML supports:
  - Hyperlinks to connect documents and web pages.
  - Multimedia content, such as images, audio, and video.

- The core purpose of HTML is to define the logical structure of content, including:
  - Headings
  - Paragraphs
  - Lists
  - Definitions
  - Quotations

KEY FEATURES OF HTML

a) Simple and easy to learn.

b) Does not use variables like traditional programming languages.

c) Not compiled.

d) Interpreted directly by the web browser.

e) Instructions are written as tags (elements).

f) Enables the creation of hypertext through hyperlinks.

BASIC STRUCTURE OF AN HTML DOCUMENT

- An HTML document is defined by **tags**, which are reserved words used to structure and format content.
- The entire document is enclosed within the <html> tag.
- HTML tags divide the document into different sections and define their purpose.
- An HTML page consists of two main parts:
  - **Head** (<head>): Contains metadata, title, links to stylesheets, and other configuration information.
  - **Body** (<body>): Contains the visible content displayed in the browser.

```
<html>
  <head>
    …
  </head>
  <body>
    …
  </body>
</html>
```

BASIC HTML ELEMENTS: TEXT, PARAGRAPHS, STYLES, AND FORMATTING

- Text displayed on a web page is placed between HTML tags, which define its style and formatting.

- Tags help organize content and control how it appears in the browser.

- One of the most commonly used tags is the paragraph tag:
  - opens a paragraph.
  - closes a paragraph.

```
<p><b>Hola, estamos escribiendo en un párrafo.</b></p>
<p>Ahora ya hemos cambiado de párrafo.</p>
```

- Paragraphs automatically:
  - Start on a new line.
  - Add spacing before the next block of content.

Hola, estamos escribiendo en un primer párrafo.
Ahora ya hemos cambiado de párrafo.

TAGS IN HTML

- **...** Displays text in bold (in the past it was ...)
- **...** Displays text in italic (in the past it was ...)
- **<u>...</u>** Underlines text
- **_{...}** Displays text as subscript
- **<h1>...</h1>** Main heading (highest level)
- **<h2>...</h2>** Second-level heading
- **<h3>...</h3>** Third-level heading
- **<h4>...</h4>** Fourth-level heading

LINKS

- The **<a>** (anchor) tag is used to create hyperlinks in HTML.
- It can be used in two main ways:

1. **Linking to a resource or web page**
    - Uses the href attribute followed by the URL.
    - Allows users to navigate to another page, file, or website.

2. **Creating a destination within a page**
    - Traditionally used the name attribute to identify a section that other links could reference.
    - In modern HTML, the **id** attribute is generally preferred.


```
<body>
  <p><a href="https://www.sintesis.com">Editorial Síntesis</a></p>
</body>
```

IMAGES

- Images make a website more attractive and engaging than text-only content.
- High-quality images should be used to enhance the visual experience.
- Images can help communicate information more effectively and improve user engagement.
- When using images from external sources, it is important to respect copyright and licensing requirements.
- Always ensure that images are either:
  - Created specifically for the website, or
  - Used with the appropriate permission or license.

IMAGES (II)

```
<html>
 <head>
  <title>EJERCICIO 2.3. EJEMPLO CON IMÁGENES (CAPÍTULO 3)</title>
 </head>
 <body>
  <img src="ejemplo.png" alt="Imagen fondo pantalla">
 </body>
</html>
```



FORMS

- Forms are interactive elements used to collect information from users on a website.
- The data entered is sent to a server, where it is processed and stored.
- A form can contain different types of input controls to gather information in various ways.
- Forms enable users to interact with websites and submit data efficiently.
- Example Uses:
  - Contact forms
  - Registration forms
  - Surveys and questionnaires
  - File uploads

THE <INPUT> ELEMENT


- The <input> element is one of the most important and widely used form controls in HTML.
- It is used to create interactive fields that allow users to enter or select data.
- The behavior of an <input> element is determined by its type attribute.
- By default, the value of the type attribute is text, which creates a single-line text field.
- Different type values provide different kinds of input controls.

COMMON INPUT TYPES

- **text** – Single-line text input
- **password** – Password field with hidden characters
- **email** – Email address input
- **number** – Numeric input
- **radio** – Radio button
- **checkbox** – Checkbox
- **file** – File upload control
- **submit** – Form submission button

TEXT

```
<html>
 <head>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
       <br>Nombre<br/>
      <input type="text" name="nombre" value=""/>
      </form>
 </body>
</html>
```



BUTTON

A distinction must be made between the submit action performed by buttons created using the "**submit**" type and other buttons intended for different operations. These other buttons must be implemented using JavaScript and can be programmed to perform any task, no matter how complex.


```
<html>
 <head>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
       <input type="button" name="guardar" value="Guardar"/>
      </form>
 </body>
</html>
```



CHECKBOX

A selectable option that uses the "value" attribute to specify the value submitted with the form. The "checked" attribute determines whether the checkbox is selected by default.


```
<html>
 <head>
 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
        <br>Elige una o varias opciones</br>
        <br><input name="op1" type="checkbox" value="op1"/>Opción 1
        </br>
        <br><input name="op2" type="checkbox" value="op2"/>Opción 2
        </br>
        <br><input name="op3" type="checkbox" value="op3"/>Opción 3
        </br>
      </form>
 </body>
</html>
```



RADIO

Used when only one option can be selected from a group. Selecting one option automatically deselects the others. Radio buttons are grouped using the "name" attribute.


```
<html>
 <head>
 <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
        <br>Elige una opción<br/>
        <br><input  type="radio"  name="Tipo"  value="tipo1"/>Tipo  1
        </br>
        <br><input  type="radio"  name="Tipo"  value="tipo2"/>Tipo  2
        </br>
      </form>
 </body>
</html>
```



FILE

- Allows the user to select a file from their device.
- The "accept" attribute can be used to specify the types of files that can be selected.
- When the user clicks the button, a file browser window opens.
- The user can then navigate the system and choose the desired file.


```
<html>
 <head>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
        Seleccione un fichero
        <br><input type="file" name="adjunto"/></br>
      </form>
 </body>
</html>
```



SUBMIT

- Sends the form data entered by the user to the server.
- Can display custom text defined by the developer.
- If no text is specified, the browser displays a default label.
- Commonly used to submit forms for processing.


```
<html>
 <head>
  <title>…</title>
 </head>
 <body>
      <form action="" method="get">
        <input type="submit" name="buscar" value="Buscar"/>
      </form>
 </body>
</html>
```



SELECT

- Used to create **drop-down lists** in a form.
- Contains one or more options defined with the **<option>** tag.
- Allows users to select an item from a predefined list.
- The number of available options can be customized as needed.


```
<html>
 <head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8"/>
  <title>…</title>
 </head>
 <body>
  <label for="lista">Lista desplegable</label><br/>
  <select id="lista" name="lista">
     <option value="" selected="selected">- selecciona una opción -</
     option>
     <option value="opcion1">Opción 1</option>
     <option value="opcion2">Opción 2</option>
     <option value="opcion3">Opción 3</option>
     <option value="opcion4">Opción 4</option>
  </select>
 </body>
</html>
```



TABLES

- Tables are used to display information in a clear and organized way.
- To create a table, you first define its structure and properties.
- The table is then built row by row.
- Each row contains one or more cells, which store the data for each column.
- Tables are useful for presenting structured data such as schedules, prices, statistics, and comparisons.

```
<table>
  <tr>
    <td>1,1</td>
    <td>1,2</td>
    <td>1,3</td>
  </tr>
  <tr>
    <td>2,1</td>
    <td>2,2</td>
    <td>2,3</td>
  </tr>
</table>
```



MAIN TABLE ATTRIBUTES IN HTML

Attribute	Purpose
`border`	Defines the thickness of the table and cell borders. The default value is `0`, which means no border.
`width`	Specifies the width of the table. It can be set as a percentage of the available page width (e.g., `100%`) or in pixels.
`align`	Defines the table alignment: `left`, `right`, or `center`.
`caption`	Adds a descriptive title displayed above the table.

TABLE CAPTIONS

- Tables often include a title to help users quickly identify the content being displayed.
- To add a title to a table, use the **<caption>** tag.
- The caption text appears at the top of the table and provides a clear description of its contents.

```
<table border=1 width="50%" align=center>
 <caption>
      Título de la tabla
 </caption>
 <tr>
      <td>1,1</td>
      <td>1,2</td>
      <td>1,3</td>
 </tr>
 <tr>
      <td>2,1</td>
      <td>2,2</td>
      <td>2,3</td>
 </tr>
</table>
```



FRAMES

- Although **HTML5 has made frames obsolete**, it is useful to understand how they work because some legacy websites still use them and may require maintenance or improvements.

- Frames are **independent windows embedded within a web page**, dividing the page into multiple subpages.

- This approach helps create a more organized and visually clean layout, as different sections can display separate content simultaneously.

- Unlike a standard HTML document, which contains <head> and <body> sections, a frame-based document uses a <frameset> element instead of the <body> element.

FRAMES (II)

- To create frames, the <frameset> tag is used.
- The <frameset> element defines the layout of the page by specifying how many frames will be displayed and how they are arranged.
- Typically, the number and size of the columns or rows within the main page are defined first.
- The <frame> tag is then used to configure each frame individually, specifying the content and properties of each section.

FRAMES (III)

```
<frameset cols=anchoColumna1, anchoColumna2, …anchoColumnaN>
 <frame …>
 <frame …>
</frameset>
```


```
<frameset cols=10%,20%,70%>
 <frame src="1">
 <frame src="2">
 <frame src="3">
</frameset>
```

```
<frameset cols=30%,70%>
 <frame src="1">
 <frameset rows=40%,*>
  <frame src="2">
  <frame src="3">
 </frameset>
</frameset>
```

HTML5

- HTML5 is the latest version of the HTML language used for web development.
- Websites built with HTML5 are best viewed in modern browsers, as older browsers may not support some of its newer elements.
- One of HTML5's key features is the introduction of **semantic elements** (or semantic markup).
- Semantic elements divide a document into meaningful sections and clearly describe their purpose to the browser.
- Unlike the generic element, semantic tags provide information about the role of the content they contain to the browser and enhance accessibility for users with assistive technologies.

HTML5 (II)


HTML4 vs HTML5 Page Structure on a Blog
HTML4: Lots of Classes/IDs

HTML5: Semantic Tags/Sections
<header>
<nav>
<main>
<article>
<article>
<article>
<footer>

NEW SEMANTIC ELEMENTS IN HTML5: <ARTICLE>

- The <article> element is used to represent an independent unit of content within a web page.

- A page can contain multiple <article> elements, depending on the amount of content being presented.

- Each article can be divided into several sections to improve structure and organization:
  - <header>: Article heading or introductory information.
  - <section>: Main content of the article.
  - <footer>: Closing information, such as author details, references, or publication dates.

NEW SEMANTIC ELEMENTS IN HTML5: <ASIDE>

- The <aside> element is used to define the sidebar of a web page.

- Although it can contain any type of content, it is commonly used for supplementary information related to the main content.

- Typical uses include:
  - Links to other websites
  - Social media links
  - Related articles
  - Advertisements
  - Additional resources or references

```
<aside>
 <h3>Barra lateral de navegación</h3>
 <a href="http:www.google.com"><b> Buscador de Google </b></a>
</aside>
```

NEW SEMANTIC ELEMENTS IN HTML5: <FOOTER>

- The <footer> element defines the footer section of a web page.

- It is commonly used to display:
  - Copyright information
  - Contact details
  - Website credits
  - Contact forms

- Legal notices and related information.

- A <footer> can be used for the entire website or for specific content sections, such as an <article>.

NEW SEMANTIC ELEMENTS IN HTML5: <HEADER>

- The <header> element defines the header section of a web page.
- It represents the top part of the page and usually contains branding elements that identify the website.
- In most cases, the header includes the navigation menu (<nav>).
- It may also contain logos, titles, search bars, or introductory content.

NEW SEMANTIC ELEMENTS IN HTML5: <MAIN>

- The <main> element represents the primary content of an HTML document's <body>.
- This content is directly related to the main topic or purpose of the page.
- The content inside <main> should be unique to that document and should not include content repeated across multiple pages.
- An HTML document should contain only one <main> element.
- The <main> element can include other semantic elements such as <article>, <aside>, <section>, <header>, <footer>, and <nav>.

```
<main>
  <nav>…</nav>
  <p>…</p>
</main>
```

NEW SEMANTIC ELEMENTS IN HTML5: <NAV>

- The <nav> element creates a navigation menu that links to different sections of a website.

- It typically contains the main navigation links used to move between pages or sections.

- The navigation menu is usually placed:

  - Directly below the header (<header>), or
  - On the left side of the page.

NEW SEMANTIC ELEMENTS IN HTML5: <SECTION>

- The <section> element is used to create distinct sections within a web page.
- It can be considered a semantic alternative to the generic element.
- Each section groups related content and helps organize the structure of the page.
- A <section> may contain one or more <article> elements.

NEW SEMANTIC ELEMENTS IN HTML5: <TIME>

- The <time> element is used to represent a date, a time, or both within a web page.

- It helps browsers and search engines recognize and process temporal information more accurately.

NEW FORM ELEMENT IN HTML5: TYPE="EMAIL"

- HTML5 introduces the email input type, which creates a field specifically for entering an email address.
- The browser automatically validates the format of the email address entered by the user.
- This reduces the need for additional JavaScript code to perform basic email validation.

NEW SEMANTIC ELEMENTS IN HTML5: <MARK>

- The <mark> element is used to highlight text within a document.
- Highlighted text is visually emphasized to indicate its importance or relevance in a particular context.
- By default, browsers usually display marked text with a highlighted background color

```
<main>
  <h2>Bienvenido a <mark>HTML5</mark></h2>
</main>
```

HTML5 introduced the mark element for highlighting text.

NEW SEMANTIC ELEMENTS IN HTML5: <FIGURE>

- The <figure> element represents self-contained visual content within a document.


- It is commonly used for:
  - Images
  - Illustrations
  - Diagrams
  - Code snippets
  - Charts and other visual content

- A <figure> can be moved to another part of the document, or even to an appendix, without affecting the main flow of the content.

NEW SEMANTIC ELEMENTS IN HTML5: <FIGCAPTION>

- The <figcaption> element provides a caption or title for a figure.
- It is placed inside the <figure> element and is associated with the content of that figure.
- The caption helps users understand the meaning or context of the visual content.

```
<html>
 <head>
  <title>Título de la WEB</title>
  <meta charset="UTF-8">
 </head>
 <body>
  <header>
   <h1><b>Imagen en HTML5</b></h1>
  </header>
  <section>
   <article>
    <h2>Bloque de contenido 1. Article</h2>
    <figure>
     <img src="ejemplo.png" alt="ejemplo">
     <figcaption>Ejemplo de leyenda</figcaption>
    </figure>
   </article>
  </section>
 </body>
</html>
```



NEW SEMANTIC ELEMENTS IN HTML5: <DETAILS>

- The <details> element is used to display additional information that can be shown or hidden by the user.
- It creates an interactive widget that expands and collapses content, similar to an accordion menu.
- By default, the extra information remains hidden until the user opens the element.

NEW SEMANTIC ELEMENTS IN HTML5: <SUMMARY>

- The <summary> element provides a heading or summary for a <details> element.
- It acts as the clickable title that users select to show or hide the additional content.
- Only one <summary> element should be associated with a <details> element.

<DETAILS> & <SUMMARY>

```
<html>
  <head>
        <title>Título de la WEB</title>
        <meta charset="UTF-8">
  </head>
  <body>

        <details open>
              <summary>Prueba de summary en HTML5</summary>
              <p>TEXTO QUE SE MUESTRA AL INCORPORAR UN
               ELEMENTO DETAILS EN HTML5 Y DESPLEGARLO</p>
        </details>
  </body>
</html>
```




Figura 3.15
Antes de desplegar el menú.



Figura 3.16
Después de desplegar el menú.

¿ANY QUESTION?