

Deep/Machine Learning for Spectral Unmixing

Behnood Rasti


PhD., Electrical and Computer Engineering

A 3D maze with a person standing in a path leading towards a bright light at the exit.

Objectives

- What is Unmixing? Why Unmixing?
- What is linear Unmixing? When can we use it?
- Pure pixel and Endmember Extraction
- No Pure Pixel Scenarios
- What is Spectral Variabilities?
- Difference between Supervised unmixing, Semisupervised (sparse) unmixing, and Blind Unmixing,
- Geometrical Unmixing
- Autoencoders and CNNs for Unmixing
- Hands-on and exercises. For this tutorial, we released an open-source python-based collection of unmixing approaches.




Hyperspectral Image




- **Hyperspectral cameras:** provide contiguous electromagnetic spectra ranging (often) from visible over near-infrared to shortwave infrared spectral bands (from $0.3 \mu\text{m}$ to $2.5 \mu\text{m}$).
- The spectral signature: allowing to distinguish between materials with different characteristics.

Unmixing


- Estimating the fractional abundances of the pure spectra of constituent materials (called Endmembers) within a pixel





Unmixing





Clustering/Unsupervised classification




Linear Unmixing




Nonlinear Unmixing



Linear Unmixing



Linear Unmixing



$$y = Ea + n \quad \text{s.t.} \quad \sum_{i=1}^r a_i = 1, a_i \geq 0, i = 1, \dots, r$$

Matrix form

$$Y = EA + N \quad \text{s.t.} \quad \mathbf{1}_r^T A = \mathbf{1}_n^T, A \geq 0$$



Observed data: $Y \in \mathbb{R}^{p \times n}$

Endmember: $E \in \mathbb{R}^{p \times r}$

Abundances: $A \in \mathbb{R}^{r \times n}$


Noise: $N \in \mathbb{R}^{p \times n}$

Pixel Quiz!



SPECTRAL VARIABILITY



1. Atmospheric effects
2. Illumination variations (Terrain topography, occlusion of the light)
3. The intrinsic variation of materials




R. A. Borsoi et al., "Spectral Variability in Hyperspectral Data Unmixing: A comprehensive review," in IEEE Geoscience and Remote Sensing Magazine


J. Theiler et al., "Spectral Variability of Remotely Sensed Target Materials: Causes, Models, and Strategies for Mitigation and Robust Exploitation," in IEEE Geoscience and Remote Sensing Magazine


Pure vs No pure Pixel Scenarios





Pure Pixel Scenario and Endmember Extraction





Norm

- A function which maps a vector space to the nonnegative real numbers
- p-norm of vector $\mathbf{x} \in \mathbb{R}^n$

$$\|\mathbf{x}\|_p := \left(\sum_{i=1}^n |x_i|^p \right)^{1/p}$$

• ℓ_1

$$\|\mathbf{x}\|_1 := \sum_{i=1}^n |x_i|$$


ℓ_2

$$\|\mathbf{x}\|_2 := \sqrt{x_1^2 + \cdots + x_n^2}.$$

Supervised Unmixing

Endmembers are known

- Extracted using geometrical approaches
- Selected from a Library
- Measured in LAB



- Estimating A

$$(\hat{A}) = \arg \min_A \frac{1}{2} ||Y - EA||_F^2 + \lambda \phi(A) \text{ st. } \mathbf{1}_r^T A = \mathbf{1}_n, A \geq 0$$

FCLSU: Fully Constrained Least Squares Unmixing

- Endmember extraction (Often using geometrical approaches)
- Then FCLSU

$$(\hat{\mathbf{A}}) = \arg \min_A \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 \text{ st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

- Or FCLSU + spatial regularizer ϕ (it could be TV, sparsity promoting penalty, or a combination of them)


$$(\hat{\mathbf{A}}) = \arg \min_A \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 + \lambda R(\mathbf{A}) \text{ st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

UnDIP: Hyperspectral Unmixing Using Deep Image Prior

$$(\hat{A}) = \arg \min_A \frac{1}{2} \|Y - EA\|_F^2 + \lambda R(A) \text{ st. } \mathbf{1}_r^T A = \mathbf{1}_n, A \geq 0$$



$$(\hat{\theta}) = \arg \min_{\theta} \frac{1}{2} \|Y - Ef_{\theta}(Z)\|_F^2 \text{ st. } \hat{A} = f_{\hat{\theta}}(Z)$$




No pure pixel scenarios & MV Penalties

Quadratic Penalties to promote MV


Enforce the endmembers towards the center of the data simplex (m)

$$\phi(\mathbf{E}) = \sum_{i=1}^r \|\mathbf{e}_i - \mathbf{m}\|_2^2 = \|\mathbf{E} - \mathbf{m}\mathbf{1}_r^T\|_F^2$$




Enforce the endmembers towards each other

$$\text{TV}(\mathbf{E}) = \sum_{i,j=1}^r \|\mathbf{e}_i - \mathbf{e}_j\|_2^2 = \|\mathbf{E}(\mathbf{I}_r - \frac{1}{r}\mathbf{1}_r\mathbf{1}_r^T)\|_F^2$$



Blind Unmixing



- Estimating E and A

$$(\hat{E}, \hat{A}) = \arg \min_{E, A} \frac{1}{2} \|Y - EA\|_F^2 + \lambda_1 \phi_1(E) + \lambda_2 \phi_2(A)$$
$$\text{st. } \mathbf{1}_r^T A = \mathbf{1}_n, A \geq \mathbf{0}, \mathbf{0} \leq E \leq \mathbf{1}$$

MVC-NMF: Minimum volume constrained nonnegative matrix factorization

- MVC-NMF uses the square of the volume of the simplex defined by the columns of \mathbf{E} .

$$(\hat{\mathbf{E}}, \hat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 + \lambda_1 V^2(\mathbf{E}) \quad \text{st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}, \mathbf{S} \geq \mathbf{0}$$

- Where $\mathbf{E} = [\mathbf{e}_{(i)}]$ and

$$V(\mathbf{E}) = \frac{1}{(\mathbf{r} - \mathbf{1})!} \left| \det \begin{bmatrix} 1 & \dots & 1 \\ \mathbf{e}_{(1)} & \dots & \mathbf{e}_{(\mathbf{r})} \end{bmatrix} \right|$$

- A Python implementation



<https://github.com/bm424/mvcnmf/blob/master/mvcnmf.py>

CoNMF: Collaborative nonnegative matrix factorization for remotely sensed hyperspectral unmixing

- Promoting sparsity on abundances and MV on the simplex

$$\begin{aligned} (\hat{\mathbf{E}}, \hat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} & \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 + \lambda_1 \|\mathbf{E} - \mathbf{m}\mathbf{1}_r^T\|_F^2 + \lambda_2 \sum_{i=1}^r \|\mathbf{a}_{(i)}\|_2^q \\ \text{st. } & \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}, 0 < q \leq 1 \end{aligned}$$

- Selecting the tuning parameter is challenging.

NMF-QMV: Nonnegative Matrix Factorization-Quadratic Minimum Volume

- Quadratic MV penalties and no spatial regularization

$$(\widehat{\mathbf{E}}, \widehat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{E}\mathbf{A}\|_F^2 + \lambda \|\mathbf{E}\mathbf{B} - \mathbf{O}\|_F^2 \quad \text{st. } \mathbf{A} \in \Theta_{r-1}^r \quad \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

QMV	Center	TV	Boundary
\mathbf{B}	\mathbf{I}_r	$\mathbf{I}_r - \mathbf{1}/r(\mathbf{1}_r \mathbf{1}_r^T)$	\mathbf{I}_r
\mathbf{O}	$\mathbf{m} \mathbf{1}_r^T$	\mathbf{O}	Extremes (VCA)

- Parameter selection

$$\lambda_{opt} = \arg \min_{\lambda} D(G, \widehat{\mathbf{E}}_{\lambda})$$

- $D \triangleq \frac{1}{n} \sum_{j=1}^n \text{dist}(g_j, \widehat{\mathbf{E}}_{\lambda}),$
- $G \triangleq \text{conv}\{g_1, \dots, g_n\}$

Estimating in Subspace

- The unmixing problem can be solved in a subspace

$$(\hat{\mathbf{E}}, \hat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 + \lambda_1 \|\mathbf{EB} - \mathbf{O}\|_F^2 \quad \text{st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

- Instead, we solve

$$(\hat{\mathbf{E}}, \hat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{V}^T (\mathbf{Y} - \mathbf{EA})\|_F^2 + \lambda_1 \|\mathbf{V}^T (\mathbf{EB} - \mathbf{O})\|_F^2 \quad \text{st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

- Where $\mathbf{V}^T \mathbf{V} = \mathbf{I}_r$ and can be obtained by SVD or PCA.
- Pros: Computationally efficient and more robust to noise
- Cons: Estimating negative values for \mathbf{E}

Entropic Descent Archetypal Analysis for Blind Hyperspectral Unmixing

- The blind unmixing problem

$$\begin{aligned} (\hat{\mathbf{E}}, \hat{\mathbf{A}}) &= \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 \\ \text{st. } \mathbf{1}_r^T \mathbf{A} &= \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}, \mathbf{0} \leq \mathbf{E} \leq \mathbf{1} \end{aligned}$$

- Note that columns of $\mathbf{A} = [\mathbf{a}_1, \dots, \mathbf{a}_n]$ belong to the simplex

$$\Delta_r \triangleq \{\mathbf{a} \in \mathbb{R}^r \mid \mathbf{a} \geq \mathbf{0}, \sum_{i=1}^r a_i = 1\}$$

- We can rewrite the blind unmixing problem

$$\begin{aligned} (\hat{\mathbf{E}}, \hat{\mathbf{A}}) &= \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 \quad \text{st.} \quad \mathbf{a}_{(i)} \in \Delta_r \text{ for } 1 \leq i \leq n \\ &\quad \mathbf{0} \leq \mathbf{E} \leq \mathbf{1} \end{aligned}$$

Entropic Descent Archetypal Analysis for Blind Hyperspectral Unmixing

- The archetypal analysis formulation was used to enforce the endmembers to be convex combinations of the pixels


$$(\hat{\mathbf{E}}, \hat{\mathbf{B}}) = \arg \min_{\mathbf{E}, \mathbf{B}} \frac{1}{2} \|\mathbf{Y} - \mathbf{YBA}\|_F^2 \quad \text{st.} \quad \mathbf{a}_{(i)} \in \Delta_r \text{ for } 1 \leq i \leq n \\ \mathbf{b}_{(j)} \in \Delta_n \text{ for } 1 \leq j \leq r$$

- Where $\mathbf{B} \in \mathbb{R}^{n \times r}$ and therefore the columns of $\mathbf{B} = [\mathbf{b}_1, \dots, \mathbf{b}_r]$ belong to the simplex Δ_n .
- The problem is solved using an Entropic descent algorithm (EDA).
- The solution is sensitive to the initialization of \mathbf{B} and therefore a model selection technique suggested where the coherence $\mu = \max_{i \neq j} \langle \hat{\mathbf{e}}_i, \hat{\mathbf{e}}_j \rangle$ and ℓ_1 residual $\|\mathbf{Y} - \hat{\mathbf{E}}\hat{\mathbf{A}}\|_1$ are minimized.

Blind Unmixing Using Autoencoders

- Encoder encodes an input into abundances: $\mathbf{a} = \sigma(\mathbf{W}_{de}(\mathbf{y}))$
- Decoder reconstruct the signal: $\hat{\mathbf{y}} = \sigma(\mathbf{W}_{en}(\mathbf{a}))$
- Endmembers: the weights of the decoders
- Often deep encoder, shallow decoder

$$L_{reg} = L(\mathbf{y}, \hat{\mathbf{y}}) + \lambda J(\mathbf{a}, \mathbf{W}_{de}, \mathbf{W}_{en})$$



Realization of ASC and ANC

1. Applying Nonnegative activation function such as ReLU and Normalization for ASC

$$a = \frac{a}{\sum_{i=1}^r a_i}$$

2. Or

$$a = \frac{|a|}{\sum_{i=1}^r |a_i|}$$

3. Softmax

$$\text{Softmax}(a) = \frac{e^a}{\sum_{i=1}^r e^{a_i}}$$

4. Adding a penalty term to the loss function

Common Loss Functions

- $L_{reg} = L(\mathbf{y}, \hat{\mathbf{y}}) + \lambda J(\mathbf{a}, \mathbf{W}_{de}, \mathbf{W}_{en})$

- L is often ℓ_2 norm (or MSE)

$$L_{\ell_2}(\mathbf{y}, \hat{\mathbf{y}}) = ||\mathbf{y} - \hat{\mathbf{y}}||_2^2$$

- or SAD

$$L_{SAD}(\mathbf{y}, \hat{\mathbf{y}}) = \arccos\left(\frac{\mathbf{y}^T \hat{\mathbf{y}}}{||\mathbf{y}||_2 ||\hat{\mathbf{y}}||_2}\right)$$

- The regularization term J is often a Minimum Volume Penalty

$$J = MV(E) = MV(\mathbf{W}_{de})$$

ENDNET: SPARSE AUTOENCODER NETWORK FOR ENDMEMBER EXTRACTION AND HYPERSPECTRAL UNMIXING


$$L_{\ell_2}(\mathbf{y}, \hat{\mathbf{y}}) = \frac{\lambda_0}{2} \|\mathbf{y} - \hat{\mathbf{y}}\|_2^2 - \lambda_1 D_{KL}(1.0 \| C(\mathbf{y} - \hat{\mathbf{y}})) + \lambda_2 \|\mathbf{z}\|_1 + \lambda_3 \|\mathbf{W}_{en}\|_F + \lambda_4 \|\mathbf{W}_{de}\|_F + \lambda_5 \|\boldsymbol{\rho}\|_2$$

$$C(\mathbf{y}_i, \mathbf{y}_j) = 1.0 - \frac{SAD(\mathbf{y}_i, \mathbf{y}_j)}{\pi}$$

$$BN(\mathbf{h}) = \frac{\mathbf{h} - \mu}{\sqrt{\sigma^2 + \epsilon}} + \rho$$


$$ASC(\mathbf{z}^*) = \frac{\mathbf{z}^*}{\|\mathbf{z}^*\|_1 + \epsilon}$$

\mathbf{z}^* contains the n highest activations \mathbf{z}



CNNAEU: Convolutional autoencoder for Unmixing

Loss Function: SAD




MiSiCNet: Minimum Simplex Convolutional Network for Deep Hyperspectral Unmixing

$$(\hat{\mathbf{E}}, \hat{\mathbf{A}}) = \arg \min_{\mathbf{E}, \mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{EA}\|_F^2 + \lambda_1 \|\mathbf{E} - \mathbf{m}\mathbf{1}_r^T\|_F^2 + \lambda_2 R(\mathbf{A})$$

$$\text{st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}, 0 \leq \mathbf{E} \leq 1$$

$$L(\mathbf{Y}, \hat{\mathbf{Y}}, \hat{\boldsymbol{\theta}}_2, \mathbf{m}) = \frac{1}{2} \|\mathbf{Y} - \hat{\mathbf{Y}}\|_F^2 + \lambda_1 \|\hat{\boldsymbol{\theta}}_2 - \mathbf{m}\mathbf{1}_r^T\|_F^2$$



Metrics for Quantitative Measurements

- RMSE: the root mean squared error (RMSE) in percentage between the estimated and ground truth abundance fractions

$$\text{RMSE}(\hat{\mathbf{A}}, \mathbf{A}) = 100 \times \sqrt{\frac{1}{rn} \sum_{i=1}^r \sum_{j=1}^n (\hat{\mathbf{A}}_{ij} - \mathbf{A}_{ij})^2},$$

- SAD: The mean of the spectral angle distance (SAD) in degree between the estimated and ground truth endmembers:

$$\text{SAD}(\mathbf{E}, \hat{\mathbf{E}}) = \frac{1}{r} \sum_{i=1}^r \arccos \left(\frac{\langle \mathbf{e}_{(i)}, \hat{\mathbf{e}}_{(i)} \rangle}{\|\mathbf{e}_{(i)}\|_2 \|\hat{\mathbf{e}}_{(i)}\|_2} \right) \frac{180}{\pi},$$

- SRE: Signal to reconstruction error (SRE) between the estimated and ground truth abundance fractions

$$\text{SRE}(A, \hat{A}) = 10 \log_{10} \left(\frac{\|A\|_F}{\|A - \hat{A}\|_F} \right)$$





TABLE II
RMSE (SIMULATED 1). THE BEST PERFORMANCES ARE SHOWN IN BOLD.

	FCLSU	UnDIP	uDAS	CyCUNet	Collab.	NMF-QMV	MiSiCNet
20dB	11.13±1.93	8.75±0.56	9.40±1.73	17.97±2.93	10.69±1.53	3.81±0.20	3.90±0.08
30dB	12.28±3.44	7.19±0.87	9.40±1.91	17.83±4.73	11.22±2.29	1.81±0.42	1.80±0.04
40dB	12.29±2.49	7.73±0.87	9.36±2.03	17.97±7.02	10.07±1.68	1.70±0.90	1.23±0.05
50dB	11.15±2.72	7.36±0.88	8.46±2.04	16.07±0.76	10.35±2.02	3.71±0.74	1.21±0.08

TABLE III
RMSE (SIMULATED 2). THE BEST PERFORMANCES ARE SHOWN IN BOLD.


	FCLSU	UnDIP	uDAS	CyCUNet	Collab.	NMF-QMV	MiSiCNet
20dB	12.55±1.89	12.15±1.04	11.43±2.69	19.51±5.89	12.05±0.61	4.03±0.54	3.96±0.04
30dB	21.45±2.49	10.49±0.21	12.57±5.11	15.87±2.71	13.83±1.94	3.79±2.33	2.45±0.02
40dB	21.6±4.11	10.52±0.22	10.84±4.29	14.57±1.3	14.11±1.93	7.37±1.13	2.15±0.03
50dB	22.89±2.71	10.37±0.17	10.76±4.24	15.96±2.02	14.14±1.18	6.91±1.17	2.12±0.03

Experimental Results


Experimental Results

SAD (SIMULATED 2). THE BEST PERFORMANCES ARE SHOWN IN BOLD.

	VCA	SiVM	uDAS	CyCUNet	Collab.	NMF-QMV	MiSiCNet
20dB	7.83±0.88	8.03±0.08	11.77±3.62	9.41±0.63	8.36±0.63	2.47±0.48	1.76±0.03
30dB	7.72±1.29	7.83±0.02	14.68±4.42	9.73±0.5	7.21±0.57	8.45±7.73	0.83±0.02
40dB	8.24±1.02	7.85±0.01	13.95±5.97	9.96±0.6	7.82±1.2	22.95±2.75	0.64±0.02
50dB	7.73±1.23	7.86±0.01	14.47±5.77	10.57±0.23	7.65±0.28	24.13±1.26	0.62±0.02



Experimental Results



RMSE (SAMSON DATASET). THE BEST PERFORMANCES ARE SHOWN IN BOLD.

	FCLSU	UnDIP	uDAS	CyCUNet	Collab.	NMF-QMV	MiSiCNet
Soil	17.66	17.78	17.99	24.17	15.06	52.35	2.76
Tree	6.53	13.30	13.83	13.86	6.07	39.90	2.44
Water	14.92	20.96	23.03	26.54	11.81	45.98	2.07
Overall	13.87	17.63	18.67	22.21	11.59	46.36	2.44

Sparse Unmixing (José M. Bioucas Dias)

- Only a few endmembers can reconstruct the mixed hyperspectral pixel



- Estimating A

$$(\hat{A}) = \arg \min_A \frac{1}{2} \|Y - DA\|_F^2 + \lambda_1 \sum_{i=1}^n \|a_{(i)}\|_q$$

Observed data: $Y \in \mathbb{R}^{p \times n}$

Endmember: $D \in \mathbb{R}^{p \times m}$

Abundances: $A \in \mathbb{R}^{m \times n}$

Noise: $N \in \mathbb{R}^{p \times n}$

Sparse unmixing by variable splitting and augmented Lagrangian

- SUnSAL :

$$(\hat{\mathbf{A}}) = \arg \min_{\mathbf{A}} \frac{1}{2} ||\mathbf{Y} - \mathbf{D}\mathbf{A}||_F^2 + \lambda_1 \sum_{i=1}^n ||\mathbf{a}_{(i)}||_1 \text{ st. } \mathbf{1}_r^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq \mathbf{0}$$

- SUnSAL-TV:

$$(\hat{\mathbf{A}}) = \arg \min_{\mathbf{A}} \frac{1}{2} ||\mathbf{Y} - \mathbf{D}\mathbf{A}||_F^2 + \lambda_1 \sum_{i=1}^n ||\mathbf{a}_{(i)}||_1 + \lambda_2 TV(\mathbf{A}) \text{ st. } \mathbf{A} \geq \mathbf{0}$$

- Using the nonisotropic TV

$$TV(\mathbf{A}) = ||\mathbf{R}\mathbf{A}||_1, \mathbf{R}\mathbf{A} = \begin{bmatrix} \mathbf{D}_h \mathbf{A} \\ \mathbf{D}_v \mathbf{A} \end{bmatrix}$$

J. M. Bioucas-Dias and M. A. T. Figueiredo, "Alternating direction algorithms for constrained sparse regression: Application to hyperspectral unmixing," *2010 2nd Workshop on Hyperspectral Image and Signal Processing: Evolution in Remote Sensing*, 2010, pp. 1-4, doi: 10.1109/WHISPERS.2010.5594963.

M. -D. Iordache, J. M. Bioucas-Dias and A. Plaza, "Total Variation Spatial Regularization for Sparse Hyperspectral Unmixing," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 50, no. 11, pp. 4484-4502, Nov. 2012, doi: 10.1109/TGRS.2012.2191590.

Sparse unmixing by variable splitting and augmented Lagrangian

- Collaborative sparse unmixing

$$(\hat{\mathbf{A}}) = \arg \min_{\mathbf{A}} \frac{1}{2} ||\mathbf{Y} - \mathbf{DA}||_F^2 + \lambda_1 \sum_{j=1}^m ||\mathbf{a}_j||_2 \text{ st., } \mathbf{A} \geq \mathbf{0}$$

M. -D. Iordache, J. M. Bioucas-Dias and A. Plaza, "Collaborative Sparse Regression for Hyperspectral Unmixing," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 52, no. 1, pp. 341-354, Jan. 2014, doi: 10.1109/TGRS.2013.2240001.

L. Drumetz, T. R. Meyer, J. Chanussot, A. L. Bertozzi and C. Jutten, "Hyperspectral Image Unmixing With Endmember Bundles and Group Sparsity Inducing Mixed Norms," in *IEEE Transactions on Image Processing*, vol. 28, no. 7, pp. 3435-3450, July 2019, doi: 10.1109/TIP.2019.2897254.

SUnCNN: Sparse Unmixing Using Unsupervised Convolutional Neural Network

$$(\hat{\mathbf{A}}) = \arg \min_{\mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{DA}\|_F^2 + \lambda_1 \sum_{i=1}^n \|\mathbf{A}_{(i)}\|_q \text{ st. } \mathbf{1}_m^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq 0$$


Image Prior

$$(\hat{\mathbf{A}}) = \arg \min_{\mathbf{A}} \frac{1}{2} \|\mathbf{Y} - \mathbf{DA}\|_F^2 + \lambda_1 R(\mathbf{A}) \text{ st. } \mathbf{1}_m^T \mathbf{A} = \mathbf{1}_n, \mathbf{A} \geq 0$$

Deep Image Prior

$$(\hat{\boldsymbol{\theta}}) = \arg \min_{\boldsymbol{\theta}} \frac{1}{2} \|\mathbf{Y} - \mathbf{D}f_{\boldsymbol{\theta}}(\mathbf{Z})\|_F^2 \text{ st. } \hat{\mathbf{A}} = f_{\boldsymbol{\theta}}(\mathbf{Z})$$


Holding the ANC and ASC Using a final softmax layer



Experimental Results

Signal to reconstruction error (SRE)

SNR	SUnSAL	SUnSAL-TV	S ² WSU	MUA _{BPT}	MUA _{SLIC}	SUnCNN
20 dB	2.27	4.71	3.85	6.70	5.67	5.71
30 dB	4.46	7.22	7.74	9.13	7.87	10.25
40 dB	6.89	11.05	14.12	10.72	11.17	15.20



Further Study

- Estimation of number of endmembers (Subspace Identification)

J. M. Bioucas-Dias and J. M. P. Nascimento, "Hyperspectral Subspace Identification," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 46, no. 8, pp. 2435-2445, Aug. 2008, doi: 10.1109/TGRS.2008.918089.

B. Rasti, M. O. Ulfarsson and J. R. Sveinsson, "Hyperspectral Subspace Identification Using SURE," in *IEEE Geoscience and Remote Sensing Letters*, vol. 12, no. 12, pp. 2481-2485, Dec. 2015, doi: 10.1109/LGRS.2015.2485999.

Chein-I Chang and Qian Du, "Estimation of number of spectrally distinct signal sources in hyperspectral imagery," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 42, no. 3, pp. 608-619, March 2004, doi: 10.1109/TGRS.2003.819189.

A. Ambikapathi, T. -H. Chan, C. -Y. Chi and K. Keizer, "Hyperspectral Data Geometry-Based Estimation of Number of Endmembers Using p-Norm-Based Pure Pixel Identification Algorithm," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 51, no. 5, pp. 2753-2769, May 2013, doi: 10.1109/TGRS.2012.2213261.

- Spectral Variability, endmember variabilities

R. A. Borsoi et al., "Spectral Variability in Hyperspectral Data Unmixing: A comprehensive review," in *IEEE Geoscience and Remote Sensing Magazine*

J. Theiler et al., "Spectral Variability of Remotely Sensed Target Materials: Causes, Models, and Strategies for Mitigation and Robust Exploitation," in *IEEE Geoscience and Remote Sensing Magazine*

- Nonlinear Unmixing

R. Heylen, M. Parente and P. Gader, "A Review of Nonlinear Hyperspectral Unmixing Methods," in *IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing*, vol. 7, no. 6, pp. 1844-1868, June 2014, doi: 10.1109/JSTARS.2014.2320576.

B. Rasti, B. Koirala and P. Scheunders, "HapkeCNN: Blind Nonlinear Unmixing for Intimate Mixtures Using Hapke Model and Convolutional Neural Network," in *IEEE Transactions on Geoscience and Remote Sensing*, vol. 60, pp. 1-15, 2022, Art no. 5536315, doi: 10.1109/TGRS.2022.3202490.

Make sure you are ready to come all the way with us

- Check out the GitHub page
https://github.com/BehnoodRasti/Unmixing_Tutorial_IEEE_IADF
- If you don't have a GPU, then Make sure that you signed up for a google account so you can work with google colab.
- If you have a GPU of your own, then follow the instruction on the GitHub page and install the dependencies.
- Prerequisite: Basic concepts of deep/machine learning such as gradient descent, convolution, and autoencoder.

Rules of the Game

- Here is the link to the GitHub repository for the IEEE IADF Summer School [https://github.com/BehnoodRasti/Unmixing Tutorial IEEE IADF](https://github.com/BehnoodRasti/Unmixing_Tutorial_IEEE_IADF)
- Those who are experienced in programming should go ahead and do all the exercises.
- Those who are not experienced python programmers should use the colab button on the top of each method. Before running, make sure that you change the runtime and select GPU for your runtime. When switching between the notebooks, make sure you disconnect and delete runtime.
- **Only for those who want to run the codes on their GPU:** Read the instruction of the Readme file of the GitHub repository and follow the steps to install the requirements.
- We help everyone to run the codes and get the results, even those who don't know python and don't have GPU.
- Answering all the questions takes time, be patient and try to solve the problem yourself while we get to you. We try to answer in the chat for future reference.
- Please check the already asked question before writing your query. We might have already answered your question there.
- Upload the questions in chat, and we go one by one in order.

Exercises for Blind and Supervised Unmixing

1. Run the supervised and blind unmixing approaches from the package and fill out the tables below.

aRMSE	FCLSU	UnDIP	EDAA	EndNet	CNNAE	MiSiCNet
Road						
Tree						
Roof						
Water						
Overall						

SAD	FCLSU	UnDIP	EDAA	EndNet	CNNAE	MiSiCNet
Road						
Tree						
Roof						
Water						
Overall						

Exercises for Blind and Supervised Unmixing

2. Change the Endmember initialization for FCLSU and compare the results

FCLSU	True Endmember	Random Pixel	VCA
aRMSE			
SAD			

3. Change LR for the MiSiCNet approach and fill out the table below.

MiSiCNet	LR=0.01	LR=0.001	LR=0.0001
aRMSE			
SAD			

4. Change lambMV for the MiSiCNet approach and fill out the table below.

MiSiCNet	lambMV=1	lambMV=10	lambMV=100
aRMSE			
SAD			

Exercises for Blind and Supervised Unmixing

4. Change nf for the MiSiCNet approach and fill out the table below.

MiSiCNet	nf=64	nf=128	nf=256
aRMSE			
SAD			

5. Change num_iter1 for the MiSiCNet approach and fill out the table below.

MiSiCNet	num_iter1 =4000	num_iter1 =6000	num_iter1 =8000
aRMSE			
SAD			

6. Apply the unmixing approach to the other datasets such as Samson and Jasper.

Exercises for Sparse Unmixing

1. Run the SUnCNN.ipynb from the package and fill out the table below. This corresponds to the SNR=20dB.
2. Change the setup (as explained in the code) for DC2 and repeat exercise 1.
3. If you want to run the code for all the SNRs, then set the variable “tol1=npar.shape[1]” to fill out the rest of the table below. You should do that for DC1 and DC2 separately. This will take time.
4. Change the network hyperparameters such as the number of filters, the size of filters, and the number of iterations and see if you can fine-tune the network to get better results.
5. Set the PLOT flag to True and see how abundances change over the iterations compared to the GT abundances. This is a color image of three abundances. Plot all abundances and compare them with GT. Change the SNRs and compare the results for 40dB.
6. Comment out `plt.plot(out_LR_np.reshape(LibS,nr1*nc1))` to see the value of the abundance changes over the iterations. What do you observe and what is the reason for that?

Note that for reproducing the results in the manuscript, you should run the code 10 times and compute the mean. You can do that by setting tol2=10. This takes time.

SRE	SNR=20dB	SNR=30dB	SNR=40dB
DC1	?		
DC2	?		

Unterstützt von / Supported by



Alexander von Humboldt
Stiftung/Foundation



Appreciation

- Alexandre Zouaoui
- Dr. Bikram Koirala
- Prof. Paul Scheunders
- Prof. Julien Mairal
- Prof. Jocelyn Chanussot

