

File Manager API Documentation response screenshots.

Base URL

{{URL}}

Authentication

All APIs require an Authorization token.

Header

Authorization: Bearer <TOKEN>

Content-Type: application/json

Available Tokens

Token	Description
{{TOKEN}}	Client/Admin Access
{{CP_TOKEN}}	Creative Partner (CP) Access

Workflow Summary

Client

|

└─ Upload files in Pre-Production

|

▼

CP

└─ Upload Raw Footage in Post-Production

|

▼

Client

└─ Select files for edits

|

└─ Selected For Edits (Email to CP & Admin)

▼

CP

└─ Create Version1

└─ Upload edited files

|

└─ Email to Client & Admin

▼

Client Review

|


|─ Approve

|

▼


| Final Deliverables


|



Project Folder Structure

Project Root





1. Get All Project Workspaces

Returns all available project workspaces.

Endpoint

GET /external-file-manager/workspaces


Headers

Authorization: {{CP_TOKEN}}


Example

GET {{URL}}external-file-manager/workspaces


CP App Res:




CP Web Res:



User App Res:



User Web Res:



2. Get Workspace By External ID

Returns details of a specific project workspace.

Endpoint

GET /external-file-manager/workspace/{externalId}


Path Parameters

Parameter	Type	Required	Description
externalId	String	Yes	Booking external ID


Example

GET {{URL}}external-file-manager/workspace/1269

User App Res:



User Web Res:




3. Open Folder Contents

Returns files and folders inside a project directory.


Endpoint

GET `/external-file-manager/workspace/{externalId}/files`

App Res:



Web Res:



Query Parameters

Parameter	Type	Required	Description
-----------	------	----------	-------------

phase	String	Yes	pre or post
-------	--------	-----	-------------

path	String	No	Folder path
------	--------	----	-------------

Open Pre-Production

GET {{URL}}external-file-manager/workspace/1273/files?phase=pre

Open Post-Production

GET {{URL}}external-file-manager/workspace/1273/files?phase=post

Open Edits Folder

GET {{URL}}external-file-manager/workspace/1273/files?phase=post&path=Edits

Open Revisions Folder

GET {{URL}}external-file-manager/workspace/1273/files?phase=post&path=Edits/Revisions

Open Selected For Edits

GET {{URL}}external-file-manager/workspace/1273/files?phase=post&path=Edits/Selected for Edits

Open Raw Footage

GET {{URL}}external-file-manager/workspace/1273/files?phase=post&path=Raw Footage

Open Final Deliverables

GET {{URL}}external-file-manager/workspace/1273/files?phase=post&path=Final Deliverables

4. Download Folder

Generates a downloadable URL for an entire folder.

Endpoint

POST /external-file-manager/folder-download-url


Download Project Root

Request


```
{  
  
  "externalId": "1273"
```

}

App Res:



Web Res:



Download Pre-Production

Request

```
{  
  "externalId": "1273",  
  "phase": "pre"  
}
```

Download Post-Production

Request

```
{  
  "externalId": "1273",  
  "phase": "post"  
}
```

Download Specific Folder

Request

```
{  
  "externalId": "1273",  
  "phase": "post",  
  "path": "Edits"  
}
```


5. Create Folder

Creates a new folder inside Pre-Production or Post-Production.


Endpoint

POST /external-file-manager/folder

App Res:



Web Res:



Request Body

Field	Type	Required	Description
bookingId	Number	Yes	Booking ID
phase	String	Yes	pre or post
path	String	No	Parent folder
folderName	String	Yes	Folder name

Create Root Folder

{

```
"bookingId": 934,  
"phase": "post",  
"path": "",  
"folderName": "David"  
}
```

Create Nested Folder

```
{  
  "bookingId": 934,  
  "phase": "post",  
  "path": "David",  
  "folderName": "New"  
}
```

6. Upload Files

Generates upload policies for files.

Endpoint

POST /external-file-manager/upload-policies/batch

Request Body

```
{  
  "items": [  

```

```
{
  "filepath": "corporate_neha_#1273/Post-Production/Raw Footage/5.jpeg",
  "fileContentType": "image/jpeg",
  "fileSize": 271606
}
]
```

Fields

Field	Description
filepath	Complete destination path
fileContentType	MIME type
fileSize	File size in bytes

7. Mark Files Uploaded

Endpoint

POST /external-file-manager/files-uploaded/batch

Request

```
{
  "items": [
```

```
{
  "filepath": "social_content_neha_#1004/Post-Production/Raw Footage/4.jpeg",
  "fileContentType": "image/jpeg",
  "fileSize": 271606,
  "fileName": "4.jpeg"
}
]
```

8. View File

Returns a signed URL for viewing a file.


Endpoint

POST /external-file-manager/file-view-url


Request

```
{
  "filepath": "corporate_neha_#1273/Post-Production/Edits/Revisions/Version1/5.jpeg"
}
```

App Res:



Web Res:



9. Download File

Returns a signed download URL.


Endpoint

POST /external-file-manager/file-download-url


Request

```
{  
  
  "filepath": "corporate_neha_#1273/Post-Production/Final Deliverables/5.jpeg"  
  
}
```

App Res:



Web Res:



10. Delete File or Folder

Deletes a file or folder.


Endpoint

POST /external-file-manager/delete


Request

```
{  
  
  "filepath": "corporate_neha_#1273/Post-Production/Final Deliverables/5.jpeg"  
  
}
```

App Res:



Web Res:



Delete Folder Example

```
{
```

```
"filepath": "Event - testing/"
}
```

11. Send Files For Edits

Moves files into the Selected for Edits folder.


Endpoint

POST /external-file-manager/copy-files


Request

```
{
  "externalId": "1273",
  "phase": "post",
  "targetPath": "Edits/Selected for Edits",
  "sourcePaths": [
    "corporate_neha_#1273/Post-Production/Raw Footage/5.jpeg"
  ]
}
```

App Response:



Web Response:



Notifications

Email sent to Admin

Email sent to Creative Partner

12. Revision Workflow


Create Version Folder

POST /external-file-manager/folder


Request

```
{  
  
  "externalId": "1273",  
  
  "folderName": "Version1",  
  
  "phase": "post",  
  
  "path": "Edits/Revisions"  
}
```

Web Res:



App Res:



Upload Revision Files

POST `/external-file-manager/upload-policies/batch`

Request Revision

POST `/external-file-manager/revision-file/review`

Request

```
{  
  
  "externalId": "1273",  
  
  "filepath": "corporate_neha_#1273/Post-Production/Edits/Revisions/Version1/5.jpeg",  
  
  "action": "request_revision"
```

}

App Response:

The screenshot shows a REST client interface with a POST request to `https://mobile.beige.app/api/external-file-manager/revision-file/review`. The request body is a JSON object with the following structure:

```
1 {
2   "externalId": "4833",
3   "filepath": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/5.jpeg",
4   "action": "request_revision"
5 }
6
```

The response is a 200 OK status, received in 1.22 s with a body size of 572 B. The response body is a JSON object:

```
1 {
2   "success": true,
3   "data": {
4     "action": "request_revision",
5     "versionNumber": 1,
6     "nextVersionNumber": 2,
7     "nextVersionPath": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version2"
8   }
9 }
```

Web Response:

The screenshot shows a REST client interface with a POST request to `https://api.dev.beige.app/v1/external-file-manager/revision-file/review`. The request body is a JSON object with the following structure:

```
1 {
2   "externalId": "4833",
3   "filepath": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/You're+Not+Alone.webp",
4   "action": "request_revision"
5 }
6
```


The response is a 200 OK status, received in 980 ms with a body size of 474 B. The response body is a JSON object:

```
1 {
2   "success": true,
3   "data": {
4     "action": "request_revision",
5     "versionNumber": 1,
6     "nextVersionNumber": 2,
7     "nextVersionPath": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version2"
8   }
9 }
```

Approve Revision

```
{  
  
  "externalId": "1273",  
  
  "filepath": "corporate_neha_#1273/Post-Production/Edits/Revisions/Version1/5.jpeg",  
  
  "action": "approve"  
}
```

App Response:



Web Response:

POSThttps://api.dev.beige.app/v1/external-file-manager/revision-file/reviewSend

DocsParamsAuthorizationHeadersBodyScriptsSettingsCookies

noneform-datax-www-form-urlencodedrawbinaryGraphQLJSON

SchemaBeautify

```
1 {
2   "externalId": "4833",
3   "filepath": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/Stillness+Speaks.webp",
4   "action": "approve"
5 }
6
```

BodyCookiesHeadersTest Results200 OK1.22 s532 B

JSONPreviewVisualize

```
1 {
2   "success": true,
3   "data": {
4     "action": "approve",
5     "versionNumber": 1,
6     "finalDeliverable": {
7       "id": "6a424ffd253c42d7a139b7c8",
8       "path": "corporate_harsh_#4833/Post-Production/Final_Deliverables/Stillness+Speaks.webp",
9       "name": "Stillness+Speaks.webp"
10    }
11  }
12 }
```

Allowed Actions

Value	Description
approve	Approve file
request_revision	Request changes

13. Comments API

Add Comment


Endpoint

POST /comments


Request

```
{  
  
  "fileMetaId": "corporate_neha_#1273/Post-Production/Edits/Revisions/Version2/5.jpeg",  
  
  "user_id": "281",  
  
  "comment": "Ok",  
  
  "timestamp": null  
}
```

User Web Res:



Cp App Res:



Get Comments

Endpoint

GET /comments?metaId=<fileMetaId>

App User Res:

```
GET https://mobile.beige.app/api/comments?metald=corporate_harsh_%234833%2FPost-Production%2FEdits%2FRevisions%2FVersion1%2F5.jpeg Send
Docs Params Authorization Headers 7 Body Scripts Settings Cookies
Body Cookies Headers 11 Test Results
JSON Preview Visualize
2 {
3   "fileMetaId": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/5.jpeg",
4   "userId": {
5     "id": "626",
6     "name": "test c2",
7     "email": "aivideoverse40@gmail.com",
8     "role": "Creative",
9     "user_type": 2,
10    "profile_picture": null
11  },
12  "comment": "Okay",
13  "timestamp": null,
14  "frameioCommentId": null,
15  "frameioSyncedAt": null,
16  "parentId": null,
17  "reactions": [],
18  "createdAt": "2026-06-29T11:33:07.030Z",
19  "updatedAt": "2026-06-29T11:33:07.030Z",
20  "id": "6a4257f3f5594aec67ad6cff",
21  "replies": []
22 },
23 {
24   "fileMetaId": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/5.jpeg",
25   "userId": {
26     "id": "514",
27     "name": "harsh",
28     "email": "harsh.patel@revurage.com",
29     "role": "Client",
30     "user_type": 3,
31     "profile_picture": null
32   },
33   "comment": "Need To Improve Quality",
34   "timestamp": null,
35   "frameioCommentId": null,
36   "frameioSyncedAt": null,
```

Web User Res:

```
GET https://api.dev.beige.app/v1/comments?metald=corporate_harsh_%234833%2FPost-Production%2FEdits%2FRevisions%2FVersion1%2F5.jpeg Send
Docs Params Authorization Headers 7 Body Scripts Settings Cookies
Body Cookies Headers 9 Test Results
JSON Preview Visualize
1 [
2   {
3     "fileMetaId": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/5.jpeg",
4     "userId": {
5       "id": "626",
6       "name": "test c2",
7       "email": "aivideoverse40@gmail.com",
8       "role": "Creative",
9       "user_type": 2,
10      "profile_picture": null
11    },
12    "comment": "Okay",
13    "timestamp": null,
14    "frameioCommentId": null,
15    "frameioSyncedAt": null,
16    "parentId": null,
17    "reactions": [],
18    "createdAt": "2026-06-29T11:33:07.030Z",
19    "updatedAt": "2026-06-29T11:33:07.030Z",
20    "id": "6a4257f3f5594aec67ad6cff",
21    "replies": []
22  },
23  {
24    "fileMetaId": "corporate_harsh_#4833/Post-Production/Edits/Revisions/Version1/5.jpeg",
25    "userId": {
26      "id": "514",
27      "name": "harsh",
28      "email": "harsh.patel@revurage.com",
29      "role": "Client",
30      "user_type": 3,
31      "profile_picture": null
32    },
33    "comment": "Need To Improve Quality",
34    "timestamp": null,
35    "frameioCommentId": null,
```

Reply To Comment


Endpoint

POST /comments/{commentId}/reply


Request

```
{  
  
  "user_id": "281",  
  
  "comment": "Done"  
}
```

Web User Res:



App CP Res:



Delete Comment

Endpoint

DELETE /comments/{commentId}

Request

```
{
  "user_id": "247"
}
```

14. Folder Sharing

Allows CP users to share folders externally using OTP verification.

Create Share

1. Create Share — Anyone With Link

Endpoint

POST /external-file-manager/share

Request

```
{  
  "resourceType": "workspace",  
  "externalId": "5406",  
  "accessMode": "anyone_with_link",  
  "permission": "view_download",  
  "message": ""  
}
```

Response

```
{  
  "success": true,  
  "data": {  
    "shareToken": "shr_96dea349529a67f08ae6f4b5cace18dca7a2ee4c92632a75",  
    "shareUrl":  
    "https://dev.beige.app/shared/file-manager/shr_96dea349529a67f08ae6f4b5cace18dca7a2ee4c92632a75",  
    "message": null,  
    "permission": "view_download"  
  }  
}
```

```
}
```

2. Remove Anyone With Link

Endpoint

DELETE /external-file-manager/share

Request

```
{  
  "shareId": 110  
}
```

Response

```
{  
  "success": true,  
  "message": "Share revoked successfully"  
}
```

3. Create Share — Email With Download Permission

Endpoint

POST /external-file-manager/share

Request

```
{
```

```
"resourceType": "workspace",
"externalId": "5406",
"email": "bhumi29882@gmail.com",
"accessMode": "email_only",
"permission": "view_download",
"message": ""
}
```

Response

```
{
  "success": true,
  "data": {
    "shareToken": "shr_96dea349529a67f08ae6f4b5cace18dca7a2ee4c92632a75",
    "shareUrl":
    "https://dev.beige.app/shared/file-manager/shr_96dea349529a67f08ae6f4b5cace18dca7a2e
    e4c92632a75",
    "message": null,
    "permission": "view_download"
  }
}
```

4. Create Share — Email With Upload & Download Permission

Endpoint

POST /external-file-manager/share

Request

```
{
```

```
"resourceType": "workspace",
"externalId": "5406",
"email": "harsh@revurge.com",
"accessMode": "email_only",
"permission": "upload_download",
"message": ""
}
```

Response

```
{
  "success": true,
  "data": {
    "shareToken": "shr_9091a09f1a2687f1e4d9909b8ec991be9a13dd65c0c06875",
    "shareUrl":
"https://dev.beige.app/shared/file-manager/shr_9091a09f1a2687f1e4d9909b8ec991be9a13dd65c0c06875",
    "message": null,
    "permission": "upload_download"
  }
}
```

Get Share Information

GET /external-file-manager/share

Example: GET

/external-file-manager/share?resourceType=folder&externalId=4833&phase=pre

Get Access Logs

GET /external-file-manager/share/access-logs

Example:

/external-file-manager/share/access-logs?resourceType=folder&externalId=4833&phase=pre

Revoke Share

DELETE /external-file-manager/share

Request

```
{  
  "shareId": 4  
}
```

15. Request Share OTP

Endpoint

POST /external-file-manager/share/request-otp

Request

```
{  
  "shareToken": "shr_xxxxxxxx",  
}
```

```
"email": "user@example.com"
}
```

16. Verify Share OTP

Endpoint

POST /external-file-manager/share/verify-otp

Request

```
{
  "shareToken": "shr_XXXXXXXX",
  "otp": "653431",
  "email": "user@example.com"
}
```

Response

Returns a JWT token for accessing shared content.

17. View Shared Content

Endpoint

GET /external-file-manager/share/{shareToken}/content

Headers

Authorization: Bearer <JWT_TOKEN>

Optional Query Parameters

Parameter	Description
-----------	-------------

phase	Folder phase
-------	-----------------

path	Folder path
------	-------------

18. View Shared File

Endpoint

GET /external-file-manager/share/{shareToken}/view-url

Query Parameters

Parameter	Description
-----------	-------------

filepath	File path
----------	-----------

phase	Folder phase
-------	-----------------

19. Download Shared File

Endpoint

GET /external-file-manager/share/{shareToken}/download-url

Query Parameters

Parameter	Description
-----------	-------------

filepath	File path
----------	-----------

phase	Folder phase
-------	-----------------

20. Common Events

Create Common Event (Admin Only)

Endpoint

POST /external-file-manager/common-events

Request


```
{  
  "eventName": "testing",  
  "visibleUntil": "2026-06-30"  
}
```

Get Common Events


Endpoint

GET /external-file-manager/common-events

Web CP Res:



App CP Res:



Update Common Event Visibility (Admin Only)

Endpoint

PATCH /external-file-manager/common-events/{{eventExternalId}}

```
{  
  
  "visibleUntil": "2026-07-15"  
  
}
```

Create Creator Folder Inside Common Event


Endpoint

POST /external-file-manager/common-events/{{eventExternalId}}/creator-folder

```
{  
  
  "folderName": "Event Test",  
  
}
```

```
"path": ""  
}
```

App CP Res:



Web CP Res:

POST

https://api.dev.beige.app/v1/external-file-manager/common-events/event_test_123_1781240829711/creator-folder

Send

Docs Params Authorization Headers Body Scripts Settings

Auth Type

Bearer Token

Token

rzZXFc8L7f3EIM2KKVcx4YllIKXhaeG1ok

The authorization header will be automatically generated when you send the request. Learn more about [Bearer Token](#) authorization.

Body Cookies Headers Test Results

200 OK · 913 ms · 568 B

{ } JSON Preview Visualize

```
1  {
2    "success": true,
3    "message": "Creative partner folder created",
4    "data": {
5      "externalId": "event_test_123_1781240829711",
6      "phase": null,
7      "path": null,
8      "folderName": "test 1",
9      "folder": {
10       "id": "6a4268f9f5594aec67adf680",
11       "path": "Event - test 123/test 1/",
12       "name": "test 1",
13       "isFolder": true
14     }
15   }
16 }
```

Globals Vault Tools
