# PairProgamming_Queries

April 11, 2025

## 1 Introduction to SQL Queries

## 2 Pair Programming Exercise for DSE5002

Beija Richardson 4/11/2025

We will connect to the chinook database and work through some queries

These are queries made to a single table, we will see later how to join tables together and create subqueries

The commands used in queries are:

SELECT –specify the variables or columns required

FROM–specify the table to obtain data from

LIMIT– restrict the number of lines returned to a desired total N

WHERE– this is a filtering function carried out on row elements, we can use AND, OR and NOT within the Where

ORDER BY– This is a sorting function, it can sortascending or descending, and we can sort on multiple variables

GROUP BY–this is a grouping function

HAVING–Having is a filtering operation on group members

MAX(), MIN(), AVG(), SUM(), COUNT() are aggregating functions used with GROUP BY,

## 3 Source material

"Learning SQL", Beaulieu, O'Reilly 2005

https://www.sqlitetutorial.net/ - explains queries using the chinook database, albeit in the SQLite database system. The SELECT system used for queries is pretty standard for most SQL databases, the other aspects and commands seem to be a bit more variable from one server program to another.

That said, there are minor differences in variable names between the chinook database in postgres and the tutorial for SQlite, watch for underscores and pluralization (track vs tracks, etc). I have fixed all the examples shown here.

## 4 Connect to the Chinook Database

and figure out what we have in it

Set up the required libraries

[18]:
```
#import psycopg2
import sqlalchemy

# we will want Pandas for the data frame structure

import pandas as pd
```

[22]:
```
# Alter this to reflect your username and password,   this is for postgres on␣
 ↪the same machine
!pip install psycopg2-binary
engine=sqlalchemy.create_engine('postgresql://postgres:Yuki001!@localhost:5432/
 ↪chinook')
```

```
Collecting psycopg2-binary
  Downloading psycopg2_binary-2.9.10-cp312-cp312-win_amd64.whl.metadata (5.0 kB)
Downloading psycopg2_binary-2.9.10-cp312-cp312-win_amd64.whl (1.2 MB)
   ---------------------------------------- 0.0/1.2 MB ? eta -:--:--
   ------------------------------------ --- 1.0/1.2 MB 5.6 MB/s eta 0:00:01
   ---------------------------------------- 1.2/1.2 MB 5.2 MB/s eta 0:00:00
Installing collected packages: psycopg2-binary
Successfully installed psycopg2-binary-2.9.10
```

## 5 what tables do we have

We can use a SELECT command to look for the table_name values in a built-in database called information_schema, in a table called tables.
This is a database and table that are built into postgres to hold information. It holds a lot of info, but our table names are all in the first 15 lines

[25]:
```
pd.read_sql_query("SELECT table_name  FROM information_schema.tables LIMIT␣
 ↪15",engine)
```

[25]:

| | table_name |
|---|---|
| 0 | artist |
| 1 | album |
| 2 | employee |
| 3 | customer |
| 4 | invoice |
| 5 | invoice_line |
| 6 | track |
| 7 | pg_statistic |
| 8 | pg_type |

```
9         media_type
10  pg_foreign_table
11         pg_authid
12         pg_shadow
13          playlist
14    playlist_track
```

[27]:
```
# Looking at the customer table, but only first 5 rows

pd.read_sql_query("SELECT * FROM customer LIMIT 5",engine)
```

[27]:
```
   customer_id first_name    last_name  \
0            1       Luís    Gonçalves
1            2     Leonie       Köhler
2            3   François     Tremblay
3            4      Bjørn       Hansen
4            5  František  Wichterlová

                                        company  \
0  Embraer - Empresa Brasileira de Aeronáutica S.A.
1                                              None
2                                              None
3                                              None
4                                 JetBrains s.r.o.

                          address                 city state         country  \
0  Av. Brigadeiro Faria Lima, 2170  São José dos Campos    SP          Brazil
1          Theodor-Heuss-Straße 34            Stuttgart  None         Germany
2                1498 rue Bélanger             Montréal    QC          Canada
3                Ullevålsveien 14                 Oslo  None          Norway
4                   Klanova 9/506               Prague  None  Czech Republic

  postal_code               phone                 fax  \
0   12227-000  +55 (12) 3923-5555  +55 (12) 3923-5566
1       70174    +49 0711 2842222                None
2     H2G 1A7   +1 (514) 721-4711                None
3        0171     +47 22 44 22 22                None
4       14700    +420 2 4172 5555    +420 2 4172 5555

                     email  support_rep_id
0      luisg@embraer.com.br               3
1     leonekohler@surfeu.de               5
2       ftremblay@gmail.com               3
3     bjorn.hansen@yahoo.no               4
4  frantisekw@jetbrains.com               4
```

[29]:
```
#restrict this to only customer_id, first and last names


pd.read_sql_query("SELECT customer_id, first_name, last_name FROM customer␣
 ↪LIMIT 8",engine)
```

[29]:

| | customer_id | first_name | last_name |
|---|---|---|---|
| 0 | 1 | Luís | Gonçalves |
| 1 | 2 | Leonie | Köhler |
| 2 | 3 | François | Tremblay |
| 3 | 4 | Bjørn | Hansen |
| 4 | 5 | František | Wichterlová |
| 5 | 6 | Helena | Holý |
| 6 | 7 | Astrid | Gruber |
| 7 | 8 | Daan | Peeters |

## 6 *QUESTION/ACTION*

Figure out what the table "invoices" looks like, display the first 5 lines of it so you can see the content

[43]:
```
pd.read_sql_query("""SELECT customer.customer_id, customer.first_name, customer.
 ↪last_name, invoice.invoice_id, invoice.total
                   FROM customer
                   JOIN invoice ON customer.customer_id = invoice.customer_id
                   LIMIT 5""",engine)
```

[43]:

| | customer_id | first_name | last_name | invoice_id | total |
|---|---|---|---|---|---|
| 0 | 2 | Leonie | Köhler | 1 | 1.98 |
| 1 | 4 | Bjørn | Hansen | 2 | 3.96 |
| 2 | 8 | Daan | Peeters | 3 | 5.94 |
| 3 | 14 | Mark | Philips | 4 | 8.91 |
| 4 | 23 | John | Gordon | 5 | 13.86 |

## 7 *Question/Action*

Show the variables customer_id, billing_country and total for the first 12 lines of invoice

[46]:
```
pd.read_sql_query("""SELECT customer.customer_id, customer.first_name, customer.
 ↪last_name, invoice.billing_country
                   FROM customer
                   JOIN invoice ON customer.customer_id = invoice.customer_id
                   LIMIT 12""",engine)
```

[46]:

| | customer_id | first_name | last_name | billing_country |
|---|---|---|---|---|
| 0 | 2 | Leonie | Köhler | Germany |
| 1 | 4 | Bjørn | Hansen | Norway |

| | | | | |
|---|---|---|---|---|
| 2 | 8 | Daan | Peeters | Belgium |
| 3 | 14 | Mark | Philips | Canada |
| 4 | 23 | John | Gordon | USA |
| 5 | 37 | Fynn | Zimmermann | Germany |
| 6 | 38 | Niklas | Schröder | Germany |
| 7 | 40 | Dominique | Lefebvre | France |
| 8 | 42 | Wyatt | Girard | France |
| 9 | 46 | Hugh | O'Reilly | Ireland |
| 10 | 52 | Emma | Jones | United Kingdom |
| 11 | 2 | Leonie | Köhler | Germany |

## 8 Ordering or Sorting Results

[49]:
```
pd.read_sql_query("SELECT * FROM track ORDER BY Milliseconds LIMIT 12",engine)
```

[49]:

| | track_id | name | album_id | media_type_id | genre_id | composer | milliseconds | bytes | unit_price |
|---|---|---|---|---|---|---|---|---|---|
| 0 | 2461 | É Uma Partida De Futebol | 200 | 1 | 1 | Samuel Rosa | 1071 | 38747 | 0.99 |
| 1 | 168 | Now Sports | 18 | 1 | 4 | None | 4884 | 161266 | 0.99 |
| 2 | 170 | A Statistic | 18 | 1 | 4 | None | 6373 | 211997 | 0.99 |
| 3 | 178 | Oprah | 18 | 1 | 4 | None | 6635 | 224313 | 0.99 |
| 4 | 3304 | Commercial 1 | 258 | 1 | 17 | L. Muggerud | 7941 | 319888 | 0.99 |
| 5 | 172 | The Real Problem | 18 | 1 | 4 | None | 11650 | 387360 | 0.99 |
| 6 | 3310 | Commercial 2 | 258 | 1 | 17 | L. Muggerud | 21211 | 850698 | 0.99 |
| 7 | 2241 | Bossa | 184 | 1 | 17 | None | 29048 | 967098 | 0.99 |
| 8 | 1086 | Casinha Feliz | 85 | 1 | 10 | Gilberto Gil | 32287 | 1039615 | 0.99 |
| 9 | 246 | Mateus Enter | 24 | 1 | 7 | Chico Science | 33149 | 1103013 | 0.99 |
| 10 | 975 | Deixa Entrar | 78 | 1 | 7 | None | 33619 | 1095012 | 0.99 |
| 11 | 2797 | Homem Primata (Vinheta) | 224 | 1 | 4 | Titãs | 34168 | 1124909 | 0.99 |

[51]:
```
# reversed order sort

# add DESC to sort descending, ASC to sort ascending
```

```
pd.read_sql_query("SELECT * FROM track ORDER BY Milliseconds DESC LIMIT␣
↪12",engine)
```

[51]:

| | track_id | name | album_id | media_type_id | genre_id | composer | milliseconds | bytes | unit_price |
|---|---|---|---|---|---|---|---|---|---|
| 0 | 2820 | Occupation / Precipice | 227 | 3 | 19 | None | 5286953 | 1054423946 | 1.99 |
| 1 | 3224 | Through a Looking Glass | 229 | 3 | 21 | None | 5088838 | 1059546140 | 1.99 |
| 2 | 3244 | Greetings from Earth, Pt. 1 | 253 | 3 | 20 | None | 2960293 | 536824558 | 1.99 |
| 3 | 3242 | The Man With Nine Lives | 253 | 3 | 20 | None | 2956998 | 577829804 | 1.99 |
| 4 | 3227 | Battlestar Galactica, Pt. 2 | 253 | 3 | 20 | None | 2956081 | 521387924 | 1.99 |
| 5 | 3226 | Battlestar Galactica, Pt. 1 | 253 | 3 | 20 | None | 2952702 | 541359437 | 1.99 |
| 6 | 3243 | Murder On the Rising Star | 253 | 3 | 20 | None | 2935894 | 551759986 | 1.99 |
| 7 | 3228 | Battlestar Galactica, Pt. 3 | 253 | 3 | 20 | None | 2927802 | 554509033 | 1.99 |
| 8 | 3248 | Take the Celestra | 253 | 3 | 20 | None | 2927677 | 512381289 | 1.99 |
| 9 | 3239 | Fire In Space | 253 | 3 | 20 | None | 2926593 | 536784757 | 1.99 |
| 10 | 3232 | The Long Patrol | 253 | 3 | 20 | None | 2925008 | 513122217 | 1.99 |
| 11 | 3235 | The Magnificent Warriors | 253 | 3 | 20 | None | 2924716 | 570152232 | 1.99 |

[53]:
```
# sort by two variables

pd.read_sql_query("SELECT * FROM track ORDER BY composer ASC, milliseconds DESC␣
↪LIMIT 12",engine)
```

[53]:

| | track_id | name | album_id | media_type_id | genre_id |
|---|---|---|---|---|---|
| 0 | 2108 | Children Of The Grave | 174 | 1 | 3 |
| 1 | 2109 | Paranoid | 174 | 1 | 3 |
| 2 | 2107 | Iron Man | 174 | 1 | 3 |
| 3 | 1908 | New Rhumba | 157 | 1 | 2 |
| 4 | 415 | Astronomy | 35 | 1 | 3 |
| 5 | 2589 | Hard To Handle | 210 | 1 | 6 |
| 6 | 3427 | Fanfare for the Common Man | 296 | 2 | 24 |
| 7 | 3357 | OAM's Blues | 267 | 5 | 2 |
| 8 | 20 | Overdose | 4 | 1 | 1 |

```
9          17           Let There Be Rock         4              1         1
10         15                     Go Down         4              1         1
11         19               Problem Child         4              1         1

                                        composer  milliseconds     bytes  \
0   A. F. Iommi, W. Ward, T. Butler, J. Osbourne        357067  11626740
1   A. F. Iommi, W. Ward, T. Butler, J. Osbourne        176352   5729813
2   A. F. Iommi, W. Ward, T. Butler, J. Osbourne        172120   5609799
3                                      A. Jamal        276871   8980400
4              A.Bouchard/J.Bouchard/S.Pearlman        397531  13065612
5                    A.Isbell/A.Jones/O.Redding        206994   6786304
6                                 Aaron Copland        198064   3211245
7                               Aaron Goldberg        266936   4292028
8                                        AC/DC        369319  12066294
9                                        AC/DC        366654  12021261
10                                       AC/DC        331180  10847611
11                                       AC/DC        325041  10617116

    unit_price
0         0.99
1         0.99
2         0.99
3         0.99
4         0.99
5         0.99
6         0.99
7         0.99
8         0.99
9         0.99
10        0.99
11        0.99
```

## 9 *Question Action*

Sort invoices by billing_city (ascending) and total purchase (descending), show the invoice_id, billing_city and total

[57]:
```
pd.read_sql_query("""SELECT invoice_id, billing_city, total
                     FROM invoice
                     ORDER BY billing_city ASC, total DESC""",engine)
```

[57]:
```
     invoice_id billing_city  total
0           390    Amsterdam  13.86
1           206    Amsterdam   8.94
2            32    Amsterdam   8.91
3           184    Amsterdam   3.96
4           379    Amsterdam   1.98
```

```
..          …          …    …
407         388  Yellowknife   5.94
408         366  Yellowknife   3.96
409         343  Yellowknife   1.98
410         148  Yellowknife   1.98
411          27  Yellowknife   0.99

[412 rows x 3 columns]
```

## 10 Distinct

Selects only the unique values of a variable

[60]:
```
# look at the Distinct cities in our customer list

pd.read_sql_query("""SELECT DISTINCT city
                     FROM customer
                     ORDER BY city
                     LIMIT 20;"""
                      ,engine)
```

[60]:
```
            city
0      Amsterdam
1      Bangalore
2         Berlin
3       Bordeaux
4         Boston
5       Brasília
6       Brussels
7       Budapest
8   Buenos Aires
9        Chicago
10    Copenhagen
11     Cupertino
12         Delhi
13         Dijon
14        Dublin
15     Edinburgh
16      Edmonton
17    Fort Worth
18     Frankfurt
19       Halifax
```

## 11 *Question/Action*

Find the list of distinct artists listed in Track, sort them

### 11.1 Response

[62]:
```
pd.read_sql_query("""
SELECT DISTINCT artist.name AS artist_name
FROM track
JOIN album ON track.album_id = album.album_id
JOIN artist ON album.artist_id = artist.artist_id
ORDER BY artist_name ASC
""", engine)
```

[62]:
```
                                          artist_name
0           Aaron Copland & London Symphony Orchestra
1                                       Aaron Goldberg
2                                                AC/DC
3    Academy of St. Martin in the Fields & Sir Nevi…
4    Academy of St. Martin in the Fields Chamber En…
..                                                 …
199                                Vinícius De Moraes
200                                    Wilhelm Kempff
201                                    Yehudi Menuhin
202                                          Yo-Yo Ma
203                                    Zeca Pagodinho

[204 rows x 1 columns]
```

## 12 Where

Where is a filter that allows us to filter out only the rows that meet some desired condition.

Notice that the select command itself allows us to control the columns show, Where works on the rows

## 13 Comparison Operators

=, !=, <, >, >=, <= *Note equality is a single equal sign in postgres "="

## 14 Logical Operators

AND, NOT, OR

## 15 Other tests

ALL- 1 if all expressions are 1

ANY- 1 if any expressions is 1

BETWEEN- tests for a range of values

IN- comparison to a list of values

LIKE- used on strings, if they match a pattern

[65]:
```
# we can select as specific album id for the tracks

pd.read_sql_query("""SELECT name, milliseconds,bytes,album_id
                     FROM track
                     WHERE album_id=6""", engine)
```

[65]:

| | name | milliseconds | bytes | album_id |
|---|---|---|---|---|
| 0 | All I Really Want | 284891 | 9375567 | 6 |
| 1 | You Oughta Know | 249234 | 8196916 | 6 |
| 2 | Perfect | 188133 | 6145404 | 6 |
| 3 | Hand In My Pocket | 221570 | 7224246 | 6 |
| 4 | Right Through You | 176117 | 5793082 | 6 |
| 5 | Forgiven | 300355 | 9753256 | 6 |
| 6 | You Learn | 239699 | 7824837 | 6 |
| 7 | Head Over Feet | 267493 | 8758008 | 6 |
| 8 | Mary Jane | 280607 | 9163588 | 6 |
| 9 | Ironic | 229825 | 7598866 | 6 |
| 10 | Not The Doctor | 227631 | 7604601 | 6 |
| 11 | Wake Up | 293485 | 9703359 | 6 |
| 12 | You Oughta Know (Alternate) | 491885 | 16008629 | 6 |

[67]:
```
# we can select as specific album id for the tracks and restrict to relatively␣
 ↪short tracks

pd.read_sql_query("""SELECT name, milliseconds,bytes,album_id
                     FROM track
                     WHERE album_id=6 AND milliseconds<250000""", engine)
```

[67]:

| | name | milliseconds | bytes | album_id |
|---|---|---|---|---|
| 0 | You Oughta Know | 249234 | 8196916 | 6 |
| 1 | Perfect | 188133 | 6145404 | 6 |
| 2 | Hand In My Pocket | 221570 | 7224246 | 6 |
| 3 | Right Through You | 176117 | 5793082 | 6 |
| 4 | You Learn | 239699 | 7824837 | 6 |
| 5 | Ironic | 229825 | 7598866 | 6 |
| 6 | Not The Doctor | 227631 | 7604601 | 6 |

[ ]:
```
# *Question/Action*
```

Find out how many invoices totals where over 25

[71]:
```
pd.read_sql_query("""
SELECT COUNT(*) AS invoices_over_25
FROM invoice
WHERE total > 25
```

```
""", engine)
```

[71]:
```
   invoices_over_25
0                 1
```

## 16 LIKE

[74]:
```
# The Like operator,  allows partial text matching

# note the use of the doubled percent signs %%
# also note that this is case sensitive

pd.read_sql_query("""SELECT name, album_id, composer
                     FROM track
                     WHERE composer LIKE '%%Smith%%'""",engine)
```

[74]:
```
                     name  album_id  \
0       Restless and Wild         3
1    Princess of the Dawn         3
2           Killing Floor        19
3             Machine Men        19
4   2 Minutes To Midnight        95
..                    …       …
92                Savior       195
93      Dancing Barefoot       234
94          Take the Box       322
95   What Is It About Men       322
96    Amy Amy Amy (Outro)       322

                                          composer
0   F. Baltes, R.A. Smith-Diesel, S. Kaufman, U. D…
1                          Deaffy & R.A. Smith-Diesel
2                                       Adrian Smith
3                                       Adrian Smith
4                       Adrian Smith/Bruce Dickinson
..                                                …
92     Anthony Kiedis/Chad Smith/Flea/John Frusciante
93                              Ivan Kral/Patti Smith
94                                        Luke Smith
95  Delroy "Chris" Cooper, Donovan Jackson, Earl C…
96  Astor Campbell, Delroy "Chris" Cooper, Donovan…

[97 rows x 3 columns]
```

[ ]:
```
# *Question/Action*

Use the LIKE function to find all the invoice entries from Ireland
```

```
be sure to use LIKE,   the = test would work here too, but practice using LIKE
```

[76]:
```
pd.read_sql_query("""
SELECT *
FROM invoice
WHERE billing_country LIKE 'Ireland'
""", engine)
```

[76]:

| | invoice_id | customer_id | invoice_date | billing_address | billing_city | billing_state | billing_country | billing_postal_code | total |
|---|---|---|---|---|---|---|---|---|---|
| 0 | 10 | 46 | 2021-02-03 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 5.94 |
| 1 | 62 | 46 | 2021-09-24 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 0.99 |
| 2 | 183 | 46 | 2023-03-18 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 1.98 |
| 3 | 194 | 46 | 2023-04-28 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 21.86 |
| 4 | 249 | 46 | 2023-12-27 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 8.91 |
| 5 | 378 | 46 | 2025-08-02 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 1.98 |
| 6 | 401 | 46 | 2025-11-04 | 3 Chatham Street | Dublin | Dublin | Ireland | None | 3.96 |

## 17 IN

Tests for membership in a list

Also filtering out one AC/DC album using AND NOT combined with LIKE

[79]:
```
pd.read_sql_query("""SELECT
                        name,
                        album_id,
                        media_type_id
                    FROM
                        track
                    WHERE
                        media_type_id IN (2, 3) AND NOT(name LIKE '%%Wall%%');
 ↪""",engine)
```

[79]:

| | name | album_id | media_type_id |
|---|---|---|---|
| 0 | Fast As a Shark | 3 | 2 |
| 1 | Restless and Wild | 3 | 2 |
| 2 | Princess of the Dawn | 3 | 2 |

```
3                              Welcome to the Jungle        90              2
4                                       It's So Easy        90              2
..                                               …       …               …
444                There's No Place Like Home, Pt. 2       261             3
445                There's No Place Like Home, Pt. 3       261             3
446  Band Members Discuss Tracks from "Revelations"        271             3
447                                    Branch Closing       251             3
448                                        The Return       251             3

[449 rows x 3 columns]
```

## 18 AND

[82]:
```
pd.read_sql_query("""SELECT
                       billing_address,
                       billing_city,
                       total
                     FROM
                       invoice
                     WHERE
                       billing_city= 'New York'
                     AND total > 5
                     ORDER BY
                       total;""",engine)
```

[82]:
```
  billing_address billing_city  total
0    627 Broadway     New York   5.94
1    627 Broadway     New York   8.91
2    627 Broadway     New York  13.86
```

[84]:
```
pd.read_sql_query("""SELECT * FROM invoice LIMIT 5""",engine)
```

[84]:
```
   invoice_id  customer_id invoice_date          billing_address billing_city  \
0           1            2   2021-01-01  Theodor-Heuss-Straße 34    Stuttgart
1           2            4   2021-01-02         Ullevålsveien 14         Oslo
2           3            8   2021-01-03          Grétrystraat 63     Brussels
3           4           14   2021-01-06           8210 111 ST NW     Edmonton
4           5           23   2021-01-11          69 Salem Street       Boston

  billing_state billing_country billing_postal_code  total
0          None         Germany               70174   1.98
1          None          Norway                0171   3.96
2          None         Belgium                1000   5.94
3            AB          Canada             T6G 2C7   8.91
4            MA             USA                2113  13.86
```

## 19 OR

Using AND and OR together

[87]:
```
pd.read_sql_query("""SELECT
                       billing_address,
                       billing_city,
                       total
                     FROM
                       invoice
                     WHERE
                       (billing_city= 'New York' OR billing_city= 'Chicago')
                     AND total > 5
                     ORDER BY
                       total;""",engine)
```

[87]:

| | billing_address | billing_city | total |
|---|---|---|---|
| 0 | 162 E Superior Street | Chicago | 5.94 |
| 1 | 627 Broadway | New York | 5.94 |
| 2 | 162 E Superior Street | Chicago | 7.96 |
| 3 | 162 E Superior Street | Chicago | 8.91 |
| 4 | 627 Broadway | New York | 8.91 |
| 5 | 627 Broadway | New York | 13.86 |
| 6 | 162 E Superior Street | Chicago | 15.86 |

## 20 BETWEEN

Looks for a range of values

[90]:
```
pd.read_sql_query("""SELECT
                         invoice_id,
                         billing_address,
                         total
                     FROM
                         invoice
                     WHERE
                         total BETWEEN 14.91 and 18.86
                     ORDER BY
                         total; """,engine)
```

[90]:

| | invoice_id | billing_address | total |
|---|---|---|---|
| 0 | 193 | Berger Straße 10 | 14.91 |
| 1 | 208 | Ullevålsveien 14 | 15.86 |
| 2 | 103 | 162 E Superior Street | 15.86 |
| 3 | 313 | 68, Rue Jouvence | 16.86 |
| 4 | 306 | Klanova 9/506 | 16.86 |
| 5 | 88 | Calle Lira, 198 | 17.91 |
| 6 | 201 | 319 N. Frances Street | 18.86 |

```
7          89  Rotenturmstraße 4, 1010 Innere Stadt  18.86
```

[92]:
```
#NOT BETWEEN
#
# excluding a range


pd.read_sql_query("""SELECT
                        invoice_id,
                        billing_address,
                        total
                    FROM
                        invoice
                    WHERE
                        total NOT BETWEEN 1 and 20
                    ORDER BY
                        total; """,engine)
```

[92]:

| | invoice_id | billing_address | total |
|---|---|---|---|
| 0 | 405 | 541 Del Medio Avenue | 0.99 |
| 1 | 13 | 1600 Amphitheatre Parkway | 0.99 |
| 2 | 20 | 110 Raeburn Pl | 0.99 |
| 3 | 27 | 5112 48 Street | 0.99 |
| 4 | 34 | Praça Pio X, 119 | 0.99 |
| 5 | 41 | C/ San Bernardo 85 | 0.99 |
| 6 | 48 | 796 Dundas Street West | 0.99 |
| 7 | 55 | Grétrystraat 63 | 0.99 |
| 8 | 62 | 3 Chatham Street | 0.99 |
| 9 | 69 | 319 N. Frances Street | 0.99 |
| 10 | 76 | Ullevålsveien 14 | 0.99 |
| 11 | 83 | 9, Place Louis Barthou | 0.99 |
| 12 | 90 | 801 W 4th Street | 0.99 |
| 13 | 384 | 162 E Superior Street | 0.99 |
| 14 | 391 | 1498 rue Bélanger | 0.99 |
| 15 | 398 | 11, Place Bellecour | 0.99 |
| 16 | 6 | Berger Straße 10 | 0.99 |
| 17 | 104 | Barbarossastraße 19 | 0.99 |
| 18 | 111 | 1 Microsoft Way | 0.99 |
| 19 | 118 | 421 Bourke Street | 0.99 |
| 20 | 125 | Rua da Assunção 53 | 0.99 |
| 21 | 132 | Qe 7 Bloco G | 0.99 |
| 22 | 139 | Celsiusg. 9 | 0.99 |
| 23 | 146 | 230 Elgin Street | 0.99 |
| 24 | 153 | Sønder Boulevard 51 | 0.99 |
| 25 | 160 | Via Degli Scipioni, 43 | 0.99 |
| 26 | 167 | 2211 W Berry Street | 0.99 |
| 27 | 174 | Klanova 9/506 | 0.99 |

| | | | |
|---|---|---|---|
| 28 | 181 | 68, Rue Jouvence | 0.99 |
| 29 | 188 | 120 S Orange Ave | 0.99 |
| 30 | 195 | Av. Brigadeiro Faria Lima, 2170 | 0.99 |
| 31 | 209 | 627 Broadway | 0.99 |
| 32 | 216 | 307 Macacha Güemes | 0.99 |
| 33 | 223 | Rua dos Campeões Europeus de Viena, 4350 | 0.99 |
| 34 | 230 | 8210 111 ST NW | 0.99 |
| 35 | 237 | 202 Hoxton Street | 0.99 |
| 36 | 244 | 194A Chain Lake Drive | 0.99 |
| 37 | 251 | Rua Dr. Falcão Filho, 155 | 0.99 |
| 38 | 258 | Lijnbaansgracht 120bg | 0.99 |
| 39 | 265 | 1033 N Park Ave | 0.99 |
| 40 | 272 | Rilská 3174/6 | 0.99 |
| 41 | 279 | Porthaninkatu 9 | 0.99 |
| 42 | 286 | 69 Salem Street | 0.99 |
| 43 | 293 | Theodor-Heuss-Straße 34 | 0.99 |
| 44 | 300 | 8, Rue Hanovre | 0.99 |
| 45 | 314 | Calle Lira, 198 | 0.99 |
| 46 | 321 | Tauentzienstraße 8 | 0.99 |
| 47 | 328 | 700 W Pender Street | 0.99 |
| 48 | 335 | 113 Lupus St | 0.99 |
| 49 | 342 | 696 Osborne Street | 0.99 |
| 50 | 349 | Av. Paulista, 2022 | 0.99 |
| 51 | 356 | Ordynacka 10 | 0.99 |
| 52 | 363 | 302 S 700 E | 0.99 |
| 53 | 370 | Rotenturmstraße 4, 1010 Innere Stadt | 0.99 |
| 54 | 377 | Erzsébet krt. 58. | 0.99 |
| 55 | 96 | Erzsébet krt. 58. | 21.86 |
| 56 | 194 | 3 Chatham Street | 21.86 |
| 57 | 299 | 2211 W Berry Street | 23.86 |
| 58 | 404 | Rilská 3174/6 | 25.86 |

[94]:
```
# shut down the engine to close the connection

engine.dispose()
```

[98]:
```
engine.()
```

```
---------------------------------------------------------------------------
AttributeError                            Traceback (most recent call last)
Cell In[98], line 1
----> 1 engine.close()

AttributeError: 'Engine' object has no attribute 'close'
```

[ ]:
```

```