Data Type 2: temporal change model

Zhiqian Chen
Mississippi State University
zchen@cse.msstate.edu

Agenda - temporal change model

- Traditional Methods in Epidemiology
 - Susceptible-Infected-Recovered (SIR) like models
- Graph Neural Networks for Epidemiology
 - Basics of GNN
 - Spatio-Temporal GNN
 - Forward problem: forecast
 - Inverse problem: zero-patient
- GNN, SIR and PDE
- Open Problems


Epidemiology Models

• S: Susceptible


• I: Infectious

R: Recovered

• E: Exposed



Traditional Methods in Epidemiology





$$\frac{d\rho^I}{dt} = \beta \rho^I \rho^S - \mu \rho^I,$$

$$rac{d
ho^S}{dt} = -eta
ho^I
ho^S + \chi
ho^I,$$


Graph Neural Networks for Epidemiology

- SIR-like models
 - [+] temporal diffusion
 - [-] Ignore connectivity
- Graph neural networks (GNN)
 - [+] Characterize connectivity
 - [-] Lack temporal diffusion
- GNN + RNN
 - Connectivity + Temporal






Machine Learning
Block Split





Graph Machine Learning
Geometric Split

Spectral Decomposition











Geometric Interpretation of Graph Fourier Transform




Spatio-Temporal GNN



- GNN for spatial neighbors
- RNN for temporal neighbors (itself)
- Options:
 - GNN + RNN
 - RNN + GNN

Spatio-Temporal GNN




Learn weights by their variances: balance information with variance

Chen, Fanglan, Zhiqian Chen, Subhodip Biswas, Shuo Lei, Naren Ramakrishnan, and Chang-Tien Lu. "Graph Convolutional Networks with Kalman Filtering for Traffic Prediction." In *Proceedings of the 28th International Conference on Advances in Geographic Information Systems*, pp. 135-138. 2020.

GNN for Epidemiology


Forecast



Derr, Tyler, Yao Ma, Wenqi Fan, Xiaorui Liu, Charu Aggarwal, and Jiliang Tang. "Epidemic graph convolutional network." In *Proceedings of the 13th International Conference on Web Search and Data Mining*, pp. 160-168. 2020.


GNN for Epidemiology

- Finding Patient Zero
 - Use GNN to learn Reaction-Diffusion (RD)



Shah, Chintan, Nima Dehmamy, Nicola Perra, Matteo Chinazzi, Albert-László Barabási, Alessandro Vespignani, and Rose Yu. "Finding Patient Zero: Learning Contagion Source with Graph Neural Networks." *arXiv preprint arXiv:2006.11913*(2020).

- RNN: $h_t = f(h_{t-1}, x)$
 - h_{t-1} denotes previous state
- GNN: $h_t = g(N_{t-1}, x)$
 - N_{t-1} denotes neighbors of x at time t-1
- If attributes are neighbor-dependent
 - RNN is equivalent to GNN on self-node
- Else
 - Combining RNN and GNN to get collect more information



- SIR(-like) is a special case of GNN
 - Susceptible

•
$$\frac{dS}{dt} = -\beta \frac{SI}{N}$$


- $h_S = g_1(h_S, h_I)$
- Infectious

•
$$\frac{dI}{dt} = \beta \frac{SI}{N} - \gamma I$$

- $h_I = g_2(h_S, h_I)$
- Recovered

•
$$\frac{dR}{dt} = \gamma I$$


•
$$h_R = g_3(h_I)$$



SIR S β R

- GNN:
 - $h_t = g(h_{t-1}, N_{t-1})$ where N_{t-1} are neighbors distribution in S, I, R


- GNN is a discretized PDE
 - $h_t = g(h_{t-1}, A) = h_{t-1}A = h_{t-1} + \sum_{i \sim N} h(i)_{t-1}$
 - Neighbor-smoothing
- Example:
 - 5 with neighbors 1, 1, 1 -> 2 for all
- Drawback
 - Propagation without fine control



- ResNet and PDE
 - $h_t = h_{t-1} + F(h_t)$
- GNN (PPNP)
 - $h_t = \alpha h_{t-1} + (1 \alpha)F(h_t)$
 - Where $F(h_t) = Ah_t$ (graph conv.)
- Rational function

•
$$h_t = \frac{P(h_t)}{Q(h_t)}$$

- Where *P* & *Q* are polynomials
- Rational approximation is more accurate than polynomial or linear function




Klicpera, Johannes, Aleksandar Bojchevski, and Stephan Günnemann. "Predict then propagate: Graph neural networks meet personalized pagerank." *arXiv preprint arXiv:1810.05997*(2018).

Implementation

- Diffusion of Epidemics
 - Independent cascade
 - Linear threshold
 - SIR, SIS, SEIR etc.
- PyTorch Geometric Temporal
 - STGCN
 - T-GCN
 - GC-LSTM
 - DCRNN





Open Problems

- Over-smoothing v.s. Long-term dynamics
 - Information disappears after several GNN layers
 - GNN w/ RNN models at most long-short term
- Continuous and discretized propagation
 - One GNN layer conduct one discretized propagation
- Temporal Networks
 - Topology changes along the time
- Digraph or DAG
 - Most of GNN focus on undirected graph

Reference

- Chang, Serina, Emma Pierson, Pang Wei Koh, Jaline Gerardin, Beth Redbird, David Grusky, and Jure Leskovec. "Mobility network models of COVID-19 explain inequities and inform reopening." Nature 589, no. 7840 (2021): 82-87.
- Pastor-Satorras, Romualdo, Claudio Castellano, Piet Van Mieghem, and Alessandro Vespignani. "Epidemic processes in complex networks." Reviews of modern physics 87, no. 3 (2015): 925.
- Yu, Bing, Haoteng Yin, and Zhanxing Zhu. "Spatio-temporal graph convolutional networks: A deep learning framework for traffic forecasting." arXiv preprint arXiv:1709.04875 (2017).
- Chen, Fanglan, Zhiqian Chen, Subhodip Biswas, Shuo Lei, Naren Ramakrishnan, and Chang-Tien Lu. "Graph Convolutional Networks with Kalman Filtering for Traffic Prediction." In Proceedings of the 28th International Conference on Advances in Geographic Information Systems, pp. 135-138. 2020.
- Jiang, Weiwei, and Jiayun Luo. "Graph Neural Network for Traffic Forecasting: A Survey." *arXiv preprint arXiv:2101.11174*(2021).
- Derr, Tyler, Yao Ma, Wenqi Fan, Xiaorui Liu, Charu Aggarwal, and Jiliang Tang. "Epidemic graph convolutional network." In *Proceedings of the 13th International Conference on Web Search and Data Mining*, pp. 160-168. 2020.

Reference

- Shah, Chintan, Nima Dehmamy, Nicola Perra, Matteo Chinazzi, Albert-László Barabási, Alessandro Vespignani, and Rose Yu. "Finding Patient Zero: Learning Contagion Source with Graph Neural Networks." arXiv preprint arXiv:2006.11913(2020).
- Saha, Pritam, Debadyuti Mukherjee, Pawan Kumar Singh, Ali Ahmadian, Massimiliano Ferrara, and Ram Sarkar.
 "GraphCovidNet: A graph neural network based model for detecting COVID-19 from CT scans and X-rays of chest."
 Scientific Reports 11, no. 1 (2021): 1-16.
- Panagopoulos, George, Giannis Nikolentzos, and Michalis Vazirgiannis. "Transfer Graph Neural Networks for Pandemic Forecasting." (2020).
- Kapoor, Amol, Xue Ben, Luyang Liu, Bryan Perozzi, Matt Barnes, Martin Blais, and Shawn O'Banion. "Examining covid-19 forecasting using spatio-temporal graph neural networks." arXiv preprint arXiv:2007.03113 (2020).
- Gao, Junyi, Rakshith Sharma, Cheng Qian, Lucas M. Glass, Jeffrey Spaeder, Justin Romberg, Jimeng Sun, and Cao Xiao. "STAN: spatio-temporal attention network for pandemic prediction using real-world evidence." Journal of the American Medical Informatics Association 28, no. 4 (2021): 733-743.
- Yu, Xiang, Siyuan Lu, Lili Guo, Shui-Hua Wang, and Yu-Dong Zhang. "ResGNet-C: A graph convolutional neural network for detection of COVID-19." Neurocomputing (2020).

Reference

- Alet, Ferran, Adarsh Keshav Jeewajee, Maria Bauza Villalonga, Alberto Rodriguez, Tomas Lozano-Perez, and Leslie Kaelbling. "Graph element networks: adaptive, structured computation and memory." In International Conference on Machine Learning, pp. 212-222. PMLR, 2019.
- Li, Zongyi, Nikola Kovachki, Kamyar Azizzadenesheli, Burigede Liu, Kaushik Bhattacharya, Andrew Stuart, and Anima Anandkumar. "Multipole graph neural operator for parametric partial differential equations." *arXiv preprint* arXiv:2006.09535 (2020).
- Klicpera, Johannes, Aleksandar Bojchevski, and Stephan Günnemann. "Predict then propagate: Graph neural networks meet personalized pagerank." *arXiv preprint arXiv:1810.05997*(2018).

Q&A

5 minutes break