






Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost 1
postgres 1 of 3
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys 1
indexes 1
airline_info
airport
-- 1.
SELECT UPPER(airline_name) AS airline_name_upper FROM airline;
Services
Output
-- 1.
CSV
airline_name_upper
1 IPC
2 PDN
3 KLE
4 KHS
5 NGI
54 rows
lab3-12.sql 480 ms
lab3-15.sql
lab-3-4.sql
lab3-10.sql 518 ms
lab3-13.sql 405 ms
lab3-1.sql 399 ms
lab3-8.sql 490 ms
Databas > queries > lab3-1.sql



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost 1
postgres 1 of 3
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys 1
indexes 1
airline_info
airport
1 -- 2.
2 SELECT airline_name,REPLACE(airline_name, 'Air', 'Aero') AS new_name FROM airline WHERE airline_name LIKE '%Air%';
Services
Output
-- 2.
CSV
airline_name
new_name
1 KazAir KazAero
2 AirEasy AeroEasy
3 Global Airways Global Aeroways
3 rows
lab3-3.sql 592 ms
lab3-7.sql 692 ms
lab3-2.sql 456 ms
lab3-9.sql 557 ms
lab3-12.sql 480 ms
lab3-15.sql
lab-3-4.sql
lab3-10.sql 518 ms
Databas > queries > lab3-2.sql
2:83 CRLF UTF-8 4 spaces
Non-commercial use



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost 1
postgres 1 of 3
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at data
update_at date
keys 1
indexes 1
airline_info
airport
-- 3.
SELECT flight_no FROM flights WHERE airline_id = 1 INTERSECT SELECT flight_no flight_no FROM flights WHERE airline_id = 2;
Services
Output
-- 3.
csv
flight_no
lab def.sql
Query_2.sql
lab3-3.sql 424 ms
lab3-7.sql 692 ms
lab3-2.sql 456 ms
lab3-9.sql 557 ms
lab3-12.sql 480 ms
lab3-15.sql
0 rows



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost 1
postgres 1 of 3
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys 1
indexes 1
airline_info
airport
-- 4.
SELECT * FROM airport WHERE airport_name ILIKE '%Reginal%' AND airport_name ILIKE '%Air%';
Services
Output
-- 4.
CSV
airport_id
airport_name
country
state
city
created_at
update_at
lab3-7.sql 692 ms
lab3-2.sql 456 ms
lab3-9.sql 557 ms
lab3-12.sql 480 ms
lab3-15.sql
lab-3-4.sql 540 ms
lab3-10.sql 518 ms
lab3-13.sql 405 ms
0 rows



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 5.
SELECT first_name || ' ' || last_name AS passenger_name,TO_CHAR(date_of_birth, 'FMMonth DD, YYYY') AS birth_date FROM passengers;
postgres@localhost
postgres
public
tables
airline
columns
airline_id
airline_code
airline_name
airline_country
created_at
update_at
keys
indexes
airline_info
airport
Services
Database
postgres@localhost
lab3-5.sql 475 ms
lab3-6.sql 539 ms
lab3-11.sql 526 ms
lab3-14.sql
lab def.sql
Query_2.sql
Output
-- 5.
CSV
passenger_name
birth_date
1 Hilde Irnis January 03, 2000
2 Arvy Sparsholt June 09, 1974
3 Reinald Pococke June 07, 1982
4 Con Borrel October 17, 1986
400 rows



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 6.
SELECT DISTINCT flight_no FROM flights WHERE actual_arrival > scheduled_arrival;
postgres@localhost
postgres
public
tables
airline
columns
airline_id
airline_code
airline_name
airline_country
created_at
update_at
keys
indexes
airline_info
airport
Services
Output
-- 6.
Database
postgres@localhost
lab3-5.sql 475 ms
lab3-6.sql 433 ms
lab3-11.sql 526 ms
lab3-14.sql
lab def.sql
Query_2.sql
flight_no
MZ-A
CA-MB
DK-83
UG-212
CN-50
199 rows
Databas > queries > lab3-6.sql
2:81
CRLF
UTF-8
4 spaces



Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
-- 7.
SELECT flight_id, flight_no, scheduled_arrival, actual_arrival,actual_arrival - scheduled_arrival AS delay_days FROM flights WHERE actual_
ORDER BY delay_days DESC;
Services
Output
-- 7.
flight_id
flight_no
scheduled_arrival
actual_arrival
delay_days
176 AZ-YE 2023-03-31 2023-12-30
721 CA-NT 2023-04-01 2023-12-22
843 CA-ON 2023-04-06 2023-12-25
268 AR-Q 2023-03
263 rows
2023-12-10



Databas
master
Database Explorer
lab3-1.sql
lab def.sql
lab3-2.sql
lab3-3.sql
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost 1
postgres 1 of 3
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys 1
indexes 1
airline_info
airport
-- 8.
SELECT * FROM airline WHERE airline_country IN ('France', 'Portugal', 'Poland') AND created_at BETWEEN '2023-11-01' AND '2024-03-31';
Services
Output
-- 8.
lab3-12.sql 480 ms
lab3-15.sql
Tx: Auto
DDL
CSV



Database Explorer
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
-- 9.
SELECT * FROM baggage WHERE weight_in_kg > 25 ORDER BY weight_in_kg DESC LIMIT 3;
postgres@localhost
public
tables 17
airline
columns 6
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys 1
indexes 1
airline_info
airport
Services
Output
-- 9.
baggage_id
weight_in_kg
created_date
102 49.44 2024-01-24
492 49.22 2024-01-23
278 49.18 2023-12-28
3 rows
Ножницы
Снимок экрана скопирован в буфер обмена
Автоматически сохраняются в папке снимков экрана.



Databas
master
Database Explorer
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 10.
SELECT first_name || ' ' || last_name AS full_name, date_of_birth FROM passengers WHERE date_of_birth = (SELECT MAX(date_of_birth) FROM pas
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
Services
Output
10.
lab3-2.sql 458 ms
lab3-9.sql 424 ms
lab3-12.sql 480 ms
lab3-15.sql
lab-3-4.sql 540 ms
lab3-10.sql 473 ms
lab3-13.sql 405 ms
lab3-1.sql 399 ms
csv
full_name
date_of_birth
1 Bernie Michal
2009-11-03
1 row


Databas
master
Database Explorer
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
-- 11.
SELECT booking_platform, MIN(ticket_price) AS cheapest_price FROM booking GROUP BY booking_platform ORDER BY cheapest_price;
Services
Output
11.
CSV
booking_platform
cheapest_price
1 Ankunding-Goldner 9818.62
2 Cole, Corwin and Leannon 9041.45
3 Schoen Inc 9076.62
4 Fadel, Legros and Mayer 997.36
5 Reilly Group 9152.63
75 rows
lab3-5.sql 475 ms
lab3-6.sql 433 ms
lab3-11.sql 378 ms
lab3-14.sql
lab def.sql
Query_2.sql
lab3-3.sql 424 ms
lab3-7.sql 459 ms


Databas
master
Database Explorer
lab-3-4.sql
lab3-5.sql
lab3-6.sql
lab3-7.sql
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
-- 12.
SELECT * FROM airline WHERE airline_code ~ '[0-9]';
Services
Query_2.sql
lab3-3.sql 424 ms
lab3-7.sql 459 ms
lab3-2.sql 456 ms
lab3-9.sql 424 ms
lab3-12.sql 413 ms
lab3-15.sql
lab-3-4.sql 540 ms
Output
12.
CSV
airline_id
airline_code
airline_name
1
22
2AK6
HGZ
PHILIPPINES
1 row
Ножницы
Снимок экрана скопирован в буфер обмена
Автоматически сохраняются в папке снимков экрана.
Разметка и общий доступ


Databas
master
Database Explorer
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
lab3-13.sql
lab3-14.sql
lab3-15.sql
Query_2.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 13.
SELECT * FROM airline ORDER BY created_at DESC LIMIT 5;
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
Services
Output
13.
CSV
airline_id
airline_code
airline_name
1 54 UNK FlyFly POLAND
2 52 UNK AirEasy FRANCE
3 51 UNK KazAir TURKEY
4 53 UNK FlyHigh RAZIL
5 rows
lab3-9.sql 424 ms
lab3-12.sql 413 ms
lab3-15.sql
lab-3-4.sql 540 ms
lab3-10.sql 473 ms
lab3-13.sql 379 ms
lab3-1.sql 399 ms
lab3-8.sql 413 ms
Ножницы
Снимок экрана скопирован в буфер обмена
Автоматически сохраняются в папке снимков экрана.
Разметка и общий доступ
Databas > queries > lab3-13.sql
2:29


Databas
master
Database Explorer
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
lab3-13.sql
lab3-14.sql
lab3-15.sql
Query_2.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 14.
SELECT * FROM baggage_check WHERE booking_id BETWEEN 200 AND 300 AND check_result <> 'Checked';
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
Services
Output
14.
lab3-6.sql 433 ms
lab3-11.sql 378 ms
lab3-14.sql 499 ms
lab def.sql
Query_2.sql
lab3-3.sql 424 ms
lab3-7.sql 459 ms
lab3-2.sql 456 ms
baggage_check_id
check_result
created_at
update_at
booking_id
passenger_
1 61 Not checked 2023-06-12 2023-11-05 279
2 73 Not checked 2023-12-02 2023-05-28 274
3 83 Not checked 2023-10-04 2023-04-26 259
4 152 Not checked 2023- 2023-07-25 250
8 rows
CSV


Databas
master
Database Explorer
postgres@localhost
postgres
public
tables
airline
columns
airline_id integer
airline_code varchar(50)
airline_name varchar(50)
airline_country varchar(50)
created_at date
update_at date
keys
indexes
airline_info
airport
lab3-8.sql
lab3-9.sql
lab3-10.sql
lab3-11.sql
lab3-12.sql
lab3-13.sql
lab3-14.sql
lab3-15.sql
Query_2.sql
Tx: Auto
Playground
postgres.public
postgres@localhost
-- 15.
SELECT * FROM baggage_check WHERE DATE_TRUNC('month', update_at) = DATE_TRUNC('month', created_at) AND update_at < created_at;
Services
Output
15.
CSV
baggage_check_id
check_result
created_at
update_at
booking_id
passenger_
1 109 Not checked 2023-08-30 2023-08-09 469
2 299 Checked 2023-04-26 2023-04-08 385
3 304 Not checked 2023-07-29 2023-07-22 210
4 412 Not checked 2023- 2023-09-27 347
5 rows
lab3-3.sql 424 ms
lab3-7.sql 459 ms
lab3-2.sql 456 ms
lab3-9.sql 424 ms
lab3-12.sql 413 ms
lab3-15.sql 622 ms
lab-3-4.sql 540 ms
lab3-10.sql 473 ms
Databas > queries > lab3-15.sql
2:127 CRLF UTF-8 4 spaces
Non-commercial use