```
240
241
242
243  --1
244  SELECT f.flight_id, f.sch_departure_time, f.sch_arrival_time, a.airline_name
245  FROM Flights f
246  JOIN airline a ON a.airline_id = f.airline_id
247  WHERE a.airline_code = 'AL001';
```

Data Output | Messages | Notifications

	flight_id integer	sch_departure_time timestamp without time zone	sch_arrival_time timestamp without time zone	airline_name character varying (50)

```
250
251  --2
252  SELECT f.flight_id, f.sch_departure_time, ap.airport_name AS departure_airport
253  FROM Flights f
254  JOIN Airport ap ON ap.airport_id = f.departing_airport_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 200 | Page No: 1

	flight_id integer	sch_departure_time timestamp without time zone	departure_airport character varying (50)
1	1	2027-01-21 10:14:50.363803	Berlin International 101
2	2	2026-10-22 02:21:20.914637	Toronto International 105
3	3	2026-06-20 19:53:48.523001	Paris International 57
4	4	2026-08-22 08:45:21.154101	Tokyo International 151
5	5	2026-05-20 21:53:40.63034	Berlin International 109
6	6	2026-09-02 21:10:35.404384	Astana International 140
7	7	2026-11-16 04:29:00.851578	Sao Paulo International 24
8	8	2026-09-28 16:19:49.93523	Astana International 104

```sql
--3
SELECT a.airline_id, a.airline_name
FROM airline a
LEFT JOIN Flights f
       ON f.airline_id = a.airline_id
      AND f.sch_departure_time >= date_trunc('month', now()) + interval '1 month'
      AND f.sch_departure_time <  date_trunc('month', now()) + interval '2 months'
WHERE f.flight_id IS NULL;
```

Data Output | Messages | Notifications

Showing rows: 1 to 192 | Page No: 1 of 1

	airline_id [PK] integer	airline_name character varying (50)
1	1	Global Lines 1
2	2	Euro Airways 2
3	3	Nord Connect 3
4	4	Blue Lines 4
5	5	Nord Connect 5
6	6	Global Connect 6
7	8	Asia Lines 8
8	9	Jet Wings 9

Successfully run. Total query runtime: 133 msec. 192 rows affected.

Total rows: 192 | Query complete 00:00:00.133 | CRLF | Ln 265, Col 2

```sql
--4
SELECT p.passenger_id, p.first_name, p.last_name, p.passport_number
FROM Booking b
JOIN Passengers p ON p.passenger_id=b.passenger_id
WHERE b.flight_id=10;
```

Data Output | Messages | Notifications

passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)	passport_number character varying (20)

Successfully run. Total query runtime: 127 msec. 0 rows affected

Total rows: 0 | Query complete 00:00:00.127 | CRLF | Ln 273, Col

```sql
--5
SELECT f.flight_id,
       ROUND(AVG(b.ticket_price), 2) AS avg_price,
       SUM(b.ticket_price)           AS total_price,
       MAX(b.ticket_price)           AS max_price,
       MIN(b.ticket_price)           AS min_price
FROM Flights f
JOIN Booking b ON b.flight_id = f.flight_id
GROUP BY f.flight_id
ORDER BY f.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 129 | Page No: 1 of 1

	flight_id [PK] integer	avg_price numeric	total_price numeric	max_price numeric	min_price numeric
1	1	965.85	2897.55	1470.74	426.81
2	2	1277.00	2554.00	1458.78	1095.22
3	3	1532.96	1532.96	1532.96	1532.96
4	4	316.21	316.21	316.21	316.21
5	5	712.97	2138.91	1256.45	368.83
6	7	985.37	985.37	985.37	985.37
7	8	709.25	709.25	709.25	709.25
8	12	1253.75	2507.50	1354.00	1153.50

Successfully run. Total query runtime: 68 msec. 129 rows affect

```sql
--6
SELECT f.flight_id, a.airline_name, ap.airport_name, ap.city, ap.country
FROM Flights f
JOIN Airport ap ON ap.airport_id = f.arriving_airport_id
JOIN airline a  ON a.airline_id  = f.airline_id
WHERE ap.country = 'Kazakhstan';
```

Data Output | Messages | Notifications

Showing rows: 1 to 46 | Page No: 1 of 1

	flight_id integer	airline_name character varying (50)	airport_name character varying (50)	city character varying (50)	country character varying (50)
1	191	Euro Airways 2	Astana International 1...	Astana	Kazakhstan
2	159	Nord Connect 5	Almaty International 80	Almaty	Kazakhstan
3	104	Pacific Airways 16	Almaty International 39	Almaty	Kazakhstan
4	131	Global Express 20	Astana International 23	Astana	Kazakhstan
5	12	Star Connect 27	Astana International 1...	Astana	Kazakhstan
6	50	Asia Express 28	Almaty International 22	Almaty	Kazakhstan
7	49	Global Connect 30	Almaty International 1...	Almaty	Kazakhstan
8	119	Global Lines 34	Almaty International 22	Almaty	Kazakhstan

Successfully run. Total query runtime: 86 msec. 46 rows affected.

Total rows: 46 | Query complete 00:00:00.086

```sql
--7
SELECT p.passenger_id, p.first_name, p.last_name, p.date_of_birth,
    ap.city AS arrival_city, ap.country AS arrival_country
FROM Passengers p
JOIN Booking b ON b.passenger_id=p.passenger_id
JOIN Flights f ON f.flight_id=b.flight_id
JOIN Airport ap ON ap.airport_id=f.arriving_airport_id
WHERE p.date_of_birth> CURRENT_DATE - INTERVAL '18 years';
```

Data Output | Messages | Notifications

SQL

passenger_id integer	first_name character varying (50)	last_name character varying (50)	date_of_birth date	arrival_city character varying (50)	arrival_country character varying (50)

Successfully run. Total query runtime: 67 msec. 0 rows affected.

```sql
--8
SELECT p.first_name || ' ' || p.last_name AS full_name,
       p.passport_number,
       f.act_arrival_time
FROM Passengers p
JOIN Booking b ON b.passenger_id = p.passenger_id
JOIN Flights f ON f.flight_id    = b.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 201 | Page No: 1 of 1

	full_name text	passport_number character varying (20)	act_arrival_time timestamp without time zone
1	John Nurlan...	1F3706502	2027-01-21 21:35:24.010435
2	Sofia Muller	938E0F85D	2026-06-20 23:55:09.697492
3	John Ivanov	01FF1666F	2027-04-04 02:08:06.031257
4	John Ivanov	CF39BD998	2026-08-19 10:03:15.433157
5	David Garcia	924697A73	2027-03-01 16:24:26.27106
6	Anna Brown	600D6C53E	2026-11-24 05:24:51.088224
7	David Silva	3151F7F1C	2026-08-05 21:43:54.233717
8	Elena Dubois	6253D1B93	2026-11-22 03:49:15.041233

Total rows: 201 | Query complete 00:00:00.073 | CRLF

```sql
--9
SELECT ap.country, f.flight_id, a.airline_name
FROM Flights f
JOIN airline a  ON a.airline_id = f.airline_id
JOIN Airport ap ON ap.airport_id = f.departing_airport_id
WHERE a.airline_country = ap.country
ORDER BY ap.country, f.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 21 | Page No: 1 of 1

	country character varying (50)	flight_id integer	airline_name character varying (50)
1	Brazil	33	Jet Wings 116
2	Brazil	98	Asia Connect 120
3	Brazil	188	Asia Connect 120
4	Canada	79	Pacific Connect 129
5	Canada	124	Star Express 90
6	Canada	143	Global Connect 72
7	Canada	168	Nord Express 52
8	Canada	170	Pacific Connect 82

Successfully run. Total query runtime: 54 msec. 21 rows a

```sql
--10
SELECT ap.country,
       COUNT(*) AS flights_count,
       string_agg(f.flight_id::text, ', ' ORDER BY f.flight_id) AS flight_ids
FROM Flights f
JOIN airline a  ON a.airline_id = f.airline_id
JOIN Airport ap ON ap.airport_id = f.departing_airport_id
WHERE a.airline_country = ap.country
GROUP BY ap.country
ORDER BY ap.country;
```

Data Output | Messages | Notifications

Showing rows: 1 to 8 | Page No: 1 of 1

	country character varying (50)	flights_count bigint	flight_ids text
1	Brazil	3	33, 98, 188
2	Canada	5	79, 124, 143, 168, 1...
3	France	2	101, 144
4	Germany	2	5, 48
5	Japan	2	163, 174
6	Kazakhstan	4	12, 35, 56, 181
7	Turkey	2	10, 183
8	UAE	1	100

Successfully run. Total query runtime: 97 msec. 8 rows affected.

```sql
--11
SELECT f.flight_id,
       a.airline_name,
       dep.airport_name AS departure_airport,
       arr.airport_name AS arrival_airport
FROM Flights f
JOIN airline a    ON a.airline_id    = f.airline_id
JOIN Airport dep  ON dep.airport_id  = f.departing_airport_id
JOIN Airport arr  ON arr.airport_id  = f.arriving_airport_id
ORDER BY f.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 200 | Page No: 1 of 1

	flight_id integer	airline_name character varying (50)	departure_airport character varying (50)	arrival_airport character varying (50)
1	1	Jet Connect 68	Berlin International 101	Berlin International 18
2	2	Nord Lines 137	Toronto International 105	New York International 1...
3	3	Nord Lines 152	Paris International 57	Astana International 47
4	4	Asia Lines 8	Tokyo International 151	Berlin International 144
5	5	Global Express 38	Berlin International 109	Istanbul International 62
6	6	Jet Lines 93	Astana International 140	Sao Paulo International 24
7	7	Jet Express 193	Sao Paulo International 24	Almaty International 115
8	8	Jet Express 187	Astana International 104	Paris International 181

Successfully run. Total query runtime: 56 msec. 200 rows af

```sql
--12
SELECT f.flight_id,
       ap.country AS destination_country,
       COUNT(b.booking_id) AS passengers_count
FROM Flights f
JOIN Airport ap     ON ap.airport_id = f.arriving_airport_id
LEFT JOIN Booking b ON b.flight_id   = f.flight_id
GROUP BY f.flight_id, ap.country
ORDER BY f.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 200 | Page No: 1 of 1

	flight_id integer	destination_country character varying (50)	passengers_count bigint
1	1	Germany	3
2	2	USA	2
3	3	Kazakhstan	1
4	4	Germany	1
5	5	Turkey	3
6	6	Brazil	0
7	7	Kazakhstan	1
8	8	France	1

Successfully run. Total query runtime: 61 msec. 200 rows a

Total rows: 200 | Query complete 00:00:00.061

```
364
365
366 --13
367 SELECT p.passenger_id, p.first_name, p.last_name
368 FROM Passengers p
369 LEFT JOIN Booking b ON b.passenger_id=p.passenger_id
370 WHERE b.booking_id IS NULL;
371
372
```

Data Output | Messages | Notifications

Showing rows: 1 to 75 | Page No: 1 of 1

	passenger_id [PK] integer	first_name character varying (50)	last_name character varying (50)
1	106	Sofia	Tanaka
2	119	Sofia	Ivanov
3	20	David	Garcia
4	82	Anna	Garcia
5	137	David	Silva
6	136	Aibek	Brown
7	39	Sofia	Ivanov
8	178	Dana	Garcia

Successfully run. Total query runtime: 70 msec. 75 rows aff

```sql
--14
SELECT a.airline_id, a.airline_name, COUNT(f.flight_id) AS flights_count
FROM airline a
LEFT JOIN Flights f ON f.airline_id = a.airline_id
GROUP BY a.airline_id, a.airline_name
ORDER BY flights_count DESC;
```

Data Output | Messages | Notifications

Showing rows: 1 to 200 | Page No: 1 of 1

	airline_id [PK] integer	airline_name character varying (50)	flights_count bigint
1	176	Asia Connect 176	4
2	162	Sky Express 162	3
3	44	Global Connect 44	3
4	9	Jet Wings 9	3
5	75	Pacific Connect 75	3
6	163	Nord Connect 163	3
7	66	Euro Connect 66	3
8	171	Sky Connect 171	3

Successfully run. Total query runtime: 392 msec. 200 rows affec

```sql
--15
SELECT a.airline_name, f.flight_id, ap.city AS departure_city
FROM Flights f
JOIN Airport ap ON ap.airport_id = f.departing_airport_id
JOIN airline a  ON a.airline_id  = f.airline_id
WHERE ap.country = 'Kazakhstan'
ORDER BY f.flight_id;
```

Data Output | Messages | Notifications

Showing rows: 1 to 39 | Page No: 1 of 1

	airline_name character varying (50)	flight_id integer	departure_city character varying (50)
1	Jet Lines 93	6	Astana
2	Jet Express 187	8	Astana
3	Star Connect 27	12	Almaty
4	Sky Connect 171	21	Almaty
5	Global Airways 145	26	Astana
6	Star Wings 85	27	Almaty
7	Global Express 99	28	Almaty
8	Sky Express 55	35	Astana

Successfully run. Total query runtime: 93 msec. 39 rows affected.

Total rows: 39 | Query complete 00:00:00.093 | CRLF | Ln 374, Col 22