kiwi captcha

Independent product identity / edition 4 / 12 October 2026

KiwiCaptcha Expanded.

Complete product website, current adaptive enforcement and recovery design, and the complete earlier identity system.

> The complete 11 October identity guide follows this new edition. Its original pages, analysis, generated presentations, vector construction, typography, applications and export rules are retained as dated reference.

Bel Consulting / Kiwi-CI product family
Current product source: 272f0ddb888f2ff35446667fcd8ffcb61a09af32
Each product keeps its own mark, palette, typography, website and download suite.

One quiet, independent identity.

The canonical Spiral Lock, fixed humanist wordmark and original logo suite remain the production masters. KiwiCaptcha has its own green palette, Alegreya Sans reading system, IBM Plex Mono technical labels and responsive widget language.

A slight growth/return motif belongs to KiwiCaptcha's mark; it is not shared with Faktor. Family relation lives in careful typography, company attribution, consistent quality and restrained layouts. Each site is a complete independent product destination.

The current website adds 70 source-grounded sections, 23 answers, ten passive widget states, ten source locale packs and a separate English visual concept for demanded address or transaction factors.

The current product contract.

The current product is Symfony-first self-hosted adaptive anti-abuse with transaction-bound authorization and auditable enforcement. Symfony is the complete first-class enforcement plane. Portable server SDKs are verification and risk clients, not equivalent end-to-end enforcement integrations.

A browser done state can follow proof of work or an anonymous ownership grant. Its neutral label is Check complete. The host still verifies result kind, lifecycle, demand binding and authoritative disposition before allowing the protected action.

FactorVerified, AuthorizedStepUp and the protected action are different boundaries. Server-owned operation identity is carried through the _kiwi_captcha_operation_id request attribute in the current Symfony integration.

Factors and operational recovery.

Current sensitive flows use real completable carriers. Login and admin login can demand principal step-up; signup uses an email ownership carrier; a financial action uses an email factor bound to the server-owned operation.

Production needs real delivery. Principal addresses resolve through PrincipalEmailResolverInterface. The website preserves actual route imports and sender configuration examples with application-owned callback scope identified.

Passive states and explicit demanded-factor views are separate. The ten DOM states include worker-unavailable, execution-unavailable and solver mismatch. Recovery explains the underlying cause and the host verification boundary.

Claims stay bounded by source evidence.

The reviewed THREATS campaign rows are red because their source fingerprints are stale. They do not establish a fresh attack result or certification of the current runtime. The expanded site labels that evidence freshness directly.

Registry publication and a coherent current release remain distinct from source readiness. Source-install examples do not imply that every current package is published to its public registry.

Strict privacy mode, privacy_strict profile, pseudonymous continuity, key rotation, retention and address-factor data flow are documented separately. The newly added step-up strings are English; the lazy translated PoW packs do not establish fully translated step-up dialogs.

Independent website / complete content

Current website architecture.

Page	Purpose
reference.html	Complete earlier website content and pinned research preserved.
index.html	Computational friction, scoped verification and application-owned enforcement, with a quiet first-party widget.
how-it-works.html	Follow scoped challenge issuance, computation, authoritative verification and current demand-bound enforcement.
integration.html	Choose Symfony enforcement, portable server verification, shared browser wrappers or native client solvers without conflating their roles.
security.html	Understand current adaptive enforcement, sensitive-operation demands, resource limits, deployment invariants and evidence freshness.
privacy.html	Inspect strict/default behavior, adaptive continuity, pseudonymous state, retention and address-factor data flow.
docs.html	A concrete source-install path, balanced configuration, widget setup, complete adaptive-carrier wiring and production doctor interpretation.
playground.html	Inspect the passive baseline, ten source DOM states, languages, text wrapping and separate current step-up demand flows.
brand.html	Canonical Spiral Lock, fixed humanist lettering, complete standalone logo suite, design rules and preserved dated research.
faq.html	Twenty-three source-grounded KiwiCaptcha questions and answers.

Complete deliverables / retained source

Every part stays available.

https://kiwicaptcha.windyclock5.chatgpt.site

- KiwiCaptcha_Website.pdf - every current website page and the complete dated prior website.
- KiwiCaptcha_Visual_Identity.pdf - this current addition and every original identity guide page.
- KiwiCaptcha_Logo_Kit.zip - the complete original logo suite, fonts, previews, identity specifications and new source-grounded design handoff.

Read the current edition first. The following original guide is retained without removing or rewriting its pages. Earlier product-source claims are dated to their original baseline; current corrections above and the new website take precedence.

Source review 12 October 2026 / 272f0ddb888f2ff35446667fcd8ffcb61a09af32

KiwiCaptcha / Visual identity



Let the browser do the work.

Product analysis. Fixed logo artwork. An individual type system. Reusable applications. A dedicated website.

RESEARCH / LETTERING / LOGO / IDENTITY / INTERFACE / WEBSITE

Understand the product before the mark.

The identity starts with the work people need to complete and the evidence the source actually supports.

Primary job

Apply selected computational work to protected application requests. The browser computes a response; the server verifies proof and lifecycle rules; the application decides acceptance.

Product boundary

A standalone self-hosted anti-abuse system. First-party assets, configurable work and stack-specific integrations belong to KiwiCaptcha. There is no Faktor or Kiwi CI dependency.

Why it deserves its own identity

Visitors need status and recovery. Operators need scope, lifecycle, privacy, verification capacity and economic policy. A tiny passive widget and an explanatory website serve different jobs.

What the design should express

Quiet progress, direct control and readable recovery. Preserve the canonical Spiral Lock; give the name humanist character. Avoid a trusted-person badge or a puzzle metaphor.

Study scope: selected pinned source and implementation review, then design synthesis. Normative specifications are distinguished from observed behavior; this is not a new runtime implementation or audit.

Architecture becomes design decisions.

The source establishes behavior. The visual consequence is an explicit design interpretation.

Source behavior	Design consequence	Sources
Authenticated scoped expiring challenge	Use scope/validity as exact developer metadata. No universal trusted-person seal.	KC01 / KC02 / KC17
Browser computation in WASM/JS	Passive widget, static Spiral Lock, one decorative track. No arbitrary checkbox or slider thumb.	KC01 / KC12 / KC14
Algorithm selected on each challenge	Algorithm names belong in docs/operator configuration, not illustrated as levels of human authenticity.	KC01 / KC02
Cheap structural gates before bounded proof derivation	Expose issuance limits and concurrency as operator duties; no free/absolute DoS protection claim.	KC01 / KC03
Atomic consume and persisted deterministic result	Separate fresh/consumed/retained result in developer diagram; no reuse portrayed as a new accepted action.	KC17 / KC18
Policy epoch and key revocation	Short exact metadata labels; calm rectangular annotations, no certification medals.	KC01 / KC03

The detail carries the distinction.

Product-specific choices continue beyond the symbol and into layout, voice and state meaning.

Source behavior	Design consequence	Sources
Post-solve risk and optional step-up/deny	Distinct work-complete component state; application policy shown as a separate decision.	KC04 / KC17 / KC21
First-party runtime delivery	Browser/application/local-verifier narrative; no third-party cloud node or runtime font fetch.	KC01 / KC06 / KC17
Strict privacy plus deliberate standard-mode opt-ins	A precise privacy section, not a no-data slogan.	KC06 / KC17
Common frontend client lifecycle	One canonical component/state vocabulary, not framework-specific security identities.	KC12 / KC13 / KC22 / KC23 / KC24 / KC25 / KC26 / KC27
Wrapped locales and polite status region	Fluid height, flex wrapping, correct lang/dir, native recovery and readable badges.	KC07 / KC12 / KC15 / KC16
Controlled unavailable and mismatch states	Unavailable/expired/failed/version error remain distinct; mismatch advises coherent assets/reload rather than a success fallback.	KC03 / KC14

The complete mapped review, precise claim inventory and source inspection scope are supplied separately in specifications/product-content.json and product-strategy.md.

Trust has conditions. Keep them visible.

Strong positioning follows the supported contract and leaves unresolved conditions intact.

Computation is not acceptance

Browser done / API verified means the solver produced a response token. Host verification, expiry, scope, consumption and post-solve risk disposition still decide whether the action continues.

Economic scope

Default work alone does not price out valuable abuse in the documented model. Higher-value scopes need step-up or deny behavior. Hardware rates and recorded campaign results have bounded measurement scopes.

Privacy is mode-specific

First-party runtime; telemetry off by default. Strict mode has no cookies. Configured adaptive modes can use first-party cookies and pseudonyms. Source/subnet rotation differs from session/principal lifetime.

Availability and recovery

Bound issuance and verification concurrency. Expiry, failure, worker unavailability, execution unavailability and version mismatch have different meanings and recovery. A mismatch clears the token and needs reload.

No new economic benchmark, red-team campaign, privacy audit or assistive-technology release qualification was performed. Source setup is linked without assuming registry publication.

Give each reader the proof they need.

The same identity can support more than one depth of information without merging distinct product experiences.

Form visitors

Complete the request, understand the check and recover without losing entered information. Use a small stable component, wrapped labels, native recovery and a static mark.

Application teams

Own challenge scope, lifecycle, verification capacity, privacy and deployment. The website explains the mechanism; linked documentation supplies configuration and precise protocol detail.

Positioning

For teams who want direct control over anti-abuse checks: self-hosted computational work, first-party runtime and clear lifecycle rules, presented quietly to visitors.

Content hierarchy

Mechanism first. Ownership second. End-user states third. Integration routes and practical limits next. The company endorsement and sibling products belong in the footer.

Related by discipline. Individually owned.

Kiwi CI is the reference for restraint and family foundations; neither product is a renamed Kiwi CI.



KIWI CI / APPROVED FAMILY REFERENCE



KIWICAPTCHA / DISTINCT FIXED ARTWORK

Shared foundations

Ink, Forest, Paper and Sage; substantial one-color silhouettes; generous clear space; restrained technical metadata; IBM Plex Mono; precise product language.

Individual character

Canonical Spiral Lock, teal accent, humanist Alegreya Sans lettering and softer pacing. The existing open coil is the restrained koru cue; no extra cultural pattern is introduced.

Independent delivery

An individual logo suite, font system, guide, source study, downloads and root website. Bel Consulting endorses the product. No sibling installation is required.

The family resemblance is a design interpretation based on the approved Kiwi CI artwork. A common body font is not required; exact outlined logo lettering remains separate from UI typography.

KiwiCaptcha / Primary symbol

Native geometry is authoritative; the generated presentation demonstrates the visual direction.



Spiral Lock

Two exact canonical paths: the open coil and raised shackle. 64 × 64 viewBox, 6.6-unit stroke, round caps and joins. Both source paths are preserved without a new emblem.

The authoritative source

packages/kiwicaptcha/resources/kiwi-mark.svg owns the shape. logo.rs includes it; generated mirrors remain synchronized. The secondary shield/status emblem does not replace the primary mark.

KiwiCaptcha / Primary signature


Fixed logo lettering, preserved proportions and generous space on Paper.



Production file: assets/kiwicaptcha-lockup-ink.svg. The exact SVG is an outlined master with no live font dependency. Generated pixels are presentation artwork rather than a vector source.

KiwiCaptcha / Reverse signature

Use the product accent on Ink, or the supplied white master when the context requires it.



Production file: assets/kiwicaptcha-lockup-accent.svg. Soft teal has strong contrast on Ink. Avoid shadows, glow, gradients and an altered mark-to-wordmark relationship.

Lettering with its own character.

The logo is fixed artwork. The website font explains the voice without replacing that artwork.

kiwi captcha

Humanist strokes

Alegreya Sans 700 brings angled terminals, flared stems and a less mechanical rhythm. The name reads as one independent product while retaining the familiar kiwi stem.

A clear suffix

kiwi is drawn at 100 units and captcha at 82 on the same baseline. The 12-unit word gap and pair-specific optical adjustments are fixed in the master, not left to browser kerning.

The supplied font binaries are unmodified OFL releases. The logo's fixed outlined scale and spacing do not define a new font. Exact letter positions and source files are recorded in lettering.json.

A complete suite, with specific uses.

Use the primary horizontal signature whenever the full name can be read comfortably.




PRIMARY / HORIZONTAL



SECONDARY / STACKED



WORDMARK / KNOWN CONTEXT



BARE SYMBOL




APP CONTAINER

Every symbol, lockup, wordmark and stacked master has currentColor, Ink, white and accent variants. An app tile is a platform container; it is not an extra enclosing shape in the bare mark.

Space and scale preserve recognition.

Use visible artwork to measure the exclusion zone; empty viewBox padding does not count as clear space.



Use	Size	Rule
Bare symbol	24 px preferred	One-color, high-contrast context.
Tiny icon	16 px supplied	Use the proofed icon; check the target slot.
Horizontal lockup	192 px wide	Keep the complete name readable.
Raster export	2× / 3× output	Prefer SVG when accepted.
Print	Process-specific proof	Convert in the target production profile.

Keep H/4 clear space on all sides of the visible artwork.
H is the visible symbol height in the selected signature.
Preserve the approved symbol-to-wordmark gap.


Keep the master intact

No stretching, rotation, letter-spacing changes, cropping, outlining, gradients, shadows or added ornament.
On photography, use a quiet solid backing.

The tiny icon is a real constraint.

True-size samples and 4× pixel enlargement at 16, 24, 32, 48 and 64 px.

KiwiCaptcha / native reproduction proof



kiwi captcha

One-color native master

Fixed outlines / transparent exports

These proofs use the native SVG and supplied raster output. 24 px remains the preferred bare-symbol size; the 16 px coil has less interior separation. Physical print and every display condition still need local proofing.

A palette with clear responsibilities.

Family foundations plus an individual accent. Brand colors and outcome semantics remain distinct.



Ink

#08110C



Forest

#143D2B

Paper

#F3F5EF



Sage

#92AA99

Teal

#9EDFD4



Teal Deep

#145C52

Foreground / background	Contrast	Use
Ink / Paper	17.45:1	Normal text
Forest / Paper	11.04:1	Normal text
Muted / Paper	5.66:1	Normal text
Sage / Ink	7.69:1	Normal text
Teal / Ink	12.74:1	Normal text
Teal Deep / Paper	7.13:1	Normal text
Teal / Paper	1.37:1	Decorative accent only

Normal text target: 4.5:1; essential non-text graphics: 3:1. Logos have a text-contrast exemption, but reproduction still benefits from strong contrast. Never rely on color alone for state meaning.

Typography is part of the identity.

The display and reading fonts are now specific to this product; technical metadata connects the family.

Let the browser do the work.

Readable product language. Deliberate detail.

`01 / status: pending / scope: local`

Role	Typeface and scale	Behavior
Display heading	Alegreya Sans 700/800 / 56-108 px	Short, concrete heading; controlled line length.
Section heading	Alegreya Sans / 38-66 px	One clear proposition; editorial rhythm.
Reading / controls	Alegreya Sans / 19-25 px	Open leading; visible labels; natural wrapping.
Technical metadata	IBM Plex Mono / 10-14 px	Short IDs, source context, states and code.
Product host	inherit widget host; no marketing-font payload	IDE / widget keeps its existing reading environment.

Self-hosted WOFF and TTF files plus OFL notices are supplied. The logo's fixed paths are independent of font loading. Do not add marketing font requests to the production widget or repaint the IDE.

Build a visual grammar around the work.

A few repeatable choices make the identity useful across pages, documentation and interfaces.

Quiet editorial composition

Broad surfaces, generous whitespace and humanist reading. Use a 4 px unit and 8 px base. Softer 10-18 px panels frame the host example without turning every section into a card.

Graphic language

The canonical coil already carries the slight koru cue. Keep other graphics restrained: ownership, scope and lifecycle. Avoid background spirals, cultural patterns, extra shields and a human-certification seal.

Widget density

A static 40 px mark, wrapped text, one decorative track and native recovery. Marketing can have a richer typeface; runtime inherits the host system stack and small existing footprint.

Motion with meaning

Computation may use one decorative track; the mark stays static. Do not imply a measured percentage. Reduced-motion mode keeps visible status and recovery without decorative movement.

Write what the state actually means.

Direct language, bounded claims and recovery that names a useful next action.

Situation	Use	Avoid
Campaign	Let the browser do the work.	Prove you are human.
Completion	Computational work completed; host still decides.	Human verified / bot-free.
Privacy	First-party runtime; telemetry off by default.	No data or cookies in every mode.
Economics	Tune policy to the value of the protected action.	Default work prevents all abuse.
Expiry	The check expired. Retry to reacquire.	Losing the host form draft.
Mismatch	Reload the coherent asset set.	A silent downgrade or endless retry.

The brand can be confident while naming scope. Source and integration documentation are honest calls to action; no fabricated customers, customer logos, reviews, performance figures or release availability are included.

Ten states. Different recovery contracts.


Runtime labels and locale packs are used in the interactive website specimen.

State	Meaning	Recovery
pending	Deferred execution has never started.	No extra human control; application invokes execute.
idle	Manual reacquisition/reset state after a credential or flow existed.	Native Retry when provided by driver.
connecting	Acquiring a challenge.	Bounded flow recovery on failure.
solving	Selected computation in progress.	Driver governs completion/failure.
done	Browser solver completed and produced response token.	Host continues to authoritative server verification; later expiry remains possible.
failed	Terminal flow failure after bounded recovery.	Native Retry. Two automatic retries precede terminal failure in driver.
expired	Credential validity ended.	Clear token/binding/aliases; preserve host form data; native Retry reacquires.
worker-unavailable	Required off-main-thread solver unavailable.	Native Retry can reacquire; no silent memory-hard downgrade/main-thread solve.
execution-unavailable	Required armed execution interpreter failed.	Native Retry reruns flow. No solution submitted without required evidence.
solver-mismatch	Worker/driver/glue protocol identities inconsistent.	Reload/update a coherent asset set; ordinary Retry cannot repair mixed assets. Never accept mismatched output.


Browser completion produces a response token. Server verification, lifecycle and policy remain the acceptance boundary. Native retries and reload are distinct; no human checkbox is introduced.

Applications built from exact masters.

Social card, document cover and application icon are native vector artwork with fixed font outlines.



SOCIAL / 1200 × 630



DOCUMENT / 900 × 1200



App sizes 16-256 px and multi-resolution ICO. Use the bare currentColor symbol for monochrome activity-bar or toolbar slots.

Native logo and text outlines keep these applications reproducible. RGB values need a destination print profile and a physical proof for print use.

The exact visual system in one view.

This board uses the supplied SVG masters, exact palette and actual font outlines.

KIWICAPTCHA / VISUAL IDENTITY

kiwi captcha

BEL CONSULTING / INDEPENDENT PRODUCT

Let the browser do the work.

PALETTE / SHARED FOUNDATIONS, OWN ACCENT

Ink	Forest	Paper	Sage	Teal	Teal Deep
#08110C	#143D2B	#F3F5EF	#92AA99	#9EDFD4	#145C52

TYPOGRAPHY / OWN VOICE

Alegreya Sans

Character in the lettering.

Readable product language. Exact labels.

IBM PLEX MONO / TECHNICAL METADATA

PRODUCT WEBSITE / NATIVE DESIGN SPECIMEN

kiwi captcha

Let the browser do the work.

Explore integration

COMPONENT / ILLUSTRATIVE STATE

Security Check

WORK COMPLETE

Verification complete

Proof-of-work verified locally.

Host verification and policy still decide acceptance.

STATIC MARK / VISIBLE STATUS

APP / ICON

FIXED OUTLINED WORDMARK

H/4 clear space. One-color masters. No effects.

Source review / logo suite / applications / own website

NATIVE MASTER / VERSION 3.0

The native board governs exact reproduction. Editable vector artwork and a high-resolution raster export are included in the assets folder.

The identity as an application direction.


Concept applications explore the design language. Native files govern contours, type, color and product copy.



Generated application sketches are not exact product screenshots or performance claims. Use the native board, tokens, source-grounded copy and implemented website for production decisions.

KiwiCaptcha / Website design

The concept establishes the product's own composition and typography.



Small on the page. Clear behind it.

A distinct product. Its own source, identity and website.

This is a visual direction specimen. The implemented multi-page site uses native logo artwork, local fonts and accessible local interactions. It is a separate origin and project.

A complete, independent website.

Distinct page structures, useful product depth and appropriate source-based next steps.

Page	Job	Implemented content
Home	Explain mechanism and ownership	Quiet host-form specimen, Work / Verify / Decide, visitor states, mode-specific privacy, integration routes and FAQ.
Integration	Give truthful setup routes	Pinned Rust/Symfony/frontend links, lifecycle/acceptance boundary, resource/economic/privacy limits.
Widget	Explore the component	Ten states; nine languages plus pt-BR; Arabic RTL; 240-352 px widths; 100% / 200% component text; simulated recovery.
Identity	Provide the complete brand	Native light/reverse masters, exact board, typography, guide/kit/SVG/token downloads.

Interaction

State, language, width and text controls update the local specimen. Labels use pinned runtime packs. Completion and recovery stay explicitly simulated; no security service or token is created.

https://kiwicaptcha.windyclock5.chatgpt.site

Roll out the artwork at its real source.

This package supplies brand files and websites. The product repositories were reviewed, not modified.

Change the generator first

packages/kiwicaptcha/tools/sync-brand.mjs currently emits an Inter lockup. Replace that template with the new outlined humanist wordmark before running brand sync; otherwise sync restores the old typography.

Preserve the canonical symbol

Keep resources/kiwi-mark.svg as the authority. Preserve logo.rs inclusion and synchronized brand.ts / mirrored assets. The primary mark remains the existing two-path Spiral Lock.

Keep the runtime small

Do not add the marketing fonts to the widget. Retain host typography, passive markup, static symbol, wrapped labels, native actions and first-party delivery. Run the source project's sync check after replacing its template.

Integration stays independent

Update application/documentation assets without creating a Faktor or Kiwi CI runtime dependency. Verify worker/asset versions and deployment policy as part of the product's existing release process.

The target map is a concrete handoff, not a claim that these source edits or release checks were performed in this branding task.

Everything is supplied in its own project.

The guide and kit are standalone; neither contains a sibling product's reusable logo assets.

Folder / file	Contents	Authority
assets/	21 native SVGs; transparent logo PNGs; app sizes; favicon; social, cover and identity board.	Native path artwork
fonts/	Own display/body fonts, IBM Plex Mono, local web formats and OFL license notices.	Unmodified licensed binaries
specifications/	Tokens, geometry, lettering, 4,100+ word strategy, source map, copy and rollout decisions.	Pinned review and explicit design interpretation
briefs/ + previews/	Five generation briefs, five new presentations, native logo and website specimens.	Concept direction; native artwork wins
qa/	Contrast, icon proofs, SVG structure, website checks and rendered PDF review.	Recorded verification scope
KiwiCaptcha_Visual_Identity.pdf	Complete analysis, standards, applications and reference appendices.	This document

Website validation checks local files, anchors, labels, assets and JavaScript plus local interaction behavior. Managed browser QA was unavailable. PDF pages and native reproduction proofs were rendered and visually inspected.

Product sources / 1

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC01

README.md

Full root product description; lifecycle, deployment, publication status and limitations.

KC02

packages/kiwicaptcha/README.md

Core documentation read, with protocol/algorithm/lifecycle sections used for brand scope.

KC03

SECURITY.md

Full text retrieved; operational, worker/version and explicit non-guarantee sections inspected closely.

KC04

docs/cost-to-abuse.md

Full economic contract read; no new benchmark or live hardware-rate verification.

KC05

THREATS.md

Full recorded-campaign table and scale/method caveats read; results not rerun.

KC06

packages/kiwicaptcha/integrations/symfony/docs/privacy.md

Full authoritative privacy contract read.

KC07

packages/kiwicaptcha/integrations/symfony/Resources/ACCESSIBILITY.md

Full component evidence, locale and release-qualification scope read; no qualification conducted.

KC08

packages/kiwicaptcha/design/README.md

Full design/canonical mark/sync/specimen contract read.

KC09

packages/kiwicaptcha/resources/kiwi-mark.svg

Exact canonical SVG retrieved and read.

KC10

packages/kiwicaptcha/src/logo.rs

Full include/mark/secondary shield code read.

KC11

packages/kiwicaptcha/tools/sync-brand.mjs

Full generator read; existing Inter text template identified.

KC12

packages/kiwicaptcha-client-core/src/markup.ts

Full client markup builder read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Product sources / 2

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC13

packages/kiwicaptcha-client-core/src/widget.ts

Full lifecycle/event wrapper read.

KC14

packages/kiwicaptcha-wasm/assets/widget-driver.js

Full text retrieved; state, recovery, expiry, locale, work-completion and lifecycle sections closely inspected; not a full driver/secur

KC15

packages/kiwicaptcha-wasm/assets/widget-locales.js

Full locale module read; actual language keys checked.

KC16

packages/kiwicaptcha/resources/widget.css

State, text-wrap, recovery, reduced-motion and forced-color rules read.

KC17

packages/kiwicaptcha/integrations/symfony/docs/claims-registry.md

Full claim/assumption/evidence and maintenance contract read.

KC18

packages/kiwicaptcha/integrations/symfony/docs/getting-started.md

Full text retrieved; publication status, profiles, Redis and form integration inspected closely.

KC19

packages/kiwicaptcha/integrations/symfony/docs/migration.md

Full provider subset, score, TTL and expiry contract read.

KC20

packages/kiwicaptcha-php/README.md

Full text retrieved; framework-neutral, storage and limitation sections inspected.

KC21

packages/kiwicaptcha/integrations/symfony/README.md

Full text retrieved; standalone integration, publication and documentation map read.

KC22

packages/kiwicaptcha-client-core/README.md

Full shared frontend lifecycle/quickstart README read.

KC23

packages/kiwicaptcha-react/README.md

Full framework README read.

KC24

packages/kiwicaptcha-vue/README.md

Full framework README read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Product sources / 3

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC25

packages/kiwicaptcha-svelte/README.md

Full framework README read.

KC26

packages/kiwicaptcha-solid/README.md

Full framework README read.

KC27

packages/kiwicaptcha-angular/README.md

Full framework README read; current test-environment limitations preserved.

KC28

packages/kiwicaptcha-client-core/src/brand.ts

Generated exact canonical path constants read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Identification, reproduction and context.

Primary design sources inform the reasoning. They do not certify a mark or prescribe a universal formula.

Paul Rand / Logos, Flags, and Escutcheons

Identification and meaning established through use.

Pentagram / Slack identity

Reproduction across sizes, surfaces and a coherent family.

Chermayeff & Geismar & Haviv / NBC

Simple, distinctive silhouette and purposeful recognition.

W3C / Contrast minimum and non-text contrast

Readable text; state meaning beyond color alone.

Huerta Tipográfica / Alegreya Sans

Official type source; OFL notices are supplied.

Te Ara / The koru

Cultural context for the restrained existing open-coil cue.

Kiwi CI benchmark: 14-page guide, individual primary/symbol/dark presentations, identity board, analysis, applications and full generation briefs. This package matches that scope and adds native masters and its own multi-page website.

Primary symbol / Full generation brief

Reference: previews/native-light-symbol.png / Native SVG and tokens remain authoritative.

Create a primary standalone symbol presentation for KiwiCaptcha. Reproduce the attached exact symbol master, alone and optically centered, crisp Ink #08110C on warm Paper #F3F5EF with generous clear space. The symbol is the exact existing Spiral Lock: round raised shackle and open coil drawn with a consistent heavy round stroke. Preserve the open center, cap shapes, shackle proportion and attached canonical paths. Slight Koru influence is already present only in this open coil. No new pattern, extra enclosing circle, shield, bird, fingerprint or ornament. No words or caption, no palette or framing, no mockup props, shadow, gradient, texture or 3D. Flat high-resolution vector-like graphic, square 1000 by 1000 composition. This product is standalone within the Kiwi CI family.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

Primary horizontal logo / Full generation brief

Reference: previews/native-light-logo.png / Native SVG and tokens remain authoritative.

Create an exceptionally refined primary logo presentation for KIWI CAPTCHA, an independent self-hosted computational anti-abuse product from Bel Consulting. This is an edit of the FIRST attached exact logo master. Reproduce the open spiral-lock symbol and the fixed lowercase kiwi captcha lettering precisely; retain the rounded shackle, open coil and the humanist Alegreya-like angled stems and terminal forms, with kiwi larger and captcha at 82% on the same baseline. DO NOT replace the new lettering with Inter, circular geometric sans, futuristic AI typography or generic heavy SaaS type. Do not simplify or add to the canonical symbol. The second attached Kiwi CI board is the approved sibling-family reference: use its restraint and Ink/Forest/Paper foundation, not its bird or wordmark. KiwiCaptcha is a completely separate product. Slight Koru influence exists only in its existing open coil; do not add patterns, borders, new cultural motifs or another circle. Produce a beautifully balanced flat horizontal logo proof with exact attached artwork large, crisp Ink #08110C on warm Paper #F3F5EF. Maintain the attached master spacing, generous clear space, optically centered. No other text, captions, palette, mockup or extra symbols. One solid color, vector-like edges, no texture, gradient, shadow or 3D. Landscape 1400 by 850 composition, high resolution.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

Dark horizontal logo / Full generation brief

Reference: previews/native-dark-logo.png / Native SVG and tokens remain authoritative.

Create the dark-mode logo presentation for KiwiCaptcha. Reproduce the attached exact master artwork faithfully, including the fixed letterforms and spacing. Place this entire horizontal logo alone, optically centered, with generous clear space on a flat Ink #08110C background. Artwork color is Teal #9EDFD4. Its canonical Spiral Lock and humanist kiwi captcha lettering have angled stems and an 82% captcha suffix on the same baseline. Do not use generic Inter or geometric AI typography. Match the supplied artwork proportions. No extra text, texture, gradient, shadows, bevels, background illustration, props, light source or ornament. Pure crisp one-color flat logo proof, landscape 1400 by 850. This is a sibling of Kiwi CI with its own independent identity; the attached master is authoritative.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

Visual identity board / Full generation brief

Reference: previews/native-light-logo.png / Native SVG and tokens remain authoritative.

Create a polished, extensive visual identity board for KIWI CAPTCHA, a standalone self-hosted computational anti-abuse product from Bel Consulting. FIRST attached new exact master logo is authoritative: canonical open Spiral Lock with rounded shackle and coil, humanist lowercase kiwi captcha lettering, kiwi at 100 and captcha at 82 on a common baseline. Preserve the symbol and the angled, calligraphic humanist letter shapes. Do not substitute generic Inter or geometric AI-SaaS type. SECOND attachment is the approved Kiwi CI family board: share Ink #08110C, Forest #143D2B, Paper #F3F5EF, Sage #92AA99, calm one-color mark and restrained technical metadata; do not borrow its bird. KiwiCaptcha owns Teal #9EDFD4 and Deep Teal #145C52. Use Alegreya Sans style humanist display/body, IBM Plex Mono small metadata. Slight Koru influence exists only in the exact coil, never new cultural patterns or background spirals. Produce a beautifully art-directed landscape 1600 by 1100 identity board with generous whitespace and thoughtful asymmetry, not a generic wall of equal cards. Show dominant new logo, readable palette chips and exact hex, type specimen 'Let the browser do the work.' Below show an independent warm editorial website with rounded calm form example, a small passive status widget with static symbol/status/native retry, documentation cover and app icon. Widget has NO human checkbox, puzzle, fake human verification or rotating logo. 'Work complete' describes computation; host verification and application policy remain separate, no bogus human assurance. Small language/RTL example may show Arabic, but no dense fake copy. The standalone product has its own website and integration route, no Faktor/CI dependency. Company/family endorsement only in tiny footer. Softer 10-18px panels, gentle whitespace, precise status meaning, first-party application character. Avoid glossy gradients, generic geometric fonts, AI ornaments, stock testimonials/statistics, cloud network graphics and unrelated provider logos. Crisp exact logos, flat graphic design, one lightly angled documentation mockup at most.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

Website visual direction / Full generation brief

Reference: previews/native-website.png / Native SVG and tokens remain authoritative.

Create a carefully art-directed WEBSITE DESIGN presentation for KiwiCaptcha, an independent self-hosted computational anti-abuse product from Bel Consulting. This is an edit of the attached native website design specimen. Preserve its exact Spiral Lock mark and humanist kiwi captcha wordmark: angled stem terminals, kiwi larger and captcha 82% on the same baseline. Do not substitute stock Inter, geometric AI-SaaS fonts, shield or bird. Use Alegreya Sans-like humanist display/body, small Plex Mono metadata, Ink #08110C, Paper #F3F5EF, Teal #9EDFD4 with Deep Teal #145C52. Match attached independent warm editorial layout: small company strip, logo left, Integration / Widget / Identity nav right; large 'Let the browser do the work.' humanist heading left, supporting 'A self-hosted check that fits quietly into your form. Your application owns the acceptance policy.' and Read the guide CTA. On the right a quiet rounded pale sage host-form example with email and a small passive widget, static Spiral Lock, Security Check / Working / Verifying… status and one thin decorative track. No checkbox, puzzle, human verified label, percentage or automated progress claim. Include small 'Illustrative host form / no solver runs here.' Below begin a spacious editorial ownership section 'Small on the page. Clear behind it.' This is a distinct warmer personality, related to Kiwi CI via family palette and discipline, entirely separate from Faktor. The existing coil alone carries a slight Koru motif; do not add cultural patterns or extra spirals. Refine proportion and typography faithfully without inventing a whole new layout. No laptop photograph, plant, gloss, gradient, shadow field, fake endorsements, pricing, cloud graphic or generic card wall. Crisp flat website design, landscape 1400 by 1020, legible short text; concept presentation rather than deployed-browser screenshot.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.