

Designed to belong.

A considered interface, from the website to the smallest check.

kiwi captcha





The approved website sets the visual language. This revision replaces the generic card treatment with host typography, a compact status surface and a deliberate email form. The complete earlier identity system and technical handoff are retained.

Reduce the interface to the task.

What changed

The previous widget gave a two-line status too much chrome: a brand header, divider, badge-like emphasis and repeated containers. Small system type made it look detached from the website.

The new status uses the mark once, one clear title and one short explanation. Recovery appears only when needed. A quiet attribution replaces the dedicated brand header.

A form deserves a different hierarchy

The demanded email step uses a larger humanist heading, a visible field label and a single full-width primary action. Close and recovery utilities no longer compete as a second row of boxed buttons.

One visual language does not require a status row and a form to have identical padding or density. Their type, colour, corners, mark and interaction discipline are shared.


> This is a visual and interaction revision. Product-source claims remain pinned to 12 October 2026; the current repository HEAD is not claimed as audited.

The website’s character belongs here.

Confirm your email. Then continue.

Alegreya Sans Medium 500 supplies the interface voice on the approved website. Its open shapes and humanist proportions carry more of the identity than another decorative border.


Widget type inherits the host. The website already loads this face, so the component needs no new font request. A host can supply its family through --kc-font-family; a system fallback is also exercised.



Ink	Forest	Paper	Surface
#08110C	#143D2B	#F3F5EF	#FBFCF8

The exact Spiral Lock and outlined wordmark masters are unchanged. The surface tint is a functional neutral, not a new product accent.

A smaller surface. Clearer information.




A 44 px text action is available for recovery. The component has no checkbox or fake progress percentage.


Part	Specification
Preferred width	352 px; fit smaller host containers
Inset and corner	20 px block / 24 px inline / 12 px radius
Leading mark	32 px, static, exact existing geometry
Grid	32 px / flexible copy / 20 px state icon; 14 px gutters
Title	20/24, host family, Medium 500
Explanation	15/20, 5 px below title
Attribution	12/16, quiet footer; no divider
Recovery	44 px target, text action; capability-driven

Neutral and active views reserve the state-icon slot without displaying redundant activity. Completion and failure add a small non-colour cue. No element rotates the brand mark.


The status stays in the background.




PENDING




CONNECTING




SOLVING



DONE



IDLE




EXPIRED


A completed browser response permits the host flow to continue to server verification. The text does not certify a person, authorize an operation or override the application's disposition.

Recovery follows the actual failure.


FAILED




WORKER-UNAVAILABLE



EXECUTION-UNAVAILABLE



SOLVER-MISMATCH



Retry may reacquire or rerun the demanded flow. Mixed worker, driver or glue identities need a coherent asset reload. Required worker and execution evidence remain required.

One action gets visual priority.

Part	Specification
Preferred width	384 px; natural height; 12 px radius
Insets	24 px top / 28 px inline / 20 px bottom
Caption and mark	13/16 caption; 26 px static mark
Close	44 px native target; 16 px SVG cross
Heading and copy	28/30 Medium 500; 16/22 explanation
Field	14/20 label; 8 px gap; 48 px input
Primary action	Full width; 48 px; 17/24 centered label
Utilities	44 px text targets; no competing outline

A direct, readable task.

Email confirmation

One more check

Confirm your email to continue.

Continue

KiwiCaptcha

REQUESTED

Email confirmation

Confirm your email

We'll send you a six-digit code.

Email address

you@example.com

Send code

KiwiCaptcha

ADDRESS

Email confirmation

Check your inbox

Enter the code sent to you@example.com.

Verification code

Verify code

Change email


Resend code

KiwiCaptcha


CODE

One text field handles the whole code, paste and leading zeroes. Close cancels; Escape does the same in the specimen. A real host must dismiss its surface and return focus to the invoker.


Keep the correction beside the field.



CODE-ERROR / REQUIRED ADAPTER VIEW



EXPIRED / REQUIRED ADAPTER VIEW



RATE-LIMITED / REQUIRED ADAPTER VIEW

An invalid code keeps the context for correction. Expiry clears the code and offers a new attempt. The server owns resend and retry eligibility; a local timer cannot unlock a restriction.

Waiting should be honest.

Email confirmation

Confirm your email

We'll send you a six-digit code.

Email address

you@example.com

Sending...

KiwiCaptcha

SENDING / REQUIRED ADAPTER VIEW

Email confirmation

Confirm your email

We'll send you a six-digit code.

Email address

you@example.com

We couldn't send the code. Try again.

Send code

KiwiCaptcha

DELIVERY-ERROR / REQUIRED ADAPTER VIEW

Email confirmation

Check unavailable

Try again, or contact the site if this continues.


Try again

KiwiCaptcha

SERVICE-UNAVAILABLE / REQUIRED ADAPTER VIEW

Pending controls prevent duplicate submission. Cancel must abort work and invalidate late responses. Delivery failure retains the address. Service failure offers an appropriate retry or contact path.

The application still decides.




A response is not authorization

PoW response, ownership grant, FactorVerified, AuthorizedStepUp and the protected action are separate boundaries.


The host verifies kind, lifecycle, scope, demand binding and the authoritative disposition before allowing an operation. A transaction summary must come from safe server context.

The final application decision remains outside the branded widget. The visual lab performs no real delivery, proof computation, token issuance or grant verification.


Keep the hierarchy, change the material.



STATUS / DARK




RECOVERY / DARK



FACTOR / DARK

The darker surface separates from the website’s Ink background. Pale sage-teal supplies the accent; text, shape and action retain the same meaning. The mark stays static and unchanged.


Typography can grow. The layout follows.



240 PX / ENGLISH



240 PX / ARABIC / PROPOSED COPY



320 PX / SYSTEM FONT FALLBACK

Baseline checks cover all ten states, ten locale packs, 240/320/352 px containers and doubled component text. Factor checks cover each task view, three widths, two type families, both text sizes and both themes.

Natural height, logical alignment and a flexible text column prevent ellipses and clipping. Browser zoom, user text-spacing overrides, assistive technology and native-language approval remain release evidence tasks.

Fewer words. The same contract.

Driver state	Title	Explanation	Action
pending	Ready when needed	Starts with your request.	None
idle	Ready to retry	Start a fresh check.	Try again
connecting	Connecting	Getting the check ready.	None
solving	Checking your request	Working in the background.	None
done	Check complete	You can continue.	None

The ten source driver states remain unchanged. running/mismatch are presentation aliases only. Factor delivery and code views are an orthogonal task model, not additional proof-driver states. Production recovery must follow the driver’s capabilities.

Fewer words. The same contract.

Driver state	Title	Explanation	Action
failed	Check interrupted	Try again to continue.	Try again
expired	Check expired	Your form has been kept.	Try again
worker-unavailable	Couldn’t start the check	Try again, or contact the site.	Try again
execution-unavailable	Couldn’t finish the check	Try again, or contact the site.	Try again
solver-mismatch	Update needed	Reload to update the check.	Reload

The ten source driver states remain unchanged. running/mismatch are presentation aliases only. Factor delivery and code views are an orthogonal task model, not additional proof-driver states. Production recovery must follow the driver’s capabilities.

Center the control with geometry.

48 px primary and input

A 24 px primary line box plus 12 px block padding gives 48 px. Inputs use 24 px line height, 11 px block padding and two 1 px borders. The code face keeps the same 24 px line box.

Use inline-flex, align-items:center and justify-content:center. Wrap long labels and grow the control; do not fix one screenshot with translated baselines or unequal padding.

44 px utilities

Close and utility actions retain generous targets. The SVG cross has exact bounds and avoids a font-dependent multiplication glyph.

Protect the embedding boundary

Use border-box, min-inline-size:0 and scoped selectors or Shadow DOM. Set margin, line-height, border and focus explicitly. Preserve host typography rather than allowing arbitrary global styles to leak into the component.

The compact row and task form share primitives and tokens. widget-view.js and factor-view.js generate the live lab, static examples and print specimens. Separate hand-drawn HTML copies are not authoritative.

Test the actual production renderer under the real host reset, typeface, browser and framework wrapper.

Make the requirements explicit.

WCAG 2.2 / APG	Design and release requirement
1.3.1 / 3.3.2	Native controls, visible labels, meaningful structure and associated errors.
1.4.1 / 1.4.3 / 1.4.11	Text plus shape, readable text contrast and strong field/focus boundaries.
1.4.4 / 1.4.10 / 1.4.12	Text resize, reflow and spacing overrides without loss or clipping.
2.1.1 / 2.1.2 / 2.4.3	Keyboard operation, logical order and no unintended focus trap.
2.4.7 / 2.4.11 / 2.5.8	Visible, unobscured focus; 48 px primaries and 44 px utility targets.
3.3.1 / 3.3.3 / 4.1.3	Specific field errors, useful recovery and concise status announcements.
APG dialog pattern	Use modal semantics only with real modality, focus containment and return focus.

A design target is not an accessibility certification. The detailed handoff names the production tests and official references.

A visual implementation, with honest limits.

Implemented in this delivery

Both pure renderers, shared primitives and tokens, compact status views, the factor sequence and operational recovery specimens. Updated website examples, interactive controls and current PDF sources.

864 browser layout cases cover the baseline language matrix and the factor theme/type/size matrix. No clipped text or horizontal overflow was detected in those cases.

Build or adapt in the runtime

Audit the current product renderer and backend before porting. Wire capability-driven recovery, typed delivery/code errors, authoritative retry windows, expiry, demand and operation binding, cancellation and stale-response rejection.

Keep the original security boundary. Native-language review, real zoom, screen readers and asynchronous backend acceptance remain explicit release work.

The depth remains available.

Current system first

The current widget design and full engineering handoff lead this guide. The complete earlier 42-page identity system follows with dated-reference labels, preserving the mark construction, typography, applications, research and briefs.

The website PDF includes every current page, the new design-in-context page, source notes, all 23 FAQ answers and all four prior website routes.

The full master archive

All original kit content and earlier reports remain. The preceding edition-5 reports and implementation source are kept as dated references, alongside the edition-6 renderers, CSS, tokens, code outline, PDF sources and QA evidence.

The production website serves a smaller asset/source ZIP; the PDFs are separate downloads. The master ZIP supplied with this revision retains the complete report archive.

23 October 2026. This delivery changes the website and visual prototypes, not the product runtime repository. Product descriptions remain pinned to 272foddb888f2ff35446667fcd8ffcb61a09af32 (12 October). Do not infer that current HEAD was audited.

The design decision

Use the approved website as the visual parent. Preserve the exact Spiral Lock geometry and outlined wordmark masters. Keep Ink #08110C, Paper #F3F5EF, Forest #143D2B and Teal #9EDFD4. The compact surface uses deep teal #145C52 for readable accent text. Host typography is intentional inside the widget. On the approved website it inherits the already-loaded Alegreya Sans; it must not fetch a marketing font itself. The independent KiwiCaptcha identity remains separate from Faktor and Kiwi-CI.

The compact status surface uses the canonical 32 px mark, a 14 px gutter, a 20/24 medium-weight title and a 15/20 explanation. Its inset is 20 px vertically and 24 px horizontally. A quiet 12/16 product attribution sits in the footer; recovery is a text action with a 44 px target. Status and factor share a 12 px outer corner and a 6 px control corner, colour tokens and host typography. They have deliberately different task density.

The factor form uses 28 px inline padding and 24 px top padding. A small 26 px mark and 13/16 task caption lead to a 28/30 humanist heading and 16/22 explanation. A field uses a 14/20 visible label with an 8 px gap, a 48 px input and a full-width 48 px primary action. Utility actions and the SVG close button retain 44 px targets. A single primary button gives each view one clear task. Do not add a divider bar, redundant badges, nested demonstration panels or a competing outlined Cancel button.

Typography inherits the host family. The approved website already self-hosts Alegreya Sans, so its Medium face becomes the widget's voice without a new request. A different host may supply its own family through --kc-font-family; system fonts remain a tested fallback. The distribution contains licensed Alegreya Sans files for an optional host-provided brand theme, but the component itself never fetches a marketing font. This is intentional adaptation, not a promise of identical text metrics across operating systems.

Use inline-flex, center/center, symmetric block padding and explicit line-height for controls. The primary is 17/24 with 12 px block padding and no border, producing a natural 48 px height. Inputs are 16/24 with 11 px block padding and two 1 px borders, also 48 px. The code face uses 18/24 with the same input geometry. Wrapped labels grow naturally. Never repair centering with translated baselines or unequal padding.

The baseline has no checkbox, rotating logo, badge stack, percentage or progress track. It is passive computation. It does not claim that a person has been verified. A completed browser response is still subject to server verification, demand binding and application policy.

Files and integration

· `site-source/dist/widget-system.css` is the shared stylesheet actually used by the home page, playground and new system gallery.

· `widget-states.json` is the English state content and tone inventory.

· `widget-copy-v5.json/js` holds proposed concise baseline translations for ten locale packs. They require native-language review before release. Original runtime packs remain unchanged in demo-locales.js, locales.js and the original kit.

· `widget-primitives.js` owns the exact mark, status icons and escaping; `widget-view.js` is the compact status renderer.

· `factor-view.js` is the one pure factor renderer used by the live demo, generated gallery and PDF specimens. `widget-states.json/js` supplies the English baseline copy to both native generation and the live lab.

· `site.js` contains the baseline demo state binding. `stepup-demo.js` contains a small reducer and the local factor specimen. Neither contacts a challenge service or sends email.

· The gallery's additional operational specimens are proposed adapter views, not new proof-driver DOM states or evidence of backend support.

· `factor-adapter-outline.ts` defines a proposed adapter contract. Do not assume its names are existing product APIs.

Port the component into the actual runtime template renderer rather than embedding the marketing site. Keep an isolated root or Shadow DOM, scoped styles, adopted color tokens and explicit locale. Share a pure view model across framework wrappers. The repository's existing driver remains the lifecycle authority; map source aliases only at the adapter boundary (`running` -> `solving`, `mismatch` -> `solver-mismatch`). Do not duplicate timers or solver policy in each wrapper.

Build work required

1. **Audit the current runtime before changing it.** Compare packages/kiwicaptcha/resources/widget.css, the native/widget renderer, client-core, WASM driver, framework wrappers and native integrations. Confirm current export paths and event names. The website's source links are a dated contract, not a claim about today's main branch.

2. **Adopt the shared visual component.** Replace independent baseline/factor CSS values with the edition-6 tokens. Preserve public callbacks, mounting, reset and destroy semantics. Ship no remote font or telemetry dependency. Create an isolated visual regression fixture with production renderer output, not a copy of this marketing mockup.

3. **Typed state adapter.** Keep the ten source DOM states. Factor delivery/code phases are an orthogonal view model. Bind result kind, demand identity, transaction identity, generation and expiresAt explicitly. Clear token and aliases at expiry/reset/mismatch before rendering recovery. The host form survives recovery.

4. **Async correctness.** Every active operation gets AbortController plus generation ID. Cancel, reset, unmount and address change abort outstanding requests; late responses must fail the generation test before writing token, form or success UI. Disable duplicate submit/resend while a request is in flight. Pending UI changes immediately; no fake minimum delay or fake percentage. Use server timestamps for validity; use a monotonic clock for local elapsed time.

5. **Mail/code contracts.** Reuse or add server-owned demand creation, request-code, verify-code, cancel and status operations. These are capabilities, not proposed route-name compatibility promises. Responses need demandId, result kind, expiresAt, resendAt, retryAfter, machine-readable error code and safe display context. Keep request/operation identity server-owned; avoid address enumeration. Verification must bind the attempt to the original scope, session/demand and protected operation where applicable.

6. **Recovery.** Map delivery failure to retained address + Send code; invalid code to retained address and linked field error; expired code to clear code + Request new code; attempt limit to server-governed retry time; service unavailable to retry/contact route. Code rotation invalidates old attempts. Resend must be idempotent or safely deduplicated and rate-limited on the server. Never let a client countdown unlock a server restriction.

7. **Worker and execution constraints.** Preserve refusal when a required worker or armed execution interpreter is unavailable. Ordinary Retry may reacquire. Mixed worker/driver/glue identities require a coherent asset reload/update, not repeated solve calls. No memory-hard downgrade or main-thread fallback without an explicit product contract.

8. **Host decision.** Ownership response, FactorVerified, AuthorizedStepUp and protected-action outcome are separate. Browser success only returns a bound response/grant. The authoritative server verifies lifecycle and kind, finalizes the demand and enforces allow/step-up/quarantine/deny. Transaction-bound UI uses only a server-safe operation summary; never trust query-string amount/payee text as authority.

9. **Localization.** Wire the new copy keys into the real lazy loading scheme; do not ship every language in the default production bundle. Translate factor text independently. Keep interpolation escaped, email/operation text in bdi, code inputs LTR and logical CSS properties for the container. Native review is a release task for all proposed new copy.

10. **Accessibility release work.** Test the product renderer, not only this site: keyboard, real browser zoom, text-spacing overrides, forced-colors, reduced motion, screen readers, error announcements and dialog focus. This delivery is not an accessibility certification.

Interaction and copy details

Normal baseline states never take focus. Announce a concise status transition through one polite atomic live region, not the entire component or a changing countdown. Form errors reference the field through aria-describedby and set aria-invalid. Keep a visible label; do not use a placeholder as the label. Use a single text code field with inputmode=numeric and autocomplete=one-time-code, allow paste, preserve leading zeroes, and reject anything other than the agreed code format. Six separate boxes add focus and paste complexity without benefit here.

Use an inline group within a host form by default. Do not claim aria-modal for an inline surface. If the host must present a modal, use a real dialog with an accessible name, a visible cancel control, initial focus inside, background inertness, Tab containment, Escape cancellation and focus return to the invoker. Do not move focus on passive solver updates. Keep keyboard and visual order identical: caption/close, field, primary, utilities. Close is a native 44 px button with a 16 px SVG cross, a clear accessible name and Escape support. It cancels the factor, rather than claiming that the protected action succeeded.

A retry preserves the host's form. A cancelled factor must dismiss the real host surface and return focus to the invoking element; the local design lab returns to its requested view. Cancellation clears its local address/code and invalidates or cancels the demand as policy requires. A new address clears previous code state. A resend updates only the factor attempt, not the protected transaction identity. Show resend timing from the server. An elapsed local timer never means code acceptance.

The baseline's primary line says what happened. One short secondary sentence says what to do. Implementation notes and source claims live beside the lab, not inside the production-style card. Use “Check complete,” not “Human verified.” Use “Reload” for mixed assets, not “Retry.” Keep buttons to verbs plus a short object: Send code, Verify code, Continue.

Spacing and implementation safeguards

Use border-box everywhere. The status grid is `32px minmax(0,1fr) 20px` with 14 px gutters. The trailing state icon stays hidden in neutral/active states without changing column geometry. All flexible children get min-inline-size:0. The preferred baseline width is 352 px and factor width is 384 px; supported specimen widths include 240/280/320/352 and fit-container. Cards may grow vertically. Do not give a widget a fixed block size or overflow:hidden. Do not truncate recovery instructions or translate by reducing font size. Keep icon size independent of text enlargement; the text column wraps naturally. No header divider is needed; field outlines and focus outlines need stronger contrast.

When controls wrap, preserve their DOM order. At very narrow containers buttons can form multiple lines, with equal block minima and centered text. A primary button is Forest on light and pale sage-teal on dark. Secondary borders are #718176 light / #7D9687 dark. Color never carries status alone: title, shape and appropriate next step remain visible.

Avoid CSS leaking from host/global selectors (`p`, `button`, `input`, heading defaults). Prefix every production selector or use Shadow DOM. Set font, margin, line-height, letter-spacing, box-sizing, min-size, border and focus styling at the component boundary. Test the actual embedded surface under a host reset that adds generic button padding and heading margins. Font fallback differs by operating system; optical review is still necessary even with mathematically centered line boxes.

Release acceptance

· Every ten-state transition uses the correct icon/tone, title, hint and capability-driven recovery action.

· No obsolete token remains after expiry, cancel, reset or mismatch; stale responses cannot resurrect one.

· A failed or rejected factor cannot produce a done/authorized protected-action result.

· Keyboard-only flow: start, valid/invalid address, code paste, invalid code, resend, change email, cancel, retry and return focus.

· 240/280/320/352 px component containers, 320/375/768 px host viewports, all ten locale packs, RTL, doubled component text and actual browser zoom.

· Text-spacing override: line height 1.5, paragraph spacing 2em, letter spacing .12em and word spacing .16em. No clipped text or controls.

· Light/dark token contrast, non-color status cues, visible focus, forced colors, reduced motion.

· Browser and screen-reader matrix recorded with version, OS, assistive technology and evidence. External release is gated on that evidence, native review and backend integration.

Preservation

The original identity PDF (42 pages), original website PDF (114 pages), the complete edition-5 identity and website PDFs and all 131 kit entries remain available as dated reference. The updated guide leads with the new canonical widget system and appends the full earlier guide. The rebuilt website PDF includes every current route and the dated prior website routes. The ZIP includes original files, updated vector/logo assets, fonts/licenses, revised HTML/CSS/JS, PDF sources, component contracts, evidence and retention manifests. Original marks and source locale packs are unchanged. The active identity page's old widget image was replaced by native HTML using the new shared component; its original artwork remains dated reference.

Edition-6 visual and integration acceptance

The visual revision changes hierarchy, type, density, material, copy and controls, not only radii. The status surface has no dedicated brand header or divider. The factor has one full-width primary action, a small task caption, an accessible close control and quiet utilities. Static examples, the live lab and the paginated design guide must be generated by the same two pure renderers; manual HTML lookalikes are not authoritative.

Test both the approved Alegreya host and a system-font host. Verify the exact Medium 500 font face is available in the website and print exports; do not let a missing font substitute a lighter or synthetic weight unnoticed. Host font inheritance is a dependency on the embedding page's typography, so the runtime acceptance matrix must name it. Changing the family cannot change the security semantics.

For the release build, record: every ten-state baseline view at 240/280/320/352 px; every factor view at 240/320/384 px; both component text sizes; all baseline locale packs; RTL; light/dark; close, Escape, field errors and recovery; preservation of the host form; and all asynchronous cancellation/expiry races. The live website is a presentation demo. Production adoption, backend capability audit/adaptation and native-language approval remain build tasks.

Typed adapter outline

Proposed integration contract, not an existing product API. Complete editable source is included.

```
/** Proposed integration outline. Not an existing exported KiwiCaptcha API. */
export type DriverState = 'pending'|'idle'|'connecting'|'solving'|'done'|'failed'|
  'expired'|'worker-unavailable'|'execution-unavailable'|'solver-mismatch';
export type FactorView = 'requested'|'address'|'sending'|'code'|'verifying'|
  'delivery-error'|'code-error'|'expired'|'rate-limited'|'service-unavailable'|'response';
export type BoundResult = { kind:'pow'|'ownership-grant'; value:string;
  demandId:string; operationId?:string; expiresAt:number };
export type Demand = { id:string; kind:'email-ownership'|'transaction-factor';
  operationId?:string; expiresAt:number; safeOperationSummary?:string };
export interface FactorPort {
  requestCode(demand:Demand, address:string, signal:AbortSignal):Promise<{
    attemptId:string; expiresAt:number; resendAt:number; safeAddress:string }>;
  verifyCode(demand:Demand, attemptId:string, code:string, signal:AbortSignal):Promise<BoundResult>;
  cancelDemand(demand:Demand):Promise<void>;
  // Error mapping must expose typed safe reasons, not raw server exception text.
}
export class FactorCoordinator {
  private generation=0;
  private abort?:AbortController;
  private result?:BoundResult;
  constructor(private port:FactorPort, private emit:(view:FactorView)=>void){}
  private begin(){ this.abort?.abort(); this.abort=new AbortController();
    this.result=undefined; return {generation:++this.generation,signal:this.abort.signal}; }
  async verify(demand:Demand,attemptId:string,code:string){
    if(!/^\d{6}$/.test(code)) {this.emit('code-error');return;}
    const request=this.begin();this.emit('verifying');
    try {
      const result=await this.port.verifyCode(demand,attemptId,code,request.signal);
      if(request.signal.aborted||request.generation!==this.generation)return;
      if(result.demandId!==demand.id||result.operationId!==demand.operationId)
        throw new Error('Binding mismatch');
      if(Date.now()>=Math.min(result.expiresAt,demand.expiresAt)){
        this.result=undefined;this.emit('expired');return;
      }
      this.result=result;this.emit('response');
      // Deliver to the host's authoritative verifier. Never authorize here.
    } catch(error) {
      if(request.signal.aborted||request.generation!==this.generation)return;
      this.result=undefined;
      // TODO map typed invalid/expired/throttled/unavailable errors separately.
      this.emit('service-unavailable');
    }
  }
  async cancel(demand:Demand){this.dispose();await this.port.cancelDemand(demand);}
```

```
  dispose(){++this.generation;this.abort?.abort();this.result=undefined;}
}
// Production must add request/resend deduplication, server Retry-After gating,
// authoritative clock handling, expiry events, host binding clearing, error maps,
// delivery status and tests. This outline is intentionally not a backend.
```

Official references

WCAG 2.2

APG modal dialog pattern

Understanding reflow

Pinned product-source snapshot

COMPLETE EARLIER IDENTITY / DATED REFERENCE

The identity. Retained in full.

The next 42 pages preserve the complete edition-4 identity guide: original research, artwork, vector construction, typography, applications, source notes and reusable briefs.

> Edition 6 governs the current widgets. Any older interface, progress track or completion wording in this reference is superseded. Canonical logo geometry and outlined wordmark masters remain unchanged.

The preceding edition-5 reports are also retained in the master ZIP.

kiwi captcha

Independent product identity / edition 4 / 12 October 2026

KiwiCaptcha Expanded.

Complete product website, current adaptive enforcement and recovery design, and the complete earlier identity system.

> The complete 11 October identity guide follows this new edition. Its original pages, analysis, generated presentations, vector construction, typography, applications and export rules are retained as dated reference.

Bel Consulting / Kiwi-CI product family
Current product source: 272f0ddb888f2ff35446667fcd8ffcb61a09af32
Each product keeps its own mark, palette, typography, website and download suite.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

One quiet, independent identity.

The canonical Spiral Lock, fixed humanist wordmark and original logo suite remain the production masters. KiwiCaptcha has its own green palette, Alegreya Sans reading system, IBM Plex Mono technical labels and responsive widget language.

A slight growth/return motif belongs to KiwiCaptcha's mark; it is not shared with Faktor. Family relation lives in careful typography, company attribution, consistent quality and restrained layouts. Each site is a complete independent product destination.

The current website adds 70 source-grounded sections, 23 answers, ten passive widget states, ten source locale packs and a separate English visual concept for demanded address or transaction factors.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

The current product contract.

The current product is Symfony-first self-hosted adaptive anti-abuse with transaction-bound authorization and auditable enforcement. Symfony is the complete first-class enforcement plane. Portable server SDKs are verification and risk clients, not equivalent end-to-end enforcement integrations.

A browser done state can follow proof of work or an anonymous ownership grant. Its neutral label is Check complete. The host still verifies result kind, lifecycle, demand binding and authoritative disposition before allowing the protected action.

FactorVerified, AuthorizedStepUp and the protected action are different boundaries. Server-owned operation identity is carried through the _kiwi_captcha_operation_id request attribute in the current Symfony integration.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Factors and operational recovery.

Current sensitive flows use real completable carriers. Login and admin login can demand principal step-up; signup uses an email ownership carrier; a financial action uses an email factor bound to the server-owned operation.

Production needs real delivery. Principal addresses resolve through PrincipalEmailResolverInterface. The website preserves actual route imports and sender configuration examples with application-owned callback scope identified.

Passive states and explicit demanded-factor views are separate. The ten DOM states include worker-unavailable, execution-unavailable and solver mismatch. Recovery explains the underlying cause and the host verification boundary.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Claims stay bounded by source evidence.

The reviewed THREATS campaign rows are red because their source fingerprints are stale. They do not establish a fresh attack result or certification of the current runtime. The expanded site labels that evidence freshness directly.

Registry publication and a coherent current release remain distinct from source readiness. Source-install examples do not imply that every current package is published to its public registry.

Strict privacy mode, privacy_strict profile, pseudonymous continuity, key rotation, retention and address-factor data flow are documented separately. The newly added step-up strings are English; the lazy translated PoW packs do not establish fully translated step-up dialogs.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Current website architecture.

Page	Purpose
reference.html	Complete earlier website content and pinned research preserved.
index.html	Computational friction, scoped verification and application-owned enforcement, with a quiet first-party widget.
how-it-works.html	Follow scoped challenge issuance, computation, authoritative verification and current demand-bound enforcement.
integration.html	Choose Symfony enforcement, portable server verification, shared browser wrappers or native client solvers without conflating their roles.
security.html	Understand current adaptive enforcement, sensitive-operation demands, resource limits, deployment invariants and evidence freshness.
privacy.html	Inspect strict/default behavior, adaptive continuity, pseudonymous state, retention and address-factor data flow.
docs.html	A concrete source-install path, balanced configuration, widget setup, complete adaptive-carrier wiring and production doctor interpretation.
playground.html	Inspect the passive baseline, ten source DOM states, languages, text wrapping and separate current step-up demand flows.
brand.html	Canonical Spiral Lock, fixed humanist lettering, complete standalone logo suite, design rules and preserved dated research.
faq.html	Twenty-three source-grounded KiwiCaptcha questions and answers.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Complete deliverables / retained source

Every part stays available.

https://kiwicaptcha.windyclock5.chatgpt.site

- KiwiCaptcha_Website.pdf - every current website page and the complete dated prior website.
- KiwiCaptcha_Visual_Identity.pdf - this current addition and every original identity guide page.
- KiwiCaptcha_Logo_Kit.zip - the complete original logo suite, fonts, previews, identity specifications and new source-grounded design handoff.

Read the current edition first. The following original guide is retained without removing or rewriting its pages. Earlier product-source claims are dated to their original baseline; current corrections above and the new website take precedence.

Source review 12 October 2026 / 272f0ddb888f2ff35446667fcd8ffcb61a09af32

KiwiCaptcha / Visual identity



Let the browser do the work.

Product analysis. Fixed logo artwork. An individual type system. Reusable applications. A dedicated website.

RESEARCH / LETTERING / LOGO / IDENTITY / INTERFACE / WEBSITE

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Understand the product before the mark.

The identity starts with the work people need to complete and the evidence the source actually supports.

Primary job

Apply selected computational work to protected application requests. The browser computes a response; the server verifies proof and lifecycle rules; the application decides acceptance.

Product boundary

A standalone self-hosted anti-abuse system. First-party assets, configurable work and stack-specific integrations belong to KiwiCaptcha. There is no Faktor or Kiwi CI dependency.

Why it deserves its own identity

Visitors need status and recovery. Operators need scope, lifecycle, privacy, verification capacity and economic policy. A tiny passive widget and an explanatory website serve different jobs.

What the design should express

Quiet progress, direct control and readable recovery. Preserve the canonical Spiral Lock; give the name humanist character. Avoid a trusted-person badge or a puzzle metaphor.

Study scope: selected pinned source and implementation review, then design synthesis. Normative specifications are distinguished from observed behavior; this is not a new runtime implementation or audit.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Architecture becomes design decisions.

The source establishes behavior. The visual consequence is an explicit design interpretation.

Source behavior	Design consequence	Sources
Authenticated scoped expiring challenge	Use scope/validity as exact developer metadata. No universal trusted-person seal.	KC01 / KC02 / KC17
Browser computation in WASM/JS	Passive widget, static Spiral Lock, one decorative track. No arbitrary checkbox or slider thumb.	KC01 / KC12 / KC14
Algorithm selected on each challenge	Algorithm names belong in docs/operator configuration, not illustrated as levels of human authenticity.	KC01 / KC02
Cheap structural gates before bounded proof derivation	Expose issuance limits and concurrency as operator duties; no free/absolute DoS protection claim.	KC01 / KC03
Atomic consume and persisted deterministic result	Separate fresh/consumed/retained result in developer diagram; no reuse portrayed as a new accepted action.	KC17 / KC18
Policy epoch and key revocation	Short exact metadata labels; calm rectangular annotations, no certification medals.	KC01 / KC03

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

The detail carries the distinction.

Product-specific choices continue beyond the symbol and into layout, voice and state meaning.

Source behavior	Design consequence	Sources
Post-solve risk and optional step-up/deny	Distinct work-complete component state; application policy shown as a separate decision.	KC04 / KC17 / KC21
First-party runtime delivery	Browser/application/local-verifier narrative; no third-party cloud node or runtime font fetch.	KC01 / KC06 / KC17
Strict privacy plus deliberate standard-mode opt-ins	A precise privacy section, not a no-data slogan.	KC06 / KC17
Common frontend client lifecycle	One canonical component/state vocabulary, not framework-specific security identities.	KC12 / KC13 / KC22 / KC23 / KC24 / KC25 / KC26 / KC27
Wrapped locales and polite status region	Fluid height, flex wrapping, correct lang/dir, native recovery and readable badges.	KC07 / KC12 / KC15 / KC16
Controlled unavailable and mismatch states	Unavailable/expired/failed/version error remain distinct; mismatch advises coherent assets/reload rather than a success fallback.	KC03 / KC14

The complete mapped review, precise claim inventory and source inspection scope are supplied separately in specifications/product-content.json and product-strategy.md.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Trust has conditions. Keep them visible.

Strong positioning follows the supported contract and leaves unresolved conditions intact.

Computation is not acceptance

Browser done / API verified means the solver produced a response token. Host verification, expiry, scope, consumption and post-solve risk disposition still decide whether the action continues.

Economic scope

Default work alone does not price out valuable abuse in the documented model. Higher-value scopes need step-up or deny behavior. Hardware rates and recorded campaign results have bounded measurement scopes.

Privacy is mode-specific

First-party runtime; telemetry off by default. Strict mode has no cookies. Configured adaptive modes can use first-party cookies and pseudonyms. Source/subnet rotation differs from session/principal lifetime.

Availability and recovery

Bound issuance and verification concurrency. Expiry, failure, worker unavailability, execution unavailability and version mismatch have different meanings and recovery. A mismatch clears the token and needs reload.

No new economic benchmark, red-team campaign, privacy audit or assistive-technology release qualification was performed. Source setup is linked without assuming registry publication.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Give each reader the proof they need.

The same identity can support more than one depth of information without merging distinct product experiences.

Form visitors

Complete the request, understand the check and recover without losing entered information. Use a small stable component, wrapped labels, native recovery and a static mark.

Application teams

Own challenge scope, lifecycle, verification capacity, privacy and deployment. The website explains the mechanism; linked documentation supplies configuration and precise protocol detail.

Positioning

For teams who want direct control over anti-abuse checks: self-hosted computational work, first-party runtime and clear lifecycle rules, presented quietly to visitors.

Content hierarchy

Mechanism first. Ownership second. End-user states third. Integration routes and practical limits next. The company endorsement and sibling products belong in the footer.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Related by discipline. Individually owned.

Kiwi CI is the reference for restraint and family foundations; neither product is a renamed Kiwi CI.



KIWI CI / APPROVED FAMILY REFERENCE



KIWICAPTCHA / DISTINCT FIXED ARTWORK

Shared foundations

Ink, Forest, Paper and Sage; substantial one-color silhouettes; generous clear space; restrained technical metadata; IBM Plex Mono; precise product language.

Individual character

Canonical Spiral Lock, teal accent, humanist Alegreya Sans lettering and softer pacing. The existing open coil is the restrained koru cue; no extra cultural pattern is introduced.

Independent delivery

An individual logo suite, font system, guide, source study, downloads and root website. Bel Consulting endorses the product. No sibling installation is required.

The family resemblance is a design interpretation based on the approved Kiwi CI artwork. A common body font is not required; exact outlined logo lettering remains separate from UI typography.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

KiwiCaptcha / Primary symbol

Native geometry is authoritative; the generated presentation demonstrates the visual direction.



Spiral Lock

Two exact canonical paths: the open coil and raised shackle. 64 × 64 viewBox, 6.6-unit stroke, round caps and joins. Both source paths are preserved without a new emblem.

The authoritative source

packages/kiwicaptcha/resources/kiwi-mark.svg owns the shape. logo.rs includes it; generated mirrors remain synchronized. The secondary shield/status emblem does not replace the primary mark.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

KiwiCaptcha / Primary signature

Fixed logo lettering, preserved proportions and generous space on Paper.




Production file: assets/kiwicaptcha-lockup-ink.svg. The exact SVG is an outlined master with no live font dependency. Generated pixels are presentation artwork rather than a vector source.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

KiwiCaptcha / Reverse signature

Use the product accent on Ink, or the supplied white master when the context requires it.



Production file: assets/kiwicaptcha-lockup-accent.svg. Soft teal has strong contrast on Ink. Avoid shadows, glow, gradients and an altered mark-to-wordmark relationship.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Lettering with its own character.

The logo is fixed artwork. The website font explains the voice without replacing that artwork.

kiwi captcha

Humanist strokes

Alegreya Sans 700 brings angled terminals, flared stems and a less mechanical rhythm. The name reads as one independent product while retaining the familiar kiwi stem.

A clear suffix

kiwi is drawn at 100 units and captcha at 82 on the same baseline. The 12-unit word gap and pair-specific optical adjustments are fixed in the master, not left to browser kerning.

The supplied font binaries are unmodified OFL releases. The logo's fixed outlined scale and spacing do not define a new font. Exact letter positions and source files are recorded in lettering.json.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

A complete suite, with specific uses.

Use the primary horizontal signature whenever the full name can be read comfortably.




PRIMARY / HORIZONTAL



kiwi captcha

SECONDARY / STACKED



WORDMARK / KNOWN CONTEXT



BARE SYMBOL




APP CONTAINER

Every symbol, lockup, wordmark and stacked master has currentColor, Ink, white and accent variants. An app tile is a platform container; it is not an extra enclosing shape in the bare mark.

Space and scale preserve recognition.

Use visible artwork to measure the exclusion zone; empty viewBox padding does not count as clear space.



Use	Size	Rule
Bare symbol	24 px preferred	One-color, high-contrast context.
Tiny icon	16 px supplied	Use the proofed icon; check the target slot.
Horizontal lockup	192 px wide	Keep the complete name readable.
Raster export	2× / 3× output	Prefer SVG when accepted.
Print	Process-specific proof	Convert in the target production profile.

Keep H/4 clear space on all sides of the visible artwork.
H is the visible symbol height in the selected signature.
Preserve the approved symbol-to-wordmark gap.

Keep the master intact


No stretching, rotation, letter-spacing changes, cropping, outlining, gradients, shadows or added ornament.
On photography, use a quiet solid backing.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

The tiny icon is a real constraint.

True-size samples and 4× pixel enlargement at 16, 24, 32, 48 and 64 px.

KiwiCaptcha / native reproduction proof





One-color native master

Fixed outlines / transparent exports

These proofs use the native SVG and supplied raster output. 24 px remains the preferred bare-symbol size; the 16 px coil has less interior separation. Physical print and every display condition still need local proofing.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

A palette with clear responsibilities.

Family foundations plus an individual accent. Brand colors and outcome semantics remain distinct.



Ink

#08110C



Forest

#143D2B

Paper

#F3F5EF



Sage

#92AA99

Teal

#9EDFD4



Teal Deep

#145C52

Foreground / background	Contrast	Use
Ink / Paper	17.45:1	Normal text
Forest / Paper	11.04:1	Normal text
Muted / Paper	5.66:1	Normal text
Sage / Ink	7.69:1	Normal text
Teal / Ink	12.74:1	Normal text
Teal Deep / Paper	7.13:1	Normal text
Teal / Paper	1.37:1	Decorative accent only

Normal text target: 4.5:1; essential non-text graphics: 3:1. Logos have a text-contrast exemption, but reproduction still benefits from strong contrast. Never rely on color alone for state meaning.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Typography is part of the identity.

The display and reading fonts are now specific to this product; technical metadata connects the family.

Let the browser do the work.

Readable product language. Deliberate detail.

`01 / status: pending / scope: local`

Role	Typeface and scale	Behavior
Display heading	Alegreya Sans 700/800 / 56-108 px	Short, concrete heading; controlled line length.
Section heading	Alegreya Sans / 38-66 px	One clear proposition; editorial rhythm.
Reading / controls	Alegreya Sans / 19-25 px	Open leading; visible labels; natural wrapping.
Technical metadata	IBM Plex Mono / 10-14 px	Short IDs, source context, states and code.
Product host	inherit widget host; no marketing-font payload	IDE / widget keeps its existing reading environment.

Self-hosted WOFF and TTF files plus OFL notices are supplied. The logo's fixed paths are independent of font loading. Do not add marketing font requests to the production widget or repaint the IDE.

Build a visual grammar around the work.

A few repeatable choices make the identity useful across pages, documentation and interfaces.

Quiet editorial composition

Broad surfaces, generous whitespace and humanist reading. Use a 4 px unit and 8 px base. Softer 10-18 px panels frame the host example without turning every section into a card.

Graphic language

The canonical coil already carries the slight koru cue. Keep other graphics restrained: ownership, scope and lifecycle. Avoid background spirals, cultural patterns, extra shields and a human-certification seal.

Widget density

A static 40 px mark, wrapped text, one decorative track and native recovery. Marketing can have a richer typeface; runtime inherits the host system stack and small existing footprint.

Motion with meaning

Computation may use one decorative track; the mark stays static. Do not imply a measured percentage. Reduced-motion mode keeps visible status and recovery without decorative movement.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Write what the state actually means.

Direct language, bounded claims and recovery that names a useful next action.

Situation	Use	Avoid
Campaign	Let the browser do the work.	Prove you are human.
Completion	Computational work completed; host still decides.	Human verified / bot-free.
Privacy	First-party runtime; telemetry off by default.	No data or cookies in every mode.
Economics	Tune policy to the value of the protected action.	Default work prevents all abuse.
Expiry	The check expired. Retry to reacquire.	Losing the host form draft.
Mismatch	Reload the coherent asset set.	A silent downgrade or endless retry.

The brand can be confident while naming scope. Source and integration documentation are honest calls to action; no fabricated customers, customer logos, reviews, performance figures or release availability are included.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Ten states. Different recovery contracts.

Runtime labels and locale packs are used in the interactive website specimen.

State	Meaning	Recovery
pending	Deferred execution has never started.	No extra human control; application invokes execute.
idle	Manual reacquisition/reset state after a credential or flow existed.	Native Retry when provided by driver.
connecting	Acquiring a challenge.	Bounded flow recovery on failure.
solving	Selected computation in progress.	Driver governs completion/failure.
done	Browser solver completed and produced response token.	Host continues to authoritative server verification; later expiry remains possible.
failed	Terminal flow failure after bounded recovery.	Native Retry. Two automatic retries precede terminal failure in driver.
expired	Credential validity ended.	Clear token/binding/aliases; preserve host form data; native Retry reacquires.
worker-unavailable	Required off-main-thread solver unavailable.	Native Retry can reacquire; no silent memory-hard downgrade/main-thread solve.
execution-unavailable	Required armed execution interpreter failed.	Native Retry reruns flow. No solution submitted without required evidence.
solver-mismatch	Worker/driver/glue protocol identities inconsistent.	Reload/update a coherent asset set; ordinary Retry cannot repair mixed assets. Never accept mismatched output.

Browser completion produces a response token. Server verification, lifecycle and policy remain the acceptance boundary. Native retries and reload are distinct; no human checkbox is introduced.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Applications built from exact masters.

Social card, document cover and application icon are native vector artwork with fixed font outlines.

kiwi captcha

Let the browser do the work.

BEL CONSULTING / COMPUTATIONAL ANTI-ABUSE

SOCIAL / 1200 × 630

kiwi captcha

PRODUCT GUIDE / 2026

Computational checks.

An independent Bel Consulting product.

FIRST-PARTY / SELF-HOSTED

Source and setup

Visual identity / Version 3

DOCUMENT / 900 × 1200

App sizes 16-256 px and multi-resolution ICO. Use the bare currentColor symbol for monochrome activity-bar or toolbar slots.

Native logo and text outlines keep these applications reproducible. RGB values need a destination print profile and a physical proof for print use.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

The exact visual system in one view.

This board uses the supplied SVG masters, exact palette and actual font outlines.

KIWICAPTCHA / VISUAL IDENTITY

kiwi captcha

BEL CONSULTING / INDEPENDENT PRODUCT

Let the browser do the work.

PALETTE / SHARED FOUNDATIONS, OWN ACCENT

Ink	Forest	Paper	Sage	Teal	Teal Deep
#08110C	#143D2B	#F3F5EF	#92AA99	#9EDFD4	#145C52

TYPOGRAPHY / OWN VOICE

Alegreya Sans

Character in the lettering.

Readable product language. Exact labels.

IBM PLEX MONO / TECHNICAL METADATA

PRODUCT WEBSITE / NATIVE DESIGN SPECIMEN

kiwi captcha

Let the browser do the work.

Explore integration

COMPONENT / ILLUSTRATIVE STATE

Security Check

WORK COMPLETE

Verification complete

Proof-of-work verified locally.

Host verification and policy still decide acceptance.

STATIC MARK / VISIBLE STATUS

APP / ICON

FIXED OUTLINED WORDMARK

H/4 clear space. One-color masters. No effects.

Source review / logo suite / applications / own website

NATIVE MASTER / VERSION 3.0

The native board governs exact reproduction. Editable vector artwork and a high-resolution raster export are included in the assets folder.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

The identity as an application direction.


Concept applications explore the design language. Native files govern contours, type, color and product copy.



Generated application sketches are not exact product screenshots or performance claims. Use the native board, tokens, source-grounded copy and implemented website for production decisions.

KiwiCaptcha / Website design

The concept establishes the product's own composition and typography.



Small on the page. Clear behind it.

A distinct product. Its own source, identity and website.

This is a visual direction specimen. The implemented multi-page site uses native logo artwork, local fonts and accessible local interactions. It is a separate origin and project.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

A complete, independent website.

Distinct page structures, useful product depth and appropriate source-based next steps.

Page	Job	Implemented content
Home	Explain mechanism and ownership	Quiet host-form specimen, Work / Verify / Decide, visitor states, mode-specific privacy, integration routes and FAQ.
Integration	Give truthful setup routes	Pinned Rust/Symfony/frontend links, lifecycle/acceptance boundary, resource/economic/privacy limits.
Widget	Explore the component	Ten states; nine languages plus pt-BR; Arabic RTL; 240-352 px widths; 100% / 200% component text; simulated recovery.
Identity	Provide the complete brand	Native light/reverse masters, exact board, typography, guide/kit/SVG/token downloads.

Interaction

State, language, width and text controls update the local specimen. Labels use pinned runtime packs. Completion and recovery stay explicitly simulated; no security service or token is created.

https://kiwicaptcha.windyclock5.chatgpt.site

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Roll out the artwork at its real source.

This package supplies brand files and websites. The product repositories were reviewed, not modified.

Change the generator first

packages/kiwicaptcha/tools/sync-brand.mjs currently emits an Inter lockup. Replace that template with the new outlined humanist wordmark before running brand sync; otherwise sync restores the old typography.

Preserve the canonical symbol

Keep resources/kiwi-mark.svg as the authority. Preserve logo.rs inclusion and synchronized brand.ts / mirrored assets. The primary mark remains the existing two-path Spiral Lock.

Keep the runtime small

Do not add the marketing fonts to the widget. Retain host typography, passive markup, static symbol, wrapped labels, native actions and first-party delivery. Run the source project's sync check after replacing its template.

Integration stays independent

Update application/documentation assets without creating a Faktor or Kiwi CI runtime dependency. Verify worker/asset versions and deployment policy as part of the product's existing release process.

The target map is a concrete handoff, not a claim that these source edits or release checks were performed in this branding task.

Everything is supplied in its own project.

The guide and kit are standalone; neither contains a sibling product's reusable logo assets.

Folder / file	Contents	Authority
assets/	21 native SVGs; transparent logo PNGs; app sizes; favicon; social, cover and identity board.	Native path artwork
fonts/	Own display/body fonts, IBM Plex Mono, local web formats and OFL license notices.	Unmodified licensed binaries
specifications/	Tokens, geometry, lettering, 4,100+ word strategy, source map, copy and rollout decisions.	Pinned review and explicit design interpretation
briefs/ + previews/	Five generation briefs, five new presentations, native logo and website specimens.	Concept direction; native artwork wins
qa/	Contrast, icon proofs, SVG structure, website checks and rendered PDF review.	Recorded verification scope
KiwiCaptcha_Visual_Identity.pdf	Complete analysis, standards, applications and reference appendices.	This document

Website validation checks local files, anchors, labels, assets and JavaScript plus local interaction behavior. Managed browser QA was unavailable. PDF pages and native reproduction proofs were rendered and visually inspected.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Product sources / 1

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC01

README.md

Full root product description; lifecycle, deployment, publication status and limitations.

KC02

packages/kiwicaptcha/README.md

Core documentation read, with protocol/algorithm/lifecycle sections used for brand scope.

KC03

SECURITY.md

Full text retrieved; operational, worker/version and explicit non-guarantee sections inspected closely.

KC04

docs/cost-to-abuse.md

Full economic contract read; no new benchmark or live hardware-rate verification.

KC05

THREATS.md

Full recorded-campaign table and scale/method caveats read; results not rerun.

KC06

packages/kiwicaptcha/integrations/symfony/docs/privacy.md

Full authoritative privacy contract read.

KC07

packages/kiwicaptcha/integrations/symfony/Resources/ACCESSIBILITY.md

Full component evidence, locale and release-qualification scope read; no qualification conducted.

KC08

packages/kiwicaptcha/design/README.md

Full design/canonical mark/sync/specimen contract read.

KC09

packages/kiwicaptcha/resources/kiwi-mark.svg

Exact canonical SVG retrieved and read.

KC10

packages/kiwicaptcha/src/logo.rs

Full include/mark/secondary shield code read.

KC11

packages/kiwicaptcha/tools/sync-brand.mjs

Full generator read; existing Inter text template identified.

KC12

packages/kiwicaptcha-client-core/src/markup.ts

Full client markup builder read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Product sources / 2

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC13

packages/kiwicaptcha-client-core/src/widget.ts

Full lifecycle/event wrapper read.

KC14

packages/kiwicaptcha-wasm/assets/widget-driver.js

Full text retrieved; state, recovery, expiry, locale, work-completion and lifecycle sections closely inspected; not a full driver/secur

KC15

packages/kiwicaptcha-wasm/assets/widget-locales.js

Full locale module read; actual language keys checked.

KC16

packages/kiwicaptcha/resources/widget.css

State, text-wrap, recovery, reduced-motion and forced-color rules read.

KC17

packages/kiwicaptcha/integrations/symfony/docs/claims-registry.md

Full claim/assumption/evidence and maintenance contract read.

KC18

packages/kiwicaptcha/integrations/symfony/docs/getting-started.md

Full text retrieved; publication status, profiles, Redis and form integration inspected closely.

KC19

packages/kiwicaptcha/integrations/symfony/docs/migration.md

Full provider subset, score, TTL and expiry contract read.

KC20

packages/kiwicaptcha-php/README.md

Full text retrieved; framework-neutral, storage and limitation sections inspected.

KC21

packages/kiwicaptcha/integrations/symfony/README.md

Full text retrieved; standalone integration, publication and documentation map read.

KC22

packages/kiwicaptcha-client-core/README.md

Full shared frontend lifecycle/quickstart README read.

KC23

packages/kiwicaptcha-react/README.md

Full framework README read.

KC24

packages/kiwicaptcha-vue/README.md

Full framework README read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Product sources / 3

Repository Bel-Consulting-OU/kiwicaptcha / ebf81f4d33b0 / source baseline

KC25

packages/kiwicaptcha-svelte/README.md

Full framework README read.

KC26

packages/kiwicaptcha-solid/README.md

Full framework README read.

KC27

packages/kiwicaptcha-angular/README.md

Full framework README read; current test-environment limitations preserved.

KC28

packages/kiwicaptcha-client-core/src/brand.ts

Generated exact canonical path constants read.

Exact source URLs are linked. Inspection is scoped; long files may have targeted sections reviewed. Complete ranges/hashes where recorded are in product-content.json.

Identification, reproduction and context.

Primary design sources inform the reasoning. They do not certify a mark or prescribe a universal formula.

Paul Rand / Logos, Flags, and Escutcheons

Identification and meaning established through use.

Pentagram / Slack identity

Reproduction across sizes, surfaces and a coherent family.

Chermayeff & Geismar & Haviv / NBC

Simple, distinctive silhouette and purposeful recognition.

W3C / Contrast minimum and non-text contrast

Readable text; state meaning beyond color alone.

Huerta Tipográfica / Alegreya Sans

Official type source; OFL notices are supplied.

Te Ara / The koru

Cultural context for the restrained existing open-coil cue.

Kiwi CI benchmark: 14-page guide, individual primary/symbol/dark presentations, identity board, analysis, applications and full generation briefs. This package matches that scope and adds native masters and its own multi-page website.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Primary symbol / Full generation brief

Reference: previews/native-light-symbol.png / Native SVG and tokens remain authoritative.

Create a primary standalone symbol presentation for KiwiCaptcha. Reproduce the attached exact symbol master, alone and optically centered, crisp Ink #08110C on warm Paper #F3F5EF with generous clear space. The symbol is the exact existing Spiral Lock: round raised shackle and open coil drawn with a consistent heavy round stroke. Preserve the open center, cap shapes, shackle proportion and attached canonical paths. Slight Koru influence is already present only in this open coil. No new pattern, extra enclosing circle, shield, bird, fingerprint or ornament. No words or caption, no palette or framing, no mockup props, shadow, gradient, texture or 3D. Flat high-resolution vector-like graphic, square 1000 by 1000 composition. This product is standalone within the Kiwi CI family.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Primary horizontal logo / Full generation brief

Reference: previews/native-light-logo.png / Native SVG and tokens remain authoritative.

Create an exceptionally refined primary logo presentation for KIWI CAPTCHA, an independent self-hosted computational anti-abuse product from Bel Consulting. This is an edit of the FIRST attached exact logo master. Reproduce the open spiral-lock symbol and the fixed lowercase kiwi captcha lettering precisely; retain the rounded shackle, open coil and the humanist Alegreya-like angled stems and terminal forms, with kiwi larger and captcha at 82% on the same baseline. DO NOT replace the new lettering with Inter, circular geometric sans, futuristic AI typography or generic heavy SaaS type. Do not simplify or add to the canonical symbol. The second attached Kiwi CI board is the approved sibling-family reference: use its restraint and Ink/Forest/Paper foundation, not its bird or wordmark. KiwiCaptcha is a completely separate product. Slight Koru influence exists only in its existing open coil; do not add patterns, borders, new cultural motifs or another circle. Produce a beautifully balanced flat horizontal logo proof with exact attached artwork large, crisp Ink #08110C on warm Paper #F3F5EF. Maintain the attached master spacing, generous clear space, optically centered. No other text, captions, palette, mockup or extra symbols. One solid color, vector-like edges, no texture, gradient, shadow or 3D. Landscape 1400 by 850 composition, high resolution.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Dark horizontal logo / Full generation brief

Reference: previews/native-dark-logo.png / Native SVG and tokens remain authoritative.

Create the dark-mode logo presentation for KiwiCaptcha. Reproduce the attached exact master artwork faithfully, including the fixed letterforms and spacing. Place this entire horizontal logo alone, optically centered, with generous clear space on a flat Ink #08110C background. Artwork color is Teal #9EDFD4. Its canonical Spiral Lock and humanist kiwi captcha lettering have angled stems and an 82% captcha suffix on the same baseline. Do not use generic Inter or geometric AI typography. Match the supplied artwork proportions. No extra text, texture, gradient, shadows, bevels, background illustration, props, light source or ornament. Pure crisp one-color flat logo proof, landscape 1400 by 850. This is a sibling of Kiwi CI with its own independent identity; the attached master is authoritative.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Visual identity board / Full generation brief

Reference: previews/native-light-logo.png / Native SVG and tokens remain authoritative.

Create a polished, extensive visual identity board for KIWI CAPTCHA, a standalone self-hosted computational anti-abuse product from Bel Consulting. FIRST attached new exact master logo is authoritative: canonical open Spiral Lock with rounded shackle and coil, humanist lowercase kiwi captcha lettering, kiwi at 100 and captcha at 82 on a common baseline. Preserve the symbol and the angled, calligraphic humanist letter shapes. Do not substitute generic Inter or geometric AI-SaaS type. SECOND attachment is the approved Kiwi CI family board: share Ink #08110C, Forest #143D2B, Paper #F3F5EF, Sage #92AA99, calm one-color mark and restrained technical metadata; do not borrow its bird. KiwiCaptcha owns Teal #9EDFD4 and Deep Teal #145C52. Use Alegreya Sans style humanist display/body, IBM Plex Mono small metadata. Slight Koru influence exists only in the exact coil, never new cultural patterns or background spirals. Produce a beautifully art-directed landscape 1600 by 1100 identity board with generous whitespace and thoughtful asymmetry, not a generic wall of equal cards. Show dominant new logo, readable palette chips and exact hex, type specimen 'Let the browser do the work.' Below show an independent warm editorial website with rounded calm form example, a small passive status widget with static symbol/status/native retry, documentation cover and app icon. Widget has NO human checkbox, puzzle, fake human verification or rotating logo. 'Work complete' describes computation; host verification and application policy remain separate, no bogus human assurance. Small language/RTL example may show Arabic, but no dense fake copy. The standalone product has its own website and integration route, no Faktor/CI dependency. Company/family endorsement only in tiny footer. Softer 10-18px panels, gentle whitespace, precise status meaning, first-party application character. Avoid glossy gradients, generic geometric fonts, AI ornaments, stock testimonials/statistics, cloud network graphics and unrelated provider logos. Crisp exact logos, flat graphic design, one lightly angled documentation mockup at most.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.

DATED REFERENCE / EDITION 4 / COMPLETE ORIGINAL PAGE / CURRENT WIDGETS ARE SPECIFIED IN EDITION 6

Website visual direction / Full generation brief

Reference: previews/native-website.png / Native SVG and tokens remain authoritative.

Create a carefully art-directed WEBSITE DESIGN presentation for KiwiCaptcha, an independent self-hosted computational anti-abuse product from Bel Consulting. This is an edit of the attached native website design specimen. Preserve its exact Spiral Lock mark and humanist kiwi captcha wordmark: angled stem terminals, kiwi larger and captcha 82% on the same baseline. Do not substitute stock Inter, geometric AI-SaaS fonts, shield or bird. Use Alegreya Sans-like humanist display/body, small Plex Mono metadata, Ink #08110C, Paper #F3F5EF, Teal #9EDFD4 with Deep Teal #145C52. Match attached independent warm editorial layout: small company strip, logo left, Integration / Widget / Identity nav right; large 'Let the browser do the work.' humanist heading left, supporting 'A self-hosted check that fits quietly into your form. Your application owns the acceptance policy.' and Read the guide CTA. On the right a quiet rounded pale sage host-form example with email and a small passive widget, static Spiral Lock, Security Check / Working / Verifying… status and one thin decorative track. No checkbox, puzzle, human verified label, percentage or automated progress claim. Include small 'Illustrative host form / no solver runs here.' Below begin a spacious editorial ownership section 'Small on the page. Clear behind it.' This is a distinct warmer personality, related to Kiwi CI via family palette and discipline, entirely separate from Faktor. The existing coil alone carries a slight Koru motif; do not add cultural patterns or extra spirals. Refine proportion and typography faithfully without inventing a whole new layout. No laptop photograph, plant, gloss, gradient, shadow field, fake endorsements, pricing, cloud graphic or generic card wall. Crisp flat website design, landscape 1400 by 1020, legible short text; concept presentation rather than deployed-browser screenshot.

Use the supplied local reference artwork when regenerating. A generated presentation cannot redefine exact logo geometry, lettering, state semantics, color values or implemented site behavior.