

# CONFINED SPACE ENTRY PERMIT

BEL BRANDS USA - 1500 E NORTH AVE - LITTLE CHUTE, WI 54140

PERMIT VALID FOR 1 DAY ONLY.

DATE:

2-10-18

ALL COPIES OF PERMIT WILL REMAIN AT JOB SITE UNTIL JOB IS COMPLETED.

SITE LOCATION:

SEWER PIT

X FAT OIL & GREASE TANKS

AMMONIA CONDENSOR #1

AMMONIA CONDENSOR #2

CIP SYSTEM

OTHER:

SLURRY BLENDER

SLURRY TANK #1

SLURRY TANK #2

SLURRY TANK #3

AMMONIA SUMP



PURPOSE OF ENTRY:

CLEAN GREASE TRAP

SUPERVISOR IN CHARGE:

ED MAIER

COMMUNICATION PROCEDURES:

EMERGENCY CONTACT PHONE NUMBER:

REQUIREMENTS COMPLETED:

YES/NO/NA

LOCK OUT/DE-ENERGIZE/TRY-OUT

LINE(S) BROKEN-CAPPED-BLANKED

PURGE-FLUSH AND VENT

VENTILATION

SECURE AREA (POST & FLAG)

STANDBY SAFETY PERSONAL

FULL BODY HARNESS W/D RING

EMERGENCY ESCAPE RETRIEVAL EQUIP

LIFELINES

FIRE EXTINGUISHERS

LIGHTING (EXPLOSIVE PROOF)

PROTECTIVE CLOTHING

RESPIRATOR(S) (AIR PURIFYING)

BURNING & WELDING PERMIT

YES/NO/NA

YES

YES

YES

N/A

N/A

N/A

N/A

FILL OUT ALL OF ABOVE WITH EITHER YES, NO, OR NA FOR THOSE THAT DO NOT APPLY

CONTINUOUS MONITORING RESULTS:

TEST(S) TO BE TAKEN AND RESULTS RECORDED EVERY 60 MINUTES.

TIME RESULTS RECORDED

1ST - PERCENT OF OXYGEN (19.5% TO 23.5%)

2ND - LOWER FLAMMABLE LIMIT (<10%)

3RD - TOXINS (SAMPLE FOR APPROPRIATE GAS)

CARBON MONOXIDE (35PPM)

AROMATIC HYDROCARBON (1PPM/\*5PPM)

HYDROGEN CYANIDE (\*4PPM)

HYDROGEN SULFIDE (10PPM/\*15PPM)

SULFUR DIOXIDE (2PPM/\*5PPM)

AMMONIA (\*35PPM)

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

N/A

\*SHORT-TERM EXPOSURE LIMIT: EMPLOYEE CAN WORK IN THE AREA UP TO 15 MINUTES

GAS TESTING INSTRUMENT:

10071A

MODEL #

SERIAL #

SAFETY STANDBY PERSON IS REQUIRED FOR ALL CONFINED SPACE WORK

SAFETY STANDBY:

[Signature]

SIGNATURE OF STANDBY

ENTRANT(S) SIGNATURES:

[Signature]

SUPERVISOR AUTHORIZING CONDITIONS:

DEPARTMENT & PHONE

ENTRY STATED AT:

ENTRY ENDED AT:

RETURN THIS FORM TO THE MAINTENANCE SUPERVISOR

Q3LCJ020 Revised on 06/19/15

Approved by Jeff Kuchelmeister