Поскольку подобную тему уже использовал, прикрепляю старую работу.

```xml
<Window x:Class="LoginForm.MainWindow"

    xmlns="http://schemas.microsoft.com/winfx/2006/xaml/presentation"

    xmlns:x="http://schemas.microsoft.com/winfx/2006/xaml"

    xmlns:d="http://schemas.microsoft.com/expression/blend/2008"

    xmlns:mc="http://schemas.openxmlformats.org/markup-compatibility/2006"

    xmlns:local="clr-namespace:LoginForm"

    mc:Ignorable="d"

    Title="MainWindow" Height="515" Width="365" WindowStyle="None" ResizeMode="NoResize"
WindowStartupLocation="CenterScreen">

  <Window.Resources>

    <Style x:Key="TB" TargetType="TextBox">

      <Setter Property="Background" Value="#FF11141A"/>

      <Setter Property="VerticalContentAlignment" Value="Center"/>

      <Setter Property="Height" Value="35"/>

      <Setter Property="Foreground" Value="White"/>

      <Setter Property="FontSize" Value="14"/>

      <Setter Property="BorderBrush" Value="#FF2D333D"/>

      <Setter Property="Padding" Value="10,0,0,0"/>

      <Setter Property="Template">

        <Setter.Value>

          <ControlTemplate TargetType="TextBox">

            <Grid x:Name="root" Height="{TemplateBinding Height}" Width="{TemplateBinding
Width}" SnapsToDevicePixels="True">

              <Border x:Name="Background" BorderThickness="1" CornerRadius="2"
Background="{TemplateBinding Background}"

                    BorderBrush="{TemplateBinding BorderBrush}"/>

              <ScrollViewer x:Name="PART_ContentHost" BorderThickness="0"

                    Padding="{TemplateBinding Padding}" IsTabStop="False"

                    Background="{x:Null}"

                    TextElement.Foreground="{TemplateBinding Foreground}"/>

            </Grid>
```

```xml
                    <ControlTemplate.Triggers>
                        <Trigger Property="IsMouseOver" Value="True">
                            <Setter Property="BorderBrush" Value="#FF383C44"/>
                        </Trigger>
                        <Trigger Property="IsFocused" Value="True">
                            <Setter Property="BorderBrush" Value="#FF1D578C"/>
                            <Setter Property="Background" Value="#FF0E1116"/>
                        </Trigger>
                    </ControlTemplate.Triggers>
                </ControlTemplate>
            </Setter.Value>
        </Setter>
    </Style>
    <Style x:Key="PB" TargetType="PasswordBox">
        <Setter Property="Background" Value="#FF11141A"/>
        <Setter Property="VerticalContentAlignment" Value="Center"/>
        <Setter Property="Height" Value="35"/>
        <Setter Property="Foreground" Value="White"/>
        <Setter Property="FontSize" Value="14"/>
        <Setter Property="BorderBrush" Value="#FF2D333D"/>
        <Setter Property="Padding" Value="10,0,0,0"/>
        <EventSetter Event="PasswordChanged" Handler="PasswordBox_PasswordChanged"/>
        <Setter Property="Template">
            <Setter.Value>
                <ControlTemplate TargetType="PasswordBox">
                    <Grid x:Name="root" Height="{TemplateBinding Height}" Width="{TemplateBinding Width}" SnapsToDevicePixels="True">
                        <Border x:Name="Background" BorderThickness="1" CornerRadius="2" Background="{TemplateBinding Background}"
                                BorderBrush="{TemplateBinding BorderBrush}"/>
                        <ScrollViewer x:Name="PART_ContentHost" BorderThickness="0"
                                Padding="{TemplateBinding Padding}" IsTabStop="False"
                                Background="{x:Null}"
```

```xml
                        TextElement.Foreground="{TemplateBinding Foreground}"/>
                    </Grid>

                    <ControlTemplate.Triggers>

                        <Trigger Property="IsMouseOver" Value="True">

                            <Setter Property="BorderBrush" Value="#FF383C44"/>

                        </Trigger>

                        <Trigger Property="IsFocused" Value="True">

                            <Setter Property="BorderBrush" Value="#FF1D578C"/>

                            <Setter Property="Background" Value="#FF0E1116"/>

                        </Trigger>

                    </ControlTemplate.Triggers>

                </ControlTemplate>

            </Setter.Value>

        </Setter>

    </Style>

</Window.Resources>

<Window.Background>

    <LinearGradientBrush EndPoint="0.5,1">

        <GradientStop Color="#FF232D3E" Offset="0"/>

        <GradientStop Color="#FF1D222C" Offset="1"/>

        <GradientStop Color="#FF1D222C" Offset="0.509 "/>

    </LinearGradientBrush>

</Window.Background>

<Grid>

    <Grid.RowDefinitions>

        <RowDefinition Height="25"/>

        <RowDefinition Height="100"/>

        <RowDefinition Height="300"/>

        <RowDefinition Height="90"/>

    </Grid.RowDefinitions>

    <Grid Name="ToolBar" Background="Transparent" Grid.Row="0"
MouseDown="ToolBar_MouseDown">

        <Polygon Fill="White" Opacity="0.15" Points="107,0 115,7 249,7 257,0"/>
```

```xml
<StackPanel Orientation="Horizontal" HorizontalAlignment="Right">
    <Image Name="MinButton" Height="13" Width="13" Margin="5"
MouseDown="MinButton_MouseDown">
        <Image.Style>
            <Style TargetType="{x:Type Image}">
                <Setter Property="Source" Value="Sourse/Свернуть неактивная.png"/>
                <Style.Triggers>
                    <DataTrigger Binding="{Binding IsMouseOver, ElementName=MinButton}"
Value="True">
                        <Setter Property="Source" Value="Sourse/Свернуть активная.png"/>
                    </DataTrigger>
                </Style.Triggers>
            </Style>
        </Image.Style>
        <Image.Effect>
            <BlurEffect Radius="1.5"></BlurEffect>
        </Image.Effect>
    </Image>
    <Image Name="CloseButton" Height="13" Width="13" Margin="5"
MouseDown="CloseButton_MouseDown">
        <Image.Style>
            <Style TargetType="{x:Type Image}">
                <Setter Property="Source" Value="Sourse/Закрыть неактивная.png"/>
                <Style.Triggers>
                    <DataTrigger Binding="{Binding IsMouseOver, ElementName=CloseButton}"
Value="True">
                        <Setter Property="Source" Value="Sourse/Закрыть активная.png"/>
                    </DataTrigger>
                </Style.Triggers>
            </Style>
        </Image.Style>
        <Image.Effect>
            <BlurEffect Radius="1.5"></BlurEffect>
        </Image.Effect>
```

```xml
                    </Image>

                </StackPanel>

            </Grid>

            <Grid Background="Transparent" Name="LogoContainer" Grid.Row="1"
MouseDown="LogoContainer_MouseDown">

                <Image  Margin="25" Source="Sourse/logo2.png"/>

            </Grid>

            <TextBox x:Name="tb1" Grid.Row="2" Style="{StaticResource TB}" Margin="25,55,25,0"
VerticalAlignment="Top"/>

            <TextBlock IsHitTestVisible="False" FontSize="14" Text="Эл. почта или телефон"

                Grid.Row="2" Margin="37,63,0,0" VerticalAlignment="Top" Foreground="#FF535559">

                <TextBlock.Style>

                    <Style TargetType="{x:Type TextBlock}">

                        <Setter Property="Visibility" Value="Collapsed"/>

                        <Style.Triggers>

                            <DataTrigger Binding="{Binding Text, ElementName=tb1}" Value="">

                                <Setter Property="Visibility" Value="Visible"/>

                            </DataTrigger>

                        </Style.Triggers>

                    </Style>

                </TextBlock.Style>

            </TextBlock>

            <PasswordBox x:Name="tb2" Grid.Row="2" Style="{StaticResource PB}" Margin="25,100,25,0"
VerticalAlignment="Top"/>

            <TextBlock Name="Watermark" IsHitTestVisible="False" FontSize="14" Text="Пароль"

                Grid.Row="2" Margin="37,108,0,0" VerticalAlignment="Top" Foreground="#FF535559">

            </TextBlock>


            <Border Name="BtnBorder" Grid.Row="2" Height="35" Margin="25,80,25,0"

                BorderThickness="1" Background="#FF0E3A59">

                <Border.Style>

                    <Style TargetType="{x:Type Border}">

                        <Setter Property="BorderBrush" Value="#FF00AEFF"/>
```

```xml
            <Style.Triggers>
                <Trigger Property="IsMouseOver" Value="True">
                    <Setter Property="BorderBrush" Value="#FF51555C"/>
                </Trigger>
                <EventTrigger RoutedEvent="PreviewMouseDown">
                    <BeginStoryboard>
                        <Storyboard>

                            <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"
                                    To="#FF095386" Duration="0:0:0.100"/>
                        </Storyboard>
                    </BeginStoryboard>
                </EventTrigger>
                <EventTrigger RoutedEvent="PreviewMouseUp">
                    <BeginStoryboard>
                        <Storyboard>

                            <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"
                                    To="#FF00AEFF" Duration="0:0:0.100"/>
                        </Storyboard>
                    </BeginStoryboard>
                </EventTrigger>
            </Style.Triggers>
        </Style>
    </Border.Style>

    <Button Content="Авторизоваться" FontSize="16"  Foreground="White">
        <Button.Style>
            <Style TargetType="Button">
                <Setter Property="OverridesDefaultStyle" Value="True"/>
                <Setter Property="Background" Value="#FF0E86CA"/>
                <Setter Property="Template">
```

```xml
            <Setter.Value>
                <ControlTemplate TargetType="Button">
                    <Border Name="border" BorderThickness="0" BorderBrush="Black"
                        Background="{TemplateBinding Background}">

                        <ContentPresenter HorizontalAlignment="Center" VerticalAlignment="Center"/>
                    </Border>
                    <ControlTemplate.Triggers>
                        <EventTrigger RoutedEvent="PreviewMouseDown">
                            <BeginStoryboard>
                                <Storyboard>
                                    <ThicknessAnimation Storyboard.TargetProperty="Margin"
                                        Duration="0:0:0.100" To="2,2,0,0"/>
                                    <ColorAnimation Storyboard.TargetProperty="Background.Color"
                                        To="#FF095386" Duration="0:0:0.0002"/>
                                </Storyboard>
                            </BeginStoryboard>
                        </EventTrigger>
                        <EventTrigger RoutedEvent="PreviewMouseUp">
                            <BeginStoryboard>
                                <Storyboard>
                                    <ThicknessAnimation Storyboard.TargetProperty="Margin"
                                        Duration="0:0:0.100" To="2,2,0,0"/>
                                    <ColorAnimation Storyboard.TargetProperty="Background.Color"
                                        To="#FF0E86CA" Duration="0:0:0.0002"/>
                                </Storyboard>
                            </BeginStoryboard>
                        </EventTrigger>
                    </ControlTemplate.Triggers>
                </ControlTemplate>
            </Setter.Value>
        </Setter>
```

```xml
            </Style>

         </Button.Style>

      </Button>

   </Border>


   <Polygon Grid.Row="2" HorizontalAlignment="Center" VerticalAlignment="Bottom"
Stroke="#FF555865"

         Points="0,0,330,0" Margin="25,0,25,60"/>

   <TextBlock Text="ИЛИ ВОЙТИ ЧЕРЕЗ" Grid.Row="2" HorizontalAlignment="Center"
VerticalAlignment="Bottom" Foreground="#FF555865"

            FontSize="13" TextAlignment="Center" FontWeight="DemiBold" Margin="0,0,0,53"
Background="#FF1D222C" Width="150"/>


   <Border Name="FooterBTN1" Grid.Row="2" Height="35" Width="150" Margin="25,0,25,0"
HorizontalAlignment="Left" VerticalAlignment="Bottom"

         BorderThickness="1" Background="#FF0E3A59">

      <Border.Style>

         <Style TargetType="{x:Type Border}">

            <Setter Property="BorderBrush" Value="#FF00AEFF"/>

            <Style.Triggers>

               <Trigger Property="IsMouseOver" Value="True">

                  <Setter Property="BorderBrush" Value="#FF51555C"/>

               </Trigger>

               <EventTrigger RoutedEvent="PreviewMouseDown">

                  <BeginStoryboard>

                     <Storyboard>


                        <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"

                              To="#FF095386" Duration="0:0:0.100"/>

                     </Storyboard>

                  </BeginStoryboard>

               </EventTrigger>

               <EventTrigger RoutedEvent="PreviewMouseUp">
```

```xml
                        <BeginStoryboard>
                            <Storyboard>

                                <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"
                                        To="#FF00AEFF" Duration="0:0:0.100"/>
                            </Storyboard>
                        </BeginStoryboard>
                    </EventTrigger>
                </Style.Triggers>
            </Style>
        </Border.Style>


        <Button>
            <Button.Style>
                <Style TargetType="Button">
                    <Setter Property="OverridesDefaultStyle" Value="True"/>
                    <Setter Property="Background" Value="#FF0E86CA"/>
                    <Setter Property="Template">
                        <Setter.Value>
                            <ControlTemplate TargetType="Button">
                                <Border Name="border" BorderThickness="0" BorderBrush="Black"
                                        Background="{TemplateBinding Background}">

                                    <ContentPresenter HorizontalAlignment="Center" VerticalAlignment="Center"/>
                                </Border>
                                <ControlTemplate.Triggers>
                                    <EventTrigger RoutedEvent="PreviewMouseDown">
                                        <BeginStoryboard>
                                            <Storyboard>
                                                <ThicknessAnimation Storyboard.TargetProperty="Margin"
                                                    Duration="0:0:0.100" To="2,2,0,0"/>
                                                <ColorAnimation Storyboard.TargetProperty="Background.Color"
```

```xml
                                     To="#FF095386" Duration="0:0:0.0002"/>
                            </Storyboard>
                        </BeginStoryboard>
                    </EventTrigger>
                    <EventTrigger RoutedEvent="PreviewMouseUp">
                        <BeginStoryboard>
                            <Storyboard>
                                <ThicknessAnimation Storyboard.TargetProperty="Margin"
                                    Duration="0:0:0.100" To="2,2,0,0"/>
                                <ColorAnimation Storyboard.TargetProperty="Background.Color"
                                    To="#FF0E86CA" Duration="0:0:0.0002"/>
                            </Storyboard>
                        </BeginStoryboard>
                    </EventTrigger>
                </ControlTemplate.Triggers>
            </ControlTemplate>
        </Setter.Value>
    </Setter>
</Style>
</Button.Style>
<StackPanel Orientation="Horizontal">
    <Image Height="24" Width="24" Source="Sourse/vk.png"/>
    <Label Content="ВКонтакте" FontSize="16" Foreground="White"/>
</StackPanel>
</Button>
</Border>


<Border Name="FooterBTN2" Grid.Row="2" Height="35" Width="150" Margin="25,0,25,0"
HorizontalAlignment="Right" VerticalAlignment="Bottom"
    BorderThickness="1" Background="#FF0E3A59">
<Border.Style>
    <Style TargetType="{x:Type Border}">
        <Setter Property="BorderBrush" Value="#FF00AEFF"/>
```

```xml
        <Style.Triggers>
          <Trigger Property="IsMouseOver" Value="True">
            <Setter Property="BorderBrush" Value="#FF51555C"/>
          </Trigger>
          <EventTrigger RoutedEvent="PreviewMouseDown">
            <BeginStoryboard>
              <Storyboard>


                <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"
                            To="#FF095386" Duration="0:0:0.100"/>
              </Storyboard>
            </BeginStoryboard>
          </EventTrigger>
          <EventTrigger RoutedEvent="PreviewMouseUp">
            <BeginStoryboard>
              <Storyboard>


                <ColorAnimation Storyboard.TargetProperty="BorderBrush.Color"
                            To="#FF00AEFF" Duration="0:0:0.100"/>
              </Storyboard>
            </BeginStoryboard>
          </EventTrigger>
        </Style.Triggers>
      </Style>
  </Border.Style>


<Button>
  <Button.Style>
    <Style TargetType="Button">
      <Setter Property="OverridesDefaultStyle" Value="True"/>
      <Setter Property="Background" Value="#FF0E86CA"/>
      <Setter Property="Template">
```

```xml
<Setter.Value>
  <ControlTemplate TargetType="Button">
    <Border Name="border" BorderThickness="0" BorderBrush="Black"
        Background="{TemplateBinding Background}">

      <ContentPresenter HorizontalAlignment="Center" VerticalAlignment="Center"/>
    </Border>
    <ControlTemplate.Triggers>
      <EventTrigger RoutedEvent="PreviewMouseDown">
        <BeginStoryboard>
          <Storyboard>
            <ThicknessAnimation Storyboard.TargetProperty="Margin"
                Duration="0:0:0.100" To="2,2,0,0"/>
            <ColorAnimation Storyboard.TargetProperty="Background.Color"
                To="#FF095386" Duration="0:0:0.0002"/>
          </Storyboard>
        </BeginStoryboard>
      </EventTrigger>
      <EventTrigger RoutedEvent="PreviewMouseUp">
        <BeginStoryboard>
          <Storyboard>
            <ThicknessAnimation Storyboard.TargetProperty="Margin"
                Duration="0:0:0.100" To="2,2,0,0"/>
            <ColorAnimation Storyboard.TargetProperty="Background.Color"
                To="#FF0E86CA" Duration="0:0:0.0002"/>
          </Storyboard>
        </BeginStoryboard>
      </EventTrigger>
    </ControlTemplate.Triggers>
  </ControlTemplate>
</Setter.Value>
</Setter>
```

```xml
            </Style>
        </Button.Style>
        <StackPanel Orientation="Horizontal">
            <Image Height="24" Width="24" Source="Sourse/google.png"/>
            <Label Content="Google" FontSize="16" Foreground="White"/>
        </StackPanel>
    </Button>
</Border>


<TextBlock VerticalAlignment="Top" Margin="0, 20,0,0" HorizontalAlignment="Center" Grid.Row="3"
        Text="Создать новую учётную запись" FontSize="16" FontWeight="DemiBold">
    <TextBlock.Style>
        <Style TargetType="{x:Type TextBlock}">
            <Setter Property="Foreground" Value="#FF078AC9"/>
            <Style.Triggers>
                <EventTrigger RoutedEvent="MouseEnter">
                    <BeginStoryboard>
                        <Storyboard>
                            <ColorAnimation Storyboard.TargetProperty="Foreground.Color" To="White" Duration="0:0:0.2"/>
                        </Storyboard>
                    </BeginStoryboard>
                </EventTrigger>
                <EventTrigger RoutedEvent="MouseLeave">
                    <BeginStoryboard>
                        <Storyboard>
                            <ColorAnimation Storyboard.TargetProperty="Foreground.Color" To="#FF078AC9" Duration="0:0:0.2"/>
                        </Storyboard>
                    </BeginStoryboard>
                </EventTrigger>
            </Style.Triggers>
```

```xml
            </Style>

        </TextBlock.Style>

    </TextBlock>


    <StackPanel Orientation="Horizontal" Grid.Row="3" VerticalAlignment="Top"
HorizontalAlignment="Center">

        <TextBlock VerticalAlignment="Center" HorizontalAlignment="Center" Grid.Row="3" Margin="0,
45, 0, 0"

            Text="Не удаётся войти" FontSize="16" FontWeight="DemiBold">

        <TextBlock.Style>

            <Style TargetType="{x:Type TextBlock}">

                <Setter Property="Foreground" Value="#FF078AC9"/>

                <Style.Triggers>

                    <EventTrigger RoutedEvent="MouseEnter">

                        <BeginStoryboard>

                            <Storyboard>

                                <ColorAnimation Storyboard.TargetProperty="Foreground.Color" To="White"
Duration="0:0:0.2"/>

                            </Storyboard>

                        </BeginStoryboard>

                    </EventTrigger>

                    <EventTrigger RoutedEvent="MouseLeave">

                        <BeginStoryboard>

                            <Storyboard>

                                <ColorAnimation Storyboard.TargetProperty="Foreground.Color"
To="#FF078AC9" Duration="0:0:0.2"/>

                            </Storyboard>

                        </BeginStoryboard>

                    </EventTrigger>

                </Style.Triggers>

            </Style>

        </TextBlock.Style>

    </TextBlock>

    <Image Height="14" Width="14" Margin="7, 48, 0,0" Source="Sourse/link.png"/>
```

```xml
        </StackPanel>

    </Grid>

</Window>
```