

```

GLM Bar_Nom_Num_Car Bar_Nom_Num_Movie Bar_Nom_Num_Car Bar_Nom_Num_Movie Bar_Ord_Num_Car
    Bar_Ord_Num_Movie Line_Nom_Num_Car Line_Nom_Num_Movie Line_Num_Num_Car Line_Num_Num_Movie
    Line_Ord_Num_Car Line_Ord_Num_Movie Pie_Nom_Num_Car Pie_Nom_Num_Movie Pie_Num_Num_Car
    Pie_Num_Num_Movie Pie_Ord_Num_Car Pie_Ord_Num_Movie Scatter_Nom_Num_Car Scatter_Nom_Num_Movie
    Scatter_Num_Num_Car Scatter_Num_Num_Movie Scatter_Ord_Num_Car Scatter_Ord_Num_Movie
    Table_Nom_Num_Car Table_Nom_Num_Movie Table_Num_Num_Car Table_Num_Num_Movie Table_Ord_Num_Car
    Table_Ord_Num_Movie
/WSFACTOR=Visualization 5 Polynomial DataAttributeTypes 3 Polynomial Dataset
2 Polynomial
/METHOD=SSTYPE(3)
/EMMEANS=TABLES(OVERALL)
/EMMEANS=TABLES(Visualization) COMPARE ADJ(BONFERRONI)
/EMMEANS=TABLES(DataAttributeTypes$ COMPARE ADJ(BONFERRONI)
/EMMEANS=TABLES(Visualization*DataAttributeTypes$
/PRINT=DESCRIPTIVE ETASQ OPOWER HOMOGENEITY
/CRITERIA=ALPHA(.05)
/WSDESIGN=Visualization DataAttributeTypes Dataset Visualization*DataAttributeTypes
Visualization*Dataset DataAttributeTypes$Dataset Visualization*DataAttributeTypes*Dataset.

```

General Linear Model

Notes

Output Created		06-SEP-2016 10:41:08
Comments		
Input	Data	C: \Users\Bahador\Desktop\A nalysis\Cluster\Cluster_Ra nking.sav
	Active Dataset	DataSet1
	Filter	<none>
	Weight	<none>
	Split File	<none>
	N of Rows in Working Data File	18
Missing Value Handling	Definition of Missing	User-defined missing values are treated as missing.
	Cases Used	Statistics are based on all cases with valid data for all variables in the model.

Notes

Syntax

```
GLM Bar_Nom_Num_Car
Bar_Nom_Num_Movie
Bar_Num_Num_Car
Bar_Num_Num_Movie
Bar_Ord_Num_Car
Bar_Ord_Num_Movie
Line_Nom_Num_Car
Line_Nom_Num_Movie
Line_Num_Num_Car
Line_Num_Num_Movie
Line_Ord_Num_Car
Line_Ord_Num_Movie
Pie_Nom_Num_Car
Pie_Nom_Num_Movie
Pie_Num_Num_Car
Pie_Num_Num_Movie
Pie_Ord_Num_Car
Pie_Ord_Num_Movie
Scatter_Nom_Num_Car
Scatter_Nom_Num_Movie
Scatter_Num_Num_Car
Scatter_Num_Num_Movie
Scatter_Ord_Num_Car
Scatter_Ord_Num_Movie
Table_Nom_Num_Car
Table_Nom_Num_Movie
Table_Num_Num_Car
Table_Num_Num_Movie
Table_Ord_Num_Car
Table_Ord_Num_Movie
```

```
/WSFACTOR=Visualizatio
n 5 Polynomial
DataAttributeTypes 3
Polynomial Dataset 2
Polynomial
/METHOD=SSTYPE(3)
/EMMEANS=TABLES
(OVERALL)
/EMMEANS=TABLES
(Visualization) COMPARE
ADJ(BONFERRONI)
/EMMEANS=TABLES
(DataAttributeTypes)
COMPARE ADJ
(BONFERRONI)
/EMMEANS=TABLES
(Visualization*DataAttribut
eTypes)
/PRINT=DESCRIPTIVE
ETASQ OPOWER
HOMOGENEITY
/CRITERIA=ALPHA(.05)
```

```
/WSDESIGN=Visualizatio
n DataAttributeTypes
Dataset
Visualization*DataAttribute
Types
Visualization*Dataset
DataAttributeTypes*Datase
```

Notes

Resources	Processor Time	00:00:00.03
	Elapsed Time	00:00:00.02

Warnings

The HOMOGENEITY specification in the PRINT subcommand will be ignored because there are no between-subjects factors.

Within-Subjects Factors

Measure: MEASURE_1

Visualization	DataAttributeTypes	Dataset	Dependent Variable
1	1	1	Bar_Nom_Nu m_Car
		2	Bar_Nom_Nu m_Movie
	2	1	Bar_Num_Nu m_Car
		2	Bar_Num_Nu m_Movie
	3	1	Bar_Ord_Nu m_Car
		2	Bar_Ord_Nu m_Movie
2	1	1	Line_Nom_Nu m_Car
		2	Line_Nom_Nu m_Movie
	2	1	Line_Num_Nu m_Car
		2	Line_Num_Nu m_Movie
	3	1	Line_Ord_Nu m_Car
		2	Line_Ord_Nu m_Movie
3	1	1	Pie_Nom_Nu m_Car
		2	Pie_Nom_Nu m_Movie

Within-Subjects Factors

Measure: MEASURE_1

Visualization	DataAttributeTypes	Dataset	Dependent Variable
	2	1	Pie_Num_Nu m_Car
		2	Pie_Num_Nu m_Movie
	3	1	Pie_Ord_Num _Car
		2	Pie_Ord_Num _Movie
4	1	1	Scatter_Nom_ Num_Car
		2	Scatter_Nom_ Num_Movie
	2	1	Scatter_Num_ Num_Car
		2	Scatter_Num_ Num_Movie
	3	1	Scatter_Ord_ Num_Car
		2	Scatter_Ord_ Num_Movie
5	1	1	Table_Nom_ Num_Car
		2	Table_Nom_ Num_Movie
	2	1	Table_Num_ Num_Car
		2	Table_Num_ Num_Movie
	3	1	Table_Ord_N um_Car
		2	Table_Ord_N um_Movie

Descriptive Statistics

	Mean	Std. Deviation	N
Bar_Nom_Num_Car	2.0556	1.05564	18
Bar_Nom_Num_Movie	1.6667	.68599	18
Bar_Num_Num_Car	1.8333	.70711	18
Bar_Num_Num_Movie	1.7222	.82644	18
Bar_Ord_Num_Car	1.8333	.85749	18
Bar_Ord_Num_Movie	2.0556	.80237	18
Line_Nom_Num_Car	4.6667	.48507	18
Line_Nom_Num_Movie	4.5000	.78591	18
Line_Num_Num_Car	4.2222	.87820	18
Line_Num_Num_Movie	3.9444	1.05564	18
Line_Ord_Num_Car	4.3889	1.03690	18
Line_Ord_Num_Movie	4.3889	.69780	18
Pie_Nom_Num_Car	2.6667	1.23669	18
Pie_Nom_Num_Movie	3.0000	1.08465	18
Pie_Num_Num_Car	3.1111	.96338	18
Pie_Num_Num_Movie	3.1667	1.09813	18
Pie_Ord_Num_Car	2.7222	1.07406	18
Pie_Ord_Num_Movie	2.6667	1.08465	18
Scatter_Nom_Num_Car	3.6111	1.03690	18
Scatter_Nom_Num_Movie	3.8889	.90025	18
Scatter_Num_Num_Car	4.2222	.80845	18
Scatter_Num_Num_Movie	4.0556	1.10997	18
Scatter_Ord_Num_Car	3.9444	.80237	18
Scatter_Ord_Num_Movie	4.0556	.99836	18
Table_Nom_Num_Car	2.0000	1.08465	18
Table_Nom_Num_Movie	1.9444	1.10997	18
Table_Num_Num_Car	1.6111	1.03690	18
Table_Num_Num_Movie	2.1111	1.27827	18
Table_Ord_Num_Car	2.1111	1.27827	18
Table_Ord_Num_Movie	1.8333	1.24853	18

Multivariate Tests^a

Effect		Value	F	Hypothesis df	Error df
Visualization	Pillai's Trace	.918	39.289 ^b	4.000	14.000
	Wilks' Lambda	.082	39.289 ^b	4.000	14.000
	Hotelling's Trace	11.225	39.289 ^b	4.000	14.000
	Roy's Largest Root	11.225	39.289 ^b	4.000	14.000
DataAttributeTypes	Pillai's Trace	.	. ^b	.	.
	Wilks' Lambda	.	. ^b	.	.
	Hotelling's Trace	.	. ^b	.	.
	Roy's Largest Root	.	. ^b	.	.
Dataset	Pillai's Trace	.	. ^b	.	.
	Wilks' Lambda	.	. ^b	.	.
	Hotelling's Trace	.	. ^b	.	.
	Roy's Largest Root	.	. ^b	.	.
Visualization * DataAttributeTypes	Pillai's Trace	.823	5.794 ^b	8.000	10.000
	Wilks' Lambda	.177	5.794 ^b	8.000	10.000
	Hotelling's Trace	4.635	5.794 ^b	8.000	10.000
	Roy's Largest Root	4.635	5.794 ^b	8.000	10.000
Visualization * Dataset	Pillai's Trace	.339	1.793 ^b	4.000	14.000
	Wilks' Lambda	.661	1.793 ^b	4.000	14.000
	Hotelling's Trace	.512	1.793 ^b	4.000	14.000
	Roy's Largest Root	.512	1.793 ^b	4.000	14.000
DataAttributeTypes * Dataset	Pillai's Trace	.	. ^b	.	.
	Wilks' Lambda	.	. ^b	.	.
	Hotelling's Trace	.	. ^b	.	.
	Roy's Largest Root	.	. ^b	.	.
Visualization * DataAttributeTypes * Dataset	Pillai's Trace	.482	1.165 ^b	8.000	10.000
	Wilks' Lambda	.518	1.165 ^b	8.000	10.000
	Hotelling's Trace	.932	1.165 ^b	8.000	10.000
	Roy's Largest Root	.932	1.165 ^b	8.000	10.000

Multivariate Tests^a

Effect		Sig.	Partial Eta Squared	Noncent. Parameter
Visualization	Pillai's Trace	.000	.918	157.156
	Wilks' Lambda	.000	.918	157.156
	Hotelling's Trace	.000	.918	157.156
	Roy's Largest Root	.000	.918	157.156
DataAttributeTypes	Pillai's Trace	.	.	.
	Wilks' Lambda	.	.	.
	Hotelling's Trace	.	.	.
	Roy's Largest Root	.	.	.
Dataset	Pillai's Trace	.	.	.
	Wilks' Lambda	.	.	.
	Hotelling's Trace	.	.	.
	Roy's Largest Root	.	.	.
Visualization * DataAttributeTypes	Pillai's Trace	.006	.823	46.352
	Wilks' Lambda	.006	.823	46.352
	Hotelling's Trace	.006	.823	46.352
	Roy's Largest Root	.006	.823	46.352
Visualization * Dataset	Pillai's Trace	.186	.339	7.174
	Wilks' Lambda	.186	.339	7.174
	Hotelling's Trace	.186	.339	7.174
	Roy's Largest Root	.186	.339	7.174
DataAttributeTypes * Dataset	Pillai's Trace	.	.	.
	Wilks' Lambda	.	.	.
	Hotelling's Trace	.	.	.
	Roy's Largest Root	.	.	.
Visualization * DataAttributeTypes * Dataset	Pillai's Trace	.403	.482	9.317
	Wilks' Lambda	.403	.482	9.317
	Hotelling's Trace	.403	.482	9.317
	Roy's Largest Root	.403	.482	9.317

Multivariate Tests^a

Effect		Observed Power ^c
Visualization	Pillai's Trace	1.000
	Wilks' Lambda	1.000
	Hotelling's Trace	1.000
	Roy's Largest Root	1.000
DataAttributeTypes	Pillai's Trace	.
	Wilks' Lambda	.
	Hotelling's Trace	.
	Roy's Largest Root	.
Dataset	Pillai's Trace	.
	Wilks' Lambda	.
	Hotelling's Trace	.
	Roy's Largest Root	.
Visualization * DataAttributeTypes	Pillai's Trace	.952
	Wilks' Lambda	.952
	Hotelling's Trace	.952
	Roy's Largest Root	.952
Visualization * Dataset	Pillai's Trace	.411
	Wilks' Lambda	.411
	Hotelling's Trace	.411
	Roy's Largest Root	.411
DataAttributeTypes * Dataset	Pillai's Trace	.
	Wilks' Lambda	.
	Hotelling's Trace	.
	Roy's Largest Root	.
Visualization * DataAttributeTypes * Dataset	Pillai's Trace	.296
	Wilks' Lambda	.296
	Hotelling's Trace	.296
	Roy's Largest Root	.296

a. Design: Intercept

Within Subjects Design: Visualization + DataAttributeTypes + Dataset + Visualization *

DataAttributeTypes + Visualization * Dataset + DataAttributeTypes * Dataset + Visualization * ...

b. Exact statistic

c.

c. Computed using alpha = .05

Mauchly's Test of Sphericity^a

Measure: MEASURE_1

Within Subjects Effect	Mauchly's W	Approx. Chi-Square	df	Sig.	Epsilon ^b Greenhouse-Geisser
Visualization	.471	11.599	9	.239	.743
DataAttributeTypes	.	.	2	.	.
Dataset	.	.	0	.	.
Visualization * DataAttributeTypes	.030	49.691	35	.062	.527
Visualization * Dataset	.374	15.173	9	.088	.719
DataAttributeTypes * Dataset	.	.	2	.	.
Visualization * DataAttributeTypes * Dataset	.012	62.844	35	.004	.496

Mauchly's Test of Sphericity^a

Measure: MEASURE_1

Within Subjects Effect	Epsilon ^b	
	Huynh-Feldt	Lower-bound
Visualization	.917	.250
DataAttributeTypes	.	.500
Dataset	.	1.000
Visualization * DataAttributeTypes	.723	.125
Visualization * Dataset	.881	.250
DataAttributeTypes * Dataset	.	.500
Visualization * DataAttributeTypes * Dataset	.666	.125

Tests the null hypothesis that the error covariance matrix of the orthonormalized transformed dependent variables is proportional to an identity matrix.

a. Design: Intercept

Within Subjects Design: Visualization + DataAttributeTypes + Dataset + Visualization *

DataAttributeTypes + Visualization * Dataset + DataAttributeTypes * Dataset + Visualization * ...

b. May be used to adjust the degrees of freedom for the averaged tests of significance. Corrected tests are displayed in the Tests of Within-Subjects Effects table.

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
Visualization	Sphericity Assumed	561.389	4	140.347	30.207
	Greenhouse-Geisser	561.389	2.971	188.982	30.207
	Huynh-Feldt	561.389	3.669	153.019	30.207
	Lower-bound	561.389	1.000	561.389	30.207
Error(Visualization)	Sphericity Assumed	315.944	68	4.646	
	Greenhouse-Geisser	315.944	50.500	6.256	
	Huynh-Feldt	315.944	62.369	5.066	
	Lower-bound	315.944	17.000	18.585	
DataAttributeTypes	Sphericity Assumed	.000	2	.000	.
	Greenhouse-Geisser	.000	.	.	.
	Huynh-Feldt	.000	.	.	.
	Lower-bound	.000	1.000	.000	.
Error(DataAttributeTypes)	Sphericity Assumed	.000	34	.000	
	Greenhouse-Geisser	.000	.	.	
	Huynh-Feldt	.000	.	.	
	Lower-bound	.000	17.000	.000	
Dataset	Sphericity Assumed	.000	1	.000	.
	Greenhouse-Geisser	.000	.	.	.
	Huynh-Feldt	.000	.	.	.
	Lower-bound	.000	1.000	.000	.
Error(Dataset)	Sphericity Assumed	.000	17	.000	
	Greenhouse-Geisser	.000	.	.	
	Huynh-Feldt	.000	.	.	
	Lower-bound	.000	17.000	.000	
Visualization * DataAttributeTypes	Sphericity Assumed	11.889	8	1.486	2.442
	Greenhouse-Geisser	11.889	4.219	2.818	2.442

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared	Noncent. Parameter
Visualization	Sphericity Assumed	.000	.640	120.826
	Greenhouse-Geisser	.000	.640	89.731
	Huynh-Feldt	.000	.640	110.821
	Lower-bound	.000	.640	30.207
Error(Visualization)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
DataAttributeTypes	Sphericity Assumed	.	.	.
	Greenhouse-Geisser	.	.	.
	Huynh-Feldt	.	.	.
	Lower-bound	.	.	.
Error(DataAttributeTypes)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
Dataset	Sphericity Assumed	.	.	.
	Greenhouse-Geisser	.	.	.
	Huynh-Feldt	.	.	.
	Lower-bound	.	.	.
Error(Dataset)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
Visualization * DataAttributeTypes	Sphericity Assumed	.017	.126	19.533
	Greenhouse-Geisser	.051	.126	10.301

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Observed Power ^a
Visualization	Sphericity Assumed	1.000
	Greenhouse-Geisser	1.000
	Huynh-Feldt	1.000
	Lower-bound	.999
Error(Visualization)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
DataAttributeTypes	Sphericity Assumed	.
	Greenhouse-Geisser	.
	Huynh-Feldt	.
	Lower-bound	.
Error(DataAttributeTypes)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
Dataset	Sphericity Assumed	.
	Greenhouse-Geisser	.
	Huynh-Feldt	.
	Lower-bound	.
Error(Dataset)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
Visualization * DataAttributeTypes	Sphericity Assumed	.888
	Greenhouse-Geisser	.688

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Type III Sum of Squares	df	Mean Square	F
	Huynh-Feldt	11.889	5.785	2.055	2.442
	Lower-bound	11.889	1.000	11.889	2.442
Error (Visualization*DataAttribute Types)	Sphericity Assumed	82.778	136	.609	
	Greenhouse-Geisser	82.778	71.723	1.154	
	Huynh-Feldt	82.778	98.351	.842	
	Lower-bound	82.778	17.000	4.869	
Visualization * Dataset	Sphericity Assumed	1.389	4	.347	.959
	Greenhouse-Geisser	1.389	2.875	.483	.959
	Huynh-Feldt	1.389	3.522	.394	.959
	Lower-bound	1.389	1.000	1.389	.959
Error(Visualization*Dataset)	Sphericity Assumed	24.611	68	.362	
	Greenhouse-Geisser	24.611	48.878	.504	
	Huynh-Feldt	24.611	59.880	.411	
	Lower-bound	24.611	17.000	1.448	
DataAttributeTypes * Dataset	Sphericity Assumed	.000	2	.000	.
	Greenhouse-Geisser	.000	.	.	.
	Huynh-Feldt	.000	.	.	.
	Lower-bound	.000	1.000	.000	.
Error (DataAttributeTypes*Datase t)	Sphericity Assumed	.000	34	.000	
	Greenhouse-Geisser	.000	.	.	
	Huynh-Feldt	.000	.	.	
	Lower-bound	.000	17.000	.000	
Visualization * DataAttributeTypes * Dataset	Sphericity Assumed	6.556	8	.819	1.477
	Greenhouse-Geisser	6.556	3.967	1.652	1.477
	Huynh-Feldt	6.556	5.326	1.231	1.477
	Lower-bound	6.556	1.000	6.556	1.477
Error (Visualization*DataAttribute Types*Dataset)	Sphericity Assumed	75.444	136	.555	
	Greenhouse-Geisser	75.444	67.447	1.119	
	Huynh-Feldt	75.444	90.545	.833	
	Lower-bound	75.444	17.000	4.438	

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Sig.	Partial Eta Squared	Noncent. Parameter
	Huynh-Feldt	.032	.126	14.126
	Lower-bound	.137	.126	2.442
Error (Visualization*DataAttribute Types)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
Visualization * Dataset	Sphericity Assumed	.436	.053	3.837
	Greenhouse-Geisser	.417	.053	2.758
	Huynh-Feldt	.428	.053	3.379
	Lower-bound	.341	.053	.959
Error(Visualization*Dataset)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
DataAttributeTypes * Dataset	Sphericity Assumed	.	.	.
	Greenhouse-Geisser	.	.	.
	Huynh-Feldt	.	.	.
	Lower-bound	.	.	.
Error (DataAttributeTypes*Datase t)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			
Visualization * DataAttributeTypes * Dataset	Sphericity Assumed	.171	.080	11.817
	Greenhouse-Geisser	.219	.080	5.861
	Huynh-Feldt	.202	.080	7.868
	Lower-bound	.241	.080	1.477
Error (Visualization*DataAttribute Types*Dataset)	Sphericity Assumed			
	Greenhouse-Geisser			
	Huynh-Feldt			
	Lower-bound			

Tests of Within-Subjects Effects

Measure: MEASURE_1

Source		Observed Power ^a
	Huynh-Feldt	.794
	Lower-bound	.314
Error (Visualization*DataAttribute Types)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
Visualization * Dataset	Sphericity Assumed	.288
	Greenhouse-Geisser	.242
	Huynh-Feldt	.269
	Lower-bound	.152
Error(Visualization*Dataset)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
DataAttributeTypes * Dataset	Sphericity Assumed	.
	Greenhouse-Geisser	.
	Huynh-Feldt	.
	Lower-bound	.
Error (DataAttributeTypes*Datase t)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	
Visualization * DataAttributeTypes * Dataset	Sphericity Assumed	.647
	Greenhouse-Geisser	.433
	Huynh-Feldt	.514
	Lower-bound	.209
Error (Visualization*DataAttribute Types*Dataset)	Sphericity Assumed	
	Greenhouse-Geisser	
	Huynh-Feldt	
	Lower-bound	

a. Computed using alpha = .05

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Type III Sum of Squares	df
Visualization	Linear			.626	1
	Quadratic			325.929	1
	Cubic			7.837	1
	Order 4			226.997	1
Error(Visualization)	Linear			66.607	17
	Quadratic			102.524	17
	Cubic			88.930	17
	Order 4			57.884	17
DataAttributeTypes		Linear		2.842E-14	1
		Quadratic		2.842E-14	1
Error(DataAttributeTypes)		Linear		.000	17
		Quadratic		.000	17
Dataset			Linear	2.842E-14	1
Error(Dataset)			Linear	.000	17
Visualization * DataAttributeTypes	Linear	Linear		.139	1
		Quadratic		1.157	1
	Quadratic	Linear		.194	1
		Quadratic		2.012	1
	Cubic	Linear		1.701	1
		Quadratic		4.178	1
	Order 4	Linear		.243	1
		Quadratic		2.264	1
Error (Visualization*DataAttribute Types)	Linear	Linear		13.761	17
		Quadratic		13.009	17
	Quadratic	Linear		6.734	17
		Quadratic		4.393	17
	Cubic	Linear		5.274	17
		Quadratic		6.280	17
	Order 4	Linear		13.953	17
		Quadratic		19.373	17
Visualization * Dataset	Linear		Linear	.726	1
	Quadratic		Linear	.095	1
	Cubic		Linear	.237	1
	Order 4		Linear	.331	1

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Mean Square	F
Visualization	Linear			.626	.160
	Quadratic			325.929	54.044
	Cubic			7.837	1.498
	Order 4			226.997	66.668
Error(Visualization)	Linear			3.918	
	Quadratic			6.031	
	Cubic			5.231	
	Order 4			3.405	
DataAttributeTypes		Linear		2.842E-14	.
		Quadratic		2.842E-14	.
Error(DataAttributeTypes)		Linear		.000	
		Quadratic		.000	
Dataset			Linear	2.842E-14	.
Error(Dataset)			Linear	.000	
Visualization * DataAttributeTypes	Linear	Linear		.139	.172
		Quadratic		1.157	1.512
	Quadratic	Linear		.194	.491
		Quadratic		2.012	7.786
	Cubic	Linear		1.701	5.485
		Quadratic		4.178	11.310
	Order 4	Linear		.243	.296
		Quadratic		2.264	1.986
Error (Visualization*DataAttribute Types)	Linear	Linear		.809	
		Quadratic		.765	
	Quadratic	Linear		.396	
		Quadratic		.258	
	Cubic	Linear		.310	
		Quadratic		.369	
	Order 4	Linear		.821	
		Quadratic		1.140	
Visualization * Dataset	Linear		Linear	.726	1.674
	Quadratic		Linear	.095	.412
	Cubic		Linear	.237	1.008
	Order 4		Linear	.331	.604

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Sig.	Partial Eta Squared
Visualization	Linear			.694	.009
	Quadratic			.000	.761
	Cubic			.238	.081
	Order 4			.000	.797
Error(Visualization)	Linear				
	Quadratic				
	Cubic				
	Order 4				
DataAttributeTypes		Linear		.	1.000
		Quadratic		.	1.000
Error(DataAttributeTypes)		Linear			
		Quadratic			
Dataset			Linear	.	1.000
Error(Dataset)			Linear		
Visualization * DataAttributeTypes	Linear	Linear		.684	.010
		Quadratic		.236	.082
	Quadratic	Linear		.493	.028
		Quadratic		.013	.314
	Cubic	Linear		.032	.244
		Quadratic		.004	.400
	Order 4	Linear		.593	.017
		Quadratic		.177	.105
Error (Visualization*DataAttribute Types)	Linear	Linear			
		Quadratic			
	Quadratic	Linear			
		Quadratic			
	Cubic	Linear			
		Quadratic			
	Order 4	Linear			
		Quadratic			
Visualization * Dataset	Linear		Linear	.213	.090
	Quadratic		Linear	.529	.024
	Cubic		Linear	.329	.056
	Order 4		Linear	.448	.034

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Noncent. Parameter
Visualization	Linear			.160
	Quadratic			54.044
	Cubic			1.498
	Order 4			66.668
Error(Visualization)	Linear			
	Quadratic			
	Cubic			
	Order 4			
DataAttributeTypes		Linear		.
		Quadratic		.
Error(DataAttributeTypes)		Linear		
		Quadratic		
Dataset			Linear	.
Error(Dataset)			Linear	
Visualization * DataAttributeTypes	Linear	Linear		.172
		Quadratic		1.512
	Quadratic	Linear		.491
		Quadratic		7.786
	Cubic	Linear		5.485
		Quadratic		11.310
	Order 4	Linear		.296
		Quadratic		1.986
Error (Visualization*DataAttribute Types)	Linear	Linear		
		Quadratic		
	Quadratic	Linear		
		Quadratic		
	Cubic	Linear		
		Quadratic		
	Order 4	Linear		
		Quadratic		
Visualization * Dataset	Linear		Linear	1.674
	Quadratic		Linear	.412
	Cubic		Linear	1.008
	Order 4		Linear	.604

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Observed Power ^a
Visualization	Linear			.066
	Quadratic			1.000
	Cubic			.212
	Order 4			1.000
Error(Visualization)	Linear			
	Quadratic			
	Cubic			
	Order 4			
DataAttributeTypes		Linear		.
		Quadratic		.
Error(DataAttributeTypes)		Linear		
		Quadratic		
Dataset			Linear	.
Error(Dataset)			Linear	
Visualization * DataAttributeTypes	Linear	Linear		.068
		Quadratic		.213
	Quadratic	Linear		.101
		Quadratic		.749
	Cubic	Linear		.598
		Quadratic		.886
	Order 4	Linear		.081
		Quadratic		.265
Error (Visualization*DataAttribute Types)	Linear	Linear		
		Quadratic		
	Quadratic	Linear		
		Quadratic		
	Cubic	Linear		
		Quadratic		
	Order 4	Linear		
		Quadratic		
Visualization * Dataset	Linear		Linear	.231
	Quadratic		Linear	.093
	Cubic		Linear	.158
	Order 4		Linear	.114

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Type III Sum of Squares	df
Error(Visualization*Dataset)	Linear		Linear	7.374	17
	Quadratic		Linear	3.929	17
	Cubic		Linear	3.996	17
	Order 4		Linear	9.312	17
DataAttributeTypes * Dataset		Linear	Linear	2.842E-14	1
		Quadratic	Linear	.000	1
Error (DataAttributeTypes*Dataset)		Linear	Linear	.000	17
		Quadratic	Linear	.000	17
Visualization * DataAttributeTypes * Dataset	Linear	Linear	Linear	1.800	1
		Quadratic	Linear	.896	1
	Quadratic	Linear	Linear	.778	1
		Quadratic	Linear	1.714	1
	Cubic	Linear	Linear	.013	1
		Quadratic	Linear	.634	1
	Order 4	Linear	Linear	.243	1
		Quadratic	Linear	.478	1
Error (Visualization*DataAttributeTypes*Dataset)	Linear	Linear	Linear	9.600	17
		Quadratic	Linear	12.104	17
	Quadratic	Linear	Linear	11.794	17
		Quadratic	Linear	14.905	17
	Cubic	Linear	Linear	1.963	17
		Quadratic	Linear	11.158	17
	Order 4	Linear	Linear	6.811	17
		Quadratic	Linear	7.111	17

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Mean Square	F
Error(Visualization*Dataset)	Linear		Linear	.434	
	Quadratic		Linear	.231	
	Cubic		Linear	.235	
	Order 4		Linear	.548	
DataAttributeTypes * Dataset		Linear	Linear	2.842E-14	.
		Quadratic	Linear	.000	.
Error (DataAttributeTypes*Dataset)		Linear	Linear	.000	
		Quadratic	Linear	.000	
Visualization * DataAttributeTypes * Dataset	Linear	Linear	Linear	1.800	3.188
		Quadratic	Linear	.896	1.259
	Quadratic	Linear	Linear	.778	1.121
		Quadratic	Linear	1.714	1.955
	Cubic	Linear	Linear	.013	.108
		Quadratic	Linear	.634	.966
	Order 4	Linear	Linear	.243	.607
		Quadratic	Linear	.478	1.142
Error (Visualization*DataAttributeTypes*Dataset)	Linear	Linear	Linear	.565	
		Quadratic	Linear	.712	
	Quadratic	Linear	Linear	.694	
		Quadratic	Linear	.877	
	Cubic	Linear	Linear	.115	
		Quadratic	Linear	.656	
	Order 4	Linear	Linear	.401	
		Quadratic	Linear	.418	

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Sig.	Partial Eta Squared
Error(Visualization*Dataset)	Linear		Linear		
	Quadratic		Linear		
	Cubic		Linear		
	Order 4		Linear		
DataAttributeTypes * Dataset		Linear	Linear	.	1.000
		Quadratic	Linear	.	.
Error (DataAttributeTypes*Dataset)		Linear	Linear		
		Quadratic	Linear		
Visualization * DataAttributeTypes * Dataset	Linear	Linear	Linear	.092	.158
		Quadratic	Linear	.277	.069
	Quadratic	Linear	Linear	.304	.062
		Quadratic	Linear	.180	.103
	Cubic	Linear	Linear	.746	.006
		Quadratic	Linear	.340	.054
	Order 4	Linear	Linear	.447	.034
		Quadratic	Linear	.300	.063
Error (Visualization*DataAttributeTypes*Dataset)	Linear	Linear	Linear		
		Quadratic	Linear		
	Quadratic	Linear	Linear		
		Quadratic	Linear		
	Cubic	Linear	Linear		
		Quadratic	Linear		
	Order 4	Linear	Linear		
		Quadratic	Linear		

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Noncent. Parameter
Error(Visualization*Dataset)	Linear		Linear	
	Quadratic		Linear	
	Cubic		Linear	
	Order 4		Linear	
DataAttributeTypes * Dataset		Linear	Linear	.
		Quadratic	Linear	.
Error (DataAttributeTypes*Dataset)		Linear	Linear	
		Quadratic	Linear	
Visualization * DataAttributeTypes * Dataset	Linear	Linear	Linear	3.188
		Quadratic	Linear	1.259
	Quadratic	Linear	Linear	1.121
		Quadratic	Linear	1.955
	Cubic	Linear	Linear	.108
		Quadratic	Linear	.966
	Order 4	Linear	Linear	.607
		Quadratic	Linear	1.142
Error (Visualization*DataAttribute Types*Dataset)	Linear	Linear	Linear	
		Quadratic	Linear	
	Quadratic	Linear	Linear	
		Quadratic	Linear	
	Cubic	Linear	Linear	
		Quadratic	Linear	
	Order 4	Linear	Linear	
		Quadratic	Linear	

Tests of Within-Subjects Contrasts

Measure: MEASURE_1

Source	Visualization	DataAttributeTypes	Dataset	Observed Power ^a
Error(Visualization*Dataset)	Linear		Linear	
	Quadratic		Linear	
	Cubic		Linear	
	Order 4		Linear	
DataAttributeTypes * Dataset		Linear	Linear	.
		Quadratic	Linear	.
Error (DataAttributeTypes*Dataset)		Linear	Linear	
		Quadratic	Linear	
Visualization * DataAttributeTypes * Dataset	Linear	Linear	Linear	.392
		Quadratic	Linear	.185
	Quadratic	Linear	Linear	.170
		Quadratic	Linear	.262
	Cubic	Linear	Linear	.061
		Quadratic	Linear	.153
	Order 4	Linear	Linear	.114
		Quadratic	Linear	.172
Error (Visualization*DataAttributeTypes*Dataset)	Linear	Linear	Linear	
		Quadratic	Linear	
	Quadratic	Linear	Linear	
		Quadratic	Linear	
	Cubic	Linear	Linear	
		Quadratic	Linear	
	Order 4	Linear	Linear	
		Quadratic	Linear	

a. Computed using alpha = .05

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Type III Sum of Squares	df	Mean Square	F	Sig.	Partial Eta Squared
Intercept	4860.000	1	4860.000	.	.	1.000
Error	.000	17	.000			

Tests of Between-Subjects Effects

Measure: MEASURE_1

Transformed Variable: Average

Source	Noncent. Parameter	Observed Power ^a
Intercept	.	.
Error		

a. Computed using alpha = .05

Estimated Marginal Means

1. Grand Mean

Measure: MEASURE_1

Mean	Std. Error	95% Confidence Interval	
		Lower Bound	Upper Bound
3.000	.000	3.000	3.000

2. Visualization

Estimates

Measure: MEASURE_1

Visualization	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	1.861	.141	1.564	2.158
2	4.352	.154	4.027	4.677
3	2.889	.202	2.462	3.315
4	3.963	.171	3.602	4.324
5	1.935	.241	1.426	2.445

Pairwise Comparisons

Measure: MEASURE_1

(I) Visualization	(J) Visualization	Mean Difference (I-J)	Std. Error	Sig. ^b	95% Confidence b...
					Lower Bound
1	2	-2.491 [*]	.256	.000	-3.315
	3	-1.028 [*]	.265	.012	-1.883
	4	-2.102 [*]	.197	.000	-2.737
	5	-.074	.311	1.000	-1.075
2	1	2.491 [*]	.256	.000	1.666
	3	1.463 [*]	.241	.000	.687
	4	.389	.270	1.000	-.482
	5	2.417 [*]	.307	.000	1.426
3	1	1.028 [*]	.265	.012	.172
	2	-1.463 [*]	.241	.000	-2.239
	4	-1.074 [*]	.302	.024	-2.046
	5	.954	.396	.277	-.322
4	1	2.102 [*]	.197	.000	1.466
	2	-.389	.270	1.000	-1.259
	3	1.074 [*]	.302	.024	.102
	5	2.028 [*]	.340	.000	.931
5	1	.074	.311	1.000	-.927
	2	-2.417 [*]	.307	.000	-3.407
	3	-.954	.396	.277	-2.230
	4	-2.028 [*]	.340	.000	-3.125

Pairwise Comparisons

Measure: MEASURE_1

		95% Confidence Interval for ... ^b
(I) Visualization	(J) Visualization	Upper Bound
1	2	-1.666
	3	-.172
	4	-1.466
	5	.927
2	1	3.315
	3	2.239
	4	1.259
	5	3.407
3	1	1.883
	2	-.687
	4	-.102
	5	2.230
4	1	2.737
	2	.482
	3	2.046
	5	3.125
5	1	1.075
	2	-1.426
	3	.322
	4	-.931

Based on estimated marginal means

*. The mean difference is significant at the .05 level.

b. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.918	39.289 ^a	4.000	14.000	.000	.918
Wilks' lambda	.082	39.289 ^a	4.000	14.000	.000	.918
Hotelling's trace	11.225	39.289 ^a	4.000	14.000	.000	.918
Roy's largest root	11.225	39.289 ^a	4.000	14.000	.000	.918

Multivariate Tests

	Noncent. Parameter	Observed Power ^b
Pillai's trace	157.156	1.000
Wilks' lambda	157.156	1.000
Hotelling's trace	157.156	1.000
Roy's largest root	157.156	1.000

Each F tests the multivariate effect of Visualization. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic

b. Computed using alpha = .05

3. DataAttributeTypes

Estimates

Measure: MEASURE_1

DataAttributeTypes	Mean	Std. Error	95% Confidence Interval	
			Lower Bound	Upper Bound
1	3.000	.000	3.000	3.000
2	3.000	.000	3.000	3.000
3	3.000	.000	3.000	3.000

Pairwise Comparisons

Measure: MEASURE_1

(I) DataAttributeTypes	(J) DataAttributeTypes	Mean Difference (I-J)	Std. Error	Sig. ^a	95% Confidence ... Lower Bound
1	2	-1.110E-16	.000	.	-1.110E-16
	3	.000	.000	.	.000
2	1	1.110E-16	.000	.	1.110E-16
	3	1.110E-16	.000	.	1.110E-16
3	1	.000	.000	.	.000
	2	-1.110E-16	.000	.	-1.110E-16

Pairwise Comparisons

Measure: MEASURE_1

(I) DataAttributeTypes	(J) DataAttributeTypes	95% Confidence Interval for ... Upper Bound
1	2	-1.110E-16
	3	.000
2	1	1.110E-16
	3	1.110E-16
3	1	.000
	2	-1.110E-16

Based on estimated marginal means

a. Adjustment for multiple comparisons: Bonferroni.

Multivariate Tests

	Value	F	Hypothesis df	Error df	Sig.	Partial Eta Squared
Pillai's trace	.	^a
Wilks' lambda	.	^a
Hotelling's trace	.	^a
Roy's largest root	.	^a

Multivariate Tests

	Noncent. Parameter	Observed Power ^b
Pillai's trace	.	.
Wilks' lambda	.	.
Hotelling's trace	.	.
Roy's largest root	.	.

Each F tests the multivariate effect of DataAttributeTypes. These tests are based on the linearly independent pairwise comparisons among the estimated marginal means.

a. Exact statistic

b. Computed using alpha = .05

4. Visualization * DataAttributeTypes

Measure: MEASURE_1

Visualization	DataAttributeTypes	Mean	Std. Error	95% Confidence Interval	
				Lower Bound	Upper Bound
1	1	1.861	.171	1.501	2.221
	2	1.778	.141	1.480	2.076
	3	1.944	.171	1.584	2.305
2	1	4.583	.123	4.324	4.843
	2	4.083	.191	3.681	4.486
	3	4.389	.196	3.975	4.803
3	1	2.833	.243	2.322	3.345
	2	3.139	.224	2.666	3.612
	3	2.694	.240	2.189	3.200
4	1	3.750	.195	3.339	4.161
	2	4.139	.189	3.741	4.537
	3	4.000	.206	3.565	4.435
5	1	1.972	.234	1.479	2.466
	2	1.861	.252	1.330	2.392
	3	1.972	.287	1.366	2.578