

АлтГТУ
ДИПЛОМНЫЙ ПРОЕКТ
группа 1ИСП-21
специальность СПО 09.02.07
«Информационные системы и
программирование»
Белоусов Кирилл Станиславович
2026 г.

Реферат

Дипломный проект состоит из введения, трех глав, заключения и списка использованных источников литературы, выполнена 70 листах машинописного текста, содержит 36 рисунка, 20 таблиц, 15 источников информации.

Перечень ключевых слов: автоматизированная система, онлайн-страхование, веб-приложение, страхование автомобилей, ОСАГО, КАСКО, личный кабинет.

Объект исследования: процесс онлайн-страхования автомобилей (расчёт стоимости, оформление полиса, обработка страховых случаев).

Для реализации АИС выбрано веб-приложение на базе React и Laravel.

В рамках данного проекта была проведена исследовательская работа по изучению предметной области, выявлены проблемы существующих решений, спроектирована база данных, разработано и протестировано веб-приложение для онлайн-оформления страховых полисов.

					ДП 09.02.07.3.000ПЗ				
Изм.	Лист	№ докум.	Подпись	Дата					
Разраб.		Белоусов К.С.			Разработка автоматизированной системы онлайн-страхования автомобилей	Лит.	Лист	Листов	
Провер.		Воробьев К. В..				У	2	67	
Н. контр.		Воробьев К. В..				УТК, 1ИСП-21			
Утверд.		Авдеев А.С.							

Министерство науки и высшего образования Российской Федерации
федеральное государственное бюджетное образовательное
учреждение высшего образования
«Алтайский государственный технический университет
им. И.И. Ползунова»

Университетский технологический колледж

УДК 004;368

ДИПЛОМНЫЙ ПРОЕКТ
ДП 09.02.07.3

Разработка автоматизированной системы онлайн-страхования автомобилей
Пояснительная записка

Студент группы 1ИСП-21

Белоусов Кирилл Станиславович

Руководитель проекта

преподаватель каф. ИСЭ

К. В. Воробьёв

Барнаул 2026

Содержание

ВВЕДЕНИЕ	7
1. АНАЛИТИЧЕСКАЯ ЧАСТЬ	8
1.1. Анализ предметной области	8
1.2. Предпроектное обследование объекта	9
1.3. Анализ целевой аудитории	9
1.4. Портреты потенциальных пользователей	11
1.5. Как сейчас решается задача веб-приложения	14
1.6. Анализ существующих решений	15
1.7. Обзор аналогов	15
1.8. Сравнительная таблица аналогов	17
1.9. Вывод по анализу существующих решений	18
2. Проектная часть	20
2.1. Описание процесса разработки модели предмета (объекта) исследования	20
2.2. Контекстная диаграмма IDEF0	20
2.3. Декомпозиция процессов в IDEF0	21
2.4. Декомпозиция процесса обработки страхового случая в IDEF0	23
2.5. Требования к информационной системе	25
2.6. Функциональные требования	25
2.7. Проектирование базы данных	28
2.8. Концепция информационной базы	28
2.9. Построение функционально-алгоритмической структуры	31
2.10. Функциональные возможности страхователя	32
2.11. Функциональные возможности страхового агента	33
2.12. Функциональные возможности администратора	34
2.13. Проектирование пользовательского интерфейса	35
2.14. Главные экраны	35
2.15. Выбор технологий	42
2.16. Требования к программно-аппаратной платформе	42
2.17. Описание основных технологий	43

2.18. Обоснование выбора стека технологий	45
3. РЕАЛИЗАЦИЯ ПРОЕКТА.....	47
3.1. Описание реализации	47
3.2. Архитектура приложения	47
3.3. Руководство пользователя	50
3.4. Тестирование и отладка	61
3.5. Порядок проведения тестирования.....	61
3.6. Тестовые сценарии	62
3.7. Результаты тестирования.....	63
ЗАКЛЮЧЕНИЕ	64
СПИСОК ИСТОЧНИКОВ.....	65
Приложение А	67
Приложение Г. SQL скрипт базы данных.....	71
Приложение Д. Код сайта.....	91

Определения, обозначения и сокращения

БД – база данных;

АИС – автоматизированная информационная система;

ОСАГО – обязательное страхование гражданской ответственности владельцев транспортных средств;

КАСКО – добровольное страхование транспортного средства от ущерба и угона;

ФИО – фамилия, имя, отчество;

VIN – идентификационный номер транспортного средства (Vehicle Identification Number);

ВВЕДЕНИЕ

В последние годы растёт спрос на инструменты дистанционного получения услуг, самообслуживания и цифрового документооборота. Одновременно широкое распространение получили онлайн-сервисы в финансовом секторе - банкинг, инвестиции, страхование. Рынок онлайн-страхования сегодня активно развивается, но остаётся фрагментированным. Пользователи вынуждены выбирать между сайтами крупных страховых компаний со сложной навигацией и сторонними агрегаторами, не предоставляющими полного цикла оформления полиса.

Проблема - отсутствие единой платформы, совмещающей удобный расчёт стоимости страховки, возможность сравнения предложений разных компаний и полное оформление полиса (включая оплату и генерацию PDF-документа) в одном месте.

Объект исследования - процесс онлайн-страхования автомобилей (расчёт стоимости, выбор предложения, оплата, получение полиса).

Предмет исследования - методы и средства автоматизации этого процесса с помощью веб-приложения.

Цель работы - разработка автоматизированной системы онлайн-страхования автомобилей, обеспечивающей пользователю полный цикл получения страхового полиса в удалённом формате.

Задачи:

1. Провести анализ предметной области и существующих аналогов.
2. Выявить целевую аудиторию и сформулировать требования к системе.
3. Разработать модель бизнес-процессов.
4. Спроектировать структуру базы данных.
5. Выбрать и обосновать стек технологий.
6. Реализовать веб-приложение на выбранном стеке.
7. Провести тестирование и оценить эффективность.

1. АНАЛИТИЧЕСКАЯ ЧАСТЬ

1.1. Анализ предметной области

Разрабатываемая система относится к отрасли финансовых технологий (FinTech), в частности к сегменту онлайн-страхования (InsurTech). В последние годы наблюдается активный рост спроса на дистанционное получение страховых услуг. Пользователи всё чаще предпочитают оформлять страховые полисы через интернет, не посещая офисы страховых компаний. Это позволяет экономить время и упрощает процесс получения страховой защиты.

Типовые проблемы и задачи в предметной области:

1. Сложность и запутанность интерфейсов

Многие существующие сайты страховых компаний имеют перегруженный или нелогичный интерфейс. Пользователю трудно найти форму расчёта, понять, какие данные нужно ввести, и быстро получить результат. Это приводит к тому, что потенциальные клиенты покидают сайт, не оформив полис.

2. Отсутствие личного кабинета с историей полисов

После оформления страховки пользователь часто не может вернуться на сайт, скачать полис повторно или проверить срок его действия. Это создаёт дополнительные неудобства и заставляет обращаться в службу поддержки.

3. Отсутствие предварительного расчёта без регистрации

Многие сайты требуют обязательную регистрацию или авторизацию до того, как пользователь увидит стоимость страховки. Это отпугивает клиентов, которые хотят сначала оценить цену, а потом принимать решение об оформлении.

Таким образом, выявленная проблема - отсутствие современного веб-приложения для онлайн-страхования автомобилей с понятным интерфейсом, возможностью расчёта без регистрации и удобным личным кабинетом для работы с полисами.

Целью разработки автоматизированной системы онлайн-страхования автомобилей является создание веб-приложения, обеспечивающего интуитивно понятный интерфейс, предварительный расчёт без регистрации и личный кабинет для хранения и управления оформленными полисами.

1.2. Предпроектное обследование объекта

1.3. Анализ целевой аудитории

Система ориентирована на широкий рынок - любые пользователи интернета, желающие оформить страховку на автомобиль в удалённом формате. Целевая аудитория делится на три группы: пользователи, оформляющие страховку, администраторы системы, гости (указано в таблице 1).

Таблица 1 - Группы целевой аудитории

Группа	Роль в системе	Краткое описание
Пользователи	Оформляют страховые полисы	Основная аудитория, ради которой разрабатывается система
Администраторы	Управляют системой	Пользователи, обладающие правами администратора (просмотр заявок, управление контентом)
Гости	Ознакамливаются с системой	Пользователи, которые зашли на сайт, но ещё не авторизовались

Ниже каждая группа рассмотрена подробно.

Группа 1. Пользователи

Пользователи - это основная аудитория, которая оформляет страховые полисы через систему. Без них система теряет смысл, поэтому важно сделать процесс расчёта и оформления максимально быстрым и понятным.

Авторов тестов можно разделить на две подгруппы (указано в таблице 2).

Таблица 2 - Подгруппы авторов тестов

Подгруппа	Кому относится	Цель оформления страховки
Владельцы новых автомобилей	Люди, купившие автомобиль в течение последнего года	Оформить страховку впервые, быстро сравнить условия
Опытные автовладельцы	Люди, владеющие автомобилем более года	Продлить существующую страховку, сменить страховую компанию

Характеристика: возраст 20–60 лет, владение ПК от базового до продвинутого. Мотивация: сэкономить время, оформить полис без посещения офиса. Боли: сложные и перегруженные формы ввода, обязательная регистрация перед расчётом, непонятный интерфейс, отсутствие истории оформленных полисов.

Группа 2. Администраторы системы

Администраторы - это пользователи, которые управляют системой, отслеживают заявки и обеспечивают её работоспособность.

Характеристика: возраст 18–55 лет, владение ПК на продвинутом уровне. Необходимые навыки: понимание работы системы, внимательность. Основные задачи: просмотр заявок, управление пользователями, контроль оформления полисов.

Группа 3. Гости

Гости - это пользователи, которые зашли на сайт, но ещё не авторизовались. Для них доступна только форма расчёта без регистрации и ознакомительная информация о системе.

Характеристика: возраст 16–60 лет, владение ПК от начального. Мотивация: получить предварительную информацию о стоимости страховки, оценить удобство системы. Боли: сложная навигация, навязчивая регистрация, отсутствие понятной информации о типах страховок.

1.4. Портреты потенциальных пользователей

Для более детального понимания потребностей были разработаны портреты (персонажи) типичных представителей каждой группы.

Портрет 1. Клиент (страхователь) - «Алексей, 35 лет, владелец автомобиля» (указано в таблице 3).

Таблица 3. Потрет владельца автомобиля

Параметр	Значение
Возраст	35 лет
Род занятий	Менеджер по продажам, владелец автомобиля Kia Rio 2021 года
Цель использование системы	Оформить полис КАСКО или ОСАГО онлайн, без посещения офиса страховой компании
Что важно	Быстрый расчёт стоимости, понятная форма ввода данных, возможность сравнить варианты покрытия
Что не устраивает в существующих решениях	Сложные и перегруженные формы, обязательная регистрация перед расчётом, непонятно, какие данные нужно вводить

Продолжение таблицы 3.

Что ожидается от новой системы	Расчёт без регистрации, понятный интерфейс, личный кабинет с историей полисов
--------------------------------	---

Портрет 2. Клиент (страхователь) - «Екатерина, 28 лет, начинающий водитель» (указано в таблице 4).

Таблица 4 - Портрет начинающего водителя

Параметр	Значение
Возраст	28 лет
Род занятий	Специалист по кадрам, полгода назад получила водительское удостоверение
Цель использование системы	Оформить первый полис ОСАГО на купленный автомобиль, разобраться в типах страховок
Что важно	Наличие подсказок и пояснений, понятная терминология, пошаговое оформление
Что не устраивает в существующих решениях	Много непонятных слов (КАСКО, ДСАГО, КБМ, бонус-малус), нет пояснений, страшно ошибиться
Что ожидается от новой системы	Подсказки при заполнении, понятные формулировки, возможность сохранить незавершённую заявку

Портрет 3. Страховой агент - «Ольга, 42 года, менеджер по продажам страховой компании» (указано в таблице 5).

Таблица 5 - Портрет менеджера по продажам страховой компании

Параметр	Значение
Возраст	42 года
Род занятий	Страховой агент, работает в компании 8 лет, обслуживает физических лиц
Цель использование системы	Быстро подбирать полисы для клиентов, отслеживать статус заявок, отправлять напоминания
Что важно	Удобная подгрузка данных, быстрый расчёт нескольких тарифов, единый интерфейс для всех операций
Что не устраивает в существующих решениях	Нужно переключаться между разными программами и сайтами, информация о клиентах разрознена
Что ожидается от новой системы	Личный кабинет со списком клиентов, статусами заявок, автоматические напоминания о продлении полисов

Портрет 4. Администратор системы - «Дмитрий, 30 лет, технический специалист» (указано в таблице 6).

Таблица 6 - Портрет обычного пользователя проходящего тест

Параметр	Значение
Возраст	30 лет

Продолжение таблицы 6

Род занятий	Системный администратор, отвечает за работу веб-сайта и IT-инфраструктуру
Цель использование системы	Управлять контентом, просматривать отчёты по оплатам, настраивать права доступа сотрудников
Что важно	Единая админ-панель, возможность быстро обновить тарифы и условия
Что не устраивает в существующих решениях	Для изменения цен нужно обращаться к разработчикам, отчёты неавтоматизированы
Что ожидается от новой системы	Админ-панель для самостоятельного управления тарифами и условиями, гибкая настройка прав

1.5. Как сейчас решается задача веб-приложения

На текущий момент пользователи, желающие оформить страховку на автомобиль удалённо, могут воспользоваться следующими способами:

- Сайты страховых компаний - позволяют рассчитать стоимость и оформить полис онлайн, однако интерфейсы многих из них перегружены, форма расчёта выглядит сложной, а личный кабинет часто отсутствует или имеет урезанный функционал.
- Офлайн-офисы страховых компаний - можно получить консультацию специалиста и оформить полис, но требуется личное присутствие, трата времени на дорогу и возможные очереди.
- Телефонные звонки страховым агентам - можно уточнить стоимость и условия, но результат расчёта не фиксируется, нет возможности сохранить историю обращений.

Таким образом, несмотря на наличие онлайн-инструментов, многие пользователи сталкиваются с неудобными интерфейсами и отсутствием полноценного личного кабинета для работы с оформленными полисами. Разрабатываемая система предлагает более удобный интерфейс и личный кабинет с историей полисов.

1.6. Анализ существующих решений

1.7. Обзор аналогов

1. Росгосстрах (<https://www.rgs.ru>)

Назначение: Крупнейшая страховая компания России, предоставляющая полный спектр страховых услуг, включая ОСАГО и КАСКО.

Сильные стороны:

- Калькулятор ОСАГО вынесен на главную страницу, имеет простой интерфейс и заполняется в 3 шага.
- Полностью онлайн-оформление электронного полиса.
- Развитая сеть офлайн-офисов по всей стране.

Слабые стороны:

- Калькулятор КАСКО сводится к форме обратной связи с менеджером, а не к полноценному онлайн-расчёту.
- Интерфейс перегружен рекламой и дополнительными услугами.
- Время загрузки страниц выше среднего (2,8 сек).

2. Ингосстрах (<https://www.ingos.ru>)

Назначение: Одна из старейших страховых компаний России, ориентированная на корпоративных и частных клиентов.

Сильные стороны:

- Детальный онлайн-калькулятор КАСКО с возможностью выбора параметров.
- Поддержка Apple Pay и других современных способов оплаты.
- Надёжный бренд с высокой узнаваемостью.

Слабые стороны:

- Калькулятор ОСАГО находится на отдельной странице, требует 4 шага для оформления.
- Интерфейс перегружен информацией.
- Личный кабинет имеет ограниченный функционал по сравнению с конкурентами.

3. Согласие (<https://www.soglasie.ru>)

Назначение: Универсальная страховая компания с акцентом на онлайн-сервисы для физических лиц.

Сильные стороны:

- Калькулятор ОСАГО на главной странице, упрощённая форма ввода.
- Хорошая скорость работы сайта (2,5 сек загрузки).
- Электронный полис и онлайн-оплата полностью реализованы.

Слабые стороны:

- Калькулятор КАСКО только упрощённый, точный расчёт требует звонка менеджеру.
- Отсутствие прозрачности в расчётах - не показывается формула и коэффициенты.
- Нет сравнения тарифов с другими компаниями.

4. АльфаСтрахование (<https://www.alfastrah.ru>)

Назначение: Крупная страховая компания с фокусом на цифровые технологии и удобный онлайн-сервис.

Сильные стороны:

- «Умный» калькулятор с подсказками и пояснениями.
- Самый быстрый сайт среди аналогов (2,2 сек загрузки).
- Все способы оплаты, включая электронные кошельки.

Слабые стороны:

- Калькулятор КАСКО требует детального заполнения, но даёт полный онлайн-расчёт (это скорее сильная сторона, но для пользователя может быть слишком сложно).

- Часть сервисов требует регистрации даже на этапе предварительного расчёта.

- Карта офлайн-офисов с актуальным расписанием отсутствует.

5. ВТБ Страхование (<https://www.vtb.ru/personal/drugie-uslugi/strahovye-i-servisnye-produkty/>)

Назначение: Дочерняя компания банка ВТБ, ориентированная на клиентов банка и внешний рынок.

Сильные стороны:

- Калькулятор ОСАГО интегрирован с банковским приложением ВТБ.

- Электронный полис и онлайн-оплата картами ВТБ и других банков.

- Надёжность за счёт банковского бренда.

Слабые стороны:

- Калькулятор КАСКО только через менеджера, полноценного онлайн-расчёта нет.

- Самый медленный сайт среди аналогов (3,5 сек загрузки).

- Личный кабинет сильно завязан на банковскую экосистему, неудобен для клиентов других банков.

1.8. Сравнительная таблица аналогов

Сравнительная таблица аналогов (указано в таблице 7)

Таблица 7 - Сравнительная таблица аналогов

Критерий	Росгосстрах	Ингосстрах	Согласие	АльфаСтрахование	ВТБ Страхование
----------	-------------	------------	----------	------------------	-----------------

Продолжение Таблицы 7

Калькулятор ОСАГО	На главной, 3 шага	Отдельная страница, 4 шага	На главной, упрощенный	Умный калькулятор с подсказками	Интегрирован с банковским
Калькулятор КАСКО	Форма с менеджером	Детальный онлайн	Упрощенный расчет	Полный онлайн-расчет	Через менеджера
Личный кабинет	+	+	+	+	+
Электронный полис	+	+	+	+	+
Онлайн-оплата	Карты, электронные кошельки	Карты, Apple Pay	Карты	Все способы	Карты ВТБ, другие
Время загрузки	2.8 сек	3.1 сек	2.5 сек	2.2 сек	3.5 сек

1.9. Вывод по анализу существующих решений

Проведенный анализ позволяет сделать следующие выводы:

1. Ни один из рассмотренных аналогов не предоставляет полноценный онлайн-расчёт КАСКО без необходимости обращаться к менеджеру. В большинстве случаев калькулятор КАСКО либо упрощённый (Согласие), либо ведёт к форме обратной связи (Росгосстрах, ВТБ Страхование).

2. На всех сайтах отсутствует прозрачность расчётов - пользователь не видит, из каких коэффициентов и формул складывается итоговая стоимость страховки.

3. Личные кабинеты имеются у всех конкурентов, однако их функционал ограничен историей полисов и платежами. Ни один из аналогов не предлагает удобного инструмента для повторного скачивания полиса или отслеживания статуса заявок по страховым случаям.

4. Пользователям приходится выбирать: либо удобный интерфейс (АльфаСтрахование), либо скорость работы (Согласие, АльфаСтрахование), либо развитую сеть офлайн-офисов (Росгосстрах), либо интеграцию с банком (ВТБ Страхование).

Таким образом, разрабатываемая автоматизированная система онлайн-страхования автомобилей закрывает выявленные пробелы:

- полноценный онлайн-расчёт КАСКО без перехода на менеджера;
- прозрачность расчётов (отображение формул и коэффициентов);
- удобный личный кабинет с историей полисов и возможностью повторного скачивания;
- современный и понятный интерфейс.

2. Проектная часть

2.1. Описание процесса разработки модели предмета (объекта) исследования

Объектом исследования является процесс онлайн-страхования автомобилей, включающий обработку заявки на оформление полиса, проверку данных и расчёт стоимости, оформление и оплату полиса, обработку страхового случая, а также формирование отчётности. Предмет исследования - методы и средства автоматизации этого процесса с помощью веб-приложения.

Для формализации предметной области проведено моделирование бизнес-процессов. В качестве основной нотации выбрана IDEF0, позволяющая представить процесс на верхнем уровне абстракции с выделением входов, выходов, управляющих воздействий и механизмов.

2.2. Контекстная диаграмма IDEF0

На контекстной диаграмме (см. рисунок 2.1) основным бизнес-процессом является «Обеспечение онлайн-продажи и оформления страховых полисов ОСАГО/КАСКО».




Рисунок 2.1 - IDEF0 диаграмма

Входные потоки: запрос на полис, данные о клиенте, данные о транспорте, заявление о страховом случае, данные от РСА

Управляющие потоки: страховое законодательство РФ, внутренние регламенты Компании.

Механизмы: веб-инфраструктура, API РСА, платёжная система, персонал.

Выходные потоки: Электронный полис, квитанция об оплате, данные для РСА, приказ о страховой выплате, отчёты.

2.3. Декомпозиция процессов в IDEF0

Контекстная диаграмма декомпозируется на пять дочерних процессов (см. рисунок 2.2). Декомпозиция выполнена по принципу разделения основных функциональных областей системы.




Рисунок 2.2 - Декомпозиция основных функциональных областей системы

Процесс A1.1. Обработка заявки на оформление

Обрабатывает входные потоки «запрос на полис», «данные о клиенте», «данные о транспорте».

Управляется «страховым законодательством РФ» и «внутренними регламентами компании».

Механизмы: веб-инфраструктура, персонал.

Выход: «обработанная заявка».

Процесс А1.2. Проверка данных и расчёт стоимости

Обрабатывает входной поток «обработанная заявка», а также внешние данные от «API PCA».

Управляется «страховым законодательством РФ».

Механизмы: веб-инфраструктура.

Выход: «рассчитанная стоимость».

Процесс А1.3. Оформление, оплата и выдача полиса

Обрабатывает входной поток «рассчитанная стоимость».

Управляется «страховым законодательством РФ».

Механизмы: веб-инфраструктура, платёжная система, персонал.

Выход: «электронный полис», «квитанция об оплате», «данные для PCA».

Процесс А1.4. Обработка страхового случая

Обрабатывает входной поток «заявление о страховом случае», «данные клиента».

Управляется «страховым законодательством РФ» и «регламентом урегулирования».

Механизмы: веб-инфраструктура, персонал.

Выход: «приказ о страховой выплате».

2.4. Декомпозиция процесса обработки страхового случая в IDEF0

Процесс A1.4 «Обработка страхового случая» декомпозируется на четыре дочерних процесса (см. рисунок 2.3). Декомпозиция выполнена по принципу разделения этапов урегулирования страхового случая.




Рисунок 2.3 - Декомпозиция процесса обработки страхового случая

Процесс A1.4.1. Приём и регистрация заявления

Обрабатывает входные потоки «заявление о страховом случае», «данные клиента».

Управляется «страховым законодательством РФ».

Механизмы: веб-инфраструктура.

Выход: «информация о страховом случае».

Процесс А1.4.2. Сбор документов и оценка

Обрабатывает входной поток «информация о страховом случае».

Управляется «страховым законодательством РФ» и «регламентом урегулирования».

Механизмы: веб-инфраструктура, персонал.

Выход: «обработанная экспертом информация».

Процесс А1.4.3. Принятие решения о выплате

Обрабатывает входной поток «обработанная экспертом информация».

Управляется «страховым законодательством РФ» и «регламентом урегулирования».

Механизмы: веб-инфраструктура, персонал.

Выход: «данные для урегулирования».

Процесс А1.4.4. Оформление выплаты

Обрабатывает входной поток «данные для урегулирования».

Управляется «страховым законодательством РФ» и «регламентом урегулирования».

Механизмы: веб-инфраструктура, персонал.

Выход: «приказ о страховой выплате».

2.5. Требования к информационной системе

2.6. Функциональные требования

Функциональные требования сформулированы в виде пользовательских истории (User Stories) для каждой роли.

Роль 1. Клиент (Страхователь) (указано в таблице 8)

Таблица 8 - Use Stories роль - клиент

ID	User Story
US-1.1	Как клиент, выбирающий страховку для нового автомобиля, я хочу ввести данные машины (марка, модель, год, VIN) и свои данные в онлайн-калькулятор, чтобы мгновенно увидеть точную стоимость полиса и сравнить несколько вариантов покрытия, не обзванивая компании.
US-1.2	Как клиент, попавший в ДТП, я хочу в личном кабинете нажать кнопку «Заявить о страховом случае», чтобы система автоматически подставила данные из моего профиля и активного полиса, и мне осталось только прикрепить фотографии повреждений авто, выбрать удобное СТО и отправить заявку, чтобы официально зафиксировать случай для выплаты, не дожидаясь ГИБДД и не теряя время на бумажную волокиту.
US-1.3	Как постоянный клиент, я хочу видеть в личном кабинете архив всех моих полисов ОСАГО и КАСКО за последние годы и историю обращений с выплатами, чтобы быстро находить нужные данные для налогового вычета или при споре со страховой, не храня много бумаг.

Роль 2. Страховой агент (Менеджер по продажам) (указано в таблице 9)

Таблица 9 - Use Stories роль - Страховой агент (Менеджер по продажам)

ID	User Story
US-2.1	Как страховой агент на точке продаж, я хочу по номеру VIN автомобиля автоматически подгрузить его полные данные из базы и быстро рассчитать несколько тарифов ОСАГО и КАСКО в одном интерфейсе, чтобы за 5 минут предложить клиенту готовые варианты и оформить полис, не переключаясь между разными программами и сайтами.
US-2.2	Как агент, который продал полис КАСКО, я хочу видеть в личном кабинете список своих клиентов и статус обработки их заявлений о выплате (принято, на осмотре, выплачено), чтобы оперативно отвечать на вопросы клиентов о ходе дела.
US-2.3	Как страховой агент, я хочу одним действием отфильтровать клиентов, у которых полис истекает через 30 дней, и отправить им персональное SMS-напоминание, чтобы автоматически стимулировать повторные продажи и не упускать клиентов, которые могли забыть о продлении.

Роль 3. Администратор сайта (указано в таблице 10)

Таблица 10 - Use Stories роль - Администратор сайта

ID	User Story
----	------------

Продолжение таблицы 10

US-3.1	Как администратор сайта страховой компании, я хочу через единую админ-панель изменить базовую ставку для калькулятора ОСАГО, добавить новую акцию или отредактировать текст на главной, чтобы самостоятельно и оперативно управлять контентом, не обращаясь каждый раз к веб-разработчикам и не теряя времени на согласования.
US-3.2	Как администратор, ответственный за финансовые операции, я хочу каждый день получать автоматический отчёт со списком всех успешных и неудачных онлайн-платежей за полисы, с указанием суммы, номера полиса и причины отказа, чтобы сверять поступления с банком, выявлять проблемы с платёжным шлюзом и находить заявки, где клиент не завершил оплату.
US-3.3	Как администратор, я хочу в панели управления настраивать права доступа для новых сотрудников, чтобы обеспечивать информационную безопасность и не допуская несанкционированного доступа к конфиденциальным данным (платежи, персональные данные клиентов).

2.7. Проектирование базы данных

2.8. Концепция информационной базы

Проектирование базы данных выполнено в соответствии с требованиями к структуре и функционированию системы. Выделены следующие подсистемы, каждая из которых опирается на соответствующие таблицы БД (указано в таблице 11).

Таблица 11 - Концепция информационной базы данных

Подсистема	Таблицы в бд
Аутентификации и авторизации	users, user_types
Управления клиентскими профилями	client_profiles, client_driver_categories
Управления транспортными средствами	vehicles, vehicle_categories
Управления страховыми продуктами	policy_types, tariffs
Оформления и хранения полисов	policies
Обработки страховых случаев	accidents
Уведомлений и коммуникаций	notifications
Административного управления	users, user_types, notifications

Основные сущности информационной базы (см. рисунок 2.4):

- Пользователь (users) - хранит учётные записи всех пользователей системы: email, телефон, хеш пароля. Каждый пользователь относится к определённому типу через связь с таблицей user_types (admin, agent, client).
- Тип пользователя (user_types) - справочник ролей пользователей в системе: администратор, страховой агент, клиент.
- Профиль клиента (client_profiles) - расширенная информация о клиенте: фамилия, имя, отчество, дата рождения, паспортные данные, водительское удостоверение, стаж вождения, класс бонус-малус, наличие аварий за последний год. Связан с пользователем (user_id). Паспортные и водительские данные хранятся непосредственно в этой таблице (без вынесения в отдельные справочники).
- Категории прав клиента (client_driver_categories) - связующая таблица, позволяющая одному клиенту иметь несколько категорий водительских прав (А, В, С, D, Е). Связана с профилем клиента и справочником vehicle_categories. Обеспечивает гибкость при проверке права управления транспортным средством.
- Транспортное средство (vehicles) - информация об автомобилях клиента: государственный номер, марка, модель, год выпуска, мощность в лошадиных силах, VIN-номер, цена приобретения, пробег, наличие трекара, тип парковки. Связан с клиентом (client_id) и справочником vehicle_categories.
- Категория транспортного средства (vehicle_categories) - справочник категорий ТС (мотоциклы - А, легковые - В, грузовые - С, автобусы - D, прицепы - Е).
- Тип полиса (policy_types) - справочник видов страхования (ОСАГО, КАСКО).
- Тариф (tariffs) - хранит базовые ставки и коэффициенты для расчёта стоимости полиса в зависимости от категории ТС, типа полиса и выбранного метода расчёта (basic для ОСАГО, coefficient для КАСКО).

- Полис (policies) - основная сущность системы. Фиксирует факт оформления страхового полиса: номер полиса, тип, клиент, транспортное средство, тариф, базовая и итоговая цена, сумма скидки, даты начала и окончания действия, статус (черновик, активный, истёкший, отменённый), сумма франшизы и покрытия.
- Страховой случай (accidents) - фиксирует информацию о наступлении страхового случая: дата, сумма ущерба, наличие вины клиента, описание, статус рассмотрения (на рассмотрении, одобрено, отклонено, выплачено). Связан с клиентом (client_id) и полисом (policy_id).
- Уведомление (notifications) - хранит уведомления для пользователей: сообщение, статус прочтения, дополнительные данные в формате JSON (например, размер скидки, количество дней до окончания полиса). Связан с пользователем (user_id).




Рисунок 2.4 - Схема Базы данных

2.9. Построение функционально-алгоритмической структуры

Для описания взаимодействия пользователей с разрабатываемой системой построена диаграмма вариантов использования (use case diagram) в нотации UML. Диаграмма позволяет выделить основные функциональные требования к системе и показать, какие роли пользователей имеют доступ к тем или иным функциям.




Рисунок 2.5 - UML диаграмма

На диаграмме вариантов использования (см. рисунок 2.5) выделены три основных актора:

- Страхователь - пользователь, желающий получить страховой полис онлайн;
- Страховой агент - сотрудник страховой компании, работающий с клиентами;
- Администратор - технический специалист, управляющий системой.

2.10. Функциональные возможности страхователя

Страхователь взаимодействует с системой в рамках следующих вариантов использования:

- Зарегистрироваться - создание учётной записи в системе. Включает в себя (<<include>>) авторизацию.
- Авторизироваться - вход в систему по email и паролю.
- Зайти в личный кабинет - основная точка входа для работы с полисами и данными. Расширяется (<<extend>>) следующими функциями:
 - просмотр истории своих полисов;
 - просмотр своих данных;
 - изменение данных учётной записи;
 - просмотр уведомлений;
 - выход из учётной записи.
- Заполнить форму для расчёта стоимости полиса - включает в себя (<<include>>) заполнение данных об автомобиле и данных о водительских правах. После успешного расчёта включает (<<include>>) оформление полиса.
- Оформить полис - включает (<<include>>) заполнение формы расчёта (повторный вызов) и авторизацию.
- Заявить о страховом случае - включает в себя (<<include>>) заполнение формы с данными о ДТП, прикрепление фото ДТП и авторизацию.

Для незарегистрированных пользователей реализован вариант использования «Просмотр информации о компании на главной и информационной страницах», не требующий авторизации.

2.11. Функциональные возможности страхового агента

- Страховой агент имеет расширенные права по сравнению со страхователем:

- Оформить полис за клиента - включает (<<include>>) заполнение формы для расчёта стоимости полиса (с возможностью ввода данных клиента). Расширяется (<<extend>>) функцией «Применить скидку».
- Просмотр полисов клиентов - просмотр оформленных полисов.
- Расчёт стоимости полисов по данным клиента - быстрый расчёт с использованием сохранённых данных клиента.
- Просмотр данных клиентов - доступ к профилям клиентов.
- Отправить уведомление клиенту - информирование клиентов о статусе полисов, скидках и напоминаниях.

2.12. Функциональные возможности администратора

Администратор осуществляет управление системой и настройку бизнес-правил:

- Редактирование полисов и тарифов - изменение базовых ставок и коэффициентов для расчёта страховки.
- Просмотр полной информации о клиентах и полисах - агрегированный просмотр всех данных системы.
- Выставление прав доступа сотрудникам - назначение ролей (агент, администратор) для пользователей.
- Добавление акций - создание и управление промо-акциями для клиентов.
- Редактирование информации о клиенте - изменение персональных данных клиентов при необходимости.
- Все варианты использования, связанные с созданием, редактированием или оформлением данных, требуют предварительной авторизации пользователя в системе.

2.13.Проектирование пользовательского интерфейса

2.14.Главные экраны

Первым делом была подобрана основная цветовая палитра, выполненная в коричневатых стилях, для создания эффекта строгости, но не слишком (см. рисунок 2.6).



Рисунок 2.6 - Цветовая палитра

Далее были разработаны макеты основных экранов (см. рис. 2.7 – 2.17):




Рисунок 2.7 - Главная страница

Главная

Авторизация

Шаг 1 из 3

Личные данные

Фамилия

Имя

Отчество

Дата рождения (дд.мм.гггг)

Телефон

Емэй

Пароль

Повторите пароль

Следующий шаг

Создавая аккаунт, вы соглашаетесь с нашей Политикой конфиденциальности и Условиями использования

Рисунок 2.8 - Страница регистрации

Главная

Регистрация

Вход в аккаунт

Емэй

Пароль

☐ Запомнить меня

[Забыли пароль?](#)

Войти

Рисунок 2.9 - Страница авторизации




Рисунок 2.10 - Страница «Забыли пароль»




Рисунок 2.11 - Страница профиля



О нашей компании

Надёжность

Нашу надёжность и финансовую устойчивость подтверждают рейтинги ведущих рейтинговых агентств: ruAAA по шкале «Эксперт РА», AAA [ru] по шкале «Национального Рейтингового Агентства» и AAA.ru по шкале «Национальные Кредитные Рейтинги» (НКР).



Забота о клиентах

Наша работа – ежедневная забота о вас, наших клиентах! Развиваем дистанционные каналы, чтобы вам было удобнее с нами. Работаем над тем, чтобы наши продукты создавали для вас чувство уверенности. Оперативно отвечаем во всех каналах коммуникации.

Лицензии

В соответствии с Лицензиями, выданными Банком России 25.05.2015 без ограничения срока их действия, СИ № 1307, СЛ №1307, ОС №1307-03, ОС №1307-04, ОС №1307-05, ПС №1307, Компания имеет разрешение на осуществление практически всех видов страхования и перестрахования, разрешенные законодательством РФ



Рисунок 2.12 - Страница «О компании»

Калькулятор страховки

ОСАГО

КАСКО

1. Автомобиль

2. Срок

3. Результат

Результат расчёта

Стоимость полиса:

541,59 Р

В стоимость включено:

- Страхование гражданской ответственности

Назад

Перейти к оплате

О компании

Страховой случай

Контакты

©2024 Страхование онлайн

Рисунок 2.13 - Страница калькулятора

Оплата страхового полиса

Информация о полисе

Номер полиса: 20260SSKE4MB

Тип полиса: ОСАГО

Автомобиль: Toyota Camry

Срок действия: 2026-05-21 — 2026-06-30

Сумма к оплате: **541.59 Р**

Данные карты

Номер карты

1234 5678 9012 3456

Владелец карты

IVAN IVANOV

Срок действия

MM/YY

CVV

123

Отмена

Оплатить 541.59 Р

О компании

Страховой случай

Контакты

©2024 Страхование онлайн

Рисунок 2.14 - Страница оплаты

Заявление о страховом случае

Заполните форму для регистрации страхового случая

[1. Выбор автомобиля](#)[2. Выбор полиса](#)[3. Данные о происшествии](#)

Выберите активный полис

Полис №202604VSQPDА

Тип: ОСАГО

Действует до: 23.04.2027

[Назад](#)



[О компании](#)[Страховой случай](#)[Контакты](#)

©2025 Страхование онлайн

Рисунок 2.15 - Страница «Страховой случай»

Админ-панель						
Пользователи						
Тарифы						
Полисы						
Страховые случаи						
Выход						

Тарифы						
+ Добавить тариф						
ID	Тип полиса	Категория ТС	Базовая ставка	Мин.	Макс.	Действия
1	ОСАГО	Мотоциклы	1 600 Р	1 000 Р	2 000 Р	✎ ✖
2	ОСАГО	Легковые автомобили	4 118 Р	2 746 Р	4 942 Р	✎ ✖
3	ОСАГО	Грузовые автомобили	5 500 Р	4 000 Р	7 000 Р	✎ ✖
4	ОСАГО	Автобусы	6 500 Р	5 000 Р	8 500 Р	✎ ✖
5	ОСАГО	Прицепы	2 000 Р	1 500 Р	3 000 Р	✎ ✖
6	КАСКО	Мотоциклы	30 000 Р	15 000 Р	80 000 Р	✎ ✖
7	КАСКО	Легковые автомобили	50 000 Р	25 000 Р	150 000 Р	✎ ✖
8	КАСКО	Грузовые автомобили	70 000 Р	35 000 Р	200 000 Р	✎ ✖
9	КАСКО	Автобусы	100 000 Р	50 000 Р	250 000 Р	✎ ✖
10	КАСКО	Прицепы	40 000 Р	20 000 Р	100 000 Р	✎ ✖

Рисунок 2.16 - Страница Админ-панели

Таблица 13 - Программно-аппаратная платформа для сервера

Компонент	Минимальные требования	Рекомендуемые требования
ОС	Ubuntu 22.04 LTS	Ubuntu 22.04 LTS
CPU	2 vCPU	4 vCPU
RAM	2 ГБ	8 ГБ
Диск	1 ГБ SSD	50 ГБ SSD
ПО	PHP 8.1+, MySQL 8.0+, Nginx/Apache	PHP 8.2+, MySQL 8.0+, Nginx

2.17. Описание основных технологий

Языки программирования (указано в таблице 14).

Таблица 14 – Языки программирования

Технология	Версия	Назначение
PHP	8.1+	Бэкенд (серверная логика)
JavaScript	ES6+	Фронтенд (типизированный JavaScript)

Фреймворки и библиотеки бекенд (указано в таблице 15).

Таблица 15 – Фреймворки и библиотеки бекенд

Технология	Назначение
Laravel	Веб-фреймворк (ORM, аутентификация, админ-панель, миграции)
Laravel Sanctum	JWT-аутентификация

Фреймворки и библиотеки фронтенд (указано в таблице 16).

Таблица 16 – Фреймворки и библиотеки фронтенд

Технология	Назначение
React	UI-компоненты, виртуальный DOM
React Router	Клиентская маршрутизация
Axios	HTTP-запросы к бэкенду (с перехватчиками для токенов)

Способ хранения данных (указано в таблице 17).

Таблица 17– Способ хранения данных

Технология	Назначение
MySQL	Реляционная СУБД (ACID, внешние ключи, индексы, хранение данных клиентов, полисов и страховых случаев)

Инструменты сборки и контейнеризации (указано в таблице 18).

Таблица 18 – Инструменты сборки и контейнеризации

Технология	Назначение
Composer	Управление PHP-зависимостями (Laravel и пакеты)
npm	Управление JavaScript-зависимостями (React, React Router, Axios)

Контроль версий (указано в таблице 19).

Таблица 19 – Контроль версий

Технология	
Git	Система контроля версий
GitHub	Хостинг репозитория

2.18. Обоснование выбора стека технологий

Почему PHP и Laravel для бэкенда [3]:

- Скорость разработки - Laravel предоставляет готовые компоненты: ORM (Eloquent), аутентификацию, миграции, маршрутизацию, защиту от CSRF и XSS.
- Соответствие требованиям безопасности - хэширование паролей (bcrypt), ролевая модель (user_types), защита от SQL-инъекций через Eloquent.
- Удобство работы с БД - миграции позволяют версионировать структуру базы данных, сидеры - заполнять тестовыми данными.
- Большое сообщество и экосистема - множество готовых пакетов, обширная документация.

Почему React для фронтенда [1]:

- Компонентный подход - переиспользование UI-блоков (карточки тестов, формы вопросов).
- Адаптивность - React хорошо работает с адаптивным дизайном.
- Экосистема - React Router (маршрутизация), Axios (HTTP-запросы).

Почему MySQL [14]:

- Скорость разработки - Laravel предоставляет готовые компоненты: ORM (Eloquent), аутентификацию, миграции, маршрутизацию, защиту от CSRF и XSS.
- Соответствие требованиям безопасности - хэширование паролей (bcrypt), ролевая модель (user_types), защита от SQL-инъекций через Eloquent.

- Удобство работы с БД - миграции позволяют версионировать структуру базы данных, сидеры - заполнять тестовыми данными.
- Большое сообщество и экосистема - множество готовых пакетов, обширная документация.

Почему Laravel Sanctum для аутентификации [15]:

- Скорость разработки - Laravel предоставляет готовые компоненты: ORM (Eloquent), аутентификацию, миграции, маршрутизацию, защиту от CSRF и XSS.
- Соответствие требованиям безопасности - хэширование паролей (bcrypt), ролевая модель (user_types), защита от SQL-инъекций через Eloquent.
- Удобство работы с БД - миграции позволяют версионировать структуру базы данных, сидеры - заполнять тестовыми данными.
- Большое сообщество и экосистема - множество готовых пакетов, обширная документация.

Почему React Router DOM:

- Клиентская маршрутизация без перезагрузки страницы - пользователь перемещается между разделами сайта (главная, личный кабинет, форма расчёта, история полисов) мгновенно.
- Глубокая интеграция с React - маршруты объявляются непосредственно в компонентах.

Почему Axios:

- Удобная работа с HTTP-запросами - поддержка промисов, перехватчики (интерцепторы) для автоматической подстановки Bearer-токенов в заголовки.
- Простая обработка ошибок - единый блок catch для всех ошибок API.

3. РЕАЛИЗАЦИЯ ПРОЕКТА

3.1. Описание реализации

3.2. Архитектура приложения

Разработанное веб-приложение построено по классической клиент-серверной архитектуре. Серверная часть реализована на фреймворке Laravel (PHP), клиентская - на библиотеке React (JavaScript). Взаимодействие между клиентом и сервером осуществляется посредством REST API с обменом данными в формате JSON. Для аутентификации пользователей используются токены Laravel Sanctum.

Общая архитектура приложения представлена на рисунке 3.18.




Рисунок 3.18 - Общая архитектура приложения

Клиентская часть (Frontend)

Клиентская часть выполнена на фреймворке React. В качестве методологии организации кода выбрана Feature-Sliced Design (FSD), которая позволяет структурировать проект по функциональным модулям (фичам), а

не по технической роли файлов. Это обеспечивает высокую масштабируемость и удобство поддержки кода.

Структура клиентской части представлена на рисунке 3.19




Рисунок 3.19 - Структура клиентской части

Основные слои архитектуры FSD:

- **app/** - точка входа в приложение. Содержит только роутинг (настройку маршрутов и провайдеры).
- **api/** - модуль взаимодействия с сервером. Содержит настройку HTTP-клиента (Axios), конфигурацию эндпоинтов и обработку запросов к бэкенду.
- **features/** - функциональные модули приложения. Внутри каждой фичи находятся папки **pages/** (страницы) и **components/** (компоненты, относящиеся к этой странице). Такой подход позволяет группировать весь код, связанный с конкретным функционалом, в одном месте.
- **shared/** - переиспользуемые утилиты, используемые во всём приложении:
 - **lib/** - вспомогательные библиотеки и утилиты (валидация, форматирование дат, работа с числами);
 - **hooks/** - кастомные React-хуки (например, `useAuth`, `useForm`);
 - **context/** - React-контексты для глобального состояния (например, контекст аутентификации);

- utils/ - вспомогательные функции;
- config/ - конфигурации (поля для форм, константы, маски ввода);
- components/ - общие UI-компоненты (кнопки, поля ввода, модальные окна);
- layouts/ - компоненты макетов страниц (шапка сайта, подвал, боковое меню).

Серверная часть (Backend)

Серверная часть реализована на фреймворке Laravel с использованием стандартной структуры, генерируемой фреймворком. Laravel обеспечивает MVC-архитектуру, объектно-реляционное отображение (ORM Eloquent), миграции для управления схемой базы данных, встроенную аутентификацию и маршрутизацию.

Структура серверной части представлена на рисунке 3.20.




Рисунок 3.20 - Структура серверной части

Основные компоненты серверной части:

- app/Http/Controllers/ - контроллеры, обрабатывающие входящие HTTP-запросы. Каждый контроллер отвечает за определённый ресурс (например, PolicyController, AccidentController, AuthController). Валидация входящих данных выполняется непосредственно в методах контроллеров.
- app/Models/ - модели, соответствующие таблицам базы данных (User, ClientProfile, Vehicle, Policy, Accident, Tariff и др.). Модели содержат бизнес-логику, связи между сущностями и атрибуты.

- app/Http/Middleware/ - middleware-классы, выполняющие проверки до передачи запроса в контроллеры. В системе реализованы три middleware для проверки ролей пользователя: CheckAdminRole, CheckAgentRole и CheckClientRole, которые ограничивают доступ к определённым маршрутам в зависимости от типа учётной записи (администратор, агент, клиент).
- database/migrations/ - миграции, управляющие схемой базы данных. Позволяют создавать и изменять таблицы, добавлять индексы и внешние ключи, обеспечивая воспроизводимость структуры на любом окружении.
- database/seeders/ - сидеры, заполняющие базу данных тестовыми данными (типы полисов, тарифы, категории транспортных средств, тестовые пользователи). Это упрощает первоначальную настройку системы и тестирование.
- routes/api.php - файл маршрутизации для API-эндпоинтов. Все маршруты привязаны к контроллерам и сгруппированы по middleware (например, auth:sanctum для защищённых маршрутов).

Взаимодействие между клиентом и сервером происходит посредством AJAX-запросов через библиотеку Axios. Клиент отправляет HTTP-запросы на API-эндпоинты сервера, сервер обрабатывает их, взаимодействует с базой данных и возвращает ответ в формате JSON.

3.3. Руководство пользователя

Главная страница

При переходе на сайт пользователь попадает на главную страницу, где размещена общая информация о компании и доступен переход на форму для расчёта стоимости страховки. Главная страница представлена на рисунке 3.21.




Рисунок 3.21 - Главная страница

Расчёт стоимости полиса без регистрации

Одним из ключевых преимуществ системы является возможность расчёта стоимости полиса без предварительной регистрации. Пользователь может ввести данные об автомобиле и получить расчёт, не создавая учётную запись. Интерфейс калькулятора представлен на рисунке 3.22.

Калькулятор страховки

ОСАГО КАСКО

1. Автомобиль 2. Срок 3. Результат

Выберите автомобиль

У вас нет добавленных автомобилей

+ Добавить автомобиль

Далее

Рисунок 3.22 - Калькулятор расчёта стоимости полиса

Добавление автомобиля

Для расчёта необходимо добавить автомобиль в систему. Пользователь заполняет форму: указывает государственный номер, марку, модель, год выпуска, мощность в лошадиных силах, VIN-номер и другие параметры. Форма добавления автомобиля представлена на рисунке 3.23.

Добавить автомобиль

Государственный номер *

A123AA123

Марка *

Toyota

Модель *

Camry

Год выпуска

2024

Мощность (л.с.)

140

Категория ТС

В - Легковые автомобили

VIN *

12312312312312312

Стоимость автомобиля (Р)

4444444

Способ парковки

Улица

☒ Наличие спутниковой сигнализации

Рисунок 3.23 - Форма добавления автомобиля

Расчёт полиса

После добавления автомобиля пользователь выбирает тип полиса (ОСАГО или КАСКО) и нажимает кнопку «Рассчитать». Система отображает итоговую стоимость страховки. Результат расчёта представлен на рисунке 3.24.

Калькулятор страховки

ОСАГО КАСКО

1. Автомобиль 2. Срок 3. Результат

Результат расчёта

Стоимость полиса:

433,27 Р

В стоимость включено:

- Страхование гражданской ответственности

Назад Перейти к оплате

Рисунок 3.24 - Результат расчёта стоимости полиса

Оформление полиса

При нажатии кнопки «Оформить полис» система проверяет, авторизован ли пользователь. Если пользователь не авторизован, происходит перенаправление на страницу регистрации. Все поля валидируются и пользователю выводятся подсказки по правильному их заполнению. После успешной регистрации или авторизации пользователь возвращается к процессу оформления. Страница регистрации представлена на рисунке 3.25.

Главная Авторизация

Шаг 1 из 3

Личные данные

Семейное имя:

Имя:

Фамилия:

Дата рождения:

Номер телефона:

Почта:

Введите корректный Email адрес (например: name@domain.ru)

Пароль:

Пароль должен содержать хотя бы один спецсимвол (!@#%&*^')

Повторите пароль:

Пароли должны совпадать

[Следующий шаг](#)

Создание аккаунта, не связанного с вашей Личной информацией, в Системе является обязательным

Рисунок 3.25 - Страница регистрации

После входа в систему оформленный полис сохраняется в базе данных. Пользователь может произвести оплату полиса. Страница оплаты представлена на рисунке 3.26.

Страхование онлайн

О компании Страховой случай Контакты: +7 495 123-45-67

[Личный кабинет](#)

Оплата страхового полиса

Информация о полисе

Номер полиса: 202604LMUZZY

Тип полиса: ОСАГО

Автомобиль: Toyota Camry

Срок действия: 2026-04-29 — 2026-05-31

Сумма к оплате: 433.27 P

Данные карты

Номер карты: 4444 4444 4444 4444

Владелец карты: SOKOLOV DMITRIY

Срок действия: 22/22

CVV: 123

[Отмена](#) [Оплатить 433.27 P](#)

Рисунок 3.26 - Страница оплаты полиса

Личный кабинет

После успешного оформления и оплаты полис появляется в личном кабинете пользователя в разделе «История полисов».

Оплаченный полис в истории

Список оформленных полисов представлен на рисунке 3.27. Для каждого полиса отображаются номер, тип, даты начала и окончания действия, статус и сумма.




Рисунок 3.27 - История полисов в личном кабинете

Привязанные автомобили

Автомобиль, на который оформлен полис, отображается в разделе «Мои автомобили» (рисунок 3.28).




Рисунок 3.28 - Список автомобилей пользователя

Подача заявления о страховом случае

При наступлении страхового случая пользователь может подать заявление через систему. Для этого необходимо заполнить форму: указать дату происшествия, сумму ущерба, наличие вины и описание. Форма подачи заявления представлена на рисунке 3.29.

Заявление о страховом случае
Заполните форму для регистрации страхового случая

1. Выбор автомобиля 2. Выбор полиса 3. Данные о происшествии

Данные о происшествии

Дата происшествия
28.04.2026

Сумма ущерба (Р)
4444

Описание происшествия
Столкновение двух автомобилей

Информация о полисе
Полис: 202604LMUZZY
Автомобиль: Toyota Camry

Назад Отправить заявление

Рисунок 3.29 - Форма подачи заявления о страховом случае

После отправки заявление сохраняется в системе. В профиле пользователя в разделе «Страховые случаи» отображается поданное заявление (рисунок 3.30).

Соколов Дмитрий
mu@mail.ru

Профиль
История полисов
Мои автомобили
Страховые случаи
Уведомления
На главную
Выход

Страховые случаи + Заявить о страховом случае

№	Дата ДТП	Полис	Сумма ущерба	Статус	Действия
1	2026-04-28	202604LMUZZY	4444.00 Р	На рассмотрении	Подробнее

Рисунок 3.30 - Страховые случаи в профиле пользователя

Действия страхового агента

Авторизация агента

Страховой агент авторизуется в системе с использованием своей учётной записи. После входа ему доступны функции работы с клиентами и полисами. Страница авторизации агента представлена на рисунке 3.31.




Рисунок 3.31 - Авторизация страхового агента

Отправка уведомления клиенту

Агент может отправить уведомление клиенту, например, о необходимости продления полиса или о специальном предложении. Форма отправки уведомления представлена на рисунке 3.32.




Рисунок 3.32 - Отправка уведомления клиенту

Действия администратора

Авторизация администратора

Администратор авторизуется в системе с использованием своей учётной записи. Страница авторизации администратора представлена на рисунке 3.33.




Рисунок 3.33 - Авторизация администратора

Изменение статуса страхового случая

Администратор может изменять статус заявления о страховом случае (например, с «pending» на «approved» или «paid»). Интерфейс управления страховыми случаями представлен на рисунке 34.




Рисунок 3.34 - Изменение статуса страхового случая администратором
Результат для пользователя

После того как администратор изменил статус заявления, и агент отправил уведомление, пользователь видит соответствующие изменения в профиле. А именно статус заявления обновляется в разделе «Страховые случаи» (рисунок 3.35).




Рисунок 3.35 - Обновлённый статус страхового случая в профиле
пользователя

А также в профиле пользователя будет уведомление (рисунок 3.36).




Рисунок 3.36 - Уведомление об изменении статуса страхового случая

3.4. Тестирование и отладка

3.5. Порядок проведения тестирования

Тестирование разработанного веб-приложения проводилось методом чёрного ящика - проверялось соответствие фактического поведения системы ожидаемым результатам. Тестирование включало следующие этапы:

- Тестирование аутентификации и авторизации (регистрация, вход, выход, защита маршрутов).
- Тестирование функциональности калькулятора (расчёт стоимости ОСАГО и КАСКО).
- Тестирование оформления полиса (создание, оплата, отображение в истории).
- Тестирование работы со страховыми случаями (подача заявления, изменение статуса, уведомления).
- Тестирование валидации вводимых данных (проверка обязательных полей, форматов).

3.6. Тестовые сценарии

Для проверки работоспособности системы были разработаны следующие тестовые сценарии (указано в таблице 20).

Таблица 20 – Тестовые сценарии

№	Сценарий	Действия	Ожидаемый результат	Фактический результат
1	Регистрация нового пользователя	Заполнить форму регистрации, нажать «Зарегистрироваться»	Пользователь создан, выполнен вход	Успешно
2	Регистрация с email в неверном формате	Ввести email в неверном формате, нажать «Перейти на следующий шаг»	Сообщение о неверном формате email	Успешно
3	Авторизация с верными данными	Ввести email и пароль, нажать «Войти»	Переход в личный кабинет	Успешно
4	Авторизация с неверным паролем	Ввести верный email, неверный пароль	Сообщение «Неверный логин или пароль»	Успешно
5	Расчёт ОСАГО без регистрации	Добавить автомобиль, выбрать ОСАГО, нажать «Рассчитать»	Отображение итоговой цены	Успешно
6	Расчёт КАСКО	Выбрать автомобиль, выбрать КАСКО, нажать «Рассчитать»	Отображение цены с учётом коэффициентов	Успешно
7	Валидация обязательных полей	Оставить поле «Дата окончания действия полиса» пустым, нажать «Рассчитать»	Сообщение об ошибке валидации	Успешно

3.7. Результаты тестирования

По итогам тестирования все основные функции системы работают корректно. Выявленные ошибки устранены. Система готова к эксплуатации в демонстрационных и учебных целях. Тестирование подтвердило соответствие системы заявленным требованиям.

ЗАКЛЮЧЕНИЕ

В результате выполнения дипломного проекта разработана автоматизированная система онлайн-страхования автомобилей. Все поставленные задачи решены, цель работы достигнута.

Проведён анализ предметной области. Выявлены основные проблемы традиционного оформления страховок (личное присутствие, временные затраты, сложность сравнения предложений). Сформулированы требования к системе.

Выполнен обзор существующих аналогов. Выявлены их сильные и слабые стороны. Обоснована необходимость разработки собственной системы.

Сформулированы функциональные и нефункциональные требования.

Спроектирована структура базы данных для хранения информации о пользователях, транспортных средствах и полисах. Разработаны алгоритмы расчёта стоимости страховки, выбора предложения, интеграции с платёжным шлюзом и генерации PDF-полиса.

Обоснован выбор технологического стека: PHP и JavaScript, фреймворки Laravel и React, СУБД MySQL.

Реализовано веб-приложение, включающее форму расчёта страховки, личный кабинет, панель администратора, интеграцию с платёжным шлюзом и модуль генерации PDF-полисов.

Проведено функциональное тестирование. Составлены тестовые сценарии, выявленные ошибки устранены. Система показала стабильную работу.

Разработанная система может использоваться владельцами автомобилей для самостоятельного оформления страховки, а также страховыми брокерами. Направления дальнейшего развития: мобильное приложение, интеграция с дополнительными страховыми компаниями, система рекомендаций.

СПИСОК ИСТОЧНИКОВ

1. Бенке, Д. React: современные шаблоны для разработки приложений / Д. Бенке. – Санкт-Петербург : Питер, 2023. – 384 с.
2. Васильев, А. Н. JavaScript в примерах и задачах: от основ до React / А. Н. Васильев. – Москва : Эксмо, 2022. – 288 с.
3. Дронов, В. А. PHP, MySQL и Laravel: полное руководство по созданию современных веб-приложений / В. А. Дронов. – Санкт-Петербург : БХВ-Петербург, 2023. – 672 с.
4. Старк, Дж. Laravel: разработка современных веб-приложений / Дж. Старк. – Москва : ДМК Пресс, 2022. – 350 с.
5. Фримен, А. React в действии / А. Фримен. – Санкт-Петербург : Питер, 2020. – 480 с.
6. Стефанов, С. JavaScript. Шаблоны / С. Стефанов. – Санкт-Петербург : Питер, 2019. – 336 с.
7. Хорстман, К. JavaScript для профессионалов / К. Хорстман. – Санкт-Петербург : Питер, 2021. – 704 с.
8. Дакетт, Дж. HTML и CSS. Разработка и дизайн веб-сайтов / Дж. Дакетт. – Москва : Эксмо, 2021. – 512 с.
9. Кузьминов, А. Ю. Современный фронтенд: React, Redux, Webpack / А. Ю. Кузьминов. – Москва : Альфа-книга, 2022. – 412 с.
10. Мелансон, Б. Проектирование веб-API / Б. Мелансон. – Москва : ДМК Пресс, 2020. – 298 с.
11. Маккоу, Ч. React. Современные шаблоны для быстрой разработки / Ч. Маккоу. – Москва : ДМК Пресс, 2022. – 310 с.
12. Смит, Д. CSS: полное руководство / Д. Смит. – Санкт-Петербург : Питер, 2022. – 896 с.
13. Фаулер, М. Рефакторинг кода на JavaScript / М. Фаулер. – Москва : Диалектика, 2020. – 448 с.

14. Кляйн, Л. MySQL. Оптимизация производительности / Л. Кляйн. – Санкт-Петербург : БХВ-Петербург, 2021. – 400 с.
15. Лав, Дж. Laravel. Полное руководство по разработке веб-приложений / Дж. Лав. – Санкт-Петербург : Питер, 2023. – 420 с.

Приложение А

Министерство науки и высшего образования Российской Федерации
федеральное государственное бюджетное образовательное
учреждение высшего образования
«Алтайский государственный технический университет им. И. И. Ползунова»

УТВЕРЖДАЮ
Заведующий кафедрой ИСЭ
Авдеев А. С.
_____ *подпись* _____ *ФИО*

ЗАДАНИЕ №3 НА ВЫПОЛНЕНИЕ ДИПЛОМНОГО ПРОЕКТА

по специальности 09.02.07 «Информационные системы и программирование»

студенту группы 1ИСП-21 Белоусову Кириллу Станиславовичу

Тема Разработка автоматизированной системы онлайн-страхования автомобилей

Утверждена приказом ректора от 30.03.2026 № Л-733

Срок выполнения задания 26.05.2026

Задание принял к исполнению: _____ Белоусов Кирилл Станиславович
подпись *ФИО*

Барнаул 2026 г.

1 ИСХОДНЫЕ ДАННЫЕ

На основании анализа онлайн-страхования автомобилей разработать веб-приложение для расчёта, оформления полисов и обработки страховых случаев.

2 СОДЕРЖАНИЕ РАЗДЕЛОВ РАБОТЫ

Наименование разделов работы и их содержание	Трудоем кость, %	Срок выполнения	Руководитель (Ф.И.О., подпись)
1 Аналитическая часть	27	26.05.2026	Воробьёв К.В.
1.1 Анализ предметной области	3	26.05.2026	Воробьёв К.В.
1.2 Предпроектное обследование объекта	3	26.05.2026	Воробьёв К.В.
1.3. Анализ целевой аудитории	3	26.05.2026	Воробьёв К.В.
1.4 Портреты потенциальных пользователей	3	26.05.2026	Воробьёв К.В.
1.5. Как сейчас решается задача веб-приложения	3	26.05.2026	Воробьёв К.В.
1.6. Анализ существующих решений	3	26.05.2026	Воробьёв К.В.
1.7. Обзор аналогов	3	26.05.2026	Воробьёв К.В.
1.8. Сравнительная таблица аналогов	3	26.05.2026	Воробьёв К.В.
1.9. Вывод по анализу существующих решений	3	26.05.2026	Воробьёв К.В.
2. Проектная часть	51	26.05.2026	Воробьёв К.В.
2.1. Контекстная диаграмма IDEF0	3	26.05.2026	Воробьёв К.В.

2.2. Декомпозиция процессов в IDEF0	3	26.05.2026	Воробьев К.В.
2.3. Декомпозиция процесса обработки страхового случая в IDEF0	3	26.05.2026	Воробьев К.В.
2.4. Требования к информационной системе	3	26.05.2026	Воробьев К.В.
2.5. Проектирование базы данных	4	26.05.2026	Воробьев К.В.
2.6. Концепция информационной базы	3	26.05.2026	Воробьев К.В.
2.7. Построение функционально-алгоритмической структуры	3	26.05.2026	Воробьев К.В.
2.8. Функциональные возможности страхователя	3	26.05.2026	Воробьев К.В.
2.9. Функциональные возможности страхового агента	3	26.05.2026	Воробьев К.В.
2.10. Функциональные возможности администратора	3	26.05.2026	Воробьев К.В.
2.11. Проектирование пользовательского интерфейса	4	26.05.2026	Воробьев К.В.
2.12. Главные экраны	4	26.05.2026	Воробьев К.В.
2.13. Выбор технологий	3	26.05.2026	Воробьев К.В.
2.14. Требования к программно-аппаратной платформе	3	26.05.2026	Воробьев К.В.
2.15. Описание основных технологий	3	26.05.2026	Воробьев К.В.

2.16. Обоснование выбора стека технологий	3	26.05.2026	Воробьев К.В.
3. Реализация проекта	22	26.05.2026	Воробьев К.В.
3.1. Описание реализации	4	26.05.2026	Воробьев К.В.
3.2. Архитектура приложения	3	26.05.2026	Воробьев К.В.
3.3. Руководство пользователя	3	26.05.2026	Воробьев К.В.
3.4. Тестирование и отладка	3	26.05.2026	Воробьев К.В.
3.5. Порядок проведения тестирования	3	26.05.2026	Воробьев К.В.
3.6. Тестовые сценарии	3	26.05.2026	Воробьев К.В.
3.7. Результаты тестирования	3	26.05.2026	Воробьев К.В.

3 СПИСОК РЕКОМЕНДОВАННЫХ ИСТОЧНИКОВ

3.1. По научно-технической литературе просмотреть реферативные журналы

за последние _____ года и научно-технические журналы

_____ за последние _____ года.

3.2. По нормативной литературе просмотреть указатели государственных и отраслевых стандартов за последний год.

3.3. Патентный поиск провести за _____ лет по странам

Руководитель дипломного проекта: Воробьев К.В. _____
ФИО.
подпись

Приложение Г. SQL скрипт базы данных

```
-- MySQL dump 10.13 Distrib 8.0.38, for Win64 (x86_64)

--

-- Host: 127.0.0.1 Database: ins_system

-----

-- Server version      8.0.42


/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
/*!50503 SET NAMES utf8 */;
/*!40103 SET @OLD_TIME_ZONE=@@TIME_ZONE */;
/*!40103 SET TIME_ZONE='+00:00' */;
/*!40014 SET @OLD_UNIQUE_CHECKS=@@UNIQUE_CHECKS, UNIQUE_CHECKS=0 */;
/*!40014 SET @OLD_FOREIGN_KEY_CHECKS=@@FOREIGN_KEY_CHECKS, FOREIGN_KEY_CHECKS=0 */;
/*!40101 SET @OLD_SQL_MODE=@@SQL_MODE, SQL_MODE='NO_AUTO_VALUE_ON_ZERO' */;
/*!40111 SET @OLD_SQL_NOTES=@@SQL_NOTES, SQL_NOTES=0 */;

--

-- Table structure for table `accidents`

--

DROP TABLE IF EXISTS `accidents`;

/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `accidents` (
  `id` bigint unsigned NOT NULL AUTO_INCREMENT,
  `client_id` bigint unsigned NOT NULL,
```

```

`policy_id` bigint unsigned NOT NULL,

`accident_date` date NOT NULL,

`damage_amount` decimal(10,2) DEFAULT NULL,

`is_client_fault` tinyint(1) DEFAULT NULL,

`description` text COLLATE utf8mb4_unicode_ci,

`status` enum('pending','approved','rejected','paid') COLLATE utf8mb4_unicode_ci NOT NULL DEFAULT
'pending',

`created_at` timestamp NULL DEFAULT NULL,

`updated_at` timestamp NULL DEFAULT NULL,

PRIMARY KEY (`id`),

KEY `accidents_client_id_index` (`client_id`),

KEY `accidents_policy_id_index` (`policy_id`),

CONSTRAINT `accidents_client_id_foreign` FOREIGN KEY (`client_id`) REFERENCES `client_profiles`
(`id`),

CONSTRAINT `accidents_policy_id_foreign` FOREIGN KEY (`policy_id`) REFERENCES `policies` (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `accidents`
--

LOCK TABLES `accidents` WRITE;

/*!40000 ALTER TABLE `accidents` DISABLE KEYS */;

INSERT INTO `accidents` VALUES (1,2,2,'2026-03-15',25000.00,0,'ДТП на перекрестке, поврежден
бампер и фара','paid','2026-05-23 20:58:50','2026-05-23 20:58:50'),(2,2,2,'2026-03-
20',50000.00,1,'Наезд на бордюр, повреждена подвеска','approved','2026-05-23 20:58:50','2026-05-
23 20:58:50');

/*!40000 ALTER TABLE `accidents` ENABLE KEYS */;

UNLOCK TABLES;

```


--

-- Table structure for table `client\_driver\_categories`

--

DROP TABLE IF EXISTS `client\_driver\_categories`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `client\_driver\_categories` (

 `id` bigint unsigned NOT NULL AUTO_INCREMENT,

 `client\_profile\_id` bigint unsigned NOT NULL,

 `category\_code` varchar(10) COLLATE utf8mb4_unicode_ci NOT NULL,

 `created\_at` timestamp NULL DEFAULT NULL,

 `updated\_at` timestamp NULL DEFAULT NULL,

 PRIMARY KEY (`id`),

 UNIQUE KEY `client\_driver\_categories\_client\_profile\_id\_category\_code\_unique`
 (`client\_profile\_id`, `category\_code`),

 KEY `client\_driver\_categories\_category\_code\_foreign` (`category\_code`),

 CONSTRAINT `client\_driver\_categories\_category\_code\_foreign` FOREIGN KEY (`category\_code`)
 REFERENCES `vehicle\_categories` (`code`),

 CONSTRAINT `client\_driver\_categories\_client\_profile\_id\_foreign` FOREIGN KEY (`client\_profile\_id`)
 REFERENCES `client\_profiles` (`id`) ON DELETE CASCADE

) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `client\_driver\_categories`

--

LOCK TABLES `client\_driver\_categories` WRITE;

```

/*!40000 ALTER TABLE `client_driver_categories` DISABLE KEYS */;

INSERT INTO `client_driver_categories` VALUES (1,1,'B','2026-05-23 20:58:50','2026-05-23
20:58:50'),(2,2,'B','2026-05-23 20:58:50','2026-05-23 20:58:50');

/*!40000 ALTER TABLE `client_driver_categories` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `client_profiles`
--

DROP TABLE IF EXISTS `client_profiles`;

/*!40101 SET @saved_cs_client = @@character_set_client */;
/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `client_profiles` (
  `id` bigint unsigned NOT NULL AUTO_INCREMENT,
  `user_id` bigint unsigned NOT NULL,
  `last_name` varchar(30) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `first_name` varchar(30) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `middle_name` varchar(30) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `birth_date` date DEFAULT NULL,
  `passport_series` varchar(10) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `passport_number` varchar(20) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `passport_issued_by` varchar(100) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `passport_issue_date` date DEFAULT NULL,
  `passport_expiry_date` date DEFAULT NULL,
  `driver_license_series` varchar(10) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `driver_license_number` varchar(20) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `driver_license_issued_by` varchar(100) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `driver_license_issue_date` date DEFAULT NULL,

```

```

`driver_license_expiry_date` date DEFAULT NULL,

`driver_experience_years` int NOT NULL DEFAULT '0',

`bonus_malus_class` varchar(10) COLLATE utf8mb4_unicode_ci NOT NULL DEFAULT 'M',

`has_accidents_last_year` tinyint(1) NOT NULL DEFAULT '0',

`created_at` timestamp NULL DEFAULT NULL,

`updated_at` timestamp NULL DEFAULT NULL,

PRIMARY KEY (`id`),

UNIQUE KEY `client_profiles_user_id_unique` (`user_id`),

CONSTRAINT `client_profiles_user_id_foreign` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON
DELETE CASCADE

) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `client_profiles`

--

LOCK TABLES `client_profiles` WRITE;

/*!40000 ALTER TABLE `client_profiles` DISABLE KEYS */;

INSERT INTO `client_profiles` VALUES (1,3,'Иванов','Иван','Иванович','1985-05-
15','4501','123456','ОВД г. Москвы','2010-06-20',NULL,'99','1234567890','ГИБДД г. Москвы','2015-03-
10','2025-03-10',0,'M',0,'2026-05-23 20:58:49','2026-05-23
20:58:49'),(2,4,'Петров','Петр','Петрович','1992-11-23','4502','654321','ОВД г. Москвы','2012-08-
15',NULL,'77','0987654321','ГИБДД г. Москвы','2018-01-20','2028-01-20',0,'M',0,'2026-05-23
20:58:50','2026-05-23 20:58:50');

/*!40000 ALTER TABLE `client_profiles` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `migrations`

--

```

```

DROP TABLE IF EXISTS `migrations`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `migrations` (
  `id` int unsigned NOT NULL AUTO_INCREMENT,
  `migration` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `batch` int NOT NULL,
  PRIMARY KEY (`id`)
) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `migrations`

--

LOCK TABLES `migrations` WRITE;

/*!40000 ALTER TABLE `migrations` DISABLE KEYS */;

INSERT INTO `migrations` VALUES
(1,'2026_04_02_000000_create_all_tables',1),(2,'2026_04_02_101158_create_personal_access_tokens_table',1),(3,'2026_04_04_014244_create_sessions_table',1);

/*!40000 ALTER TABLE `migrations` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `notifications`

--

DROP TABLE IF EXISTS `notifications`;

```

```

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `notifications` (

  `id` bigint unsigned NOT NULL AUTO_INCREMENT,

  `user_id` bigint unsigned NOT NULL,

  `message` varchar(500) COLLATE utf8mb4_unicode_ci NOT NULL,

  `is_read` tinyint(1) NOT NULL DEFAULT '0',

  `data` json DEFAULT NULL,

  `created_at` timestamp NULL DEFAULT NULL,

  `updated_at` timestamp NULL DEFAULT NULL,

  PRIMARY KEY (`id`),

  KEY `notifications_user_id_is_read_index` (`user_id`,`is_read`),

  CONSTRAINT `notifications_user_id_foreign` FOREIGN KEY (`user_id`) REFERENCES `users` (`id`) ON
DELETE CASCADE

) ENGINE=InnoDB AUTO_INCREMENT=12 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `notifications`

--

LOCK TABLES `notifications` WRITE;

/*!40000 ALTER TABLE `notifications` DISABLE KEYS */;

INSERT INTO `notifications` VALUES (1,3,'Добро пожаловать в систему страхования! Оформите свой
первый полис прямо сейчас.',0,'{"priority":"","high":"","2026-05-23 20:58:50','2026-05-23
20:58:50'),(2,3,'Срок действия вашего полиса ОСАГО под номером 6954 истекает через 30 дней.
Продлите полис вовремя!',0,'{"days_left":30,"policy_type":"","osago":"","2026-05-23
20:58:50','2026-05-23 20:58:50'),(3,3,'Специальное предложение! Скидка 15% на КАСКО при
оформлении онлайн до конца месяца.',1,'{"discount":15,"expires_at":"","2026-06-
07T23:58:50.492224Z":"","2026-05-23 20:58:50','2026-05-23 20:58:50'),(4,3,'Пожалуйста,
проверьте и обновите свои персональные данные в профиле для корректного расчета
страховки.',0,NULL,'2026-05-23 20:58:50','2026-05-23 20:58:50'),(5,4,'Добро пожаловать в систему

```

страхования! Оформите свой первый полис прямо сейчас.',0,\"{\\\"priority\\\":\\\"high\\\"}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50'),(6,4,'Срок действия вашего полиса ОСАГО под номером 1926 истекает через 30 дней. Продлите полис вовремя!',0,\"{\\\"days_left\\\":30,\\\"policy_type\\\":\\\"osago\\\"}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50'),(7,4,'Специальное предложение! Скидка 15% на КАСКО при оформлении онлайн до конца месяца.',1,\"{\\\"discount\\\":15,\\\"expires_at\\\":\\\"2026-06-07T23:58:50.499333Z\\\"}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50'),(8,4,'Оплата полиса №49202 прошла успешно. Спасибо, что выбираете нас!',1,\"{\\\"amount\\\":18084}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50'),(9,4,'Пожалуйста, проверьте и обновите свои персональные данные в профиле для корректного расчета страховки.',0,NULL,'2026-05-23 20:58:50','2026-05-23 20:58:50'),(10,3,'Ваш бонус-малус класс обновлен до 7. Ваша скидка на следующий полис составит 15%!',0,\"{\\\"old_class\\\":\\\"5\\\",\\\"new_class\\\":\\\"7\\\",\\\"discount\\\":15}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50'),(11,4,'Зафиксирован страховой случай по полису №12345. Статус заявления: на рассмотрении.',0,\"{\\\"policy_number\\\":\\\"12345\\\",\\\"status\\\":\\\"reviewing\\\"}\\\",'2026-05-23 20:58:50','2026-05-23 20:58:50');

```
/*!40000 ALTER TABLE `notifications` ENABLE KEYS */;
```

```
UNLOCK TABLES;
```

```
--
```

```
-- Table structure for table `personal_access_tokens`
```

```
--
```

```
DROP TABLE IF EXISTS `personal_access_tokens`;
```

```
/*!40101 SET @saved_cs_client = @@character_set_client */;
```

```
/*!50503 SET character_set_client = utf8mb4 */;
```

```
CREATE TABLE `personal_access_tokens` (
```

```
  `id` bigint unsigned NOT NULL AUTO_INCREMENT,
```

```
  `tokenable_type` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
```

```
  `tokenable_id` bigint unsigned NOT NULL,
```

```
  `name` text COLLATE utf8mb4_unicode_ci NOT NULL,
```

```
  `token` varchar(64) COLLATE utf8mb4_unicode_ci NOT NULL,
```

```
  `abilities` text COLLATE utf8mb4_unicode_ci,
```

```
  `last_used_at` timestamp NULL DEFAULT NULL,
```

```

`expires_at` timestamp NULL DEFAULT NULL,

`created_at` timestamp NULL DEFAULT NULL,

`updated_at` timestamp NULL DEFAULT NULL,

PRIMARY KEY (`id`),

UNIQUE KEY `personal_access_tokens_token_unique` (`token`),

KEY `personal_access_tokens_tokenable_type_tokenable_id_index` (`tokenable_type`,`tokenable_id`),

KEY `personal_access_tokens_expires_at_index` (`expires_at`)

) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `personal_access_tokens`

--

LOCK TABLES `personal_access_tokens` WRITE;

/*!40000 ALTER TABLE `personal_access_tokens` DISABLE KEYS */;

/*!40000 ALTER TABLE `personal_access_tokens` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `policies`

--

DROP TABLE IF EXISTS `policies`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `policies` (

`id` bigint unsigned NOT NULL AUTO_INCREMENT,

```

```

`policy_number` varchar(20) COLLATE utf8mb4_unicode_ci NOT NULL,

`policy_type_id` bigint unsigned NOT NULL,

`client_id` bigint unsigned NOT NULL,

`vehicle_id` bigint unsigned NOT NULL,

`tariff_id` bigint unsigned NOT NULL,

`base_price` decimal(12,2) NOT NULL,

`final_price` decimal(12,2) NOT NULL,

`discount_amount` decimal(10,2) NOT NULL DEFAULT '0.00',

`start_date` date NOT NULL,

`end_date` date NOT NULL,

`status` enum('draft','active','expired','cancelled') COLLATE utf8mb4_unicode_ci NOT NULL DEFAULT 'draft',

`franchise_amount` decimal(10,2) NOT NULL DEFAULT '0.00',

`coverage_amount` decimal(12,2) DEFAULT NULL,

`created_at` timestamp NULL DEFAULT NULL,

`updated_at` timestamp NULL DEFAULT NULL,

PRIMARY KEY (`id`),

UNIQUE KEY `policies_policy_number_unique` (`policy_number`),

KEY `policies_policy_type_id_foreign` (`policy_type_id`),

KEY `policies_vehicle_id_foreign` (`vehicle_id`),

KEY `policies_tariff_id_foreign` (`tariff_id`),

KEY `policies_status_index` (`status`),

KEY `policies_client_id_index` (`client_id`),

CONSTRAINT `policies_client_id_foreign` FOREIGN KEY (`client_id`) REFERENCES `client_profiles` (`id`),

CONSTRAINT `policies_policy_type_id_foreign` FOREIGN KEY (`policy_type_id`) REFERENCES `policy_types` (`id`),

CONSTRAINT `policies_tariff_id_foreign` FOREIGN KEY (`tariff_id`) REFERENCES `tariffs` (`id`),

CONSTRAINT `policies_vehicle_id_foreign` FOREIGN KEY (`vehicle_id`) REFERENCES `vehicles` (`id`)

) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

```



```

/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `policies`
--

LOCK TABLES `policies` WRITE;

/*!40000 ALTER TABLE `policies` DISABLE KEYS */;

INSERT INTO `policies` VALUES (1,'202605ZZPMCK',1,1,1,2,4118.00,4118.00,0.00,'2026-05-02','2027-05-02','active',0.00,400000.00,'2026-05-23 20:58:50','2026-05-23 20:58:50'),(2,'202605XW6MAD',1,2,2,2,4118.00,4118.00,0.00,'2026-05-19','2027-05-19','active',0.00,400000.00,'2026-05-23 20:58:50','2026-05-23 20:58:50'),(3,'202605FJL4PS',2,2,2,7,50000.00,50000.00,0.00,'2026-05-23','2027-05-23','active',5000.00,1500000.00,'2026-05-23 20:58:50','2026-05-23 20:58:50');

/*!40000 ALTER TABLE `policies` ENABLE KEYS */;

UNLOCK TABLES;

--
-- Table structure for table `policy_types`
--

DROP TABLE IF EXISTS `policy_types`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `policy_types` (
  `id` bigint unsigned NOT NULL AUTO_INCREMENT,
  `name` varchar(50) COLLATE utf8mb4_unicode_ci NOT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,
  PRIMARY KEY (`id`)

```

```

) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `policy_types`

--

LOCK TABLES `policy_types` WRITE;

/*!40000 ALTER TABLE `policy_types` DISABLE KEYS */;

INSERT INTO `policy_types` VALUES (1,'ОСАГО','2026-05-23 20:58:48','2026-05-23
20:58:48'),(2,'КАСКО','2026-05-23 20:58:48','2026-05-23 20:58:48');

/*!40000 ALTER TABLE `policy_types` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `sessions`

--

DROP TABLE IF EXISTS `sessions`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `sessions` (
  `id` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `user_id` bigint unsigned DEFAULT NULL,
  `ip_address` varchar(45) COLLATE utf8mb4_unicode_ci DEFAULT NULL,
  `user_agent` text COLLATE utf8mb4_unicode_ci,
  `payload` longtext COLLATE utf8mb4_unicode_ci NOT NULL,
  `last_activity` int NOT NULL,
  PRIMARY KEY (`id`),

```

```

KEY `sessions_user_id_index` (`user_id`),

KEY `sessions_last_activity_index` (`last_activity`)

) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `sessions`
--

LOCK TABLES `sessions` WRITE;

/*!40000 ALTER TABLE `sessions` DISABLE KEYS */;

/*!40000 ALTER TABLE `sessions` ENABLE KEYS */;

UNLOCK TABLES;

--
-- Table structure for table `tariffs`
--

DROP TABLE IF EXISTS `tariffs`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `tariffs` (

  `id` bigint unsigned NOT NULL AUTO_INCREMENT,

  `policy_type_id` bigint unsigned NOT NULL,

  `vehicle_category` varchar(10) COLLATE utf8mb4_unicode_ci NOT NULL,

  `base_rate` decimal(10,2) NOT NULL,

  `min_rate` decimal(10,2) NOT NULL,

  `max_rate` decimal(10,2) NOT NULL,

```

```

`power_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`experience_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`age_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`bonus_malus_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`region_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`vehicle_age_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`security_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`franchise_coefficient` decimal(5,4) NOT NULL DEFAULT '1.0000',
`calculation_method` varchar(50) COLLATE utf8mb4_unicode_ci NOT NULL,
`created_at` timestamp NULL DEFAULT NULL,
`updated_at` timestamp NULL DEFAULT NULL,
PRIMARY KEY (`id`),
KEY `tariffs_policy_type_id_foreign` (`policy_type_id`),
KEY `tariffs_vehicle_category_foreign` (`vehicle_category`),
CONSTRAINT `tariffs_policy_type_id_foreign` FOREIGN KEY (`policy_type_id`) REFERENCES
`policy_types` (`id`),
CONSTRAINT `tariffs_vehicle_category_foreign` FOREIGN KEY (`vehicle_category`) REFERENCES
`vehicle_categories` (`code`)
) ENGINE=InnoDB AUTO_INCREMENT=11 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;
/*!40101 SET character_set_client = @saved_cs_client */;

--
-- Dumping data for table `tariffs`
--

LOCK TABLES `tariffs` WRITE;
/*!40000 ALTER TABLE `tariffs` DISABLE KEYS */;
INSERT INTO `tariffs` VALUES
(1,1,'A',1500.00,1000.00,2000.00,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,'basic','202
6-05-23 20:58:48','2026-05-23

```

```

20:58:48'),(2,1,'B',4118.00,2746.00,4942.00,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,
'basic','2026-05-23 20:58:48','2026-05-23
20:58:48'),(3,1,'C',5500.00,4000.00,7000.00,1.2000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,
'basic','2026-05-23 20:58:48','2026-05-23
20:58:48'),(4,1,'D',6500.00,5000.00,8500.00,1.3000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,
'basic','2026-05-23 20:58:48','2026-05-23
20:58:48'),(5,1,'E',2000.00,1500.00,3000.00,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,1.0000,
'basic','2026-05-23 20:58:48','2026-05-23
20:58:48'),(6,2,'A',30000.00,15000.00,80000.00,1.2000,0.9000,0.8500,1.0000,1.1000,0.9500,0.8000,0.7
000,'coefficient','2026-05-23 20:58:48','2026-05-23
20:58:48'),(7,2,'B',50000.00,25000.00,150000.00,1.2000,0.9000,0.8500,1.0000,1.1000,0.9500,0.8000,0.
7000,'coefficient','2026-05-23 20:58:48','2026-05-23
20:58:48'),(8,2,'C',70000.00,35000.00,200000.00,1.3000,0.9000,0.8500,1.0000,1.2000,0.9500,0.8000,0.
7000,'coefficient','2026-05-23 20:58:48','2026-05-23
20:58:48'),(9,2,'D',100000.00,50000.00,250000.00,1.4000,0.9000,0.8500,1.0000,1.2000,0.9500,0.8000,0.
7000,'coefficient','2026-05-23 20:58:48','2026-05-23
20:58:48'),(10,2,'E',40000.00,20000.00,100000.00,1.0000,0.9000,0.8500,1.0000,1.1000,0.9500,0.8000,0.
7000,'coefficient','2026-05-23 20:58:48','2026-05-23 20:58:48');

```

```

/*!40000 ALTER TABLE `tariffs` ENABLE KEYS */;

```

```

UNLOCK TABLES;

```

```

--

```

```

-- Table structure for table `user_types`

```

```

--

```

```

DROP TABLE IF EXISTS `user_types`;

```

```

/*!40101 SET @saved_cs_client = @@character_set_client */;

```

```

/*!50503 SET character_set_client = utf8mb4 */;

```

```

CREATE TABLE `user_types` (

```

```

    `id` bigint unsigned NOT NULL AUTO_INCREMENT,

```

```

    `name` varchar(30) COLLATE utf8mb4_unicode_ci NOT NULL,

```

```

    `created_at` timestamp NULL DEFAULT NULL,

```

```

    `updated_at` timestamp NULL DEFAULT NULL,

```

```

    PRIMARY KEY (`id`)

```

```

) ENGINE=InnoDB AUTO_INCREMENT=4 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

```

```

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `user_types`

--

LOCK TABLES `user_types` WRITE;

/*!40000 ALTER TABLE `user_types` DISABLE KEYS */;

INSERT INTO `user_types` VALUES (1,'admin','2026-05-23 20:58:48','2026-05-23
20:58:48'),(2,'agent','2026-05-23 20:58:48','2026-05-23 20:58:48'),(3,'client','2026-05-23
20:58:48','2026-05-23 20:58:48');

/*!40000 ALTER TABLE `user_types` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `users`

--

DROP TABLE IF EXISTS `users`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `users` (
  `id` bigint unsigned NOT NULL AUTO_INCREMENT,
  `email` varchar(50) COLLATE utf8mb4_unicode_ci NOT NULL,
  `phone` varchar(20) COLLATE utf8mb4_unicode_ci NOT NULL,
  `password_hash` varchar(255) COLLATE utf8mb4_unicode_ci NOT NULL,
  `user_type_id` bigint unsigned NOT NULL,
  `created_at` timestamp NULL DEFAULT NULL,
  `updated_at` timestamp NULL DEFAULT NULL,

```

```

PRIMARY KEY (`id`),

UNIQUE KEY `users_email_unique` (`email`),

UNIQUE KEY `users_phone_unique` (`phone`),

KEY `users_user_type_id_foreign` (`user_type_id`),

CONSTRAINT `users_user_type_id_foreign` FOREIGN KEY (`user_type_id`) REFERENCES `user_types`
(`id`)

) ENGINE=InnoDB AUTO_INCREMENT=5 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `users`

--

LOCK TABLES `users` WRITE;

/*!40000 ALTER TABLE `users` DISABLE KEYS */;

INSERT INTO `users` VALUES
(1,'admin@insurancesystem.com','1111111111','$2y$12$vquv/vCwGOOS00xTD3f3meFPot6LkK2aB1ZNE
vxia6z5gupjkh9Ee',1,'2026-05-23 20:58:49','2026-05-23
20:58:49'),(2,'agent@insurancesystem.com','2222222222','$2y$12$VzNhv9dzTcTE0nUHrgo8SueicKCaRa
IH6yNMf3HeyVbYMcwD/H7aC',2,'2026-05-23 20:58:49','2026-05-23
20:58:49'),(3,'ivanov@example.com','7777777777','$2y$12$IDrCDqQjqPx3vusn2ouMsOOB3eRrqDzpLGo
rbnEvCS.qgXKAALUN6',3,'2026-05-23 20:58:49','2026-05-23
20:58:49'),(4,'petrov@example.com','8888888888','$2y$12$N13.w4pgNRfsj..dz8wehuGeg3ohQYIguM4
wBzHntMAG5ZLwzEE5W',3,'2026-05-23 20:58:50','2026-05-23 20:58:50');

/*!40000 ALTER TABLE `users` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `vehicle_categories`

--

DROP TABLE IF EXISTS `vehicle_categories`;

```

```

/*!40101 SET @saved_cs_client = @@character_set_client */;

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `vehicle_categories` (

  `code` varchar(10) COLLATE utf8mb4_unicode_ci NOT NULL,

  `name` varchar(50) COLLATE utf8mb4_unicode_ci NOT NULL,

  `created_at` timestamp NULL DEFAULT NULL,

  `updated_at` timestamp NULL DEFAULT NULL,

  PRIMARY KEY (`code`)

) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

--

-- Dumping data for table `vehicle_categories`

--

LOCK TABLES `vehicle_categories` WRITE;

/*!40000 ALTER TABLE `vehicle_categories` DISABLE KEYS */;

INSERT INTO `vehicle_categories` VALUES ('A','Мотоциклы','2026-05-23 20:58:48','2026-05-23
20:58:48'),('B','Легковые автомобили','2026-05-23 20:58:48','2026-05-23 20:58:48'),('C','Грузовые
автомобили','2026-05-23 20:58:48','2026-05-23 20:58:48'),('D','Автобусы','2026-05-23 20:58:48','2026-
05-23 20:58:48'),('E','Прицепы','2026-05-23 20:58:48','2026-05-23 20:58:48');

/*!40000 ALTER TABLE `vehicle_categories` ENABLE KEYS */;

UNLOCK TABLES;

--

-- Table structure for table `vehicles`

--

DROP TABLE IF EXISTS `vehicles`;

/*!40101 SET @saved_cs_client = @@character_set_client */;

```



```

/*!50503 SET character_set_client = utf8mb4 */;

CREATE TABLE `vehicles` (

  `id` bigint unsigned NOT NULL AUTO_INCREMENT,

  `client_id` bigint unsigned DEFAULT NULL,

  `state_number` varchar(15) COLLATE utf8mb4_unicode_ci NOT NULL,

  `brand` varchar(30) COLLATE utf8mb4_unicode_ci DEFAULT NULL,

  `model` varchar(30) COLLATE utf8mb4_unicode_ci DEFAULT NULL,

  `manufacture_year` year DEFAULT NULL,

  `power_hp` int DEFAULT NULL,

  `category` varchar(10) COLLATE utf8mb4_unicode_ci DEFAULT NULL,

  `vin` varchar(17) COLLATE utf8mb4_unicode_ci NOT NULL,

  `purchase_price` decimal(12,2) DEFAULT NULL,

  `mileage` int NOT NULL DEFAULT '0',

  `has_tracker` tinyint(1) NOT NULL DEFAULT '0',

  `parking_type` enum('garage','street','parking_lot','other') COLLATE utf8mb4_unicode_ci DEFAULT NULL,

  `created_at` timestamp NULL DEFAULT NULL,

  `updated_at` timestamp NULL DEFAULT NULL,

  PRIMARY KEY (`id`),

  UNIQUE KEY `vehicles_state_number_unique` (`state_number`),

  UNIQUE KEY `vehicles_vin_unique` (`vin`),

  KEY `vehicles_client_id_foreign` (`client_id`),

  KEY `vehicles_category_foreign` (`category`),

  CONSTRAINT `vehicles_category_foreign` FOREIGN KEY (`category`) REFERENCES `vehicle_categories` (`code`),

  CONSTRAINT `vehicles_client_id_foreign` FOREIGN KEY (`client_id`) REFERENCES `client_profiles` (`id`)

) ENGINE=InnoDB AUTO_INCREMENT=3 DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_unicode_ci;

/*!40101 SET character_set_client = @saved_cs_client */;

```

```
--

-- Dumping data for table `vehicles`

--

LOCK TABLES `vehicles` WRITE;

/*!40000 ALTER TABLE `vehicles` DISABLE KEYS */;

INSERT INTO `vehicles` VALUES
(1,1,'A123BC77','Toyota','Camry',2020,200,'B','JTDKW3D3X05123456',2500000.00,35000,1,'garage','202
6-05-23 20:58:50','2026-05-23
20:58:50'),(2,2,'B456EO77','Hyundai','Solaris',2021,123,'B','KMHD3513LGU123456',1500000.00,15000,0,
'street','2026-05-23 20:58:50','2026-05-23 20:58:50');

/*!40000 ALTER TABLE `vehicles` ENABLE KEYS */;

UNLOCK TABLES;

/*!40103 SET TIME_ZONE=@OLD_TIME_ZONE */;

/*!40101 SET SQL_MODE=@OLD_SQL_MODE */;

/*!40014 SET FOREIGN_KEY_CHECKS=@OLD_FOREIGN_KEY_CHECKS */;

/*!40014 SET UNIQUE_CHECKS=@OLD_UNIQUE_CHECKS */;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;

/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;

/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

/*!40111 SET SQL_NOTES=@OLD_SQL_NOTES */;

-- Dump completed on 2026-05-24 3:01:26
```

Приложение Д. Код сайта

vite.config.js

```
import { defineConfig } from 'vite';
```

```
import laravel from 'laravel-vite-plugin';
```

```
import tailwindcss from '@tailwindcss/vite';
```

```
export default defineConfig({
```

```
  plugins: [
```

```
    laravel({
```

```
      input: ['resources/css/app.css', 'resources/js/app.js'],
```

```
      refresh: true,
```

```
    }),
```

```
    tailwindcss(),
```

```
  ],
```

```
  server: {
```

```
    watch: {
```

```
      ignored: ['**/storage/framework/views/**'],
```

```
    },
```

```
  },
```

```
});
```

app.js

```
import './bootstrap';
```

bootstrap.js

```
import axios from 'axios';
```

```
window.axios = axios;
```

```
window.axios.defaults.headers.common['X-Requested-With'] = 'XMLHttpRequest';
```

webpack.config.js

```
module.exports = {  
  resolve: {  
    fallback: {  
      http: require.resolve("stream-http"),  
      https: require.resolve("https-browserify"),  
      url: require.resolve("url/"),  
      util: require.resolve("util/"),  
      assert: require.resolve("assert/"),  
      crypto: require.resolve("crypto-browserify"),  
      stream: require.resolve("stream-browserify"),  
      zlib: require.resolve("browserify-zlib"),  
    },  
  },  
};
```

App.js

```
import React from 'react';

import { BrowserRouter } from 'react-router-dom';

import { AuthProvider } from './shared/context/authContext';

import { NotificationsProvider } from './shared/context/notificationsContext';

import { CalculatorProvider } from './shared/context/calculatorContext';

import Routes from './app/Routes';

function App() {

  return (

    <BrowserRouter>

      <AuthProvider>

        <NotificationsProvider>

          <CalculatorProvider>

            <Routes />

          </CalculatorProvider>

        </NotificationsProvider>

      </AuthProvider>

    </BrowserRouter>

  );

}

export default App;
```

index.js

```
import React from 'react';

import ReactDOM from 'react-dom/client';

import App from './App';

const root = ReactDOM.createRoot(document.getElementById('root'));

root.render(

  <React.StrictMode>

    <App />

  </React.StrictMode>

);
```

auth.js

```
import api from './client';

export const register = (data) => {

  console.log('=== [auth/register] НАЧАЛО ===');

  console.log('Полученные data:', data);

  const payload = {

    email: data.email,

    phone: data.phone,

    password: data.password,

    password_confirmation: data.password_confirmation,

    last_name: data.last_name,
```

```
    first_name: data.first_name,

    middle_name: data.middle_name || '',

    birth_date: data.birth_date,


    passport_series: data.passport_series,

    passport_number: data.passport_number,

    passport_issued_by: data.passport_issued_by,

    passport_issue_date: data.passport_issue_date,


    driver_license_series: data.driver_license_series,

    driver_license_number: data.driver_license_number,

    driver_license_issued_by: data.driver_license_issued_by,

    driver_license_issue_date: data.driver_license_issue_date,

    driver_license_expiry_date: data.driver_license_expiry_date,

    driver_categories: data.driver_categories,

};


console.log('Сформированный payload:', payload);


return api.post('/auth/register', payload);

};


export const login = (email, password) => {

    console.log('=== [auth/login] НАЧАЛО ===');

    console.log('Email:', email);


    return api.post('/auth/login', { email, password }).then(

        (response) => {
```

```
    console.log('=== [auth/login] УСПЕХ ===');

    console.log('Ответ:', response);

    return response;
  },
  (error) => {
    console.error('=== [auth/login] ОШИБКА ===');
    console.error('error.response:', error.response);
    console.error('error.response?.data:', error.response?.data);
    throw error;
  }
);
};
```

```
export const getMe = () => {
  console.log('=== [auth/getMe] НАЧАЛО ===');

  return api.get('/auth/me').then(
    (response) => {
      console.log('=== [auth/getMe] УСПЕХ ===');
      console.log('Ответ:', response);
      return response;
    },
    (error) => {
      console.error('=== [auth/getMe] ОШИБКА ===');
      console.error('error.response:', error.response);
      console.error('error.response?.data:', error.response?.data);
      throw error;
    }
  );
};
```



```

    );
};

export const logout = () => {
    console.log('=== [auth/logout] НАЧАЛО ===');

    return api.post('/auth/logout').then(
        (response) => {
            console.log('=== [auth/logout] УСПЕХ ===');
            console.log('Ответ:', response);
            return response;
        },
        (error) => {
            console.error('=== [auth/logout] ОШИБКА ===');
            console.error('error.response:', error.response);
            console.error('error.response?.data:', error.response?.data);
            throw error;
        }
    );
};

```

```

export const changePassword = (currentPassword, newPassword, newPasswordConfirmation) => {
    console.log('=== [auth/changePassword] НАЧАЛО ===');

    return api.put('/auth/change-password', {
        current_password: currentPassword,
        new_password: newPassword,
        new_password_confirmation: newPasswordConfirmation,
    });
};

```

```

}).then(
  (response) => {
    console.log('=== [auth/changePassword] УСПЕХ ===');
    console.log('Ответ:', response);
    return response;
  },
  (error) => {
    console.error('=== [auth/changePassword] ОШИБКА ===');
    console.error('error.response:', error.response);
    console.error('error.response?.data:', error.response?.data);
    throw error;
  }
);
};

```

```

export const updateProfile = (data) => {
  console.log('=== [auth/updateProfile] НАЧАЛО ===');
  console.log('Данные для обновления:', data);

  return api.put('/profile', data).then(
    (response) => {
      console.log('=== [auth/updateProfile] УСПЕХ ===');
      console.log('Ответ:', response);
      return response;
    },
    (error) => {
      console.error('=== [auth/updateProfile] ОШИБКА ===');
      console.error('error.response:', error.response);
    }
  );
};

```

```
        throw error;
    }
};
```

```
export const forgotPassword = (email) => {
    console.log('=== [auth/forgotPassword] НАЧАЛО ===');
    console.log('Email:', email);

    return api.post('/auth/forgot-password', { email }).then(
        (response) => {
            console.log('=== [auth/forgotPassword] УСПЕХ ===');
            console.log('Ответ:', response);
            return response;
        },
        (error) => {
            console.error('=== [auth/forgotPassword] ОШИБКА ===');
            console.error('error.response:', error.response);
            throw error;
        }
    );
};
```

```
export const resetPassword = (email, token, password, passwordConfirmation) => {
    console.log('=== [auth/resetPassword] НАЧАЛО ===');

    return api.post('/auth/reset-password', {
        email,
```

```
token,  
password,  
password_confirmation: passwordConfirmation  
}).then(  
  (response) => {  
    console.log('=== [auth/resetPassword] УСПЕХ ===');  
    console.log('Ответ:', response);  
    return response;  
  },  
  (error) => {  
    console.error('=== [auth/resetPassword] ОШИБКА ===');  
    console.error('error.response:', error.response);  
    throw error;  
  }  
);  
};
```

client.js

```
import axios from 'axios';
```

```
console.log('=== [client] ИНИЦИАЛИЗАЦИЯ ===');
```

```
const api = axios.create({  
  baseURL: 'http://localhost:8000/api',  
  headers: {
```

```

        'Content-Type': 'application/json',
        'Accept': 'application/json',
    },
});

console.log('=== [client] API создан, baseURL:', api.defaults.baseURL);

api.interceptors.request.use((config) => {
    console.log('=== [client] INTERCEPTOR REQUEST ===');
    console.log('URL:', config.url);
    console.log('Метод:', config.method);
    console.log('Данные:', config.data);

    const token = localStorage.getItem('token');
    if (token) {
        console.log('Токен найден, добавляем Authorization');
        config.headers.Authorization = `Bearer ${token}`;
    } else {
        console.log('Токен не найден');
    }
    return config;
});

api.interceptors.response.use(
    (response) => {
        console.log('=== [client] INTERCEPTOR RESPONSE SUCCESS ===');
        console.log('Статус:', response.status);
        console.log('Данные:', response.data);
    }
);

```

```
    return response;
  },
  (error) => {
    console.error('=== [client] INTERCEPTOR RESPONSE ERROR ===');
    console.error('Статус:', error.response?.status);
    console.error('Данные ошибки:', error.response?.data);
    return Promise.reject(error);
  }
);

export default api;
```

policies.js

```
import api from './client';

export const getMyPolicies = () => {
  return api.get('/client/policies');
};

export const getPolicy = (id) => {
  return api.get(`/client/policies/${id}`);
};

export const calculatePolicy = (data) => {
  return api.post('/client/policies/calculate', data);
};
```

```
export const createPolicy = (data) => {  
  return api.post('/client/policies', data);  
};  
  
export const payPolicy = (id) => {  
  return api.post(`/client/policies/${id}/pay`);  
};  
  
export const cancelPolicy = (id) => {  
  return api.post(`/client/policies/${id}/cancel`);  
};
```

vehicles.js

```
import api from './client';  
  
export const getMyVehicles = () => {  
  return api.get('/client/vehicles');  
};  
  
export const createVehicle = (data) => {  
  return api.post('/client/vehicles', data);  
};
```

```
export const updateVehicle = (id, data) => {  
  return api.put(`/client/vehicles/${id}`, data);  
};
```

```
export const deleteVehicle = (id) => {  
  return api.delete(`/client/vehicles/${id}`);  
};
```

Routes.js

```
import React from 'react';  
  
import { Route, Routes as RouterRoutes } from 'react-router-dom';  
  
import { HomePage } from '../features/home/pages/HomePage';  
import { AboutUsPage } from '../features/about/pages/AboutUsPage';  
import { ProfilePage } from '../features/profile/pages/ProfilePage';  
import { CalculatorPage } from '../features/calculator/pages/CalculatorPage';  
import { AccidentPage } from '../features/accident/pages/AccidentPage';  
import { SignInPage } from '../features/auth/pages/SignInPage';  
import { SignUpPage } from '../features/auth/pages/SignUpPage';  
import { ForgotPasswordPage } from '../features/auth/pages/ForgotPasswordPage';  
import { AdminPage } from '../features/panels/pages/AdminPage';  
import { AgentPage } from '../features/panels/pages/AgentPage';  
import { PaymentPage } from '../features/payment/pages/PaymentPage';  
  
const Routes = () => {
```



```

return (
  <RouterRoutes>
    <Route path="/" element={<HomePage/>} />
    <Route path="/AboutUs" element={<AboutUsPage/>} />
    <Route path="/Profile" element={<ProfilePage/>} />
    <Route path="/SignIn" element={<SignInPage/>} />
    <Route path="/SignUp" element={<SignUpPage/>} />
    <Route path="/Calculator" element={<CalculatorPage/>} />
    <Route path="/Accident" element={<AccidentPage/>} />
    <Route path="/ForgotPassword" element={<ForgotPasswordPage/>} />
    <Route path="/Admin" element={<AdminPage />} />
    <Route path="/Agent" element={<AgentPage />} />
    <Route path="/Payment/:id" element={<PaymentPage />} />
  </RouterRoutes>
);
};

```

```

export default Routes;

```

fields.js

```

// Поля для регистрации

```

```

export const SIGNUP_STEP1_FIELDS = [
  { id: 0, placeholder: "Фамилия", type: "text", name: 'surname' },
  { id: 1, placeholder: "Имя", type: "text", name: 'name' },
  { id: 2, placeholder: "Отчество", type: "text", name: 'patronymic' },
  { id: 3, placeholder: "Дата рождения (дд.мм.гггг)", type: "text", name: 'birthDate' },

```

```
{ id: 4, placeholder: "Телефон", type: "tel", name: 'phone' },  
  
{ id: 5, placeholder: "Email", type: "email", name: 'email' },  
  
{ id: 6, placeholder: "Пароль", type: "password", name: 'password' },  
  
{ id: 7, placeholder: "Повторите пароль", type: "password", name: 'confirmPassword' },  
  
];
```

```
export const SIGNUP_STEP2_FIELDS = [  
  
  { id: 0, placeholder: "Тип документа", type: "select", name: 'documentType', options: ['Паспорт РФ',  
    'Загранпаспорт'] },  
  
  { id: 1, placeholder: "Серия паспорта", type: "text", name: 'passportSeries' },  
  
  { id: 2, placeholder: "Номер паспорта", type: "text", name: 'passportNumber' },  
  
  { id: 3, placeholder: "Кем выдан", type: "text", name: 'issuedBy' },  
  
  { id: 4, placeholder: "Дата выдачи (дд.мм.гггг)", type: "text", name: 'issueDate' },  
  
];
```

```
export const SIGNUP_STEP3_FIELDS = [  
  
  { id: 0, placeholder: "Серия ВУ", type: "text", name: 'licenseSeries' },  
  
  { id: 1, placeholder: "Номер ВУ", type: "text", name: 'licenseNumber' },  
  
  { id: 2, placeholder: "Кем выдано ВУ", type: "text", name: 'licenseIssuedBy' },  
  
  { id: 3, placeholder: "Дата выдачи ВУ (дд.мм.гггг)", type: "text", name: 'licenseIssueDate' },  
  
  { id: 4, placeholder: "Дата окончания действия ВУ (дд.мм.гггг)", type: "text", name:  
    'licenseExpiryDate' },  
  
];
```

```
export const SIGNUP_STEP_TITLES = {  
  
  1: 'Личные данные',  
  
  2: 'Паспортные данные',  
  
  3: 'Водительское удостоверение'  
  
};
```

```
// Поля для профиля
```

```
export const PROFILE_FIELDS = [  
  {id:0, label:'Фамилия', key: 'surname', type: 'text'},  
  {id:1, label:'Имя', key: 'name', type: 'text'},  
  {id:2, label:'Отчество', key: 'patronymic', type: 'text'},  
  {id:3, label:'Дата рождения', key: 'birthDate', type: 'text'},  
  {id:4, label:'Email', key: 'email', type: 'email'},  
  {id:5, label:'Телефон', key: 'phone', type: 'tel'},  
  {id:6, label:'Серия паспорта', key: 'passportSeries', type: 'text'},  
  {id:7, label:'Номер паспорта', key: 'passportNumber', type: 'text'},  
  {id:8, label:'Кем выдан', key: 'issuedBy', type: 'text'},  
  {id:9, label:'Дата выдачи', key: 'issueDate', type: 'text'},  
  {id:10, label:'Серия ВУ', key: 'licenseSeries', type: 'text'},  
  {id:11, label:'Номер ВУ', key: 'licenseNumber', type: 'text'},  
  {id:12, label:'Кем выдано ВУ', key: 'licenseIssuedBy', type: 'text'},  
  {id:13, label:'Дата выдачи ВУ', key: 'licenseIssueDate', type: 'text'},  
  {id:14, label:'Дата окончания действия ВУ', key: 'licenseExpiryDate', type: 'text'},  
  {id:15, label: 'Категории прав', key: 'driverCategories', type: 'text', readOnly: true},  
  {id:16, label:'Пароль', key: 'password', type: 'password', isPassword: true},  
];
```

```
// Маппинг полей для профиля
```

```
export const PROFILE_FIELD_MAP = {  
  'Фамилия': 'surname',  
  'Имя': 'name',  
  'Отчество': 'patronymic',  
  'Дата рождения': 'birthDate',
```

```
'Email': 'email',  
  
'Телефон': 'phone',  
  
'Серия паспорта': 'passportSeries',  
  
'Номер паспорта': 'passportNumber',  
  
'Кем выдан': 'issuedBy',  
  
'Дата выдачи': 'issueDate',  
  
'Серия ВУ': 'licenseSeries',  
  
'Номер ВУ': 'licenseNumber',  
  
'Кем выдано ВУ': 'licenseIssuedBy',  
  
'Дата выдачи ВУ': 'licenseIssueDate',  
  
'Дата окончания действия ВУ': 'licenseExpiryDate',  
  
'Категории прав': 'driverCategories',  
  
'Пароль': 'password'  
};
```

```
// Поля для калькулятора (шаг 1 - автомобиль)
```

```
export const CALCULATOR_VEHICLE_FIELDS = [  
  { name: 'stateNumber', label: 'Государственный номер', type: 'text', placeholder: 'A123BC777' },  
  { name: 'brand', label: 'Марка', type: 'text', placeholder: 'Toyota' },  
  { name: 'model', label: 'Модель', type: 'text', placeholder: 'Camry' },  
  { name: 'manufactureYear', label: 'Год выпуска', type: 'number', placeholder: '2020' },  
  { name: 'powerHp', label: 'Мощность (л.с.)', type: 'number', placeholder: '150' },  
  { name: 'category', label: 'Категория ТС', type: 'select', options: [  
    { value: 'A', label: 'А - Мотоциклы' },  
    { value: 'B', label: 'В - Легковые автомобили' },  
    { value: 'C', label: 'С - Грузовые автомобили' },  
    { value: 'D', label: 'D - Автобусы' },  
    { value: 'E', label: 'Е - Прицепы' }  
  ]  
}
```

```
  ] },  
  
  { name: 'vin', label: 'VIN', type: 'text', placeholder: 'JTDBE32KX00123456' },  
  
  { name: 'purchasePrice', label: 'Стоимость автомобиля (₽)', type: 'number', placeholder: '2000000' },  
  
  { name: 'hasTracker', label: 'Наличие спутниковой сигнализации', type: 'checkbox' },  
  
];
```

```
// Поля для КАСКО (дополнительные)
```

```
export const KASKO_EXTRA_FIELDS = [  
  
  { name: 'purchasePrice', label: 'Стоимость автомобиля (₽)', type: 'number', placeholder: '2000000' },  
  
];
```

```
// Поля для калькулятора (шаг 2 - срок)
```

```
export const CALCULATOR_DATE_FIELDS = [  
  
  { name: 'startDate', label: 'Дата начала', type: 'date' },  
  
  { name: 'endDate', label: 'Дата окончания', type: 'date' },  
  
];
```

```
// Поля для добавления нового автомобиля (модальное окно)
```

```
export const NEW_VEHICLE_FIELDS = [  
  
  { name: 'state_number', label: 'Государственный номер *', type: 'text', required: true, placeholder: 'A123AA123' },  
  
  { name: 'brand', label: 'Марка *', type: 'text', required: true, placeholder: 'Toyota' },  
  
  { name: 'model', label: 'Модель *', type: 'text', required: true, placeholder: 'Camry' },  
  
  { name: 'manufacture_year', label: 'Год выпуска', type: 'number', placeholder: '2020' },  
  
  { name: 'power_hp', label: 'Мощность (л.с.)', type: 'number', placeholder: '150' },  
  
  { name: 'category', label: 'Категория ТС', type: 'select', options: [  
  
    { value: 'A', label: 'А - Мотоциклы' },  
  
    { value: 'B', label: 'В - Легковые автомобили' },  
  
    { value: 'C', label: 'С - Грузовые автомобили' },  
  
  ] },  
  
];
```

```
    { value: 'D', label: 'D - Автобусы' },
    { value: 'E', label: 'E - Прицепы' }
  ] },
  { name: 'vin', label: 'VIN *', type: 'text', required: true, placeholder: 'JTDBE32KX00123456' },
  { name: 'purchase_price', label: 'Стоимость автомобиля (₽)', type: 'number', placeholder: '2000000' },
  { name: 'parking_type', label: 'Способ парковки', type: 'select', options: [
    { value: 'garage', label: 'Гараж' },
    { value: 'street', label: 'Улица' },
    { value: 'parking_lot', label: 'Охраняемая парковка' },
    { value: 'other', label: 'Другое' }
  ] },
  { name: 'has_tracker', label: 'Наличие спутниковой сигнализации', type: 'checkbox' },
];
```

// Поля для оплаты

```
export const PAYMENT_FIELDS = [
  { name: 'cardNumber', label: 'Номер карты', type: 'text', placeholder: '1234 5678 9012 3456',
    maxLength: 19 },
  { name: 'cardHolder', label: 'Владелец карты', type: 'text', placeholder: 'IVAN IVANOV' },
  { name: 'expiryDate', label: 'Срок действия', type: 'text', placeholder: 'MM/YY', maxLength: 5 },
  { name: 'cvv', label: 'CVV', type: 'text', placeholder: '123', maxLength: 3 },
];
```

// Поля для страхового случая

```
export const ACCIDENT_FIELDS = [
  { name: 'accident_date', label: 'Дата происшествия', type: 'date', required: true },
  { name: 'damage_amount', label: 'Сумма ущерба (₽)', type: 'number', placeholder: 'Введите сумму ущерба' },
  { name: 'description', label: 'Описание происшествия', type: 'textarea', placeholder: 'Опишите обстоятельства происшествия', rows: 5 },
];
```

```
];
```

```
// Категории ТС для селектов
```

```
export const VEHICLE_CATEGORIES = [  
  { value: 'A', label: 'А - Мотоциклы' },  
  { value: 'B', label: 'В - Легковые автомобили' },  
  { value: 'C', label: 'С - Грузовые автомобили' },  
  { value: 'D', label: 'D - Автобусы' },  
  { value: 'E', label: 'Е - Прицепы' }  
];
```

```
// Опции парковки
```

```
export const PARKING_OPTIONS = [  
  { value: 'garage', label: 'Гараж' },  
  { value: 'street', label: 'Улица' },  
  { value: 'parking_lot', label: 'Охраняемая парковка' },  
  { value: 'other', label: 'Другое' }  
];
```

```
authContext.js
```

```
import React, { createContext, useState, useContext, useEffect } from 'react';  
  
import { getMe, logout as apiLogout, updateProfile, changePassword } from '../api/auth';  
  
import { getMyPolicies } from '../api/policies';  
  
import { createPolicy } from '../api/policies';  
  
import api from '../api/client';
```

```
const AuthContext = createContext();
```

```
export const AuthProvider = ({ children }) => {  
  
  const [isAuthenticated, setIsAuthenticated] = useState(false);  
  
  const [userData, setUserData] = useState(null);  
  
  const [profileData, setProfileData] = useState(null);  
  
  const [loading, setLoading] = useState(true);  
  
  const [userPolicies, setUserPolicies] = useState([]);
```

```
  const loadPolicies = async () => {  
  
    try {  
  
      const response = await getMyPolicies();  
  
      setUserPolicies(response.data);  
  
    } catch (error) {  
  
      console.error('Error loading policies:', error);  
  
      setUserPolicies([]);  
  
    }  
  
  };
```

```
  const loadUserData = async () => {  
  
    try {  
  
      const response = await getMe();  
  
      const user = response.data;  
  
      setUserData(user);  
  
      setProfileData(user.client_profile);  
  
      setIsAuthenticated(true);  
  
      return user;  
  
    } catch (error) {
```



```
    console.error('Error loading user data:', error);

    localStorage.removeItem('token');

    setIsAuthenticated(false);

    setUserData(null);

    setProfileData(null);

    return null;
  }
};
```

```
const refreshUserData = async () => {
  if (!isAuthenticated) return null;

  try {
    const response = await getMe();

    const user = response.data;

    setUserData(user);

    setProfileData(user.client_profile);

    await loadPolicies();

    return user;
  } catch (error) {
    console.error('Error refreshing user data:', error);

    return null;
  }
};
```

```
const restorePendingData = async (clientId) => {
  console.log('=== restorePendingData START ===');

  console.log('clientId received:', clientId);
```

```
const policyData = localStorage.getItem('pendingPolicy');

const vehicleData = localStorage.getItem('pendingVehicle');


console.log('policyData exists:', !!policyData);

console.log('vehicleData exists:', !!vehicleData);


if (!policyData) {

  console.log('No pending policy');

  return null;

}


const policy = JSON.parse(policyData);

let vehicleId = null;


if (vehicleData) {

  const vehicle = JSON.parse(vehicleData);


  try {

    console.log('Step 1: Creating vehicle from pending data:', vehicle);

    const createVehicleResponse = await api.post('/client/vehicles', {

      state_number: vehicle.state_number,

      brand: vehicle.brand,

      model: vehicle.model,

      manufacture_year: parseInt(vehicle.manufacture_year),

      power_hp: parseInt(vehicle.power_hp),

      category: vehicle.category,

      vin: vehicle.vin,

      purchase_price: vehicle.purchase_price ? parseFloat(vehicle.purchase_price) : null,
```

```

        has_tracker: vehicle.has_tracker || false,

        parking_type: vehicle.parking_type || 'garage'
    });

    vehicleId = createVehicleResponse.data.vehicle.id;

    console.log('✓ Vehicle created successfully, ID:', vehicleId);
} catch (error) {

    console.error('Error creating vehicle:', error);

    return null;

}

} else {

    console.log('No pending vehicle data');

    return null;

}

if (!vehicleId) {

    console.log('No vehicleId available');

    return null;

}

console.log('Step 2: Creating policy with vehicleId:', vehicleId, 'clientId:', clientId);

try {

    const response = await createPolicy({

        policy_type_id: policy.policy_type_id,

        client_id: clientId,

        vehicle_id: vehicleId,

        tariff_id: policy.tariffId,

        base_price: policy.calculatedPrice,

```

```

        final_price: policy.calculatedPrice,

        start_date: policy.startDate,

        end_date: policy.endDate,

        franchise_amount: 0,

        coverage_amount: null

    });

    localStorage.removeItem('pendingPolicy');

    localStorage.removeItem('pendingVehicle');

    console.log('✓ Policy created successfully, ID:', response.data.policy.id);

    return response.data.policy;
} catch (error) {

    console.error('Error creating policy:', error);

    return null;

}

};

useEffect(() => {

    const token = localStorage.getItem('token');

    console.log('useEffect - token:', token ? 'exists' : 'not found');

    if (token) {

        loadUserData()

        .then(async (user) => {

            console.log('loadUserData finished, user:', user?.id);

            console.log('user?.user_type?.name:', user?.user_type?.name);

```

```

const userType = user?.user_type?.name;

const isAgent = userType === 'agent';

const isAdmin = userType === 'admin';


if (isAgent || isAdmin) {

    console.log('User is agent or admin, no policy restoration');

    setLoading(false);

    return;

}


if (user && user.client_profile) {

    await loadPolicies();

    const restoredPolicy = await restorePendingData(user.client_profile.id);

    console.log('restoredPolicy after useEffect load:', restoredPolicy);

    if (restoredPolicy) {

        setUserPolicies(prev => [restoredPolicy, ...prev]);

        console.log('Redirecting to payment from useEffect');

        window.location.href = `/Payment/${restoredPolicy.id}`;

    }

}

setLoading(false);

})

.catch(() => setLoading(false));

} else {

    setLoading(false);

}

}, []);

```

```
const login = async (user, token) => {  
  
  console.log('=== login START ===');  
  
  console.log('user:', user);  
  
  console.log('user.user_type?.name:', user?.user_type?.name);  
  
  
  localStorage.setItem('token', token);  
  
  setUserData(user);  
  
  setProfileData(user.client_profile);  
  
  setIsAuthenticated(true);  
  
  
  const userType = user?.user_type?.name;  
  
  const isAgent = userType === 'agent';  
  
  const isAdmin = userType === 'admin';  
  
  
  if (isAgent || isAdmin) {  
  
    console.log('User is agent or admin, redirecting to panel');  
  
    const redirectUrl = isAgent ? '/Agent' : '/Admin';  
  
    window.location.href = redirectUrl;  
  
    return;  
  }  
  
  
  console.log('Loading policies...');  
  
  await loadPolicies();  
  
  
  const clientId = user.client_profile?.id;  
  
  console.log('Calling restorePendingData with clientId:', clientId);  
  
  
  const restoredPolicy = await restorePendingData(clientId);
```

```
console.log('restoredPolicy from login:', restoredPolicy);

if (restoredPolicy) {

  console.log('Policy restored, adding to state');

  setUserPolicies(prev => [restoredPolicy, ...prev]);

  console.log('Redirecting to payment...');

  window.location.href = `/Payment/${restoredPolicy.id}`;

} else {

  console.log('No policy to restore, redirecting to profile');

  window.location.href = '/Profile';

}

};
```

```
const logout = async () => {

  try {

    await apiLogout();

  } catch (e) {

    console.error(e);

  }

  localStorage.removeItem('token');

  setUserData(null);

  setProfileData(null);

  setIsAuthenticated(false);

  setUserPolicies([]);

};
```

```
const updateUserData = async (data) => {

  try {
```

```
const payload = {  
  last_name: data.surname || data.last_name,  
  first_name: data.name || data.first_name,  
  middle_name: data.patronymic || data.middle_name,  
  birth_date: data.birthDate || data.birth_date,  
  email: data.email,  
  phone: data.phone,  
  passport_series: data.passportSeries,  
  passport_number: data.passportNumber,  
  passport_issued_by: data.issuedBy,  
  passport_issue_date: data.issueDate,  
  driver_license_series: data.licenseSeries,  
  driver_license_number: data.licenseNumber,  
  driver_license_issued_by: data.licenseIssuedBy,  
  driver_license_issue_date: data.licenseIssueDate,  
  driver_license_expiry_date: data.licenseExpiryDate,  
  driver_categories: data.licenseCategory,  
};
```

```
const response = await updateProfile(payload);  
setProfileData(prev => ({ ...prev, ...payload }));
```

```
if (data.email || data.phone) {  
  setUserData(prev => ({  
    ...prev,  
    email: data.email || prev.email,  
    phone: data.phone || prev.phone  
  }));  
}
```



```

    }

    return response;
  } catch (error) {
    console.error('Update profile error:', error);
    throw error;
  }
};

```

```

const updateUserPassword = async (currentPassword, newPassword) => {
  try {
    const response = await changePassword(currentPassword, newPassword, newPassword);
    return response;
  } catch (error) {
    console.error('Change password error:', error);
    throw error;
  }
};

```

```

const addPolicy = (policy) => {
  setUserPolicies(prev => [policy, ...prev]);
};

```

```

const resetPolicies = () => {
  setUserPolicies([]);
};

```

```

const refreshPolicies = async () => {

```

```
    await loadPolicies();  
};
```

```
const formatDate = (dateString) => {  
    if (!dateString) return "";  
    if (dateString.includes('T')) {  
        return dateString.split('T')[0];  
    }  
    return dateString;  
};
```

```
const fullUserData = {  
    id: userData?.id,  
    email: userData?.email,  
    phone: userData?.phone,  
    surname: profileData?.last_name || "",  
    name: profileData?.first_name || "",  
    patronymic: profileData?.middle_name || "",  
    birthDate: formatDate(profileData?.birth_date),  
    passportSeries: profileData?.passport_series || "",  
    passportNumber: profileData?.passport_number || "",  
    issuedBy: profileData?.passport_issued_by || "",  
    issueDate: formatDate(profileData?.passport_issue_date),  
    licenseSeries: profileData?.driver_license_series || "",  
    licenseNumber: profileData?.driver_license_number || "",  
    licenseIssuedBy: profileData?.driver_license_issued_by || "",  
    licenseIssueDate: formatDate(profileData?.driver_license_issue_date),  
    licenseExpiryDate: formatDate(profileData?.driver_license_expiry_date),
```

```

    driver_categories: profileData?.driver_categories || [],

    ...profileData,

    ...userData,

  };

  return (
    <AuthContext.Provider value={{
      isAuthenticated,
      userData,
      profileData,
      fullUserData,
      userPolicies,
      loading,
      login,
      logout,
      updateUserData,
      updateUserPassword,
      addPolicy,
      resetPolicies,
      refreshPolicies,
      refreshUserData
    }}>
      {children}
    </AuthContext.Provider>
  );
};

export const useAuth = () => {

```

```
const context = useContext(AuthContext);

if (!context) throw new Error('useAuth must be used within AuthProvider');

return context;

};
```

calculatorContext.js

```
import React, { createContext, useState, useContext, useEffect } from 'react';
```

```
const CalculatorContext = createContext();
```

```
export const CalculatorProvider = ({ children }) => {

  const [calculatorData, setCalculatorData] = useState({

    osago: {

      stateNumber: "",

      brand: "",

      model: "",

      manufactureYear: "",

      powerHp: "",

      category: 'B',

      vin: "",

      startDate: "",

      endDate: "",

      calculatedPrice: null

    },

    kasko: {

      stateNumber: "",
```

```
    brand: "",
    model: "",
    manufactureYear: "",
    powerHp: "",
    category: 'B',
    vin: "",
    purchasePrice: "",
    hasTracker: false,
    parkingType: 'garage',
    startDate: "",
    endDate: "",
    calculatedPrice: null
  }
});
```

```
useEffect(() => {
  const saved = localStorage.getItem('calculatorData');
  if (saved) {
    setCalculatorData(JSON.parse(saved));
  }
}, []);
```

```
useEffect(() => {
  localStorage.setItem('calculatorData', JSON.stringify(calculatorData));
}, [calculatorData]);
```

```
const updateOsagoData = (data) => {
  setCalculatorData(prev => ({
```

```
    ...prev,  
    osago: { ...prev.osago, ...data }  
  }));  
};
```

```
const updateKaskoData = (data) => {  
  setCalculatorData(prev => ({  
    ...prev,  
    kasko: { ...prev.kasko, ...data }  
  }));  
};
```

```
const updateBothData = (osagoData, kaskoData) => {  
  setCalculatorData(prev => ({  
    osago: { ...prev.osago, ...osagoData },  
    kasko: { ...prev.kasko, ...kaskoData }  
  }));  
};
```

```
const resetCalculator = () => {  
  const emptyData = {  
    osago: {  
      stateNumber: "",  
      brand: "",  
      model: "",  
      manufactureYear: "",  
      powerHp: "",  
      category: 'B',
```

```

        vin: "",
        startDate: "",
        endDate: "",
        calculatedPrice: null
    },
    kasko: {
        stateNumber: "",
        brand: "",
        model: "",
        manufactureYear: "",
        powerHp: "",
        category: 'B',
        vin: "",
        purchasePrice: "",
        hasTracker: false,
        parkingType: 'garage',
        startDate: "",
        endDate: "",
        calculatedPrice: null
    }
};

setCalculatorData(emptyData);

localStorage.removeItem('calculatorData');

};

```

```

return (
    <CalculatorContext.Provider value={{
        calculatorData,

```

```

        updateOsagoData,
        updateKaskoData,
        updateBothData,
        resetCalculator
      }}>
      {children}
    </CalculatorContext.Provider>
  );
};

```

```

export const useCalculator = () => {
  const context = useContext(CalculatorContext);
  if (!context) {
    throw new Error('useCalculator must be used within a CalculatorProvider');
  }
  return context;
};

```

notificationsContext.js

```

import React, { createContext, useState, useContext, useEffect, useCallback } from 'react';
import api from '../api/client';

const NotificationsContext = createContext();

export const NotificationsProvider = ({ children }) => {
  const [notifications, setNotifications] = useState([]);

```



```
const [loading, setLoading] = useState(true);
```

```
const loadNotifications = useCallback(async () => {  
  try {  
    const response = await api.get('/notifications');  
    setNotifications(response.data);  
  } catch (error) {  
    console.error('Error loading notifications:', error);  
  } finally {  
    setLoading(false);  
  }  
}, []);
```

```
useEffect(() => {  
  loadNotifications();  
}, [loadNotifications]);
```

```
const unreadCount = notifications.filter(n => !n.is_read).length;
```

```
const markAsRead = async (id) => {  
  try {  
    await api.put(`/notifications/${id}/read`);  
    setNotifications(prev =>  
      prev.map(n => n.id === id ? { ...n, is_read: true } : n)  
    );  
  } catch (error) {  
    console.error('Error marking as read:', error);  
  }  
}
```

```
};
```

```
const markAllAsRead = async () => {  
  try {  
    await api.put('/notifications/read-all');  
    setNotifications(prev =>  
      prev.map(n => ({ ...n, is_read: true })))  
  };  
} catch (error) {  
  console.error('Error marking all as read:', error);  
}  
};
```

```
const addNotification = (notification) => {  
  setNotifications(prev => [notification, ...prev]);  
};
```

```
const deleteNotification = async (id) => {  
  try {  
    await api.delete(`/notifications/${id}`);  
    setNotifications(prev => prev.filter(n => n.id !== id));  
  } catch (error) {  
    console.error('Error deleting notification:', error);  
  }  
};
```

```
const reloadNotifications = () => {  
  loadNotifications();  
};
```

```
};
```

```
return (
```

```
  <NotificationsContext.Provider value={{
```

```
    notifications,
```

```
    loading,
```

```
    unreadCount,
```

```
    markAsRead,
```

```
    markAllAsRead,
```

```
    addNotification,
```

```
    deleteNotification,
```

```
    reloadNotifications
```

```
  }}>
```

```
    {children}
```

```
  </NotificationsContext.Provider>
```

```
);
```

```
};
```

```
export const useNotifications = () => {
```

```
  const context = useContext(NotificationsContext);
```

```
  if (!context) {
```

```
    throw new Error('useNotifications must be used within a NotificationsProvider');
```

```
  }
```

```
  return context;
```

```
};
```

```
useAccidentForm.js
```

```

import { useState, useEffect } from 'react';

import api from '../api/client';

export const useAccidentForm = (isAuthenticated) => {

  const [step, setStep] = useState(1);

  const [myVehicles, setMyVehicles] = useState([]);

  const [selectedVehicle, setSelectedVehicle] = useState(null);

  const [policies, setPolicies] = useState([]);

  const [selectedPolicy, setSelectedPolicy] = useState(null);

  const [isSubmitting, setIsSubmitting] = useState(false);

  const [error, setError] = useState(null);

  const [success, setSuccess] = useState(null);

  const [validationErrors, setValidationErrors] = useState({});

  const [formData, setFormData] = useState({

    accident_date: "",

    damage_amount: "",

    description: ""

  });

  const loadMyVehicles = async () => {

    if (!isAuthenticated) return;

    try {

      const response = await api.get('/client/vehicles');

      setMyVehicles(response.data);

    } catch (error) {

      console.error('Error loading vehicles:', error);

    }

  }

}

```

```
};
```

```
const loadPoliciesForVehicle = async (vehicleId) => {  
  try {  
    const response = await api.get('/client/policies');  
    const activePolicies = response.data.filter(  
      policy => policy.vehicle_id === vehicleId && policy.status === 'active'  
    );  
    setPolicies(activePolicies);  
    setSelectedPolicy(null);  
  } catch (error) {  
    console.error('Error loading policies:', error);  
  }  
};
```

```
useEffect(() => {  
  if (isAuthenticated) {  
    loadMyVehicles();  
  }  
}, [isAuthenticated]);
```

```
const handleSelectVehicle = (vehicle) => {  
  setSelectedVehicle(vehicle);  
  loadPoliciesForVehicle(vehicle.id);  
  setStep(2);  
  setError(null);  
  setValidationErrors({});  
};
```

```
const handleSelectPolicy = (policy) => {
```

```
  setSelectedPolicy(policy);
```

```
  setStep(3);
```

```
  setError(null);
```

```
  setValidationErrors({});
```

```
  setFormData({
```

```
    accident_date: "",
```

```
    damage_amount: "",
```

```
    description: ""
```

```
  });
```

```
};
```

```
const handleInputChange = (e) => {
```

```
  const { name, value } = e.target;
```

```
  setFormData(prev => ({
```

```
    ...prev,
```

```
    [name]: value
```

```
  }));
```

```
  if (validationErrors[name]) {
```

```
    setValidationErrors(prev => ({ ...prev, [name]: null }));
```

```
  }
```

```
};
```

```
const validateForm = () => {
```

```
  const errors = {};
```

```
  if (!formData.accident_date) {
```

```
errors.accident_date = 'Укажите дату происшествия';
} else {

  const today = new Date();

  const todayStr = today.toISOString().split('T')[0];

  if (formData.accident_date > todayStr) {

    errors.accident_date = 'Дата происшествия не может быть в будущем';

  }

  const policyStartDate = selectedPolicy.start_date.split('T')[0];

  if (formData.accident_date < policyStartDate) {

    const formattedDate = new Date(selectedPolicy.start_date).toLocaleDateString('ru-RU');

    errors.accident_date = `Дата происшествия не может быть раньше ${formattedDate}`;

  }

}

if (formData.damage_amount) {

  const amount = parseFloat(formData.damage_amount);

  if (isNaN(amount) || amount < 0) {

    errors.damage_amount = 'Укажите корректную сумму ущерба';

  } else if (amount === 0) {

    errors.damage_amount = 'Сумма ущерба не может быть равна 0';

  }

}

if (formData.description && formData.description.length < 10) {

  errors.description = 'Описание должно содержать минимум 10 символов';

}
```

```
if (formData.description && formData.description.length > 1000) {  
    errors.description = 'Описание не должно превышать 1000 символов';  
}  
  
return errors;  
};  
  
const handleSubmit = async (e) => {  
    e.preventDefault();  
  
    const errors = validateForm();  
    if (Object.keys(errors).length > 0) {  
        setValidationErrors(errors);  
        return;  
    }  
  
    setIsSubmitting(true);  
    setError(null);  
    setSuccess(null);  
  
    try {  
        await api.post(`/client/accidents/${selectedPolicy.id}`, {  
            accident_date: formData.accident_date,  
            damage_amount: formData.damage_amount ? parseFloat(formData.damage_amount) : null,  
            description: formData.description || null,  
            is_client_fault: false  
        });  
    }
```



```
setSuccess('Страховой случай успешно зарегистрирован!');

setTimeout(() => {
    setStep(1);
    setSelectedVehicle(null);
    setSelectedPolicy(null);
    setSuccess(null);
    setValidationErrors({});
}, 3000);
} catch (error) {
    setError(error.response?.data?.message || 'Ошибка при регистрации страхового случая');
} finally {
    setIsSubmitting(false);
}
};
```

```
const handleBack = () => {
    if (step === 2) {
        setStep(1);
        setSelectedVehicle(null);
        setPolicies([]);
        setSelectedPolicy(null);
    } else if (step === 3) {
        setStep(2);
        setSelectedPolicy(null);
    }
    setError(null);
    setValidationErrors({});
};
```

```
};
```

```
return {  
  step,  
  myVehicles,  
  selectedVehicle,  
  policies,  
  selectedPolicy,  
  isSubmitting,  
  error,  
  success,  
  validationErrors,  
  formData,  
  handleSelectVehicle,  
  handleSelectPolicy,  
  handleInputChange,  
  handleSubmit,  
  handleBack,  
  setError  
};
```

```
};
```

useCalculatorForm.js

```
import { useState, useEffect, useCallback } from 'react';
```

```
import { useCalculator } from '../context/calculatorContext';
```

```
import { normalizeLicensePlate, validateLicensePlate, validateVehicleData, validateDates } from  
'../lib/validations/calculatorValidations';
```

```
import api from '../api/client';

import { createPolicy } from '../api/policies';

import { useNavigate } from 'react-router-dom';

export const useCalculatorForm = (isAuthenticated, profileData, addPolicy, refreshPolicies) => {

  const navigate = useNavigate();

  const { calculatorData, updateOsagoData, updateKaskoData } = useCalculator();

  const [policyType, setPolicyType] = useState('osago');

  const [step, setStep] = useState(1);

  const [osagoStep, setOsagoStep] = useState(1);

  const [kaskoStep, setKaskoStep] = useState(1);

  const [errors, setErrors] = useState({});

  const [isCalculating, setIsCalculating] = useState(false);

  const [error, setError] = useState(null);

  const [myVehicles, setMyVehicles] = useState([]);

  const [selectedVehicle, setSelectedVehicle] = useState(null);

  const [showVehicleModal, setShowVehicleModal] = useState(false);

  const [newVehicleData, setNewVehicleData] = useState({

    state_number: "",

    brand: "",

    model: "",

    manufacture_year: "",

    power_hp: "",

    category: 'B',

    vin: "",

    purchase_price: "",

    has_tracker: false,

    parking_type: 'garage'
```

```
});
```

```
const loadMyVehicles = useCallback(async () => {  
  if (!isAuthenticated) return;  
  try {  
    const response = await api.get('/client/vehicles');  
    setMyVehicles(response.data);  
  } catch (error) {  
    console.error('Error loading vehicles:', error);  
  }  
}, [isAuthenticated]);
```

```
useEffect(() => {  
  if (isAuthenticated) loadMyVehicles();  
}, [isAuthenticated, loadMyVehicles]);
```

```
useEffect(() => {  
  const saved = localStorage.getItem('pendingCalculatorData');  
  if (saved) {  
    const { osago, kasko, policyType: savedType, step: savedStep, osagoStep: savedOsagoStep,  
kaskoStep: savedKaskoStep } = JSON.parse(saved);  
    updateOsagoData(osago);  
    updateKaskoData(kasko);  
    setPolicyType(savedType);  
    setStep(savedStep);  
    setOsagoStep(savedOsagoStep);  
    setKaskoStep(savedKaskoStep);  
    localStorage.removeItem('pendingCalculatorData');  
  }  
}
```

```
}, []);
```

```
const saveSteps = useCallback(() => {  
  localStorage.setItem('pendingCalculatorState', JSON.stringify({  
    policyType,  
    step,  
    osagoStep,  
    kaskoStep  
  }));  
}, [policyType, step, osagoStep, kaskoStep]);
```

```
useEffect(() => {  
  saveSteps();  
}, [step, policyType, saveSteps]);
```

```
const getCurrentData = () => {  
  return policyType === 'osago' ? calculatorData.osago : calculatorData.kasko;  
};
```

```
const updateCurrentData = (data) => {  
  if (policyType === 'osago') {  
    updateOsagoData(data);  
  } else {  
    updateKaskoData(data);  
  }  
};
```

```
const handleInputChange = (e) => {
```

```

const { name, value, type, checked } = e.target;

const currentData = getCurrentData();

updateCurrentData({
  ...currentData,
  [name]: type === 'checkbox' ? checked : value
});

if (errors[name]) {
  setErrors({ ...errors, [name]: '' });
}
};

const handleSelectVehicle = (vehicle) => {
  setSelectedVehicle(vehicle);

  let categoryValue = vehicle.category;

  if (typeof categoryValue === 'object' && categoryValue !== null) {
    categoryValue = categoryValue.value || categoryValue.code || 'B';
  }

  updateCurrentData({
    ...getCurrentData(),
    stateNumber: vehicle.state_number,
    brand: vehicle.brand,
    model: vehicle.model,
    manufactureYear: vehicle.manufacture_year,
    powerHp: vehicle.power_hp,
    category: categoryValue,
    vin: vehicle.vin,
  });
};

```

```
    purchasePrice: vehicle.purchase_price,

    hasTracker: vehicle.has_tracker,

    parkingType: vehicle.parking_type,

    vehicleId: vehicle.id

  });

  setErrors({});
};

const handleAddNewVehicle = async (e) => {

  e.preventDefault();

  // Валидация госномера

  const plateError = validateLicensePlate(newVehicleData.state_number);

  if (plateError) {

    setError(plateError);

    return;

  }

  // Нормализуем госномер перед сохранением

  const normalizedPlate = normalizeLicensePlate(newVehicleData.state_number);

  const vehicleToAdd = {

    state_number: normalizedPlate,

    brand: newVehicleData.brand,

    model: newVehicleData.model,

    manufacture_year: parseInt(newVehicleData.manufacture_year),

    power_hp: parseInt(newVehicleData.power_hp),

    category: newVehicleData.category,
```

```
        vin: newVehicleData.vin,

        purchase_price: newVehicleData.purchase_price ? parseFloat(newVehicleData.purchase_price) :
null,

        has_tracker: newVehicleData.has_tracker,

        parking_type: newVehicleData.parking_type

    };
```

```
if (!isAuthenticated) {

    const newVehicle = { id: Date.now(), ...vehicleToAdd };

    setMyVehicles(prev => [...prev, newVehicle]);

    setSelectedVehicle(newVehicle);

    updateCurrentData({

        ...getCurrentData(),

        stateNumber: newVehicle.state_number,

        brand: newVehicle.brand,

        model: newVehicle.model,

        manufactureYear: newVehicle.manufacture_year,

        powerHp: newVehicle.power_hp,

        category: newVehicle.category,

        vin: newVehicle.vin,

        purchasePrice: newVehicle.purchase_price,

        hasTracker: newVehicle.has_tracker,

        parkingType: newVehicle.parking_type,

        vehicleId: newVehicle.id

    });

    setShowVehicleModal(false);

    setNewVehicleData({

        state_number: "",

        brand: "",
```



```
    model: "",
    manufacture_year: "",
    power_hp: "",
    category: 'B',
    vin: "",
    purchase_price: "",
    has_tracker: false,
    parking_type: 'garage'
  });

  return;
}
```

```
try {

  const response = await api.post('/client/vehicles', vehicleToAdd);

  const newVehicle = response.data.vehicle;

  setMyVehicles(prev => [...prev, newVehicle]);

  setSelectedVehicle(newVehicle);

  updateCurrentData({
    ...getCurrentData(),
    stateNumber: newVehicle.state_number,
    brand: newVehicle.brand,
    model: newVehicle.model,
    manufactureYear: newVehicle.manufacture_year,
    powerHp: newVehicle.power_hp,
    category: newVehicle.category,
    vin: newVehicle.vin,
    purchasePrice: newVehicle.purchase_price,
    hasTracker: newVehicle.has_tracker,
```

```
        parkingType: newVehicle.parking_type,

        vehicleId: newVehicle.id
    });

    setShowVehicleModal(false);

    setNewVehicleData({

        state_number: "",

        brand: "",

        model: "",

        manufacture_year: "",

        power_hp: "",

        category: 'B',

        vin: "",

        purchase_price: "",

        has_tracker: false,

        parking_type: 'garage'

    });

    } catch (error) {

        setError(error.response?.data?.message || 'Ошибка при добавлении автомобиля');

    }

};
```

```
const validateStep1 = () => {

    const data = getCurrentData();

    if (data.vehicleId) {

        setErrors({});

        return true;

    }

    const validationErrors = validateVehicleData(data, policyType);
```

```
setErrors(validationErrors);

return Object.keys(validationErrors).length === 0;
};

const validateStep2 = () => {

  const data = getCurrentData();

  const errorsList = {};

  const today = new Date();
  today.setHours(0, 0, 0, 0);

  if (!data.startDate) {
    errorsList.startDate = 'Укажите дату начала';
  } else {
    const startDate = new Date(data.startDate);
    startDate.setHours(0, 0, 0, 0);

    if (startDate < today) {
      errorsList.startDate = 'Дата начала не может быть раньше сегодняшнего дня';
    }
  }
}

if (!data.endDate) {
  errorsList.endDate = 'Укажите дату окончания';
} else if (data.startDate && data.endDate) {
  const startDate = new Date(data.startDate);
  const endDate = new Date(data.endDate);
  startDate.setHours(0, 0, 0, 0);
```

```
endDate.setHours(0, 0, 0, 0);

if (endDate <= startDate) {
    errorsList.endDate = 'Дата окончания должна быть позже даты начала';
}
}

setErrors(errorsList);

return Object.keys(errorsList).length === 0;
};

const calculatePrice = async () => {
    setIsCalculating(true);
    setError(null);

    try {
        const currentData = getCurrentData();
        let vehicleId = currentData.vehicleId;

        if (!isAuthenticated && !vehicleId) {
            vehicleId = Date.now();
            updateCurrentData({ ...currentData, vehicleId });
        }

        if (isAuthenticated && !vehicleId && currentData.stateNumber && currentData.vin) {
            try {
                let categoryValue = currentData.category;

                if (typeof categoryValue === 'object' && categoryValue !== null) {
```

```

        categoryValue = categoryValue.value || categoryValue.code || 'B';
    }

    const vehicleResponse = await api.post('/client/vehicles', {
        state_number: currentData.stateNumber,
        brand: currentData.brand,
        model: currentData.model,
        manufacture_year: parseInt(currentData.manufactureYear),
        power_hp: parseInt(currentData.powerHp),
        category: categoryValue,
        vin: currentData.vin,
        purchase_price: currentData.purchasePrice ? parseFloat(currentData.purchasePrice) : null,
        has_tracker: currentData.hasTracker || false,
        parking_type: currentData.parkingType || 'garage'
    });

    vehicleId = vehicleResponse.data.vehicle.id;
    updateCurrentData({ ...currentData, vehicleId });
    await loadMyVehicles();
} catch (err) {
    console.error('Error creating vehicle:', err);
    throw new Error('Не удалось создать автомобиль');
}
}

if (!vehicleId) throw new Error('Автомобиль не найден');

const policyTypeId = policyType === 'osago' ? 1 : 2;

const tariffsResponse = await api.get('/tariffs/public', { params: { policy_type_id: policyTypeId } });

```

```
let categoryForTariff = currentData.category;

if (typeof categoryForTariff === 'object' && categoryForTariff !== null) {

    categoryForTariff = categoryForTariff.value || categoryForTariff.code || 'B';

}
```

```
console.log('Looking for tariff with category:', categoryForTariff);

console.log('Available tariffs:', tariffsResponse.data);
```

```
const tariff = tariffsResponse.data.find(t => {

    const tariffCategory = t.vehicle_category?.code || t.vehicle_category;

    return tariffCategory === categoryForTariff;

});
```

```
if (!tariff) {

    throw new Error('Тариф не найден для категории ' + categoryForTariff);

}
```

```
const response = await api.post('/policies/calculate', {

    policy_type_id: policyTypeId,

    vehicle_id: vehicleId,

    tariff_id: tariff.id,

    start_date: currentData.startDate,

    end_date: currentData.endDate,

    power_hp: currentData.powerHp,

    manufacture_year: currentData.manufactureYear

});
```

```
    updateCurrentData({ ...currentData, tariffId: tariff.id, calculatedPrice:
response.data.calculated_price });
```

```
    setStep(3);
```

```
    if (policyType === 'osago') {
```

```
        setOsagoStep(3);
```

```
    } else {
```

```
        setKaskoStep(3);
```

```
    }
```

```
  } catch (error) {
```

```
    console.error('Calculate price error:', error);
```

```
    if (error.response?.data?.errors) {
```

```
      const validationErrors = error.response.data.errors;
```

```
      const errorMessages = [];
```

```
      Object.keys(validationErrors).forEach(key => {
```

```
        errorMessages.push(...validationErrors[key]);
```

```
      });
```

```
      setError(errorMessages[0] || 'Ошибка при расчете');
```

```
      const fieldErrors = {};
```

```
      if (validationErrors.start_date) {
```

```
        fieldErrors.startDate = validationErrors.start_date[0];
```

```
      }
```

```
      if (validationErrors.end_date) {
```

```
        fieldErrors.endDate = validationErrors.end_date[0];
```

```
      }
```

```
      if (Object.keys(fieldErrors).length > 0) {
```

```
        setErrors(fieldErrors);
    }
} else if (error.response?.data?.message) {
    setError(error.response.data.message);
} else {
    setError(error.message || 'Ошибка при расчете');
}
} finally {
    setIsCalculating(false);
}
};
```

```
const handleSubmitOrder = async () => {
    if (!isAuthenticated) {
        const currentData = getCurrentData();

        const vehicleData = {
            state_number: currentData.stateNumber,
            brand: currentData.brand,
            model: currentData.model,
            manufacture_year: currentData.manufactureYear,
            power_hp: currentData.powerHp,
            category: currentData.category,
            vin: currentData.vin,
            purchase_price: currentData.purchasePrice,
            has_tracker: currentData.hasTracker || false,
            parking_type: currentData.parkingType || 'garage'
        };
    }
};
```



```

const policyData = {
  policy_type_id: policyType === 'osago' ? 1 : 2,
  tariffId: currentData.tariffId,
  calculatedPrice: currentData.calculatedPrice,
  startDate: currentData.startDate,
  endDate: currentData.endDate
};

console.log('=== handleSubmitOrder for non-authenticated ===');
console.log('currentData:', currentData);
console.log('vehicleData to save:', vehicleData);
console.log('policyData to save:', policyData);

localStorage.setItem('pendingVehicle', JSON.stringify(vehicleData));
localStorage.setItem('pendingPolicy', JSON.stringify(policyData));

console.log('After save - pendingVehicle:', localStorage.getItem('pendingVehicle'));
console.log('After save - pendingPolicy:', localStorage.getItem('pendingPolicy'));

window.location.href = '/SignUp';

return;
}

```

```

setIsCalculating(true);

try {
  const currentData = getCurrentData();
  const response = await createPolicy({

```

```

    policy_type_id: policyType === 'osago' ? 1 : 2,
    client_id: profileData?.id,
    vehicle_id: currentData.vehicleId,
    tariff_id: currentData.tariffId,
    base_price: currentData.calculatedPrice,
    final_price: currentData.calculatedPrice,
    start_date: currentData.startDate,
    end_date: currentData.endDate,
    franchise_amount: 0,
    coverage_amount: null
  });

  addPolicy(response.data.policy);

  await refreshPolicies();

  navigate(`/Payment/${response.data.policy.id}`);
} catch (error) {
  setError(error.response?.data?.message || 'Ошибка при оформлении полиса');
} finally {
  setIsCalculating(false);
}
};

```

```

const nextStep = () => {
  if (step === 1 && !validateStep1()) return;
  if (step === 2) {
    if (validateStep2()) {
      calculatePrice();
    }
  }
  return;
}

```

```
    }  
  
    const newStep = step + 1;  
  
    setStep(newStep);  
  
    if (policyType === 'osago') {  
        setOsagoStep(newStep);  
    } else {  
        setKaskoStep(newStep);  
    }  
  
    setErrors({});  
};
```

```
const prevStep = () => {  
    const newStep = step - 1;  
  
    setStep(newStep);  
  
    if (policyType === 'osago') {  
        setOsagoStep(newStep);  
    } else {  
        setKaskoStep(newStep);  
    }  
  
    setErrors({});  
};
```

```
const goToStep = (targetStep) => {  
    if (targetStep < step) {  
        setStep(targetStep);  
  
        if (policyType === 'osago') {  
            setOsagoStep(targetStep);  
        } else {
```

```
        setKaskoStep(targetStep);

    }

    setErrors({});

}

};
```

```
const handlePolicyTypeChange = (type) => {

    if (policyType === 'osago') {

        setOsagoStep(step);

    } else {

        setKaskoStep(step);

    }

    setPolicyType(type);

    if (type === 'osago') {

        setStep(osagoStep);

    } else {

        setStep(kaskoStep);

    }

    setErrors({});

};
```

```
const resetToStep1 = () => {

    setStep(1);

    if (policyType === 'osago') {

        setOsagoStep(1);

    } else {

        setKaskoStep(1);

    }

}
```

```
};
```

```
return {
```

```
  policyType,
```

```
  step,
```

```
  osagoStep,
```

```
  kaskoStep,
```

```
  errors,
```

```
  error,
```

```
  isCalculating,
```

```
  myVehicles,
```

```
  selectedVehicle,
```

```
  showVehicleModal,
```

```
  newVehicleData,
```

```
  calculatorData,
```

```
  getCurrentData,
```

```
  updateCurrentData,
```

```
  handleInputChange,
```

```
  handleSelectVehicle,
```

```
  handleAddNewVehicle,
```

```
  setShowVehicleModal,
```

```
  setNewVehicleData,
```

```
  nextStep,
```

```
  prevStep,
```

```
  goToStep,
```

```
  handlePolicyTypeChange,
```

```
  resetToStep1,
```

```
  handleSubmitOrder
```

```
};  
};
```

usePaymentForm.js

```
import { useState } from 'react';  
import { useNavigate } from 'react-router-dom';  
import { payPolicy } from '../api/policies';  
  
export const usePaymentForm = (policy) => {  
  const navigate = useNavigate();  
  const [loading, setLoading] = useState(false);  
  const [error, setError] = useState(null);  
  const [success, setSuccess] = useState(false);  
  const [formData, setFormData] = useState({  
    cardNumber: '',  
    cardHolder: '',  
    expiryDate: '',  
    cvv: ''  
  });  
  
  const handleInputChange = (e, field) => {  
    let { name, value } = e.target;  
  
    if (name === 'cardNumber') value = value.replace(/\D/g, '').replace(/(\d{4})/g, '$1 ').trim().slice(0, 19);  
  
    if (name === 'expiryDate') value = value.replace(/\D/g, '').replace(/(\d{2})(\d{0,2})/, '$1/$2').slice(0, 5);  
  
    if (name === 'cvv') value = value.replace(/\D/g, '').slice(0, 3);
```

```
setFormData(prev => ({ ...prev, [name]: value }));  
};
```

```
const handleSubmit = async (e) => {  
  e.preventDefault();  
  setLoading(true);  
  setError(null);  
  
  setTimeout(async () => {  
    try {  
      if (formData.cardNumber.replace(/\s/g, "").length !== 16) throw new Error('Неверный номер карты');  
      if (formData.cvv.length !== 3) throw new Error('Неверный CVV код');  
      await payPolicy(policy.id);  
      setSuccess(true);  
      setTimeout(() => navigate('/profile?tab=policies'), 2000);  
    } catch (error) {  
      setError(error.response?.data?.message || 'Ошибка при оплате');  
    } finally {  
      setLoading(false);  
    }  
  }, 1500);  
};
```

```
const formatPrice = (price) => price?.toLocaleString() || '0';
```

```
const handleCancel = () => {  
  navigate('/profile');  
};
```

```
return {  
  loading,  
  error,  
  success,  
  formData,  
  handleInputChange,  
  handleSubmit,  
  handleCancel,  
  formatPrice  
};  
};
```

useAdminAccidents.js

```
import { useState, useEffect, useCallback } from 'react';  
import api from '../..../api/client';  
  
export const useAdminAccidents = () => {  
  const [accidents, setAccidents] = useState([]);  
  const [loading, setLoading] = useState(false);  
  const [error, setError] = useState(null);  
  const [selectedItem, setSelectedItem] = useState(null);  
  const [showModal, setShowModal] = useState(false);  
  
  const formatDate = (dateString) => {  
    if (!dateString) return '—';
```



```
    return dateString.split('T')[0];  
};
```

```
const loadAccidents = useCallback(async () => {  
    setLoading(true);  
    try {  
        const response = await api.get('/admin/accidents');  
        setAccidents(response.data.data || []);  
    } catch (error) {  
        setError('Ошибка загрузки страховых случаев: ' + (error.response?.data?.message ||  
error.message));  
    } finally {  
        setLoading(false);  
    }  
}, []);
```

```
useEffect(() => {  
    loadAccidents();  
}, [loadAccidents]);
```

```
const updateAccidentFault = async (id, isClientFault) => {  
    try {  
        await api.put(`/admin/accidents/${id}`, { is_client_fault: isClientFault });  
        await loadAccidents();  
    } catch (error) {  
        setError('Ошибка обновления вины клиента');  
    }  
};
```

```
const updateAccidentStatus = async (id, status) => {  
  try {  
    await api.put(`/admin/accidents/${id}`, { status });  
    await loadAccidents();  
  } catch (error) {  
    setError('Ошибка обновления статуса');  
  }  
};
```

```
const getStatusText = (status) => {  
  const statusMap = {  
    'pending': 'На рассмотрении',  
    'approved': 'Одобрено',  
    'rejected': 'Отклонено',  
    'paid': 'Выплачено'  
  };  
  return statusMap[status] || status;  
};
```

```
const openModal = (accident) => {  
  setSelectedItem(accident);  
  setShowModal(true);  
};
```

```
const closeModal = () => {  
  setShowModal(false);  
  setSelectedItem(null);  
};
```

```
return {  
  accidents,  
  loading,  
  error,  
  selectedItem,  
  showModal,  
  updateAccidentFault,  
  updateAccidentStatus,  
  getStatusText,  
  formatDate,  
  openModal,  
  closeModal  
};  
};
```

useAdminPolicies.js

```
import { useState, useEffect, useCallback } from 'react';  
import api from '../..../api/client';  
  
export const useAdminPolicies = () => {  
  const [policies, setPolicies] = useState([]);  
  const [loading, setLoading] = useState(false);  
  const [error, setError] = useState(null);  
  const [statusFilter, setStatusFilter] = useState('');
```

```
const loadPolicies = useCallback(async () => {  
  setLoading(true);  
  
  try {  
    const response = await api.get('/admin/policies');  
    setPolicies(response.data.data || []);  
  } catch (error) {  
    setError('Ошибка загрузки полисов: ' + (error.response?.data?.message || error.message));  
  } finally {  
    setLoading(false);  
  }  
}, []);
```

```
useEffect(() => {  
  loadPolicies();  
}, [loadPolicies]);
```

```
const cancelPolicy = async (id) => {  
  if (window.confirm('Отменить полис?')) {  
    try {  
      await api.post(`/admin/policies/${id}/cancel`);  
      await loadPolicies();  
    } catch (error) {  
      setError('Ошибка отмены полиса');  
    }  
  }  
};
```

```
const getStatusText = (status) => {
```

```
const statusMap = {  
  'draft': 'Черновик',  
  'active': 'Активен',  
  'expired': 'Просрочен',  
  'cancelled': 'Отменён'  
};  
  
return statusMap[status] || status;  
};
```

```
const filteredPolicies = policies.filter(policy => !statusFilter || policy.status === statusFilter);
```

```
return {  
  policies,  
  loading,  
  error,  
  statusFilter,  
  setStatusFilter,  
  loadPolicies,  
  cancelPolicy,  
  getStatusText,  
  filteredPolicies  
};  
};
```

useAdminTariffs.js

```
import { useState, useEffect, useCallback } from 'react';
```

```
import api from '../..../api/client';
```

```
import { tariffValidationSchema } from '../..../shared/lib/validations/panelsValidations';
```

```
export const useAdminTariffs = () => {
```

```
  const [tariffs, setTariffs] = useState([]);
```

```
  const [loading, setLoading] = useState(false);
```

```
  const [error, setError] = useState(null);
```

```
  const [showModal, setShowModal] = useState(false);
```

```
  const [selectedItem, setSelectedItem] = useState(null);
```

```
  const [formData, setFormData] = useState({});
```

```
  const [validationErrors, setValidationErrors] = useState({});
```

```
  const loadTariffs = useCallback(async () => {
```

```
    setLoading(true);
```

```
    try {
```

```
      const response = await api.get('/admin/tariffs');
```

```
      setTariffs(response.data.data || []);
```

```
    } catch (error) {
```

```
      setError('Ошибка загрузки тарифов: ' + (error.response?.data?.message || error.message));
```

```
    } finally {
```

```
      setLoading(false);
```

```
    }
```

```
  }, []);
```

```
  useEffect(() => {
```

```
    loadTariffs();
```

```
  }, [loadTariffs]);
```

```
const deleteTariff = async (id) => {  
  
  if (window.confirm('Удалить тариф?')) {  
  
    try {  
  
      await api.delete(`/admin/tariffs/${id}`);  
  
      await loadTariffs();  
  
    } catch (error) {  
  
      setError('Ошибка удаления тарифа');  
  
    }  
  
  }  
  
};
```

```
const saveTariff = async (e) => {  
  
  e.preventDefault();  
  
  
  
  try {  
  
    await tariffValidationSchema.validate(formData, { abortEarly: false });  
  
  } catch (err) {  
  
    const errors = {};  
  
    err.inner.forEach(error => {  
  
      errors[error.path] = error.message;  
  
    });  
  
    setValidationErrors(errors);  
  
    return;  
  
  }
```

```
  try {  
  
    if (selectedItem) {  
  
      await api.put(`/admin/tariffs/${selectedItem.id}`, formData);  
  
    }  
  
  }
```

```
    } else {  
        await api.post('/admin/tariffs', formData);  
    }  
    setShowModal(false);  
    setSelectedItem(null);  
    setFormData({});  
    setValidationErrors({});  
    await loadTariffs();  
  } catch (error) {  
    setError('Ошибка сохранения тарифа');  
  }  
};
```

```
const openModal = (tariff = null) => {  
    setSelectedItem(tariff);  
    setFormData(tariff || {});  
    setValidationErrors({});  
    setShowModal(true);  
};
```

```
const closeModal = () => {  
    setShowModal(false);  
    setSelectedItem(null);  
    setFormData({});  
    setValidationErrors({});  
};
```

```
return {
```



```
    tariffs,  
  
    loading,  
  
    error,  
  
    showModal,  
  
    selectedItem,  
  
    formData,  
  
    validationErrors,  
  
    setFormData,  
  
    deleteTariff,  
  
    saveTariff,  
  
    openModal,  
  
    closeModal  
  };  
};
```

useAdminUsers.js

```
import { useState, useEffect, useCallback } from 'react';  
  
import api from '../..../api/client';  
  
import { userTypeSchema } from '../..../shared/lib/validations/panelsValidations';  
  
export const useAdminUsers = () => {  
  const [users, setUsers] = useState([]);  
  
  const [loading, setLoading] = useState(false);  
  
  const [error, setError] = useState(null);  
  
  const [searchTerm, setSearchTerm] = useState('');
```

```
const formatDate = (dateString) => {  
  if (!dateString) return '—';  
  return dateString.split('T')[0];  
};
```

```
const loadUsers = useCallback(async () => {  
  setLoading(true);  
  try {  
    const response = await api.get('/admin/users');  
    setUsers(response.data.data || []);  
  } catch (error) {  
    setError('Ошибка загрузки пользователей: ' + (error.response?.data?.message ||  
error.message));  
  } finally {  
    setLoading(false);  
  }  
}, []);
```

```
useEffect(() => {  
  loadUsers();  
}, [loadUsers]);
```

```
const changeUserType = async (userId, newType) => {  
  try {  
    await userTypeSchema.validate({ user_type: newType }, { abortEarly: false });  
    await api.put(`/admin/users/${userId}`, { user_type: newType });  
    await loadUsers();  
  } catch (err) {  
    if (err.name === 'ValidationError') {
```

```
        setError(err.errors[0]);

    } else {

        setError('Ошибка смены типа пользователя');

    }

}

};
```

```
const getFullName = (user) => {

    const profile = user.client_profile;

    if (!profile) return '—';

    const parts = [profile.last_name, profile.first_name, profile.middle_name].filter(p => p);

    return parts.length ? parts.join(' ') : '—';

};
```

```
const getUserTypeName = (user) => {

    const type = user.user_type?.name;

    if (type === 'admin') return 'Админ';

    if (type === 'agent') return 'Агент';

    if (type === 'client') return 'Клиент';

    return '—';

};
```

```
const filteredUsers = users.filter(user =>

    user.email?.toLowerCase().includes(searchTerm.toLowerCase()) ||

    user.phone?.includes(searchTerm) ||

    user.client_profile?.last_name?.toLowerCase().includes(searchTerm.toLowerCase()) ||

    user.client_profile?.first_name?.toLowerCase().includes(searchTerm.toLowerCase())

);
```

```
return {  
  users,  
  loading,  
  error,  
  searchTerm,  
  setSearchTerm,  
  loadUsers,  
  changeUserType,  
  getFullName,  
  getUserTypeName,  
  filteredUsers,  
  formatDate  
};  
};
```

useAgentAccidents.js

```
import { useState, useEffect, useCallback } from 'react';  
import api from '../..../api/client';  
  
export const useAgentAccidents = () => {  
  const [accidents, setAccidents] = useState([]);  
  const [loading, setLoading] = useState(false);  
  const [error, setError] = useState(null);  
  const [selectedItem, setSelectedItem] = useState(null);  
  const [showModal, setShowModal] = useState(false);
```

```
const formatDate = (dateString) => {  
  if (!dateString) return '—';  
  return dateString.split('T')[0];  
};
```

```
const getStatusText = (status) => {  
  const statusMap = {  
    'pending': 'На рассмотрении',  
    'approved': 'Одобрено',  
    'paid': 'Выплачено',  
    'rejected': 'Отклонено'  
  };  
  return statusMap[status] || status;  
};
```

```
const loadAccidents = useCallback(async () => {  
  setLoading(true);  
  try {  
    const response = await api.get('/agent/accidents');  
    setAccidents(response.data.data);  
  } catch (error) {  
    setError('Ошибка загрузки страховых случаев');  
  } finally {  
    setLoading(false);  
  }  
}, []);
```

```
useEffect(() => {  
    loadAccidents();  
}, [loadAccidents]);  
  
const updateAccidentStatus = async (id, status) => {  
    try {  
        await api.put(`/agent/accidents/${id}`, { status });  
        await loadAccidents();  
    } catch (error) {  
        setError('Ошибка обновления статуса');  
    }  
};
```

```
const openModal = (accident) => {  
    setSelectedItem(accident);  
    setShowModal(true);  
};
```

```
const closeModal = () => {  
    setShowModal(false);  
    setSelectedItem(null);  
};
```

```
return {  
    accidents,  
    loading,  
    error,  
    selectedItem,
```

```
    showModal,  
  
    formatDate,  
  
    getStatusText,  
  
    loadAccidents,  
  
    updateAccidentStatus,  
  
    openModal,  
  
    closeModal  
  
  };  
};
```

useAgentClients.js

```
import { useState, useEffect, useCallback } from 'react';  
  
import api from '../..../api/client';  
  
import { clientValidationSchema } from '../..../shared/lib/validations/panelsValidations';  
  
export const useAgentClients = () => {  
  const [clients, setClients] = useState([]);  
  
  const [loading, setLoading] = useState(false);  
  
  const [error, setError] = useState(null);  
  
  const [searchTerm, setSearchTerm] = useState("");  
  
  const [showModal, setShowModal] = useState(false);  
  
  const [selectedItem, setSelectedItem] = useState(null);  
  
  const [validationErrors, setValidationErrors] = useState({});  
  
  const [formData, setFormData] = useState({  
    email: "",  
  
    phone: "",
```

```
password: ",  
last_name: ",  
first_name: ",  
middle_name: ",  
birth_date: "  
});
```

```
const formatDate = (dateString) => {  
  if (!dateString) return '—';  
  return dateString.split('T')[0];  
};
```

```
const getFullName = (obj) => {  
  if (!obj) return '—';  
  if (obj.client_profile) {  
    const parts = [obj.client_profile.last_name, obj.client_profile.first_name,  
obj.client_profile.middle_name].filter(p => p);  
    return parts.length ? parts.join(' ') : '—';  
  }  
  if (obj.last_name || obj.first_name) {  
    const parts = [obj.last_name, obj.first_name, obj.middle_name].filter(p => p);  
    return parts.length ? parts.join(' ') : '—';  
  }  
  return '—';  
};
```

```
const loadClients = useCallback(async () => {  
  setLoading(true);  
  try {
```



```

    const response = await api.get('/agent/clients');

    setClients(response.data.data);

  } catch (error) {

    setError('Ошибка загрузки клиентов');

  } finally {

    setLoading(false);

  }

}, []);

```

```

useEffect(() => {

  loadClients();

}, [loadClients]);

```

```

const addClient = async (e) => {

  e.preventDefault();

  try {

    await clientValidationSchema.validate({ ...formData, password: formData.password }, {
      abortEarly: false });

  } catch (err) {

    const errors = {};

    err.inner.forEach(error => { errors[error.path] = error.message; });

    setValidationErrors(errors);

    return;

  }

  try {

    await api.post('/agent/clients', formData);

    setShowModal(false);

    setFormData({ email: "", phone: "", password: "", last_name: "", first_name: "", middle_name: "",
      birth_date: "" });
  }

```

```

        setValidationErrors({});

        await loadClients();
    } catch (error) {

        setError(error.response?.data?.message || 'Ошибка добавления клиента');

    }
};

const updateClient = async (e) => {

    e.preventDefault();

    try {

        await clientValidationSchema.omit(['password']).validate(formData, { abortEarly: false });

    } catch (err) {

        const errors = {};

        err.inner.forEach(error => { errors[error.path] = error.message; });

        setValidationErrors(errors);

        return;

    }

    try {

        await api.put(`/agent/clients/${selectedItem.id}`, formData);

        setShowModal(false);

        setSelectedItem(null);

        setFormData({});

        setValidationErrors({});

        await loadClients();

    } catch (error) {

        setError('Ошибка обновления клиента');

    }

};

```

```
const deleteClient = async (id) => {  
  if (window.confirm('Удалить клиента?')) {  
    try {  
      await api.delete(`/agent/clients/${id}`);  
      await loadClients();  
    } catch (error) {  
      setError(error.response?.data?.message || 'Ошибка удаления клиента');  
    }  
  }  
};
```

```
const handleEditClient = (client) => {  
  setSelectedItem(client);  
  setFormData({  
    email: client.email,  
    phone: client.phone,  
    last_name: client.client_profile?.last_name || "",  
    first_name: client.client_profile?.first_name || "",  
    middle_name: client.client_profile?.middle_name || "",  
    birth_date: client.client_profile?.birth_date?.split('T')[0] || client.client_profile?.birth_date || ""  
  });  
  setValidationErrors({});  
  setShowModal(true);  
};
```

```
const filteredClients = clients.filter(client =>  
  client.email?.toLowerCase().includes(searchTerm.toLowerCase()) ||
```

```
    client.phone?.includes(searchTerm) ||

    client.client_profile?.last_name?.toLowerCase().includes(searchTerm.toLowerCase()) ||

    client.client_profile?.first_name?.toLowerCase().includes(searchTerm.toLowerCase())

  );

  return {

    clients,

    loading,

    error,

    searchTerm,

    setSearchTerm,

    showModal,

    setShowModal,

    selectedItem,

    validationErrors,

    formData,

    setFormData,

    formatDate,

    getFullName,

    loadClients,

    addClient,

    updateClient,

    deleteClient,

    handleEditClient,

    filteredClients

  };

};
```

useAgentNotifications.js

```
import { useState, useEffect, useCallback } from 'react';
```

```
import api from '../..../api/client';
```

```
export const useAgentNotifications = () => {
```

```
  const [notifications, setNotifications] = useState([]);
```

```
  const [loading, setLoading] = useState(false);
```

```
  const [error, setError] = useState(null);
```

```
  const [showNotificationModal, setShowNotificationModal] = useState(false);
```

```
  const [notificationData, setNotificationData] = useState({
```

```
    client_id: '',
```

```
    message: ''
```

```
  });
```

```
  const formatDate = (dateString) => {
```

```
    if (!dateString) return '—';
```

```
    return dateString.split('T')[0];
```

```
  };
```

```
  const getFullName = (obj) => {
```

```
    if (!obj) return '—';
```

```
    if (obj.client_profile) {
```

```
      const parts = [obj.client_profile.last_name, obj.client_profile.first_name,  
obj.client_profile.middle_name].filter(p => p);
```

```
      return parts.length ? parts.join(' ') : '—';
```

```
    }
```

```
    if (obj.last_name || obj.first_name) {
```

```

    const parts = [obj.last_name, obj.first_name, obj.middle_name].filter(p => p);

    return parts.length ? parts.join(' ') : '—';

  }

  return '—';

};

```

```

const loadNotifications = useCallback(async () => {

  setLoading(true);

  try {

    const response = await api.get('/agent/notifications/all');

    const sortedData = [...response.data].sort((a, b) => a.id - b.id);

    setNotifications(sortedData);

  } catch (error) {

    setError('Ошибка загрузки уведомлений');

  } finally {

    setLoading(false);

  }

}, []);

```

```

useEffect(() => {

  loadNotifications();

}, [loadNotifications]);

```

```

const sendNotification = async (e) => {

  e.preventDefault();

  if (!notificationData.client_id) {

    setError('Выберите клиента');

    return;

  }

```

```

    }

    if (!notificationData.message.trim()) {

        setError('Введите текст уведомления');

        return;

    }

    try {

        await api.post('/notifications', {

            user_id: notificationData.client_id,

            message: notificationData.message

        });

        setShowNotificationModal(false);

        setNotificationData({ client_id: "", message: "" });

        setError(null);

        await loadNotifications();

        alert('Уведомление успешно отправлено');

    } catch (error) {

        setError(error.response?.data?.message || 'Ошибка отправки уведомления');

    }

};

```

```

const deleteNotification = async (id) => {

    if (window.confirm('Удалить уведомление?')) {

        try {

            await api.delete(`/notifications/${id}`);

            await loadNotifications();

        } catch (error) {

            setError('Ошибка удаления уведомления');

        }

    }

};

```

```

    }
};

return {
  notifications,
  loading,
  error,
  showNotificationModal,
  setShowNotificationModal,
  notificationData,
  setNotificationData,
  formatDate,
  getFullName,
  loadNotifications,
  sendNotification,
  deleteNotification
};
};

```

useAgentPolicies.js

```

import { useState, useEffect, useCallback } from 'react';

import api from '../..../api/client';

import { policyDiscountSchema, policyRenewSchema } from
'../..../shared/lib/validations/panelsValidations';

export const useAgentPolicies = () => {

  const [policies, setPolicies] = useState([]);

```



```
const [loading, setLoading] = useState(false);

const [error, setError] = useState(null);

const [statusFilter, setStatusFilter] = useState("");
```

```
const formatDate = (dateString) => {

  if (!dateString) return '—';

  return dateString.split('T')[0];

};
```

```
const getStatusText = (status) => {

  const statusMap = {

    'draft': 'Черновик', 'active': 'Активен', 'expired': 'Просрочен', 'cancelled': 'Отменён'

  };

  return statusMap[status] || status;

};
```

```
const loadPolicies = useCallback(async () => {

  setLoading(true);

  try {

    const response = await api.get('/agent/policies');

    setPolicies(response.data.data);

  } catch (error) {

    setError('Ошибка загрузки полисов');

  } finally {

    setLoading(false);

  }

}, []);
```

```
useEffect(() => {  
    loadPolicies();  
}, [loadPolicies]);
```

```
const cancelPolicy = async (id) => {  
    if (window.confirm('Отменить полис?')) {  
        try {  
            await api.post(`/agent/policies/${id}/cancel`);  
            await loadPolicies();  
        } catch (error) {  
            setError('Ошибка отмены полиса');  
        }  
    }  
};
```

```
const activatePolicy = async (id) => {  
    try {  
        await api.post(`/agent/policies/${id}/activate`);  
        await loadPolicies();  
    } catch (error) {  
        setError('Ошибка активации полиса');  
    }  
};
```

```
const renewPolicy = async (id) => {  
    const days = prompt('На сколько дней продлить полис? (1-365)', '365');  
    if (days) {  
        try {
```

```

    await policyRenewSchema.validate({ days: parseInt(days) }, { abortEarly: false });

    await api.post(`/agent/policies/${id}/renew`, { days: parseInt(days) });

    await loadPolicies();
  } catch (err) {

    if (err.name === 'ValidationError') {

      setError(err.errors[0]);

    } else {

      setError('Ошибка продления полиса');

    }

  }

};

```

```

const updatePolicyDiscount = async (id, discount) => {

  try {

    await policyDiscountSchema.validate({ discount_amount: discount }, { abortEarly: false });

    await api.put(`/agent/policies/${id}`, { discount_amount: discount });

    await loadPolicies();

  } catch (err) {

    if (err.name === 'ValidationError') {

      setError(err.errors[0]);

    } else {

      setError('Ошибка обновления скидки');

    }

  }

};

```

```

const filteredPolicies = policies.filter(policy => !statusFilter || policy.status === statusFilter);

```

```
return {  
  policies,  
  loading,  
  error,  
  statusFilter,  
  setStatusFilter,  
  formatDate,  
  getStatusText,  
  loadPolicies,  
  cancelPolicy,  
  activatePolicy,  
  renewPolicy,  
  updatePolicyDiscount,  
  filteredPolicies  
};  
};
```

useForgotPassword.js

```
import { useState } from 'react';  
import { useNavigate } from 'react-router-dom';  
import { forgotPassword, resetPassword } from '../api/auth';  
  
export const useForgotPassword = () => {  
  const navigate = useNavigate();  
  const [step, setStep] = useState(1);
```

```
const [email, setEmail] = useState("");
const [error, setError] = useState("");
const [success, setSuccess] = useState("");
const [loading, setLoading] = useState(false);

const onSendCode = async (data) => {

  setLoading(true);

  setError("");

  setSuccess("");

  try {

    const response = await forgotPassword(data.email);

    setEmail(data.email);

    setStep(2);

    setSuccess(`Код подтверждения отправлен на ${data.email}`);

  } catch (error) {

    setError(error.response?.data?.message || 'Пользователь с таким email не найден');

  } finally {

    setLoading(false);

  }

};
```

```
const onVerifyCode = async (data) => {

  setLoading(true);

  setError("");

  try {

    if (data.code !== '4444') {
```

```
        setError('Неверный код подтверждения');

        setLoading(false);

        return;
    }

    setStep(3);

    setSuccess('Код подтвержден. Введите новый пароль');
} catch (error) {

    setError('Ошибка проверки кода');

} finally {

    setLoading(false);

}

};
```

```
const onResetPassword = async (data) => {

    setLoading(true);

    setError('');

    setSuccess('');

    try {

        await resetPassword(email, '4444', data.password, data.confirmPassword);

        setSuccess('Пароль успешно изменен! Сейчас вы будете перенаправлены на страницу входа');

        setTimeout(() => {

            navigate('/SignIn');

        }, 3000);

    } catch (error) {

        setError(error.response?.data?.message || 'Ошибка при сбросе пароля');

    } finally {

        setLoading(false);

    }

}
```

```
    }  
  };  
  
  const goBack = () => {  
    setStep(1);  
    setError('');  
    setSuccess('');  
  };  
  
  return {  
    step,  
    email,  
    error,  
    success,  
    loading,  
    onSendCode,  
    onVerifyCode,  
    onResetPassword,  
    goBack  
  };  
};
```

useSignUpForm.js

```
import { useState } from 'react';  
  
import { useForm } from 'react-hook-form';  
  
import { yupResolver } from '@hookform/resolvers/yup';
```

```
import * as yup from 'yup';

import { useNavigate } from 'react-router-dom';

import { useAuth } from '../context/authContext';

import {
  personalInfoSchema,
  passportSchema,
  licenseSchema,
  passwordRules,
  isValidDateISO,
  isValidDateNotFuture
} from '../lib/validations/authValidations';

import { register as apiRegister } from '../api/auth';
```

```
// Конвертер из ДД.ММ.ГГГГ в YYYY-MM-DD
```

```
const convertToISO = (dateStr) => {
  if (!dateStr) return '';
  const parts = dateStr.split('.');
  if (parts.length !== 3) return dateStr;
  return `${parts[2]}-${parts[1]}-${parts[0]}`;
};
```

```
// Валидация формата ДД.ММ.ГГГГ (конвертируем в ISO и проверяем)
```

```
const isValidDateDDMMYYYY = (value) => {
  if (!value) return false;
  const isoDate = convertToISO(value);
  return isValidDateISO(isoDate);
};
```



```
// Проверка что дата не в будущем
```

```
const isNotFutureDate = (value) => {  
  if (!value) return false;  
  const isoDate = convertToISO(value);  
  return isValidDateNotFuture(isoDate);  
};
```

```
const step1Schema = yup.object().shape({  
  ...personalInfoSchema,  
  birthDate: yup.string()  
    .required('Дата рождения обязательна')  
    .test('valid-format', 'Дата должна быть в формате ДД.ММ.ГГГГ', isValidDateDDMMYYYYY)  
    .test('not-future', 'Дата рождения не может быть в будущем', isNotFutureDate),  
  password: yup.string()  
    .required('Пароль обязателен')  
    .min(passwordRules.min, `Пароль должен содержать минимум ${passwordRules.min}  
символов`)  
    .matches(passwordRules.hasUpperCase, 'Пароль должен содержать хотя бы одну заглавную  
букву')  
    .matches(passwordRules.hasLowerCase, 'Пароль должен содержать хотя бы одну строчную  
букву')  
    .matches(passwordRules.hasNumber, 'Пароль должен содержать хотя бы одну цифру')  
    .matches(passwordRules.hasSpecial, 'Пароль должен содержать хотя бы один спецсимвол  
(!@#$%^&*)'),  
  confirmPassword: yup.string()  
    .required('Подтверждение пароля обязательно')  
    .oneOf([yup.ref('password')], 'Пароли должны совпадать'),  
});
```

```

const step2Schema = yup.object().shape({
  ...passportSchema,
  issueDate: yup.string()
    .required('Дата выдачи обязательна')
    .test('valid-format', 'Дата должна быть в формате ДД.ММ.ГГГГ', isValidDateDDMMYYYY)
    .test('not-future', 'Дата выдачи не может быть в будущем', isNotFutureDate)
    .test('not-too-old', 'Дата выдачи не может быть раньше 1991 года', (value) => {
      if (!value) return false;
      const [day, month, year] = value.split('.').map(Number);
      return year >= 1991;
    }),
});

```

```

const step3Schema = yup.object().shape({
  ...licenseSchema,
  licenseIssueDate: yup.string()
    .required('Дата выдачи ВУ обязательна')
    .test('valid-format', 'Дата должна быть в формате ДД.ММ.ГГГГ', isValidDateDDMMYYYY)
    .test('not-future', 'Дата выдачи ВУ не может быть в будущем', isNotFutureDate),
  licenseExpiryDate: yup.string()
    .required('Дата окончания действия ВУ обязательна')
    .test('valid-format', 'Дата должна быть в формате ДД.ММ.ГГГГ', isValidDateDDMMYYYY)
    .test('after-issue', 'Дата окончания должна быть позже даты выдачи', function(value) {
      if (!value || !this.parent.licenseIssueDate) return false;
      const [expiryDay, expiryMonth, expiryYear] = value.split('.').map(Number);
      const [issueDay, issueMonth, issueYear] = this.parent.licenseIssueDate.split('.').map(Number);
      const expiry = new Date(expiryYear, expiryMonth - 1, expiryDay);

```

```
    const issue = new Date(issueYear, issueMonth - 1, issueDay);

    return expiry > issue;

  }},
});
```

```
export const useSignUpForm = () => {

  const navigate = useNavigate();

  const [step, setStep] = useState(1);

  const [step1Data, setStep1Data] = useState({});

  const [step2Data, setStep2Data] = useState({});

  const [step3Data, setStep3Data] = useState({});

  const [formErrors, setFormErrors] = useState({});

  const { login } = useAuth();

  const getSchema = () => {

    if (step === 1) return step1Schema;

    if (step === 2) return step2Schema;

    return step3Schema;

  };

}
```

```
const { register, handleSubmit, formState: { errors }, trigger, reset, getValues, setValue, clearErrors } =
useForm({

  resolver: yupResolver(getSchema()),

  mode: 'onChange',

  reValidateMode: 'onSubmit'

});
```

```
const saveCurrentStepData = () => {

  const currentValues = getValues();

}
```

```
if (step === 1) {  
    setStep1Data(currentValues);  
} else if (step === 2) {  
    setStep2Data(currentValues);  
} else if (step === 3) {  
    setStep3Data(currentValues);  
}  
};
```

```
const nextStep = async () => {  
    const fieldsToValidate = step === 1  
        ? ['surname', 'name', 'patronymic', 'birthDate', 'phone', 'email', 'password', 'confirmPassword']  
        : step === 2  
        ? ['passportSeries', 'passportNumber', 'issuedBy', 'issueDate']  
        : ['licenseSeries', 'licenseNumber', 'licenseIssuedBy', 'licenseIssueDate', 'licenseExpiryDate'];
```

```
    const isValid = await trigger(fieldsToValidate);
```

```
    if (isValid) {  
        saveCurrentStepData();  
        setStep(step + 1);  
        setFormErrors({});
```

```
        if (step === 1) {  
            if (Object.keys(step2Data).length > 0) {  
                reset({  
                    documentType: "",
```

```

        ...step2Data

    });

} else {

    reset({

        documentType: "",

        passportSeries: "",

        passportNumber: "",

        issuedBy: "",

        issueDate: ""

    });

}

} else if (step === 2) {

    if (Object.keys(step3Data).length > 0) {

        reset(step3Data);

    } else {

        reset({

            licenseSeries: "",

            licenseNumber: "",

            licenseIssuedBy: "",

            licenseIssueDate: "",

            licenseExpiryDate: ""

        });

    }

}

}

```

```

setTimeout(() => {

    clearErrors();

}, 0);

```

```
}  
};
```

```
const prevStep = () => {  
  saveCurrentStepData();  
  const prevStepNumber = step - 1;  
  setStep(prevStepNumber);  
  setFormErrors({});
```

```
  if (prevStepNumber === 1) {  
    reset(step1Data);  
  } else if (prevStepNumber === 2) {  
    reset({  
      documentType: "",  
      ...step2Data  
    });  
  } else if (prevStepNumber === 3) {  
    reset(step3Data);  
  }  
}
```

```
  setTimeout(() => {  
    clearErrors();  
  }, 0);  
};
```

```
const onSubmit = async (data) => {  
  const currentFormData = getValues();
```

```
const allData = {  
  ...step1Data,  
  ...step2Data,  
  ...step3Data,  
  ...currentFormData,  
  ...data  
};
```

```
const payloadForBackend = {  
  email: allData.email,  
  phone: allData.phone,  
  password: allData.password,  
  password_confirmation: allData.confirmPassword,  
  last_name: allData.surname,  
  first_name: allData.name,  
  middle_name: allData.patronymic || "",  
  birth_date: convertToISO(allData.birthDate),  
  passport_series: allData.passportSeries,  
  passport_number: allData.passportNumber,  
  passport_issued_by: allData.issuedBy,  
  passport_issue_date: convertToISO(allData.issueDate),  
  driver_license_series: allData.licenseSeries,  
  driver_license_number: allData.licenseNumber,  
  driver_license_issued_by: allData.licenseIssuedBy,  
  driver_license_issue_date: convertToISO(allData.licenseIssueDate),  
  driver_license_expiry_date: convertToISO(allData.licenseExpiryDate)  
};
```

```
try {

  const response = await apiRegister(payloadForBackend);

  const { token, user, profile } = response.data;

  const fullUser = {

    ...user,

    client_profile: profile

  };

  const hasPendingVehicle = localStorage.getItem('pendingVehicle');
  const hasPendingPolicy = localStorage.getItem('pendingPolicy');
  const hasPendingData = hasPendingVehicle && hasPendingPolicy;

  console.log('Registration successful, hasPendingData:', hasPendingData);
  console.log('pendingVehicle:', hasPendingVehicle);
  console.log('pendingPolicy:', hasPendingPolicy);

  login(fullUser, token);

} catch (error) {

  console.error('Registration error:', error);

  const responseData = error.response?.data || {};
  const errors = responseData.errors || {};
  const message = responseData.message || 'Ошибка регистрации';

  const newErrors = {};

  if (errors.email) {
```



```
    newErrors.email = errors.email[0];
}
if (errors.phone) {
    newErrors.phone = errors.phone[0];
}
if (errors.password) {
    newErrors.password = errors.password[0];
}
if (errors.last_name) {
    newErrors.last_name = errors.last_name[0];
}
if (errors.first_name) {
    newErrors.first_name = errors.first_name[0];
}
if (errors.middle_name) {
    newErrors.middle_name = errors.middle_name[0];
}

if (message && Object.keys(newErrors).length === 0) {
    newErrors.form = message;
}

if (message.includes('email') || message.includes('Email')) {
    newErrors.email = 'Пользователь с таким email уже существует';
    newErrors.form = null;
}

if (message.includes('phone') || message.includes('Phone')) {
```

```

        newErrors.phone = 'Пользователь с таким телефоном уже существует';

        newErrors.form = null;
    }

    setFormErrors(newErrors);

    if (newErrors.email || newErrors.phone || newErrors.password || newErrors.last_name ||
newErrors.first_name) {
        }
    }
};

return {
    step,
    register,
    handleSubmit,
    errors,
    formErrors,
    nextStep,
    prevStep,
    onSubmit
};
};

```

useProfileForm.js

```

import { useState, useEffect } from 'react';

import { useAuth } from '../context/authContext';

```

```
export const useProfileForm = () => {

  const { fullUserData, updateUserData, updateUserPassword } = useAuth();

  const [isEditing, setIsEditing] = useState(false);

  const [showPasswordModal, setShowPasswordModal] = useState(false);

  const [formData, setFormData] = useState({});

  const [passwordError, setPasswordError] = useState("");

  const [pendingChanges, setPendingChanges] = useState(null);

  const [newPassword, setNewPassword] = useState("");

  const [confirmNewPassword, setConfirmNewPassword] = useState("");


  useEffect(() => {

    if (fullUserData) {

      console.log('=== fullUserData ===');

      console.log('driver_categories:', fullUserData.driver_categories);


      setFormData({

        surname: fullUserData.surname || "",

        name: fullUserData.name || "",

        patronymic: fullUserData.patronymic || "",

        birthDate: fullUserData.birthDate || "",

        email: fullUserData.email || "",

        phone: fullUserData.phone || "",

        passportSeries: fullUserData.passportSeries || "",

        passportNumber: fullUserData.passportNumber || "",

        issuedBy: fullUserData.issuedBy || "",

        issueDate: fullUserData.issueDate || "",

        licenseSeries: fullUserData.licenseSeries || "",
```

```

        licenseNumber: fullUserData.licenseNumber || "",
        licenseIssuedBy: fullUserData.licenseIssuedBy || "",
        licenseIssueDate: fullUserData.licenseIssueDate || "",
        licenseExpiryDate: fullUserData.licenseExpiryDate || "",
        driverCategories: Array.isArray(fullUserData.driver_categories)
            ? fullUserData.driver_categories.map(cat => cat.code).join(',')
            : (fullUserData.driver_categories || ""),
        password: "",
    });
}
}, [fullUserData]);

```

```

const handleInputChange = (label, value, fieldMap) => {
    const key = fieldMap[label];
    setFormData(prev => ({...prev, [key]: value}));
};

```

```

const handleSave = () => {
    setPasswordError("");
    setNewPassword("");
    setConfirmNewPassword("");
    setPendingChanges(formData);
    setShowPasswordModal(true);
};

```

```

const validateNewPassword = (password) => {
    if (!password || password.trim() === "") {
        return null;
    }
};

```

```
}  
  
if (password.length < 8) {  
    return 'Новый пароль должен содержать минимум 8 символов';  
}  
  
if (password.length > 32) {  
    return 'Новый пароль должен содержать максимум 32 символа';  
}  
  
if (!/[A-ZА-Я]/.test(password)) {  
    return 'Новый пароль должен содержать хотя бы одну заглавную букву';  
}  
  
if (!/[a-zа-я]/.test(password)) {  
    return 'Новый пароль должен содержать хотя бы одну строчную букву';  
}  
  
if (!/[0-9]/.test(password)) {  
    return 'Новый пароль должен содержать хотя бы одну цифру';  
}  
  
return null;  
};
```

```
const confirmSave = async (enteredPassword, onSuccess) => {  
    if (!enteredPassword || enteredPassword.trim() === '') {  
        setPasswordError('Введите текущий пароль');  
        return;  
    }  
}
```

```
const newPwd = pendingChanges?.password;  
  
if (newPwd && newPwd.trim() !== '') {  
    const validationError = validateNewPassword(newPwd);
```

```
if (validationError) {  
    setPasswordError(validationError);  
    return;  
}  
  
if (newPwd === enteredPassword) {  
    setPasswordError('Новый пароль должен отличаться от текущего');  
    return;  
}  
}
```

```
try {  
    const profileData = { ...pendingChanges };  
    delete profileData.password;  
  
    await updateUserData(profileData);  
  
    if (newPwd && newPwd.trim() !== '') {  
        await updateUserPassword(enteredPassword, newPwd);  
    }  
}
```

```
setShowPasswordModal(false);  
setIsEditing(false);  
setPendingChanges(null);  
setPasswordError("");  
setNewPassword("");  
setConfirmNewPassword("");  
if (onSuccess) onSuccess();  
} catch (error) {
```

```
        setPasswordError(error.response?.data?.message || 'Ошибка при сохранении');
    }
};
```

```
const handleCancel = () => {
    setIsEditing(false);
    setFormData({
        surname: fullUserData?.surname || "",
        name: fullUserData?.name || "",
        patronymic: fullUserData?.patronymic || "",
        birthDate: fullUserData?.birthDate || "",
        email: fullUserData?.email || "",
        phone: fullUserData?.phone || "",
        passportSeries: fullUserData?.passportSeries || "",
        passportNumber: fullUserData?.passportNumber || "",
        issuedBy: fullUserData?.issuedBy || "",
        issueDate: fullUserData?.issueDate || "",
        licenseSeries: fullUserData?.licenseSeries || "",
        licenseNumber: fullUserData?.licenseNumber || "",
        licenseIssuedBy: fullUserData?.licenseIssuedBy || "",
        licenseIssueDate: fullUserData?.licenseIssueDate || "",
        licenseExpiryDate: fullUserData?.licenseExpiryDate || "",
        driverCategories: Array.isArray(fullUserData?.driver_categories)
            ? fullUserData.driver_categories.map(cat => cat.code).join(',')
            : (fullUserData?.driver_categories || ""),
        password: "",
    });
    setPendingChanges(null);
};
```

```
    setNewPassword("");  
    setConfirmNewPassword("");  
};
```

```
const handleModalClose = () => {  
    setShowPasswordModal(false);  
    setPasswordError("");  
    setPendingChanges(null);  
    setNewPassword("");  
    setConfirmNewPassword("");  
};
```

```
return {  
    isEditing,  
    setIsEditing,  
    showPasswordModal,  
    formData,  
    passwordError,  
    newPassword,  
    confirmNewPassword,  
    handleInputChange,  
    handleSave,  
    confirmSave,  
    handleCancel,  
    handleModalClose,  
    setNewPassword,  
    setConfirmNewPassword  
};
```



```
};
```

useProfilePage.js

```
import { useState, useEffect, useCallback, useRef } from 'react';
```

```
import { useLocation } from 'react-router-dom';
```

```
import { useAuth } from '../..../shared/context/authContext';
```

```
export const useProfilePage = () => {
```

```
  const location = useLocation();
```

```
  const [activeTab, setActiveTab] = useState('profile');
```

```
  const { isAuthenticated, loading, refreshUserData, refreshPolicies } = useAuth();
```

```
  const [refreshKey, setRefreshKey] = useState(0);
```

```
  const hasRefreshed = useRef(false);
```

```
  useEffect(() => {
```

```
    const params = new URLSearchParams(location.search);
```

```
    const tab = params.get('tab');
```

```
    if (tab === 'policies') {
```

```
      setActiveTab('policies');
```

```
    }
```

```
  }, [location]);
```

```
  useEffect(() => {
```

```
    if (!loading && !hasRefreshed.current) {
```

```
      hasRefreshed.current = true;
```

```
      const refreshData = async () => {
```

```
        await refreshUserData();

        await refreshPolicies();

        setRefreshKey(prev => prev + 1);

    };

    refreshData();

}

}, [loading, refreshUserData, refreshPolicies]);
```

```
const handleTabChange = useCallback(async (tab) => {
```

```
    setActiveTab(tab);
```

```
    setRefreshKey(prev => prev + 1);
```

```
    if (tab === 'profile') {
```

```
        await refreshUserData();
```

```
    }
```

```
    if (tab === 'policies') {
```

```
        await refreshPolicies();
```

```
    }
```

```
}, [refreshUserData, refreshPolicies]);
```

```
const getPanelKey = (tabName) => `${tabName}-${refreshKey}`;
```

```
return {
```

```
    activeTab,
```

```
    loading,
```

```
    isAuthenticated,
```

```
    refreshKey,
```

```
    handleTabChange,  
    getPanelKey  
  };  
};
```

useVehiclesPanel.js

```
import { useState, useEffect, useCallback } from 'react';  
  
import { getMyVehicles, createVehicle, deleteVehicle } from '../api/vehicles';  
  
import { normalizeLicensePlate, validateLicensePlate } from  
 '../shared/lib/validations/calculatorValidations';  
  
export const useVehiclesPanel = () => {  
  const [vehicles, setVehicles] = useState([]);  
  
  const [loading, setLoading] = useState(true);  
  
  const [showModal, setShowModal] = useState(false);  
  
  const [modalError, setModalError] = useState(null);  
  
  const [globalError, setGlobalError] = useState(null);  
  
  const [formData, setFormData] = useState({  
    state_number: "",  
    brand: "",  
    model: "",  
    manufacture_year: "",  
    power_hp: "",  
    category: 'B',  
    vin: "",  
    purchase_price: "",  
    has_tracker: false,
```

```

        parking_type: 'garage'
    });

const formatValidationErrors = useCallback((errors) => {
    if (typeof errors === 'object' && errors !== null) {
        const messages = [];
        const fieldNames = {
            state_number: 'Госномер',
            brand: 'Марка',
            model: 'Модель',
            manufacture_year: 'Год выпуска',
            power_hp: 'Мощность',
            category: 'Категория',
            vin: 'VIN',
            purchase_price: 'Стоимость',
            has_tracker: 'Сигнализация',
            parking_type: 'Способ парковки'
        };
        for (const [field, fieldErrors] of Object.entries(errors)) {
            const fieldName = fieldNames[field] || field;
            messages.push(`${fieldName}: ${fieldErrors.join(', ')}`);
        }
        return messages.join('; ');
    }
    return null;
}, []);

```

```

const loadVehicles = useCallback(async () => {

```

```

setLoading(true);

try {

    const response = await getMyVehicles();

    setVehicles(response.data);

} catch (error) {

    console.error('Error loading vehicles:', error);

    setGlobalError('Ошибка при загрузке автомобилей');

} finally {

    setLoading(false);

}

}, []);

```

```

useEffect(() => {

    loadVehicles();

}, [loadVehicles]);

```

```

const handleInputChange = useCallback((e) => {

    const { name, value, type, checked } = e.target;

    setFormData(prev => ({

        ...prev,

        [name]: type === 'checkbox' ? checked : value

    }));

    if (modalError) setModalError(null);

}, [modalError]);

```

```

const resetForm = useCallback(() => {

    setFormData({

        state_number: "",

```

```
    brand: "",
    model: "",
    manufacture_year: "",
    power_hp: "",
    category: 'B',
    vin: "",
    purchase_price: "",
    has_tracker: false,
    parking_type: 'garage'
  });

  setModalError(null);
}, []);
```

```
const handleSubmit = useCallback(async (e) => {
  e.preventDefault();
  setModalError(null);
```

```
  const plateError = validateLicensePlate(formData.state_number);
  if (plateError) {
    setModalError(plateError);
    return;
  }
```

```
  const normalizedPlate = normalizeLicensePlate(formData.state_number);
```

```
  try {
    await createVehicle({
      state_number: normalizedPlate,
```

```

    brand: formData.brand,

    model: formData.model,

    manufacture_year: formData.manufacture_year ? parseInt(formData.manufacture_year) : null,

    power_hp: formData.power_hp ? parseInt(formData.power_hp) : null,

    category: formData.category,

    vin: formData.vin,

    purchase_price: formData.purchase_price ? parseFloat(formData.purchase_price) : null,

    has_tracker: formData.has_tracker,

    parking_type: formData.parking_type
  });

  setShowModal(false);

  resetForm();

  await loadVehicles();
} catch (error) {

  console.error('Create vehicle error:', error);

  const responseData = error.response?.data || {};

  // Обработка ошибки дублирования госномера

  if (error.response?.status === 500 && error.response?.data?.message?.includes('Duplicate
entry')) {

    setModalError('Автомобиль с таким государственным номером уже существует');

    return;

  }

  // Обработка ошибки дублирования VIN

  if (error.response?.status === 500 &&
error.response?.data?.message?.includes('vehicles_vin_unique')) {

    setModalError('Автомобиль с таким VIN уже существует');

```

```

        return;
    }

    if (responseData.errors) {
        const errorMessage = formatValidationErrors(responseData.errors);
        setModalError(errorMessage || 'Пожалуйста, проверьте правильность заполнения полей');
    } else if (responseData.message) {
        setModalError(responseData.message);
    } else {
        setModalError('Ошибка при добавлении автомобиля. Проверьте введенные данные');
    }
}

}, [formData, formatValidationErrors, loadVehicles, resetForm]));

const handleDelete = useCallback(async (id) => {
    if (window.confirm('Вы уверены, что хотите удалить этот автомобиль?')) {
        try {
            await deleteVehicle(id);
            await loadVehicles();
            setGlobalError(null);
        } catch (error) {
            const errorMessage = error.response?.data?.message || 'Ошибка при удалении';
            if (errorMessage.includes('foreign key') || errorMessage.includes('policies')) {
                setGlobalError('Невозможно удалить автомобиль, на который оформлены полисы');
            } else {
                setGlobalError(errorMessage);
            }
        }
    }
}

```



```
    }  
  }, [loadVehicles]);  
  
  const openModal = useCallback(() => {  
    setModalError(null);  
    setShowModal(true);  
  }, []);  
  
  const closeModal = useCallback(() => {  
    setShowModal(false);  
    setModalError(null);  
  }, []);  
  
  const formatYear = useCallback((year) => {  
    return year || 'Не указан';  
  }, []);  
  
  return {  
    vehicles,  
    loading,  
    showModal,  
    modalError,  
    globalError,  
    formData,  
    vehicleCategories: ['A', 'B', 'C', 'D', 'E'],  
    parkingOptions: [  
      { value: 'garage', label: 'Гараж' },  
      { value: 'street', label: 'Улица' },  
    ],  
  };  
}
```

```
    { value: 'parking_lot', label: 'Охраняемая парковка' },  
    { value: 'other', label: 'Другое' }  
  ],  
  handleInputChange,  
  handleSubmit,  
  handleDelete,  
  openModal,  
  closeModal,  
  resetForm,  
  setFormData,  
  formatYear  
};  
};
```

authValidations.js

```
import * as yup from 'yup';
```

```
const CURRENT_DATE = new Date();
```

```
const CURRENT_YEAR = CURRENT_DATE.getFullYear();
```

```
// Общая функция валидации даты в формате YYYY-MM-DD
```

```
export const isValidDateISO = (dateString) => {
```

```
  if (!dateString) return false;
```

```
  const match = dateString.match(/^(\\d{4})-(\\d{2})-(\\d{2})$/);
```

```
  if (!match) return false;
```

```

const year = parseInt(match[1]);

const month = parseInt(match[2]);

const day = parseInt(match[3]);


if (month < 1 || month > 12) return false;

if (day < 1 || day > 31) return false;

if (year < 1900) return false;


const date = new Date(year, month - 1, day);

return date.getDate() === day &&

    date.getMonth() === month - 1 &&

    date.getFullYear() === year;

};


// Функция валидации даты с проверкой на будущее (для дат, которые не могут быть в будущем)
export const isValidDateNotFuture = (dateString) => {

    if (!isValidDateISO(dateString)) return false;

    const [year, month, day] = dateString.split('-').map(Number);

    const date = new Date(year, month - 1, day);

    return date <= CURRENT_DATE;

};


// Схема для даты с проверкой на будущее (прошлая дата)
export const pastDateSchema = (fieldName) => {

    return yup.string()

        .required(`${fieldName} обязательна`)

        .test('valid-format', 'Введите корректную дату', isValidDateISO)

        .test('not-future', `${fieldName} не может быть в будущем`, (value) => {

```

```
    if (!value) return false;

    return isValidDateNotFuture(value);

  });
};
```

// Схема для даты окончания (может быть в будущем)

```
export const futureDateSchema = (fieldName) => {

  return yup.string()

    .required(`${fieldName} обязательна`)

    .test('valid-format', 'Введите корректную дату', isValidDateISO);

};
```

// Общие правила для пароля

```
export const passwordRules = {

  min: 8,

  max: 32,

  hasUpperCase: /[A-ZА-Я]/,

  hasLowerCase: /[a-zа-я]/,

  hasNumber: /[0-9]/,

  hasSpecial: /[!@#%&*]/,

  noCyrillic: /^[a-zA-Z0-9!@#%&*]+$/

};
```

// Схема для личных данных

```
export const personalInfoSchema = {

  surname: yup.string()

    .required('Фамилия обязательна')

    .matches(/^[А-ЯЁ][а-яё]+(-[А-ЯЁ][а-яё]+)?$/, 'Фамилия должна начинаться с заглавной буквы и содержать только русские буквы')
```

```
.min(2, 'Фамилия должна содержать минимум 2 символа')
```

```
.max(50, 'Фамилия должна содержать максимум 50 символов'),
```

```
name: yup.string()
```

```
.required('Имя обязательно')
```

```
.matches(/^[А-ЯЁ][а-яё]+$/, 'Имя должно начинаться с заглавной буквы и содержать только  
русские буквы')
```

```
.min(2, 'Имя должно содержать минимум 2 символа')
```

```
.max(50, 'Имя должно содержать максимум 50 символов'),
```

```
patronymic: yup.string()
```

```
.required('Отчество обязательно')
```

```
.matches(/^[А-ЯЁ][а-яё]+$/, 'Отчество должно начинаться с заглавной буквы и содержать  
только русские буквы')
```

```
.min(2, 'Отчество должно содержать минимум 2 символа')
```

```
.max(50, 'Отчество должно содержать максимум 50 символов'),
```

```
birthDate: pastDateSchema('Дата рождения'),
```

```
phone: yup.string()
```

```
.required('Телефон обязателен')
```

```
.matches(/^[+7\d{10}$/, 'Телефон должен быть в формате +7XXXXXXXXXX (10 цифр после +7)')
```

```
.test('valid-phone', 'Введите корректный номер телефона', (value) => {
```

```
  if (!value) return false;
```

```
  const digits = value.replace(/\D/g, '');
```

```
  return digits.length === 11 && digits.startsWith('7');
```

```
}),
```

```
email: yup.string()
```

```
.required('Email обязателен')

.email('Введите корректный Email адрес (например: name@domain.ru)')

.matches(/^[a-zA-Z0-9._%+-]+@[a-zA-Z0-9.-]+\.[a-zA-Z]{2,}$/, 'Неверный формат Email')

};
```

// Схема для паспортных данных

```
export const passportSchema = {

  passportSeries: yup.string()

    .required('Серия паспорта обязательна')

    .matches(/^\d{4}$/, 'Серия паспорта должна содержать ровно 4 цифры'),

  passportNumber: yup.string()

    .required('Номер паспорта обязателен')

    .matches(/^\d{6}$/, 'Номер паспорта должен содержать ровно 6 цифр'),

  issuedBy: yup.string()

    .required('Кем выдан обязательно')

    .min(10, 'Название органа выдачи должно содержать минимум 10 символов')

    .max(200, 'Название органа выдачи должно содержать максимум 200 символов'),

  issueDate: pastDateSchema('Дата выдачи')

    .test('not-too-old', 'Дата выдачи не может быть раньше 1991 года', (value) => {

      if (!value) return false;

      const [year] = value.split('-').map(Number);

      return year >= 1991;

    })

};
```

// Схема для ВУ

```
export const licenseSchema = {
```

```
  licenseSeries: yup.string()
```

```
    .required('Серия ВУ обязательна')
```

```
    .matches(/^\d{4}$/, 'Серия ВУ должна содержать 4 цифры'),
```

```
  licenseNumber: yup.string()
```

```
    .required('Номер ВУ обязателен')
```

```
    .matches(/^\d{6}$/, 'Номер ВУ должен содержать 6 цифр'),
```

```
  licenseIssuedBy: yup.string()
```

```
    .required('Кем выдано ВУ обязательно')
```

```
    .min(10, 'Название органа выдачи должно содержать минимум 10 символов')
```

```
    .max(200, 'Название органа выдачи должно содержать максимум 200 символов'),
```

```
  licenseIssueDate: pastDateSchema('Дата выдачи ВУ'),
```

```
  licenseExpiryDate: futureDateSchema('Дата окончания действия ВУ')
```

```
    .test('after-issue', 'Дата окончания должна быть позже даты выдачи', function(value) {
```

```
      if (!value || !this.parent.licenseIssueDate) return false;
```

```
      const [issueYear, issueMonth, issueDay] = this.parent.licenseIssueDate.split('-').map(Number);
```

```
      const [expiryYear, expiryMonth, expiryDay] = value.split('-').map(Number);
```

```
      const issueDate = new Date(issueYear, issueMonth - 1, issueDay);
```

```
      const expiryDate = new Date(expiryYear, expiryMonth - 1, expiryDay);
```

```
      return expiryDate > issueDate;
```

```
    })  
  };  
  

```

calculatorValidations.js

```
// Функция нормализации госномера (замена русских букв на английские)
```

```
export const normalizeLicensePlate = (plate) => {
```

```
  if (!plate) return plate;
```

```
  const mapping = {
```

```
    'А': 'A', 'Б': 'B', 'Е': 'E', 'К': 'K', 'М': 'M',
```

```
    'Н': 'H', 'О': 'O', 'Р': 'P', 'С': 'C', 'Т': 'T',
```

```
    'У': 'Y', 'Х': 'X', 'а': 'a', 'б': 'b', 'е': 'e',
```

```
    'к': 'k', 'м': 'm', 'н': 'h', 'о': 'o', 'р': 'p',
```

```
    'с': 'c', 'т': 't', 'у': 'y', 'х': 'x'
```

```
  };  
  

```

```
  let normalized = '';
```

```
  for (let char of plate) {
```

```
    normalized += mapping[char] || char;
```

```
  }
```

```
  return normalized.toUpperCase();
```

```
};  
  

```

```
// Функция валидации госномера
```

```
export const validateLicensePlate = (plate) => {
```



```

    if (!plate) return 'Госномер обязателен';

    const pattern = /^[A-Z]{1}[0-9]{3}[A-Z]{2}[0-9]{2,3}$/;

    const normalized = normalizeLicensePlate(plate);

    if (!pattern.test(normalized)) {

        return 'Неверный формат госномера. Примеры: A123AA123 или A123AA123';

    }

    return null;

};

// Валидация для автомобиля

export const validateVehicleData = (data, policyType) => {

    const errors = {};

    // Госномер

    if (!data.stateNumber?.trim()) {

        errors.stateNumber = 'Госномер обязателен';

    } else {

        const normalized = normalizeLicensePlate(data.stateNumber);

        if (!/^[A-Z]{1}[0-9]{3}[A-Z]{2}[0-9]{2,3}$/ .test(normalized)) {

            errors.stateNumber = 'Неверный формат госномера. Примеры: A123AA123 или A123AA123';

        }

    }

    // Марка

    if (!data.brand?.trim()) {

```

```

    errors.brand = 'Марка обязательна';
} else if (data.brand.trim().length < 2) {
    errors.brand = 'Марка должна содержать минимум 2 символа';
} else if (data.brand.trim().length > 30) {
    errors.brand = 'Марка не должна превышать 30 символов';
}

// Модель
if (!data.model?.trim()) {
    errors.model = 'Модель обязательна';
} else if (data.model.trim().length < 1) {
    errors.model = 'Модель должна содержать минимум 1 символ';
} else if (data.model.trim().length > 30) {
    errors.model = 'Модель не должна превышать 30 символов';
}

// Год выпуска
if (!data.manufactureYear) {
    errors.manufactureYear = 'Год выпуска обязателен';
} else {
    const year = parseInt(data.manufactureYear);
    const currentYear = new Date().getFullYear();
    if (isNaN(year) || year < 1900 || year > currentYear) {
        errors.manufactureYear = `Год выпуска должен быть от 1900 до ${currentYear}`;
    }
}

// Мощность

```

```

if (!data.powerHp) {
    errors.powerHp = 'Мощность обязательна';
} else {
    const power = parseInt(data.powerHp);
    if (isNaN(power) || power < 1 || power > 2000) {
        errors.powerHp = 'Мощность должна быть от 1 до 2000 л.с.';
    }
}

// VIN
if (!data.vin?.trim()) {
    errors.vin = 'VIN обязателен';
} else {
    const vinClean = data.vin.trim().toUpperCase();
    if (vinClean.length !== 17) {
        errors.vin = 'VIN должен содержать ровно 17 символов';
    } else if (!/^[A-HJ-NPR-Z0-9]{17}$/i.test(vinClean)) {
        errors.vin = 'VIN может содержать только латинские буквы (кроме I,O,Q) и цифры';
    }
}

// Категория
if (!data.category) {
    errors.category = 'Выберите категорию ТС';
}

// Стоимость для КАСКО
if (policyType === 'kasko') {

```

```

    if (!data.purchasePrice) {

        errors.purchasePrice = 'Стоимость автомобиля обязательна';

    } else {

        const price = parseFloat(data.purchasePrice);

        if (isNaN(price) || price < 10000) {

            errors.purchasePrice = 'Стоимость должна быть не менее 10 000 ₽';

        }

    }

}

return errors;

};

// Валидация дат

export const validateDates = (startDate, endDate) => {

    const errors = {};

    const today = new Date();

    today.setHours(0, 0, 0, 0);

    if (!startDate) {

        errors.startDate = 'Дата начала обязательна';

    } else {

        const start = new Date(startDate);

        if (start < today) {

            errors.startDate = 'Дата начала не может быть раньше сегодняшнего дня';

        }

    }

}

```

```

if (!endDate) {

    errors.endDate = 'Дата окончания обязательна';

} else if (startDate) {

    const start = new Date(startDate);

    const end = new Date(endDate);

    if (end <= start) {

        errors.endDate = 'Дата окончания должна быть позже даты начала';

    }

    const diffTime = Math.abs(end - start);

    const diffDays = Math.ceil(diffTime / (1000 * 60 * 60 * 24));

    if (diffDays < 30) {

        errors.endDate = 'Минимальный срок страхования — 30 дней';

    }

    if (diffDays > 365) {

        errors.endDate = 'Максимальный срок страхования — 365 дней';

    }

}

return errors;

};

```

panelsValidations.js

```
import * as yup from 'yup';
```

```
export const clientValidationSchema = yup.object().shape({

    email: yup

```

```

.string()

.required('Email обязателен')

.email('Введите корректный email'),

phone: yup

.string()

.required('Телефон обязателен')

.matches(/^\+7\d{10}$/, 'Телефон должен быть в формате +7XXXXXXXXXX (10 цифр после +7)'),

password: yup

.string()

.min(8, 'Пароль должен содержать минимум 8 символов')

.matches(/[A-ZА-Я]/, 'Пароль должен содержать хотя бы одну заглавную букву')

.matches(/[a-zа-я]/, 'Пароль должен содержать хотя бы одну строчную букву')

.matches(/[0-9]/, 'Пароль должен содержать хотя бы одну цифру'),

last_name: yup

.string()

.max(30, 'Фамилия должна содержать максимум 30 символов')

.matches(/^[А-ЯЁ][а-яё]*$/, 'Фамилия должна начинаться с заглавной буквы и содержать только русские буквы'),

first_name: yup

.string()

.max(30, 'Имя должно содержать максимум 30 символов')

.matches(/^[А-ЯЁ][а-яё]*$/, 'Имя должно начинаться с заглавной буквы и содержать только русские буквы'),

middle_name: yup

.string()

.nullable()

.max(30, 'Отчество должно содержать максимум 30 символов')

.matches(/^[А-ЯЁ][а-яё]*$/, 'Отчество должно начинаться с заглавной буквы и содержать только русские буквы'),

birth_date: yup

```

```

.string()

.nullable()

.test('valid-date', 'Введите корректную дату', (value) => {

  if (!value) return true;

  const date = new Date(value);

  const today = new Date();

  const minDate = new Date('1900-01-01');

  return date <= today && date >= minDate;

})

});

export const tariffValidationSchema = yup.object().shape({

  policy_type_id: yup

    .string()

    .required('Тип полиса обязателен')

    .oneOf(['1', '2'], 'Выберите корректный тип полиса'),

  vehicle_category: yup

    .string()

    .required('Категория ТС обязательна')

    .oneOf(['A', 'B', 'C', 'D', 'E'], 'Выберите корректную категорию ТС'),

  base_rate: yup

    .number()

    .required('Базовая ставка обязательна')

    .positive('Базовая ставка должна быть положительной')

    .typeError('Введите число'),

  min_rate: yup

    .number()

    .required('Минимальная ставка обязательна')

```

```
        .positive('Минимальная ставка должна быть положительной')

        .typeError('Введите число'),

    max_rate: yup

        .number()

        .required('Максимальная ставка обязательна')

        .positive('Максимальная ставка должна быть положительной')

        .min(yup.ref('min_rate'), 'Максимальная ставка не может быть меньше минимальной')

        .typeError('Введите число'),

    calculation_method: yup

        .string()

        .required('Метод расчета обязателен')

        .oneOf(['basic', 'coefficient'], 'Выберите корректный метод расчета')

    });
```

```
export const policyDiscountSchema = yup.object().shape({

    discount_amount: yup

        .number()

        .required('Скидка обязательна')

        .integer('Скидка должна быть целым числом')

        .min(0, 'Скидка не может быть меньше 0')

        .max(100, 'Скидка не может быть больше 100')

        .typeError('Введите число')

    });
```

```
export const policyRenewSchema = yup.object().shape({

    days: yup

        .number()

        .required('Количество дней обязательно')
```



```
    .integer('Введите целое число')

    .min(1, 'Минимальное продление — 1 день')

    .max(365, 'Максимальное продление — 365 дней')

    .typeError('Введите число')

  });
```

```
export const accidentStatusSchema = yup.object().shape({

  status: yup

    .string()

    .required('Статус обязателен')

    .oneOf(['pending', 'approved', 'rejected', 'paid'], 'Выберите корректный статус')

});
```

```
export const accidentFaultSchema = yup.object().shape({

  is_client_fault: yup

    .boolean()

    .required('Укажите вину клиента')

});
```

```
export const userTypeSchema = yup.object().shape({

  user_type: yup

    .string()

    .required('Тип пользователя обязателен')

    .oneOf(['client', 'agent', 'admin'], 'Выберите корректный тип пользователя')

});
```

```
// Валидация телефона
```

```
export const validatePhone = (phone) => {
```

```
    return /^+7\d{10}$/.test(phone);

};

// Валидация ФИО
export const validateRussianName = (name) => {
    return /^[А-ЯЁ][а-яё]*$/.test(name);
};

// Валидация даты рождения
export const validateBirthDate = (dateString) => {
    if (!dateString) return true;
    const date = new Date(dateString);
    const today = new Date();
    const minDate = new Date('1900-01-01');
    return date <= today && date >= minDate;
};

// Форматирование телефона для отображения
export const formatPhoneForDisplay = (phone) => {
    if (!phone) return '';
    const cleaned = phone.replace(/\D/g, '');
    if (cleaned.length === 11 && cleaned.startsWith('7')) {
        return `+${cleaned}`;
    }
    return phone;
};

// Очистка телефона перед отправкой
```

```
export const cleanPhoneForSubmit = (phone) => {  
  if (!phone) return "";  
  const cleaned = phone.replace(/\D/g, "");  
  if (cleaned.length === 10) {  
    return `+7${cleaned}`;  
  }  
  if (cleaned.length === 11 && cleaned.startsWith('7')) {  
    return `+${cleaned}`;  
  }  
  return phone;  
};
```

// Сообщения об ошибках для форм

```
export const getValidationErrorMessage = (error) => {  
  if (!error) return null;  
  
  const messages = {  
    'email': 'Введите корректный email адрес',  
    'phone': 'Телефон должен быть в формате +7XXXXXXXXXX',  
    'password': 'Пароль должен содержать минимум 8 символов, заглавную и строчную буквы,  
цифру',  
    'last_name': 'Фамилия должна содержать только русские буквы и начинаться с заглавной',  
    'first_name': 'Имя должно содержать только русские буквы и начинаться с заглавной',  
    'base_rate': 'Базовая ставка должна быть положительным числом',  
    'min_rate': 'Минимальная ставка должна быть положительным числом',  
    'max_rate': 'Максимальная ставка должна быть больше минимальной',  
    'discount_amount': 'Скидка должна быть от 0 до 100',  
    'days': 'Количество дней должно быть от 1 до 365'  
  };  
};
```

```
for (const [field, message] of Object.entries(messages)) {  
  if (error.includes(field) || error.toLowerCase().includes(field)) {  
    return message;  
  }  
}  
  
return error;  
};
```

scrollToElement.js

```
export const scrollToElement = (elementName) => {  
  const element = document.getElementById(elementName);  
  if (element) {  
    element.scrollIntoView({ behavior: 'smooth' });  
  }  
};
```

AboutTitleBlock.jsx

```
import styles from './AboutTitleBlockStyle.module.css';  
import AboutTitle from '../assets/AboutUs/AboutTitle.webp'  
export const AboutTitleBlock = (props) => {  
  return <div className={styles.AboutTitleBlock}>
```

```
    <img src={AboutTitle} className={styles.AboutTitleBlockImg}/>

  </div>
}
```

AboutBlock.jsx

```
import styles from './AboutBlockStyle.module.css';

export const AboutBlock =(props) =>{

  const {AboutBlockH1, AboutBlockText, AboutBlockImg, isImgLeft} = props;

  return <div className={styles.AboutBlock}>

    {{{() => {

      if (isImgLeft) {

        return (

          <div className={styles.AboutBlockContainer}>

            <div className={styles.AboutBlockImgContainer}>

              <img src={AboutBlockImg} className={styles.AboutBlockImg}/>

            </div>

            <div className={styles.AboutBlockRightTextContainer}>

              <h1 className={styles.AboutBlockRightH1}>{AboutBlockH1}</h1>

              <p className={styles.AboutBlockRightText}>{AboutBlockText}</p>

            </div>

          </div>

        )
      }

    }}}

  </div>
```

```

    );
}
else {
    return (
        <div className={styles>AboutBlockContainer}>
            <div className={styles>AboutBlockTextContainer}>
                <h1 className={styles>AboutBlockH1}>{AboutBlockH1}</h1>
                <p className={styles>AboutBlockText}>{AboutBlockText}</p>
            </div>
            <div className={styles>AboutBlockImgContainer}>
                <img src={AboutBlockImg} className={styles>AboutBlockImg}/>
            </div>
        </div>
    );
}
})();

</div>
}

```

AboutMainBlock.jsx

```

import styles from './AboutMainBlockStyle.module.css';

import { AboutBlock } from './AboutBlock'

import AboutBlock1Img from "../../assets/AboutUs/AboutBlock1.webp";
import AboutBlock2Img from "../../assets/AboutUs/AboutBlock2.webp";
import AboutBlock3Img from "../../assets/AboutUs/AboutBlock3.webp";

```

```

const AboutBlockProps = [

  {id:0, AboutBlockH1:'Надёжность', AboutBlockText: 'Нашу надёжность и финансовую устойчивость
  подтверждают рейтинги ведущих рейтинговых агентств: ruAAA по шкале «Эксперт РА», AAA |ru|
  по шкале «Национального Рейтингового Агентства» и AAA.ru по шкале «Национальные Кредитные
  Рейтинги» (НКР).',

    AboutBlockImg: AboutBlock1Img, isImgLeft: false},

  {id:1, AboutBlockH1:'Забота о клиентах', AboutBlockText: 'Наша работа – ежедневная забота о вас,
  наших клиентах! Развиваем дистанционные каналы, чтобы вам было удобнее с нами. Работаем
  над тем, чтобы наши продукты создавали для вас чувство уверенности. Оперативно отвечаем во
  всех каналах коммуникации.',

    AboutBlockImg: AboutBlock2Img, isImgLeft: true},

  {id:2, AboutBlockH1:'Лицензии', AboutBlockText: 'В соответствии с Лицензиями, выданными
  Банком России 25.05.2015 без ограничения срока их действия, СИ № 1307, СЛ №1307, ОС №1307-
  03, ОС №1307-04, ОС №1307-05, ПС №1307, Компания имеет разрешение на осуществление
  практически всех видов страхования и перестрахования, разрешенные законодательством РФ',

    AboutBlockImg: AboutBlock3Img, isImgLeft: false},

];

export const AboutMainBlock =(props)=>{

  return <div className={styles.AboutMainBlock}>

    <div className={styles.AboutMainBlockH1Container}>

      <h1 className={styles.AboutMainBlockH1}>О нашей компании</h1>

    </div>

    <div className={styles.AboutMainBlockBlockContainer}>

      {AboutBlockProps.map((AboutBlockInfo,key)=><AboutBlock

        key={key}

        AboutBlockH1={AboutBlockInfo.AboutBlockH1}

        AboutBlockText={AboutBlockInfo.AboutBlockText}

```

```
        AboutBlockImg={AboutBlockInfo.AboutBlockImg}

        isImgLeft={AboutBlockInfo.isImgLeft}

    />}}

</div>

</div>

}
```

AboutUsPage.jsx

```
import styles from './aboutUsStyle.module.css'

import { Header } from '../..../shared/layouts/Header'

import { AboutTitleBlock } from '../components/AboutTitleBlock'

import { AboutMainBlock } from '../components/aboutMainBlock/AboutMainBlock'

import { Footer } from '../..../shared/layouts/Footer'

export const AboutUsPage = (props)=>{

    return <div className={styles.wrapper}>

        <Header/>

        <AboutTitleBlock/>

        <AboutMainBlock/>

        <Footer/>

    </div>

}
```


AccidentBlock.jsx

```
import styles from './AccidentBlock.module.css';

import { useAuth } from '../../shared/context/authContext';

import { useAccidentForm } from '../../shared/hooks/useAccidentForm';

import { ACCIDENT_FIELDS } from '../../shared/config/fields';

const renderField = (field, formData, handleInputChange, validationErrors) => {

  if (field.type === 'textarea') {

    return (

      <textarea

        name={field.name}

        value={formData[field.name]}

        onChange={handleInputChange}

        placeholder={field.placeholder}

        rows={field.rows}

        className={validationErrors[field.name] ? 'inputError' : ''}

      />

    );

  }

  if (field.type === 'date') {

    return (

      <input

        type="date"

        name={field.name}


```

```

        value={formData[field.name]}

        onChange={handleInputChange}

        max={new Date().toISOString().split('T')[0]}

        className={validationErrors[field.name] ? 'inputError' : ''}

      />

    );
  }

```

```

return (
  <input
    type={field.type}
    name={field.name}
    value={formData[field.name]}
    onChange={handleInputChange}
    placeholder={field.placeholder}
    min="0"
    step="0.01"
    className={validationErrors[field.name] ? 'inputError' : ''}
  />
);
};

```

```

export const AccidentBlock = () => {
  const { isAuthenticated } = useAuth();

  const {
    step,
    myVehicles,
    selectedVehicle,

```

```
    policies,
    selectedPolicy,
    isSubmitting,
    error,
    success,
    validationErrors,
    formData,
    handleSelectVehicle,
    handleSelectPolicy,
    handleInputChange,
    handleSubmit,
    handleBack
  } = useAccidentForm(isAuthenticated);

  if (!isAuthenticated) {
    window.location.href = '/SignIn';
    return null;
  }

  return (
    <div className={styles.accidentForm}>
      <div className={styles.header}>
        <h1 className={styles.title}>Заявление о страховом случае</h1>
        <p className={styles.subtitle}>Заполните форму для регистрации страхового случая</p>
      </div>

      {error && <div className={styles.error}>{error}</div>}
      {success && <div className={styles.success}>{success}</div>}
    </div>
  );
}
```

```

<div className={styles.progress}>

  <div className={` ${styles.step} ${step >= 1 ? styles.active : ''}`>1. Выбор автомобиля</div>

  <div className={` ${styles.step} ${step >= 2 ? styles.active : ''}`>2. Выбор полиса</div>

  <div className={` ${styles.step} ${step >= 3 ? styles.active : ''}`>3. Данные о
происшествии</div>

</div>

<div className={styles.content}>

  {step === 1 && (

    <div className={styles.stepContent}>

      <h2>Выберите автомобиль</h2>

      {myVehicles.length === 0 ? (

        <div className={styles.emptyMessage}>

          <p>У вас нет добавленных автомобилей</p>

          <button onClick={() => window.location.href = '/Profile?tab=vehicles'}
className={styles.addVehicleButton}>

            Добавить автомобиль

          </button>

        </div>

      ) : (

        <div className={styles.vehicleList}>

          {myVehicles.map(vehicle => (

            <div

              key={vehicle.id}

              className={` ${styles.vehicleCard} ${selectedVehicle?.id === vehicle.id ?
styles.selected : ''}`

              onClick={() => handleSelectVehicle(vehicle)}

            >

              <h4>{vehicle.brand} {vehicle.model}</h4>

```

```

        <p>Госномер: {vehicle.state_number}</p>

        <p>VIN: {vehicle.vin}</p>

        <p>Год: {vehicle.manufacture_year} | {vehicle.power_hp} л.с.</p>

    </div>

    )}

</div>

)}

</div>

)}

{step === 2 && (

    <div className={styles.stepContent}>

        <h2>Выберите активный полис</h2>

        {policies.length === 0 ? (

            <div className={styles.emptyMessage}>

                <p>У выбранного автомобиля нет активных полисов</p>

                <button onClick={handleBack} className={styles.backButton}>Выбрать другой
автомобиль</button>

            </div>

        ) : (

            <>

                <div className={styles.policyList}>

                    {policies.map(policy => (

                        <div

                            key={policy.id}

                            className={` ${styles.policyCard} ${selectedPolicy?.id === policy.id ?
styles.selected : ""}`}

                            onClick={() => handleSelectPolicy(policy)}

                        >

```

```

        <h4>Полис №{policy.policy_number}</h4>

        <p>Тип: {policy.policy_type?.name || (policy.policy_type_id === 1 ? 'ОСАГО' :
'КАСКО')}</p>

        <p>Действует до: {new Date(policy.end_date).toLocaleDateString('ru-
RU')}</p>

        </div>

    )}

</div>

<button onClick={handleBack} className={styles.backButton}>Назад</button>

</>

)}

</div>

)}

```

```

{step === 3 && selectedPolicy && (
    <div className={styles.stepContent}>
        <h2>Данные о происшествии</h2>
        <form onSubmit={handleSubmit}>
            {ACCIDENT_FIELDS.filter(field => field.name !== 'is_client_fault').map(field => (
                <div key={field.name} className={styles.formGroup}>
                    <label>{field.label}</label>

                    {renderField(field, formData, handleInputChange, validationErrors)}

                    {validationErrors[field.name] && <span
className={styles.fieldError}>{validationErrors[field.name]}</span>}

                </div>
            )}}
        </form>
    </div>
    <div className={styles.infoBlock}>
        <h4>Информация о полисе</h4>

        <p><strong>Полис:</strong> {selectedPolicy.policy_number}</p>
    </div>
)}

```

```

        <p><strong>Автомобиль:</strong> {selectedVehicle?.brand}
{selectedVehicle?.model}</p>

    </div>

    <div className={styles.buttons}>

        <button type="button" onClick={handleBack}
className={styles.backButton}>Назад</button>

        <button type="submit" disabled={isSubmitting} className={styles.submitButton}>

            {isSubmitting ? 'Отправка...' : 'Отправить заявление'}

        </button>

    </div>

</form>

</div>

    )}

</div>

</div>

);

};

```

AccidentPage.jsx

```

import styles from './accidentStyle.module.css';

import { Header } from '../../shared/layouts/Header';

import { AccidentBlock } from '../components/AccidentBlock';

import { Footer } from '../../shared/layouts/Footer';

import { useAuth } from '../../shared/context/authContext';

import { Navigate } from 'react-router-dom';

```

```

export const AccidentPage = () => {

  const { isAuthenticated, loading } = useAuth();

  if (loading) {

    return (

      <div className={styles.wrapper}>

        <Header />

        <div className={styles.loading}>Загрузка...</div>

        <Footer />

      </div>

    );

  }

  if (!isAuthenticated) {

    return <Navigate to="/SignIn" />;

  }

  return (

    <div className={styles.wrapper}>

      <Header />

      <AccidentBlock />

      <Footer />

    </div>

  );

};

```

ForgotPasswordForm.jsx


```
import { useForm } from 'react-hook-form';

import { yupResolver } from '@hookform/resolvers/yup';

import * as yup from 'yup';

import styles from './ForgotPasswordForm.module.css';

import { Link } from 'react-router-dom';

import { TextInput } from '../../shared/components/TextInput.jsx';

import { useForgotPassword } from '../../shared/hooks/auth/useForgotPassword.js';
```

```
const emailSchema = yup.object().shape({

  email: yup

    .string()

    .required('Email обязателен')

    .email('Введите корректный email')

});
```

```
const codeSchema = yup.object().shape({

  code: yup

    .string()

    .required('Введите код подтверждения')

    .length(4, 'Код должен состоять из 4 цифр')

    .matches(/^\d+$/, 'Код должен содержать только цифры')

});
```

```
const resetSchema = yup.object().shape({

  password: yup

    .string()

    .required('Пароль обязателен')
```

```
        .min(8, 'Пароль должен содержать минимум 8 символов'),  
    confirmPassword: yup  
        .string()  
        .required('Подтвердите пароль')  
        .oneOf([yup.ref('password')], 'Пароли должны совпадать')  
    });
```

```
export const ForgotPasswordForm = () => {
```

```
    const {  
        step,  
        email,  
        error,  
        success,  
        loading,  
        onSendCode,  
        onVerifyCode,  
        onResetPassword,  
        goBack  
    } = useForgotPassword();
```

```
    const { register: registerEmail, handleSubmit: handleSubmitEmail, formState: { errors: emailErrors } } =  
    useForm({  
        resolver: yupResolver(emailSchema),  
        mode: 'onChange'  
    });
```

```
    const { register: registerCode, handleSubmit: handleSubmitCode, formState: { errors: codeErrors } } =  
    useForm({  
        resolver: yupResolver(codeSchema),
```

```
mode: 'onChange'

});
```

```
const { register: registerReset, handleSubmit: handleSubmitReset, formState: { errors: resetErrors } } =
useForm({

  resolver: yupResolver(resetSchema),

  mode: 'onChange'

});
```

```
return (

  <div className={styles.forgotPasswordForm}>

    <div className={styles.card}>

      <h1 className={styles.title}>

        {step === 1 && 'Восстановление пароля'}

        {step === 2 && 'Подтверждение кода'}

        {step === 3 && 'Новый пароль'}

      </h1>

      {step === 1 && (

        <form onSubmit={handleSubmitEmail(onSendCode)}>

          <p className={styles.description}>

            Введите ваш email, и мы отправим код для восстановления пароля

          </p>

          <div className={styles.formGroup}>

            <label>Email</label>

            <TextInput

              className={styles.input}

              placeholder="Введите ваш email"

            >
```

```

        type="email"

        register={registerEmail('email')}

        error={emailErrors.email}

        errorClassName={styles.errorMessage}

    />
</div>

{error && <div className={styles.error}>{error}</div>}

{success && <div className={styles.success}>{success}</div>}

<button

    type="submit"

    className={styles.submitButton}

    disabled={loading}

>

    {loading ? 'Отправка...' : 'Отправить код'}

</button>

<div className={styles.links}>

    <Link to="/SignIn" className={styles.link}>

        Вернуться ко входу

    </Link>

</div>

</form>

)}

{step === 2 && (

    <form onSubmit={handleSubmitCode(onVerifyCode)}>

```

```
<p className={styles.description}>
  Введите код, отправленный на {email}
  <br />
  <span className={styles.demoHint}>(Для демонстрации используйте код:
4444)</span>
</p>
```

```
<div className={styles.formGroup}>
  <label>Код подтверждения</label>
  <TextInput
    className={styles.input}
    placeholder="Введите 4-значный код"
    type="text"
    register={registerCode('code')}
    error={codeErrors.code}
    errorClassName={styles.errorMessage}
  />
</div>
```

```
{error && <div className={styles.error}>{error}</div>}
{success && <div className={styles.success}>{success}</div>}
```

```
<button
  type="submit"
  className={styles.submitButton}
  disabled={loading}
>
  {loading ? 'Проверка...' : 'Подтвердить код'}
</button>
```

```
<div className={styles.links}>

  <button

    type="button"

    onClick={goBack}

    className={styles.linkButton}

  >

    Назад

  </button>

</div>

</form>

})
```

```
{step === 3 && (

  <form onSubmit={handleSubmitReset(onResetPassword)}>

    <p className={styles.description}>

      Придумайте новый надежный пароль

    </p>


```

```
<div className={styles.formGroup}>

  <label>Новый пароль</label>

  <TextInput

    className={styles.input}

    placeholder="Введите новый пароль"

    type="password"

    register={registerReset('password')}

    error={resetErrors.password}

    errorClassName={styles.errorMessage}


```

```
    />
  </div>
```

```
<div className={styles.formGroup}>
  <label>Подтверждение пароля</label>
  <TextInput
    className={styles.input}
    placeholder="Подтвердите новый пароль"
    type="password"
    register={registerReset('confirmPassword')}
    error={resetErrors.confirmPassword}
    errorClassName={styles.errorMessage}
  />
</div>
```

```
{error && <div className={styles.error}>{error}</div>}
{success && <div className={styles.success}>{success}</div>}
```

```
<button
  type="submit"
  className={styles.submitButton}
  disabled={loading}
>
  {loading ? 'Сохранение...' : 'Сохранить пароль'}
</button>
```

```
<div className={styles.links}>
  <Link to="/SignIn" className={styles.link}>
```

```
                Вернуться ко входу
            </Link>
        </div>
    </form>
  )}
</div>
</div>
);
};
```

SignInForm.jsx

```
import { useForm } from 'react-hook-form';
import { yupResolver } from '@hookform/resolvers/yup';
import * as yup from 'yup';
import { useState, useEffect } from 'react';
import styles from './SignInFormStyle.module.css';
import { useNavigate } from 'react-router-dom';
import { useAuth } from '../../shared/context/authContext.js';
import { TextInput } from '../../shared/components/TextInput.jsx';
import { AuthCheckBox } from '../../shared/components/auth/AuthCheckBox';
import { login as apiLogin } from '../../api/auth';
import { Link } from 'react-router-dom';

const signInSchema = yup.object().shape({
  email: yup
    .string()
```



```
.required('Email обязателен для заполнения')

.email('Введите корректный email адрес'),

password: yup

.string()

.required('Пароль обязателен для заполнения')

.min(8, 'Пароль должен содержать минимум 8 символов'),

rememberMe: yup.boolean().default(false)

});
```

```
export const SignInForm = () => {

  const navigate = useNavigate();

  const { login } = useAuth();

  const [error, setError] = useState("");

  const [loading, setLoading] = useState(false);

  const { register, handleSubmit, formState: { errors }, setValue } = useForm({

    resolver: yupResolver(signInSchema),

    mode: 'onChange'

  });
```

```
useEffect(() => {

  const savedEmail = localStorage.getItem('savedEmail');

  const savedPassword = localStorage.getItem('savedPassword');

  if (savedEmail && savedPassword) {

    setValue('email', savedEmail);

    setValue('password', savedPassword);

    setValue('rememberMe', true);
```

```

    }
  }, [setValue]);

const onSubmit = async (data) => {
  setLoading(true);
  setError('');

  try {
    const response = await apiLogin(data.email, data.password);
    const { token, user } = response.data;

    if (data.rememberMe) {
      localStorage.setItem('savedEmail', data.email);
      localStorage.setItem('savedPassword', data.password);
    } else {
      localStorage.removeItem('savedEmail');
      localStorage.removeItem('savedPassword');
    }

    login(user, token);

  } catch (error) {
    const message = error.response?.data?.message || 'Неверный email или пароль';
    setError(message);
  } finally {
    setLoading(false);
  }
};

```

```
const TextInputProps = [  
  {  
    id: 0,  
    className: styles.SignInFormFormInput,  
    placeholder: "Email",  
    type: "email",  
    register: register('email'),  
    error: errors.email,  
    errorClassName: styles.errorMessage  
  },  
  {  
    id: 1,  
    className: styles.SignInFormFormInput,  
    placeholder: "Пароль",  
    type: "password",  
    register: register('password'),  
    error: errors.password,  
    errorClassName: styles.errorMessage  
  },  
];
```

```
return (  
  <div className={styles.SignInForm}>  
    <form  
      className={styles.SignInFormForm}  
      onSubmit={handleSubmit(onSubmit)}  
    >
```

```
<h1 className={styles.SignInFormH1}>Вход в аккаунт</h1>
```

```
{error && <div className={styles.errorMessage}>{error}</div>}
```

```
{TextInputProps.map((TextInputInfo, key) => (
```

```
  <TextInput
```

```
    key={key}
```

```
    className={TextInputInfo.className}
```

```
    placeholder={TextInputInfo.placeholder}
```

```
    type={TextInputInfo.type}
```

```
    register={TextInputInfo.register}
```

```
    error={TextInputInfo.error}
```

```
    errorClassName={TextInputInfo.errorClassName}
```

```
  />
```

```
  )}
```

```
<div className={styles.SignInFormFormContainer}>
```

```
  <AuthCheckBox
```

```
    id="RememberMeCheckBox"
```

```
    register={register('rememberMe')}
```

```
    labelText='Запомнить меня'
```

```
  />
```

```
  <button className={styles.SignInFormFormForgotPasswordButton}>
```

```
    <Link to="/ForgotPassword"
```

```
    className={styles.SignInFormFormForgotPasswordLink}>Забыли пароль?</Link>
```

```
  </button>
```

```
</div>
```

```

        <button
          type="submit"
          className={styles.SignInFormFormButton}
          disabled={loading}
        >
          {loading ? 'Вход...' : 'Войти'}
        </button>

      </form>
    </div>

  );
};

```

SignUpForm.jsx

```

import React from 'react';

import styles from './SignUpFormStyle.module.css';

import { TextInput } from '../../shared/components/TextInput.jsx';

import {
  SIGNUP_STEP1_FIELDS,
  SIGNUP_STEP2_FIELDS,
  SIGNUP_STEP3_FIELDS,
  SIGNUP_STEP_TITLES
} from '../../shared/config/fields';

import { useSignUpForm } from '../../shared/hooks/auth/useSignUpForm.js';

export const SignUpForm = () => {

```

```
const {  
  step,  
  register,  
  handleSubmit,  
  errors,  
  formErrors,  
  nextStep,  
  prevStep,  
  onSubmit  
} = useSignUpForm();
```

```
const getCurrentFields = () => {  
  if (step === 1) return SIGNUP_STEP1_FIELDS;  
  if (step === 2) return SIGNUP_STEP2_FIELDS;  
  return SIGNUP_STEP3_FIELDS;  
};
```

```
const getFieldError = (fieldName) => {  
  if (step === 3) {  
    if (fieldName === 'email' && formErrors.email) {  
      return formErrors.email;  
    }  
    if (fieldName === 'phone' && formErrors.phone) {  
      return formErrors.phone;  
    }  
  }  
  return null;  
};
```

```
return (  
  <div className={styles.SignUpForm}>  
    <div className={styles.stepIndicator}>  
      Шаг {step} из 3  
    </div>  
  
    <form className={styles.SignUpFormForm} onSubmit={handleSubmit(onSubmit)}>  
      <h1 className={styles.SignInFormH1}>  
        {SIGNUP_STEP_TITLES[step]}  
      </h1>  
  
      {formErrors.form && (  
        <div className={styles.formError}>  
          {formErrors.form}  
        </div>  
      )}  
  
      {step === 3 && (  
        <div className={styles.apiErrors}>  
          {formErrors.email && (  
            <div className={styles.fieldError}>  
              {formErrors.email}  
            </div>  
          )}  
  
          {formErrors.phone && (  
            <div className={styles.fieldError}>  
              {formErrors.phone}
```

```

        </div>

    })

</div>

})

{getCurrentFields().map((field) => {

    const apiError = getFieldNameError(field.name);

    return (

        <TextInput

            key={field.id}

            className={styles.SignUpFormFormInput}

            placeholder={field.placeholder}

            type={field.type}

            register={register(field.name)}

            error={errors[field.name] || apiError}

            errorClassName={styles.errorMessage}

            options={field.options}

        />

    );

    })}

```

```

<div className={styles.buttonContainer}>

    {step > 1 && (

        <button

            type="button"

            onClick={prevStep}

            className={styles.secondaryButton}

```



```
>
    Назад
</button>
}}

{step < 3 ? (
    <button
        type="button"
        onClick={nextStep}
        className={styles.primaryButton}
    >
        Следующий шаг
    </button>
) : (
    <button
        type="submit"
        className={styles.primaryButton}
    >
        Зарегистрироваться
    </button>
)}
</div>
```

```
<p className={styles.SignUpFormFormText}>
```

Создавая аккаунт, вы соглашаетесь с нашей Политикой конфиденциальности и
Условиями использования

```
</p>
```

```
</form>
```

```
</div>
```

```
);  
};
```

ForgotPasswordPage.jsx

```
import styles from './forgotPasswordStyle.module.css';  
  
import { ForgotPasswordForm } from '../components/forgotPassword/ForgotPasswordForm';  
  
import { AuthHeader } from '../../shared/layouts/auth/AuthHeader'  
  
import { SideBackground } from '../../shared/layouts/SideBackground'  
  
export const ForgotPasswordPage = () => {  
  return <div className={styles.wrapper}>  
  
    <div className={styles.main}>  
      <AuthHeader isSignUp={false}/>  
      <ForgotPasswordForm />  
    </div>  
  
    <div className={styles.SideBackgroundContainer}>  
      <SideBackground isDark={true}/>  
    </div>  
  
  </div>  
};
```

SignInPage.jsx

```
import styles from './signInStyle.module.css'

import { AuthHeader } from '../../shared/layouts/auth/AuthHeader'

import { SignInForm } from '../../components/signIn/SignInForm'

import { SideBackground } from '../../shared/layouts/SideBackground'

export const SignInPage = (props) => {

  return <div className={styles.wrapper}>

    <div className={styles.main}>

      <AuthHeader isSignUp={false}/>

      <SignInForm/>

    </div>

    <div className={styles.SideBackgroundContainer}>

      <SideBackground isDark={true}/>

    </div>

  </div>

}
```

SignUpPage.jsx

```
import styles from './signUpStyle.module.css'

import { AuthHeader } from '../../shared/layouts/auth/AuthHeader'

import { SignUpForm } from '../../components/signUp/SignUpForm'
```

```
import { SideBackground } from '../..../shared/layouts/SideBackground'
```

```
export const SignUpPage = (props)=>{
```

```
  return <div className={styles.wrapper}>
```

```
    <div className={styles.main}>
```

```
      <AuthHeader isSignUp={true}/>
```

```
      <SignUpForm/>
```

```
    </div>
```

```
    <div className={styles.SideBackgroundContainer}>
```

```
      <SideBackground isDark={true}/>
```

```
    </div>
```

```
  </div>
```

```
}
```

CalculatorBlock.jsx

```
import styles from './CalculatorBlock.module.css';
```

```
import { useAuth } from '../..../shared/context/authContext';
```

```
import { useCalculatorForm } from '../..../shared/hooks/useCalculatorForm';
```

```
import {
```

```
  CALCULATOR_DATE_FIELDS,
```

```
  NEW_VEHICLE_FIELDS,
```

```
  VEHICLE_CATEGORIES
```

```
} from '../..../shared/config/fields';
```

```

export const CalculatorBlock = () => {

  const { isAuthenticated, addPolicy, refreshPolicies, profileData } = useAuth();

  const form = useCalculatorForm(isAuthenticated, profileData, addPolicy, refreshPolicies);

  const renderDateField = (field) => {

    const value = form.getCurrentData()[field.name] || '';

    return (

      <input type={field.type} name={field.name} value={value} onChange={form.handleInputChange}
      className={form.errors[field.name] ? styles.error : ''} />

    );

  };

  return (

    <div className={styles.calculator}>

      <div className={styles.header}>

        <h1>Калькулятор страховки</h1>

        <div className={styles.tabs}>

          <button className={` ${styles.tab} ${form.policyType === 'osago' ? styles.active : ''}`}
          onClick={() => form.handlePolicyTypeChange('osago')}>ОСАГО</button>

          <button className={` ${styles.tab} ${form.policyType === 'kasko' ? styles.active : ''}`}
          onClick={() => form.handlePolicyTypeChange('kasko')}>КАСКО</button>

        </div>

      </div>

      {form.error && <div className={styles.errorMessage}>{form.error}</div>}

      <div className={styles.progress}>

        <div className={` ${styles.step} ${form.step >= 1 ? styles.active : ''}`} onClick={() =>
        form.goToStep(1)}>1. Автомобиль</div>

```

```
    <div className={` ${styles.step} ${form.step >= 2 ? styles.active : ''}`} onClick={() =>
form.goToStep(2)}>2. Срок</div>
```

```
    <div className={` ${styles.step} ${form.step >= 3 ? styles.active : ''}`} onClick={() =>
form.goToStep(3)}>3. Результат</div>
```

```
</div>
```

```
<div className={styles.content}>
```

```
  {form.step === 1 && (
```

```
    <div className={styles.stepContent}>
```

```
      <h2>Выберите автомобиль</h2>
```

```
    <div className={styles.vehicleSelector}>
```

```
      {form.myVehicles.length > 0 ? (
```

```
        <>
```

```
        <div className={styles.vehicleList}>
```

```
          {form.myVehicles.map(vehicle => (
```

```
            <div
```

```
              key={vehicle.id}
```

```
              className={` ${styles.vehicleCard} ${form.selectedVehicle?.id === vehicle.id ?
styles.selected : ''}`}
```

```
              onClick={() => form.handleSelectVehicle(vehicle)}
```

```
            >
```

```
              <h4>{vehicle.brand} {vehicle.model}</h4>
```

```
              <p>Госномер: {vehicle.state_number}</p>
```

```
              <p>VIN: {vehicle.vin}</p>
```

```
              <p>Год: {vehicle.manufacture_year} | {vehicle.power_hp} л.с.</p>
```

```
              {vehicle.purchase_price && <p>Стоимость:
{vehicle.purchase_price.toLocaleString()} ₺</p>}
```

```
              {vehicle.has_tracker && <p>Спутниковая сигнализация</p>}
```

```
            </div>
```

```

    )))

  </div>

  <button onClick={() => form.setShowVehicleModal(true)}
className={styles.addVehicleButton}>

    + Добавить новый автомобиль

  </button>

</>

): (

  <div className={styles.emptyVehicles}>

    <p>У вас нет добавленных автомобилей</p>

    <button onClick={() => form.setShowVehicleModal(true)}
className={styles.addVehicleButton}>

      + Добавить автомобиль

    </button>

  </div>

  </div>

  <button onClick={form.nextStep} className={styles.nextButton}>Далее</button>

</div>

)}

{form.step === 2 && (

  <div className={styles.stepContent}>

    <h2>Срок страхования</h2>

    <div className={styles.row}>

      {CALCULATOR_DATE_FIELDS.map(field => (

        <div key={field.name} className={styles.formGroup}>

          <label>{field.label}</label>

```

```

        {renderDateField(field)}

        {form.errors[field.name] && <span
className={styles.errorMessage}>{form.errors[field.name]}</span>}

    </div>

    )}

</div>

<div className={styles.buttons}>

    <button onClick={form.prevStep} className={styles.prevButton}>Назад</button>

    <button onClick={form.nextStep} disabled={form.isCalculating}
className={styles.calculateButton}>

        {form.isCalculating ? 'Расчет...' : 'Рассчитать'}

    </button>

</div>

</div>

)}

```

```

{form.step === 3 && form.getCurrentData().calculatedPrice && (

    <div className={styles.stepContent}>

        <h2>Результат расчёта</h2>

        <div className={styles.result}>

            <div className={styles.price}>

                <span>Стоимость полиса:</span>

                <strong>{form.getCurrentData().calculatedPrice.toLocaleString()} Р</strong>

            </div>

            <div className={styles.info}>

                <p>В стоимость включено:</p>

                <ul>

                    <li>Страхование гражданской ответственности</li>

                    {form.policyType === 'kasko' && <li>Страхование от угона и ущерба</li>}

                </ul>

            </div>

        </div>

    )}

```



```

        onChange={(e) => form.setNewVehicleData({...form.newVehicleData,
[field.name]: e.target.value})}

        required={field.required}
    >

    {options.map(opt => typeof opt === 'object'

        ? <option key={opt.value} value={opt.value}>{opt.label}</option>

        : <option key={opt} value={opt}>{opt}</option>

    )}

    </select>

</div>

);
}

if (field.type === 'checkbox') {
    return (
        <div key={field.name} className={styles.checkboxGroup}>

            <label>

                <input

                    type="checkbox"

                    name={field.name}

                    checked={form.newVehicleData[field.name]}

                    onChange={(e) => form.setNewVehicleData({...form.newVehicleData,
[field.name]: e.target.checked})}

                />

                {field.label}

            </label>

        </div>

    );
}

return (

```

```

        <div key={field.name} className={styles.formGroup}>

            <label>{field.label}</label>

            <input

                type={field.type}

                name={field.name}

                value={form.newVehicleData[field.name]}

                onChange={(e) => form.setNewVehicleData({...form.newVehicleData,
[field.name]: e.target.value})}

                placeholder={field.placeholder}

                required={field.required}

            />

        </div>

    );

    }}}

    <div className={styles.modalButtons}>

        <button type="button" onClick={() =>
form.setShowVehicleModal(false)}>Отмена</button>

        <button type="submit">Добавить</button>

    </div>

</form>

</div>

</div>

    )}

</div>

);

};

```

```

import styles from './calculatorStyle.module.css'

import { Header } from '../../shared/layouts/Header'

import { CalculatorBlock } from '../components/CalculatorBlock'

import { Footer } from '../../shared/layouts/Footer'

export const CalculatorPage= (props)=>{

  return <div className={styles.wrapper}>

    <Header/>

    <CalculatorBlock />

    <Footer/>

  </div>
}

```

AboutBlock.jsx

```

import AboutBlockImg from "../../assets/Home/AboutBlock.webp";

import styles from './AboutBlockStyle.module.css';

import { Link } from 'react-router-dom';

export const AboutBlock =(props)=>{

  return <div className={styles.AboutBlock}>

    <div className={styles.AboutBlockContainer}>

```

```
<h1 className={styles>AboutBlockH1}>Будьте уверенными в завтрашнем дне</h1>
```

```
<p className={styles>AboutBlockText}>Юристы компании «Юридическое Бюро 812» уже  
долгие годы ведут успешную практику в предоставлении услуг
```

```
физическим и юридическим лицам в различных правовых сферах, решая вопросы любой  
сложности. </p>
```

```
<Link to="/AboutUs" className={styles>AboutBlockLink}>
```

```
<button className={styles>AboutBlockButton}>Подробнее</button>
```

```
</Link>
```

```
</div>
```

```
<img src={AboutBlockImg} className={styles>AboutBlockImg}/>
```

```
</div>
```

```
}
```

TitleBlock.jsx

```
import TitleBlockImg from "../../assets/Home/TitleBlock.webp";
```

```
import ArrowImg from "../../assets/Home/Arrow.webp";
```

```
import styles from './TitleBlockStyle.module.css';
```

```
import { Link } from 'react-router-dom';
```

```
export const TitleBlock =(props)=>{
```

```
  return <div className={styles.TitleBlock}>
```

```
<img src={TitleBlockImg} className={styles.TitleBlockImg}/>

<div className={styles.TitleBlockContainer}>

  <h1 className={styles.TitleBlockH1}>Страхование и защита вашего автомобиля</h1>

  <p className={styles.TitleBlockText}>ОСАГО и КАСКО — полная страховка на любой
случай</p>

  <Link to="/Calculator" className={styles.TitleBlockLink}>

    <button className={styles.TitleBlockButton}>

      <p className={styles.TitleBlockButtonText}>Застраховать</p>

      <img src={ArrowImg} className={styles.TitleBlockButtonImg}/>

    </button>

  </Link>

</div>

</div>

}
```

CatalogBlock.jsx

```
import styles from './CatalogBlockStyle.module.css';

import { CatalogCard } from './CatalogCard'
```

```
const CatalogBlockCardProps = [

  {id:0, CatalogBlockCardH1:'ОСАГО', CatalogBlockCardText: 'Обязательное страхование
автогражданской ответственности.\nОбеспечивает возмещение ущерба потерпевшим при ДТП.
\nРасчёт стоимости производится с учётом индивидуальных параметров страхователя.\n Полис
придёт на электронную почту сразу после оплаты.', CatalogBlockCardPrice: '2890 ₽'},

  {id:1, CatalogBlockCardH1:'КАСКО', CatalogBlockCardText: 'Добровольное страхование
транспортного средства от ущерба и угона.\nЗащищает автомобиль при ДТП, пожаре, стихийных
бедствиях и действиях третьих лиц.\nРемонт на официальных дилерских СТО за счёт страховой
компании.\nПолис придёт на электронную почту сразу после оплаты.', CatalogBlockCardPrice: '2890
₽'},

];
```

```
export const CatalogBlock =(props)=>{

  return <div className={styles.CatalogBlock}>

    <div className={styles.CatalogBlockHead}>

      <h1 className={styles.CatalogBlockHeadH1}>Выберите продукт</h1>

      <p className={styles.CatalogBlockHeadText}>Оформление ОСАГО и КАСКО онлайн — быстро,
выгодно, надёжно</p>

    </div>

    <div className={styles.CatalogBlockContainer}>

      {CatalogBlockCardProps.map((CatalogBlockCardInfo,key)=><CatalogCard

        key={key}

        CatalogBlockCardH1={CatalogBlockCardInfo.CatalogBlockCardH1}

        CatalogBlockCardText={CatalogBlockCardInfo.CatalogBlockCardText}

        CatalogBlockCardPrice={CatalogBlockCardInfo.CatalogBlockCardPrice}

        />)}

    </div>
```

```
    </div>
  }
}
```

CatalogCard.jsx

```
import styles from './CatalogCardStyle.module.css';

import { Link } from 'react-router-dom';

export const CatalogCard = (props) => {

  const { CatalogBlockCardH1, CatalogBlockCardText, CatalogBlockCardPrice } = props;

  const textLines = CatalogBlockCardText.split("\n").filter(line => line.trim() !== "");

  return (

    <div className={styles.CatalogBlockCard}>

      <div className={styles.CatalogBlockCardH1Container}>

        <h1 className={styles.CatalogBlockCardH1}>{CatalogBlockCardH1}</h1>

      </div>

      <div className={styles.CatalogBlockCardTextContainer}>

        <ul className={styles.CatalogBlockCardList}>

          {textLines.map((line, index) => (

            <li key={index} className={styles.CatalogBlockCardListItem}>

              {line}

            </li>

          ))}

        </ul>

      </div>

    </div>

  )
}
```



```

    <div className={styles.CatalogBlockCardPriceContainer}>

      <p className={styles.CatalogBlockCardText}>от </p>

      <p className={styles.CatalogBlockCardTextInPrice}>{CatalogBlockCardPrice}</p>

    </div>

    <div className={styles.CatalogBlockCardButtonContainer}>

      <Link to="/Calculator" className={styles.CatalogBlockCardContainerLink}>

        <button className={styles.CatalogBlockCardButton}>Заказать</button>

      </Link>

    </div>

  </div>

);

};

```

WhyUsBlock.jsx

```

import styles from './WhyUsBlockStyle.module.css';

import { WhyUsBlockCard } from './WhyUsBlockCard'

const WhyUsBlockCardProps = [

  {id:0, WhyUsBlockCardH1:'Помощь при ДТП', WhyUsBlockCardText: 'Если у вас случилось ДТП - просто позвоните нам и мы подскажем порядок действий'},

  {id:1, WhyUsBlockCardH1:'Юридическое сопровождение', WhyUsBlockCardText: 'Представительство в суде, юридические консультации даже по самым сложным вопросам'},

  {id:2, WhyUsBlockCardH1:'Скидки постоянным клиентам', WhyUsBlockCardText: 'Накопительная система скидок. Получите выгоду до 80%'},

  {id:3, WhyUsBlockCardH1:'Доставка полиса на дом', WhyUsBlockCardText: 'Доставим полис на дом в любое удобное для вас время'}

```

```
];
```

```
export const WhyUsBlock =(props)=>{
```

```
  return <div className={styles.WhyUsBlock}>
```

```
    <div className={styles.WhyUsBlockHeader}>
```

```
      <h1 className={styles.WhyUsBlockHeaderH1}>Почему доверяют</h1>
```

```
      <p className={styles.WhyUsBlockHeaderText}>Более</p>
```

```
      <p className={styles.WhyUsBlockHeaderTextInText}>10 000</p>
```

```
      <p className={styles.WhyUsBlockHeaderText}>клиентов доверили нашему агентству  
страхование транспортных средств</p>
```

```
    </div>
```

```
    <div className={styles.WhyUsBlockContainer}>
```

```
      {WhyUsBlockCardProps.map((WhyUsBlockCardInfo,key)=><WhyUsBlockCard
```

```
        key={key}
```

```
        WhyUsBlockCardH1={WhyUsBlockCardInfo.WhyUsBlockCardH1}
```

```
        WhyUsBlockCardText={WhyUsBlockCardInfo.WhyUsBlockCardText}
```

```
      />)}</div>
```

```
    </div>
```

```
  </div>
```

```
}
```

WhyUsBlockCard.jsx

```

import ProcentImg from "../../assets/Home/Procent.webp";

import styles from './WhyUsBlockCardStyle.module.css';

export const WhyUsBlockCard =(props)=>{

  const {WhyUsBlockCardH1, WhyUsBlockCardText} = props

  return <div className={styles.WhyUsBlockCard}>

    <img src={ProcentImg} className={styles.WhyUsBlockCardImg}/>

    <h1 className={styles.WhyUsBlockCardH1}>{WhyUsBlockCardH1}</h1>

    <p className={styles.WhyUsBlockCardText}>{WhyUsBlockCardText}</p>


  </div>
}

```

HomePage.jsx

```

import styles from './homeStyle.module.css'

import { Header } from '../../shared/layouts/Header'

import { TitleBlock } from '../components/TitleBlock'

import { AboutBlock } from '../components/AboutBlock'

import { CatalogBlock } from '../components/catalogBlock/CatalogBlock'

import { WhyUsBlock } from '../components/whyUsBlock/WhyUsBlock'

import { Footer } from '../../shared/layouts/Footer'

export const HomePage = (props)=>{

  return <div className={styles.wrapper}>

```

```
<Header/>

<TitleBlock/>

<AboutBlock/>

<CatalogBlock/>

<WhyUsBlock/>

<Footer/>

</div>

}
```

AdminPanel.jsx

```
import React, { useState } from 'react';

import styles from './Panels.module.css';

import { useAuth } from '../../shared/context/authContext';

import usersIcon from '../../assets/Panels/Profile.webp';

import tariffsIcon from '../../assets/Panels/Tarif.webp';

import policiesIcon from '../../assets/Panels/Policies.webp';

import accidentsIcon from '../../assets/Panels/Accident.webp';

import editIcon from '../../assets/Panels/Settings.webp';

import deleteIcon from '../../assets/Panels/Delete.webp';

import exitIcon from '../../assets/Panels/Exit.webp';

import { useNavigate } from 'react-router-dom';

import { useAdminUsers } from '../../shared/hooks/admin/useAdminUsers';

import { useAdminTariffs } from '../../shared/hooks/admin/useAdminTariffs';

import { useAdminPolicies } from '../../shared/hooks/admin/useAdminPolicies';
```

```

import { useAdminAccidents } from '../shared/hooks/admin/useAdminAccidents';

export const AdminPanel = () => {

  const { userData, isAuthenticated, loading: authLoading, logout } = useAuth();

  const navigate = useNavigate();

  const [activeTab, setActiveTab] = useState('users');

  const [expandedRow, setExpandedRow] = useState(null);

  const usersHook = useAdminUsers();

  const tariffsHook = useAdminTariffs();

  const policiesHook = useAdminPolicies();

  const accidentsHook = useAdminAccidents();

  if (authLoading) return <div className={styles.loading}>Загрузка...</div>;

  if (!isAuthenticated) { window.location.href = '/SignIn'; return null; }

  if (userData?.user_type?.name !== 'admin') { window.location.href = '/'; return null; }

  const renderUsersTab = () => (

    <div>

      <div className={styles.searchBar}>

        <input type="text" placeholder="Поиск по email, телефону, ФИО..."
value={usersHook.searchTerm} onChange={(e) => usersHook.setSearchTerm(e.target.value)}
className={styles.searchInput} />

      </div>

      {usersHook.loading ? <div className={styles.loading}>Загрузка...</div> : (

        <table className={styles.table}>

          <thead><tr><th>ID</th><th>Email</th><th>Телефон</th><th>ФИО</th><th>Тип</th><th>Действия<
/th></tr></thead>

          <tbody>

```

```

{usersHook.filteredUsers.map(user => (
  <React.Fragment key={user.id}>
    <tr onClick={() => setExpandedRow(expandedRow === user.id ? null : user.id)} style={{
cursor: 'pointer' }}>
      <td>{user.id}</td>
      <td>{user.email}</td>
      <td>{user.phone}</td>
      <td>{usersHook.getFullName(user)}</td>
      <td>{usersHook.getUserTypeName(user)}</td>
      <td>
        <select value={user.user_type?.name || 'client'} onChange={(e) =>
usersHook.changeUserType(user.id, e.target.value)} onClick={(e) => e.stopPropagation()}
className={styles.select}>
          <option value="client">Клиент</option>
          <option value="agent">Агент</option>
          <option value="admin">Админ</option>
        </select>
      </td>
    </tr>
    {expandedRow === user.id && (
      <tr className={styles.expandedRow}>
        <td colSpan="6">
          <div className={styles.expandedContent}>
            <h4>Дополнительная информация</h4>
            <div className={styles.expandedGrid}>
              <div><strong>Дата рождения:</strong>
{usersHook.formatDate(user.client_profile?.birth_date)}</div>
              <div><strong>Паспорт:</strong> {user.client_profile?.passport_series || ""}
{user.client_profile?.passport_number || '—'}</div>
              <div><strong>ВУ:</strong> {user.client_profile?.driver_license_series || ""}
{user.client_profile?.driver_license_number || '—'}</div>

```

```
        <div><strong>Категории прав:</strong>
{user.client_profile?.driver_categories?.map(cat => cat.code).join(', ') || '—'}</div>
```

```
        <div><strong>Стаж:</strong>
{user.client_profile?.driver_experience_years || 0} лет</div>
```

```
        <div><strong>Бонус-малус:</strong>
{user.client_profile?.bonus_malus_class || '—'}</div>
```

```
    </div>
```

```
  </div>
```

```
</td>
```

```
</tr>
```

```
  }}
```

```
</React.Fragment>
```

```
  )}}
```

```
</tbody>
```

```
</table>
```

```
  }}
```

```
</div>
```

```
);
```

```
const renderTariffsTab = () => (
```

```
  <div>
```

```
    <button className={styles.addButton} onClick={() => tariffsHook.openModal()}>+ Добавить
тариф</button>
```

```
    {tariffsHook.loading ? <div className={styles.loading}>Загрузка...</div> : (
```

```
      <table className={styles.table}>
```

```
        <thead><tr><th>ID</th><th>Тип полиса</th><th>Категория ТС</th><th>Базовая
ставка</th><th>Мин.</th><th>Макс.</th><th>Действия</th></tr></thead>
```

```
        <tbody>
```

```
          {tariffsHook.tariffs.map(tariff => (
```

```
            <tr key={tariff.id}>
```

```

        <td>{tariff.id}</td>

        <td>{tariff.policy_type?.name}</td>

        <td>{tariff.vehicle_category?.name || tariff.vehicle_category?.code ||
tariff.vehicle_category}</td>

        <td>{Number(tariff.base_rate).toLocaleString()} Р</td>

        <td>{Number(tariff.min_rate).toLocaleString()} Р</td>

        <td>{Number(tariff.max_rate).toLocaleString()} Р</td>

        <td>

            <button className={styles.editButton} onClick={() =>
tariffsHook.openModal(tariff)}><img src={editIcon} alt="Редактировать" className={styles.actionIcon}
/></button>

            <button className={styles.deleteButton} onClick={() =>
tariffsHook.deleteTariff(tariff.id)}><img src={deleteIcon} alt="Удалить" className={styles.actionIcon}
/></button>

        </td>

    </tr>

    )))

</tbody>

</table>

)}

</div>

);

```

```

const renderPoliciesTab = () => (

    <div>

        <div className={styles.filterBar}>

            <select value={policiesHook.statusFilter} onChange={(e) =>
policiesHook.setStatusFilter(e.target.value)} className={styles.filterSelect}>

                <option value="">Все статусы</option>

                <option value="draft">Черновик</option>

                <option value="active">Активен</option>

```



```

        <option value="expired">Просрочен</option>

        <option value="cancelled">Отменён</option>

    </select>

</div>

{policiesHook.loading ? <div className={styles.loading}>Загрузка...</div> : (

    <table className={styles.table}>

        <thead><tr><th>№
полиса</th><th>Клиент</th><th>Автомобиль</th><th>Тип</th><th>Сумма</th><th>Статус</th><th>
Действия</th></tr></thead>

        <tbody>

            {policiesHook.filteredPolicies.map(policy => (

                <tr key={policy.id}>

                    <td>{policy.policy_number}</td>

                    <td>{policy.client?.last_name} {policy.client?.first_name}</td>

                    <td>{policy.vehicle?.brand} {policy.vehicle?.model}</td>

                    <td>{policy.policy_type?.name}</td>

                    <td>{Number(policy.final_price).toLocaleString()} Р</td>

                    <td><span className={` ${styles.status}
${styles[policy.status]} `}>{policiesHook.getStatusText(policy.status)}</span></td>

                    <td>{policy.status === 'active' && <button className={styles.cancelButton}
onClick={() => policiesHook.cancelPolicy(policy.id)}>Отменить</button>}</td>

                </tr>

            )})

        </tbody>

    </table>

)}

</div>

);

const renderAccidentsTab = () => (

```

```
<div>
```

```
  {accidentsHook.loading ? <div className={styles.loading}>Загрузка...</div> : (
```

```
    <table className={styles.table}>
```

```
      <thead><tr><th>ID</th><th>Клиент</th><th>Полис</th><th>Дата</th><th>Ущерб</th><th>Вина
      клиента</th><th>Статус</th><th>Действия</th></tr></thead>
```

```
      <tbody>
```

```
        {accidentsHook.accidents.map(accident => (
```

```
          <tr key={accident.id}>
```

```
            <td>{accident.id}</td>
```

```
            <td>{accident.client?.last_name} {accident.client?.first_name}</td>
```

```
            <td>{accident.policy?.policy_number}</td>
```

```
            <td>{accidentsHook.formatDate(accident.accident_date)}</td>
```

```
            <td>{Number(accident.damage_amount).toLocaleString()} Р</td>
```

```
            <td>
```

```
              <select value={accident.is_client_fault ? 'true' : 'false'} onChange={(e) =>
accidentsHook.updateAccidentFault(accident.id, e.target.value === 'true')}
              className={styles.statusSelect}>
```

```
                <option value="false">Нет</option>
```

```
                <option value="true">Да</option>
```

```
              </select>
```

```
            </td>
```

```
            <td>
```

```
              <select value={accident.status || 'pending'} onChange={(e) =>
accidentsHook.updateAccidentStatus(accident.id, e.target.value)} className={styles.statusSelect}>
```

```
                <option value="pending">На рассмотрении</option>
```

```
                <option value="approved">Одобрено</option>
```

```
                <option value="paid">Выплачено</option>
```

```
                <option value="rejected">Отклонено</option>
```

```
              </select>
```

```

        </td>

        <td><button className={styles.viewButton} onClick={() =>
accidentsHook.openModal(accident)}>Просмотр</button></td>

    </tr>

    )}}

</tbody>

</table>

)}

</div>

);

return (

    <div className={styles.adminPanel}>

        <div className={styles.sidebar}>

            <div className={styles.logo}><h2>Админ-панель</h2></div>

            <nav className={styles.nav}>

                <button className={` ${styles.navItem} ${activeTab === 'users' ? styles.active : ''}`} onClick={()
=> setActiveTab('users')}><img src={usersIcon} alt="Пользователи" className={styles.navIcon} />
Пользователи</button>

                <button className={` ${styles.navItem} ${activeTab === 'tariffs' ? styles.active : ''}`}
onClick={() => setActiveTab('tariffs')}><img src={tariffsIcon} alt="Тарифы" className={styles.navIcon} />
Тарифы</button>

                <button className={` ${styles.navItem} ${activeTab === 'policies' ? styles.active : ''}`}
onClick={() => setActiveTab('policies')}><img src={policiesIcon} alt="Полисы" className={styles.navIcon}
/> Полисы</button>

                <button className={` ${styles.navItem} ${activeTab === 'accidents' ? styles.active : ''}`}
onClick={() => setActiveTab('accidents')}><img src={accidentsIcon} alt="Страховые случаи"
className={styles.navIcon} /> Страховые случаи</button>

                <button className={styles.navItem} onClick={() => { logout(); navigate('/'); }}><img
src={exitIcon} alt="Выход" className={styles.navIcon} /> Выход</button>

            </nav>

        </div>

```

```

<div className={styles.main}>

  <div className={styles.header}>

    <h1>{activeTab === 'users' && 'Пользователи'}{activeTab === 'tariffs' &&
'Тарифы'}{activeTab === 'policies' && 'Полисы'}{activeTab === 'accidents' && 'Страховые
случаи'}</h1>

  </div>

  {(usersHook.error || tariffsHook.error || policiesHook.error || accidentsHook.error) && <div
className={styles.error}>{usersHook.error || tariffsHook.error || policiesHook.error ||
accidentsHook.error}</div>}

  <div className={styles.content}>

    {activeTab === 'users' && renderUsersTab()}

    {activeTab === 'tariffs' && renderTariffsTab()}

    {activeTab === 'policies' && renderPoliciesTab()}

    {activeTab === 'accidents' && renderAccidentsTab()}

  </div>

</div>

{/* Модальное окно для тарифа */}

{tariffsHook.showModal && activeTab === 'tariffs' && (

  <div className={styles.modalOverlay} onClick={tariffsHook.closeModal}>

    <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

      <h2>{tariffsHook.selectedItem ? 'Редактировать тариф' : 'Новый тариф'}</h2>

      <form onSubmit={tariffsHook.saveTariff}>

        <div className={styles.formGroup}>

          <label>Тип полиса *</label>

          <select value={tariffsHook.formData.policy_type_id || ''} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, policy_type_id: e.target.value})}
className={tariffsHook.validationErrors.policy_type_id ? styles.errorInput : ''}>

            <option value="">Выберите тип</option>

            <option value="1">ОСАГО</option>

```

```

        <option value="2">КАЧКО</option>

    </select>

    {tariffsHook.validationErrors.policy_type_id && <span
className={styles.fieldError}>{tariffsHook.validationErrors.policy_type_id}</span>}

</div>

<div className={styles.formGroup}>

    <label>Категория ТС *</label>

    <select value={tariffsHook.formData.vehicle_category || ''} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, vehicle_category: e.target.value}}
className={tariffsHook.validationErrors.vehicle_category ? styles.errorInput : ''}>

        <option value="">Выберите категорию</option>

        <option value="A">А - Мотоциклы</option>

        <option value="B">В - Легковые</option>

        <option value="C">С - Грузовые</option>

        <option value="D">D - Автобусы</option>

        <option value="E">Е - Прицепы</option>

    </select>

    {tariffsHook.validationErrors.vehicle_category && <span
className={styles.fieldError}>{tariffsHook.validationErrors.vehicle_category}</span>}

</div>

<div className={styles.formGroup}>

    <label>Базовая ставка (₽) *</label>

    <input type="number" value={tariffsHook.formData.base_rate || ''} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, base_rate: e.target.value}}
className={tariffsHook.validationErrors.base_rate ? styles.errorInput : ''} />

    {tariffsHook.validationErrors.base_rate && <span
className={styles.fieldError}>{tariffsHook.validationErrors.base_rate}</span>}

</div>

<div className={styles.formGroup}>

    <label>Минимальная ставка (₽) *</label>

```

```

        <input type="number" value={tariffsHook.formData.min_rate || ""} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, min_rate: e.target.value}})
className={tariffsHook.validationErrors.min_rate ? styles.errorInput : ""} />

        {tariffsHook.validationErrors.min_rate && <span
className={styles.fieldError}>{tariffsHook.validationErrors.min_rate}</span>}

    </div>

    <div className={styles.formGroup}>

        <label>Максимальная ставка (₽) *</label>

        <input type="number" value={tariffsHook.formData.max_rate || ""} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, max_rate: e.target.value}})
className={tariffsHook.validationErrors.max_rate ? styles.errorInput : ""} />

        {tariffsHook.validationErrors.max_rate && <span
className={styles.fieldError}>{tariffsHook.validationErrors.max_rate}</span>}

    </div>

    <div className={styles.formGroup}>

        <label>Метод расчета</label>

        <select value={tariffsHook.formData.calculation_method || 'basic'} onChange={(e) =>
tariffsHook.setFormData({...tariffsHook.formData, calculation_method: e.target.value}}>

            <option value="basic">Базовый</option>

            <option value="coefficient">Коэффициентный</option>

        </select>

    </div>

    <div className={styles.modalButtons}>

        <button type="button" onClick={tariffsHook.closeModal}>Отмена</button>

        <button type="submit">Сохранить</button>

    </div>

</form>

</div>

</div>

)}

```

```

    { /* Модальное окно для страхового случая */ }

    {accidentsHook.showModal && activeTab === 'accidents' && accidentsHook.selectedItem && (

      <div className={styles.modalOverlay} onClick={accidentsHook.closeModal}>

        <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

          <h2>Детали страхового случая</h2>

          <div className={styles.details}>

            <p><strong>Клиент:</strong> {accidentsHook.selectedItem.client?.last_name}
{accidentsHook.selectedItem.client?.first_name}</p>

            <p><strong>Полис:</strong> {accidentsHook.selectedItem.policy?.policy_number}</p>

            <p><strong>Дата происшествия:</strong>
{accidentsHook.formatDate(accidentsHook.selectedItem.accident_date)}</p>

            <p><strong>Сумма ущерба:</strong>
{Number(accidentsHook.selectedItem.damage_amount).toLocaleString()} Р</p>

            <p><strong>Статус:</strong>
{accidentsHook.getStatusText(accidentsHook.selectedItem.status)}</p>

            <p><strong>Описание:</strong> {accidentsHook.selectedItem.description || '—'}</p>

          </div>

          <div className={styles.modalButtons}>

            <button onClick={accidentsHook.closeModal}>Закрыть</button>

          </div>

        </div>

      </div>

    )}

  </div>

);

};

```

AgentPanel.jsx

```

import React, { useState } from 'react';

import styles from './Panels.module.css';

import { useAuth } from '../../../shared/context/authContext';

import clientsIcon from '../../../assets/Panels/Profile.webp';

import policiesIcon from '../../../assets/Panels/Policies.webp';

import accidentsIcon from '../../../assets/Panels/Accident.webp';

import notificationsIcon from '../../../assets/Panels/Notification.webp';

import editIcon from '../../../assets/Panels/Settings.webp';

import deleteIcon from '../../../assets/Panels/Delete.webp';

import exitIcon from '../../../assets/Panels/Exit.webp';

import { useNavigate } from 'react-router-dom';

import { useAgentClients } from '../../../shared/hooks/agent/useAgentClients';

import { useAgentPolicies } from '../../../shared/hooks/agent/useAgentPolicies';

import { useAgentAccidents } from '../../../shared/hooks/agent/useAgentAccidents';

import { useAgentNotifications } from '../../../shared/hooks/agent/useAgentNotifications';

export const AgentPanel = () => {

  const { logout } = useAuth();

  const navigate = useNavigate();

  const [activeTab, setActiveTab] = useState('clients');

  const [expandedRow, setExpandedRow] = useState(null);

  const clientsHook = useAgentClients();

  const policiesHook = useAgentPolicies();

  const accidentsHook = useAgentAccidents();

  const notificationsHook = useAgentNotifications();

  const renderClientsTab = () => (

```



```

<div>

  <div className={styles.searchBar}>

    <input type="text" placeholder="Поиск по email, телефону, ФИО..."
    value={clientsHook.searchTerm} onChange={(e) => clientsHook.setSearchTerm(e.target.value)}
    className={styles.searchInput} />

    <button className={styles.addButton} onClick={() => { clientsHook.setSelectedItem(null);
    clientsHook.setFormData({ email: "", phone: "", password: "", last_name: "", first_name: "", middle_name: "",
    birth_date: "" }); clientsHook.setValidationErrors({}); clientsHook.setShowModal(true); }}>+ Добавить
    клиента</button>

  </div>

  {clientsHook.loading ? <div className={styles.loading}>Загрузка...</div> : (

    <table className={styles.table}>

      <thead><tr><th>ID</th><th>Email</th><th>Телефон</th><th>ФИО</th><th>Дата
      рождения</th><th>Действия</th></tr></thead>

      <tbody>

        {clientsHook.filteredClients.map(client => (

          <React.Fragment key={client.id}>

            <tr onClick={() => setExpandedRow(expandedRow === client.id ? null : client.id)}
            style={{ cursor: 'pointer' }}>

              <td>{client.id}</td>

              <td>{client.email}</td>

              <td>{client.phone}</td>

              <td>{clientsHook.getFullName(client)}</td>

              <td>{clientsHook.formatDate(client.client_profile?.birth_date)}</td>

              <td>

                <button className={styles.editButton} onClick={(e) => { e.stopPropagation();
                clientsHook.handleEditClient(client); }}><img src={editIcon} alt="Редактировать"
                className={styles.actionIcon} /></button>

                <button className={styles.deleteButton} onClick={(e) => { e.stopPropagation();
                clientsHook.deleteClient(client.id); }}><img src={deleteIcon} alt="Удалить"
                className={styles.actionIcon} /></button>

              </td>

            </tr>

          </React.Fragment>

        ))}

      </tbody>

    </table>

  )}

</div>

```

```

    {expandedRow === client.id && client.client_profile && (
      <tr className={styles.expandedRow}>
        <td colSpan="6">
          <div className={styles.expandedContent}>
            <h4>Дополнительная информация</h4>
            <div className={styles.expandedGrid}>
              <div><strong>Паспорт:</strong> {client.client_profile.passport_series || ''}
{client.client_profile.passport_number || '—'}</div>
              <div><strong>ВУ:</strong> {client.client_profile.driver_license_series || ''}
{client.client_profile.driver_license_number || '—'}</div>
              <div><strong>Категории прав:</strong>
{client.client_profile.driver_categories?.map(cat => cat.code).join(', ') || '—'}</div>
              <div><strong>Стаж:</strong>
{client.client_profile.driver_experience_years || 0} лет</div>
              <div><strong>Бонус-малус:</strong>
{client.client_profile.bonus_malus_class || '—'}</div>
            </div>
          </div>
        </td>
      </tr>
    )}
  </React.Fragment>
)}
</tbody>
</table>
)}
</div>
);

```

```

const renderPoliciesTab = () => (

```

```

<div>

  <div className={styles.filterBar}>

    <select value={policiesHook.statusFilter} onChange={(e) =>
policiesHook.setStatusFilter(e.target.value)} className={styles.filterSelect}>

      <option value="">Все статусы</option>

      <option value="draft">Черновик</option>

      <option value="active">Активен</option>

      <option value="expired">Просрочен</option>

      <option value="cancelled">Отменён</option>

    </select>

  </div>

  {policiesHook.loading ? <div className={styles.loading}>Загрузка...</div> : (

    <table className={styles.table}>

      <thead><tr><th>№
полиса</th><th>Клиент</th><th>Автомобиль</th><th>Тип</th><th>Сумма</th><th>Скидка
(%)</th><th>Действует до</th><th>Статус</th><th>Действия</th></tr></thead>

      <tbody>

        {policiesHook.filteredPolicies.map(policy => {

          const discountValue = policy.discount_amount ?
Math.round(parseFloat(policy.discount_amount)) : 0;

          return (

            <tr key={policy.id}>

              <td>{policy.policy_number}</td>

              <td>{policy.client?.last_name} {policy.client?.first_name}</td>

              <td>{policy.vehicle?.brand} {policy.vehicle?.model}</td>

              <td>{policy.policy_type?.name}</td>

              <td>{policy.final_price?.toLocaleString()} Р</td>

              <td>

                <input type="text" value={discountValue} onChange={(e) => {

                  let val = e.target.value.replace(/^[0-9]/g, "");

```

```

        if (val === '') val = '0';

        let num = parseInt(val);

        if (num > 100) num = 100;

        policiesHook.updatePolicyDiscount(policy.id, num);

        }} className={styles.discountInput} />

    </td>

    <td>{policiesHook.formatDate(policy.end_date)}</td>

    <td><span className={` ${styles.status}
    ${styles[policy.status]} `}>{policiesHook.getStatusText(policy.status)}</span></td>

    <td>

        {policy.status === 'draft' && (<button className={styles.editButton} onClick={()
=> policiesHook.activatePolicy(policy.id)}>Активировать</button>)}

        {policy.status === 'active' && (<><button className={styles.editButton}
onClick={() => policiesHook.renewPolicy(policy.id)}>Продлить</button><button
className={styles.deleteButton} onClick={() =>
policiesHook.cancelPolicy(policy.id)}>Отменить</button></>)}

    </td>

</tr>

);

}}

</tbody>

</table>

)}

</div>

);

```

```
const renderAccidentsTab = () => (
```

```
    <div>
```

```
        {accidentsHook.loading ? <div className={styles.loading}>Загрузка...</div> : (
```

```
            <table className={styles.table}>
```

```

<thead><tr><th>ID</th><th>Клиент</th><th>Полис</th><th>Дата</th><th>Ущерб</th><th>Статус</th><th>Действия</th></tr></thead>

    <tbody>

        {accidentsHook.accidents.map(accident => (

            <tr key={accident.id}>

                <td>{accident.id}</td>

                <td>{accident.client?.last_name} {accident.client?.first_name}</td>

                <td>{accident.policy?.policy_number}</td>

                <td>{accidentsHook.formatDate(accident.accident_date)}</td>

                <td>{accident.damage_amount?.toLocaleString()} Р</td>

                <td>

                    <select value={accident.status || 'pending'} onChange={(e) =>
accidentsHook.updateAccidentStatus(accident.id, e.target.value)} className={styles.statusSelect}>

                        <option value="pending">На рассмотрении</option>

                        <option value="approved">Одобрено</option>

                        <option value="paid">Выплачено</option>

                        <option value="rejected">Отклонено</option>

                    </select>

                </td>

                <td><button className={styles.viewButton} onClick={() =>
accidentsHook.openModal(accident)}>Просмотр</button></td>

            </tr>

        )))

    </tbody>

</table>

)}

</div>

);

```

```

const renderNotificationsTab = () => (
  <div>
    {notificationsHook.loading ? <div className={styles.loading}>Загрузка...</div> :
    notificationsHook.notifications.length === 0 ? (
      <div className={styles.emptyMessage}><p>Нет отправленных уведомлений</p></div>
    ) : (
      <table className={styles.table}>
        <thead><tr><th>ID</th><th>Клиент</th><th>Сообщение</th><th>Дата
отправки</th><th>Статус</th><th>Действия</th></tr></thead>
        <tbody>
          {notificationsHook.notifications.map(notification => (
            <tr key={notification.id}>
              <td>{notification.id}</td>
              <td>{notificationsHook.getFullName(notification.user)}</td>
              <td>{notification.message}</td>
              <td>{notificationsHook.formatDate(notification.created_at)}</td>
              <td><span className={` ${styles.status} ${styles[notification.is_read ? 'read' :
'unread']} `}>{notification.is_read ? 'Прочитано' : 'Не прочитано'}</span></td>
              <td><button className={styles.deleteButton} onClick={() =>
notificationsHook.deleteNotification(notification.id)}><img src={deleteIcon} alt="Удалить"
className={styles.actionIcon} /></button></td>
            </tr>
          ))}
        </tbody>
      </table>
    )}
  </div>
);

```

```

return (

```

```

<div className={styles.adminPanel}>

  <div className={styles.sidebar}>

    <div className={styles.logo}><h2>Панель агента</h2></div>

    <nav className={styles.nav}>

      <button className={` ${styles.navItem} ${activeTab === 'clients' ? styles.active : ''}`}
        onClick={() => setActiveTab('clients')}><img src={clientsIcon} alt="Клиенты" className={styles.navIcon}
        /> Клиенты</button>

      <button className={` ${styles.navItem} ${activeTab === 'policies' ? styles.active : ''}`}
        onClick={() => setActiveTab('policies')}><img src={policiesIcon} alt="Полисы" className={styles.navIcon}
        /> Полисы</button>

      <button className={` ${styles.navItem} ${activeTab === 'accidents' ? styles.active : ''}`}
        onClick={() => setActiveTab('accidents')}><img src={accidentsIcon} alt="Страховые случаи"
        className={styles.navIcon} /> Страховые случаи</button>

      <button className={` ${styles.navItem} ${activeTab === 'notifications' ? styles.active : ''}`}
        onClick={() => setActiveTab('notifications')}><img src={notificationsIcon} alt="Уведомления"
        className={styles.navIcon} /> Уведомления</button>

      <button className={styles.navItem} onClick={() => { logout(); navigate('/'); }}><img
        src={exitIcon} alt="Выход" className={styles.navIcon} /> Выход</button>

    </nav>

  </div>

  <div className={styles.main}>

    <div className={styles.header}>

      <h1>{activeTab === 'clients' && 'Клиенты'}{activeTab === 'policies' && 'Полисы'}{activeTab
        === 'accidents' && 'Страховые случаи'}{activeTab === 'notifications' && 'Уведомления'}</h1>

      {activeTab === 'notifications' && (<button className={styles.headerButton} onClick={() =>
        notificationsHook.setShowNotificationModal(true)}>+ Отправить уведомление</button>)}

    </div>

    {(clientsHook.error || policiesHook.error || accidentsHook.error || notificationsHook.error)
    && <div className={styles.error}>{clientsHook.error || policiesHook.error || accidentsHook.error ||
    notificationsHook.error}</div>}

    <div className={styles.content}>

      {activeTab === 'clients' && renderClientsTab()}

```

```

    {activeTab === 'policies' && renderPoliciesTab()}

    {activeTab === 'accidents' && renderAccidentsTab()}

    {activeTab === 'notifications' && renderNotificationsTab()}

  </div>

</div>

{/* Модальное окно для клиента */}

{clientsHook.showModal && activeTab === 'clients' && (

  <div className={styles.modalOverlay} onClick={() => clientsHook.setShowModal(false)}>

    <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

      <h2>{clientsHook.selectedItem ? 'Редактировать клиента' : 'Новый клиент'}</h2>

      <form onSubmit={clientsHook.selectedItem ? clientsHook.updateClient :
clientsHook.addClient}>

        <div className={styles.formGroup}><label>Email *</label><input type="email"
value={clientsHook.formData.email} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, email: e.target.value}}
className={clientsHook.validationErrors.email ? styles.errorInput : ''}
/>{clientsHook.validationErrors.email && <span
className={styles.fieldError}>{clientsHook.validationErrors.email}</span></div>

        <div className={styles.formGroup}><label>Телефон *</label><input type="tel"
value={clientsHook.formData.phone} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, phone: e.target.value}}
className={clientsHook.validationErrors.phone ? styles.errorInput : ''}
/>{clientsHook.validationErrors.phone && <span
className={styles.fieldError}>{clientsHook.validationErrors.phone}</span></div>

        {!clientsHook.selectedItem && (<div className={styles.formGroup}><label>Пароль
*</label><input type="password" value={clientsHook.formData.password} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, password: e.target.value}}
className={clientsHook.validationErrors.password ? styles.errorInput : ''}
/>{clientsHook.validationErrors.password && <span
className={styles.fieldError}>{clientsHook.validationErrors.password}</span></div>)}

        <div className={styles.formGroup}><label>Фамилия</label><input type="text"
value={clientsHook.formData.last_name} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, last_name: e.target.value}}
className={clientsHook.validationErrors.last_name ? styles.errorInput : ''}
/>{clientsHook.validationErrors.last_name && <span
className={styles.fieldError}>{clientsHook.validationErrors.last_name}</span></div>

```



```
        <div className={styles.formGroup}><label>Имя</label><input type="text"
value={clientsHook.formData.first_name} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, first_name: e.target.value})}
className={clientsHook.validationErrors.first_name ? styles.errorInput : ''}
/>{clientsHook.validationErrors.first_name && <span
className={styles.fieldError}>{clientsHook.validationErrors.first_name}</span>}</div>
```

```
        <div className={styles.formGroup}><label>Отчество</label><input type="text"
value={clientsHook.formData.middle_name} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, middle_name: e.target.value})}
className={clientsHook.validationErrors.middle_name ? styles.errorInput : ''}
/>{clientsHook.validationErrors.middle_name && <span
className={styles.fieldError}>{clientsHook.validationErrors.middle_name}</span>}</div>
```

```
        <div className={styles.formGroup}><label>Дата рождения</label><input type="date"
value={clientsHook.formData.birth_date} onChange={(e) =>
clientsHook.setFormData({...clientsHook.formData, birth_date: e.target.value})}
className={clientsHook.validationErrors.birth_date ? styles.errorInput : ''}
/>{clientsHook.validationErrors.birth_date && <span
className={styles.fieldError}>{clientsHook.validationErrors.birth_date}</span>}</div>
```

```
        <div className={styles.modalButtons}><button type="button" onClick={() =>
clientsHook.setShowModal(false)}>Отмена</button><button
type="submit">Сохранить</button></div>
```

```
    </form>
```

```
  </div>
```

```
</div>
```

```
}}
```

```
{/* Модальное окно для страхового случая */}
```

```
{accidentsHook.showModal && activeTab === 'accidents' && accidentsHook.selectedItem && (
```

```
  <div className={styles.modalOverlay} onClick={accidentsHook.closeModal}>
```

```
    <div className={styles.modal} onClick={(e) => e.stopPropagation()}>
```

```
      <h2>Детали страхового случая</h2>
```

```
      <div className={styles.details}>
```

```
        <p><strong>Клиент:</strong> {accidentsHook.selectedItem.client?.last_name}
{accidentsHook.selectedItem.client?.first_name}</p>
```

```
        <p><strong>Полис:</strong> {accidentsHook.selectedItem.policy?.policy_number}</p>
```

```

        <p><strong>Дата происшествия:</strong>
{accidentsHook.formatDate(accidentsHook.selectedItem.accident_date)}</p>

        <p><strong>Сумма ущерба:</strong>
{accidentsHook.selectedItem.damage_amount?.toLocaleString()} ₸</p>

        <p><strong>Статус:</strong>
{accidentsHook.getStatusText(accidentsHook.selectedItem.status)}</p>

        <p><strong>Описание:</strong> {accidentsHook.selectedItem.description || '—'}</p>

    </div>

    <div className={styles.modalButtons}><button
onClick={accidentsHook.closeModal}>Закрыть</button></div>

</div>

</div>

))

    {/* Модальное окно для отправки уведомления */}

    {notificationsHook.showNotificationModal && (

        <div className={styles.modalOverlay} onClick={() =>
notificationsHook.setShowNotificationModal(false)}>

            <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

                <h2>Отправить уведомление</h2>

                <form onSubmit={notificationsHook.sendNotification}>

                    <div className={styles.formGroup}>

                        <label>Клиент *</label>

                        <select value={notificationsHook.notificationData.client_id} onChange={(e) =>
notificationsHook.setNotificationData({...notificationsHook.notificationData, client_id: e.target.value}}
required>

                            <option value="">Выберите клиента</option>

                            {clientsHook.clients.map(client => (<option key={client.id}
value={client.id}>{clientsHook.getFullName(client)} {client.email}</option>))}

                        </select>

                    </div>

                    <div className={styles.formGroup}>

```

```

        <label>Сообщение *</label>

        <textarea value={notificationsHook.notificationData.message} onChange={(e) =>
notificationsHook.setNotificationData({...notificationsHook.notificationData, message: e.target.value}}
rows="5" placeholder="Введите текст уведомления..." required />

    </div>

    <div className={styles.modalButtons}>

        <button type="button" onClick={() =>
notificationsHook.setShowNotificationModal(false)}>Отмена</button>

        <button type="submit">Отправить</button>

    </div>

</form>

</div>

</div>

    )}

</div>

);

};

```

AdminPage.jsx

```

import styles from './adminStyle.module.css';

import { AdminPanel } from '../components/AdminPanel';

import { useAuth } from '../../shared/context/authContext';

import { Navigate } from 'react-router-dom';

export const AdminPage = () => {

    const { userData, isAuthenticated, loading } = useAuth();

    if (loading) {

```

```

        return <div className={styles.wrapper}>Запызка...</div>;
    }

    if (!isAuthenticated) {
        return <Navigate to="/SignIn" />;
    }

    if (userData?.user_type?.name !== 'admin') {
        return <Navigate to="/Profile" />;
    }

    return (
        <div className={styles.wrapper}>
            <AdminPanel />
        </div>
    );
};

```

AgentPage.jsx

```

import styles from './agentStyle.module.css';
import { AgentPanel } from '../components/AgentPanel';
import { useAuth } from '../../shared/context/authContext';
import { Navigate } from 'react-router-dom';

export const AgentPage = () => {
    const { userData, isAuthenticated, loading } = useAuth();

```

```

    if (loading) {

        return <div className={styles.wrapper}>Загрузка...</div>;

    }

    if (!isAuthenticated) {

        return <Navigate to="/SignIn" />;

    }

    if (userData?.user_type?.name !== 'agent' && userData?.user_type?.name !== 'admin') {

        return <Navigate to="/Profile" />;

    }

    return (

        <div className={styles.wrapper}>

            <AgentPanel />

        </div>

    );

};

```

PaymentForm.jsx

```

import styles from './PaymentForm.module.css';

import { PAYMENT_FIELDS } from '../../shared/config/fields';

import { usePaymentForm } from '../../shared/hooks/usePaymentForm';

export const PaymentForm = ({ policy }) => {

```

```
const {
  loading,
  error,
  success,
  formData,
  handleInputChange,
  handleSubmit,
  handleCancel,
  formatPrice
} = usePaymentForm(policy);
```

```
const renderField = (field) => (
  <input
    type={field.type}
    name={field.name}
    value={formData[field.name]}
    onChange={(e) => handleInputChange(e, field)}
    placeholder={field.placeholder}
    maxLength={field.maxLength}
    required
  />
);
```

```
return (
  <div className={styles.paymentForm}>
    <div className={styles.container}>
      <h1 className={styles.title}>Оплата страхового полиса</h1>
      {!success ? (
```

```

<div className={styles.content}>

  <div className={styles.policyInfo}>

    <h2>Информация о полисе</h2>

    <div className={styles.infoRow}>

      <span>Номер полиса:</span>

      <strong>{policy.policy_number}</strong>

    </div>

    <div className={styles.infoRow}>

      <span>Тип полиса:</span>

      <strong>{policy.policy_type?.name}</strong>

    </div>

    <div className={styles.infoRow}>

      <span>Автомобиль:</span>

      <strong>{policy.vehicle?.brand} {policy.vehicle?.model}</strong>

    </div>

    <div className={styles.infoRow}>

      <span>Срок действия:</span>

      <strong>{policy.start_date?.split('T')[0]} — {policy.end_date?.split('T')[0]}</strong>

    </div>

    <div className={styles.totalRow}>

      <span>Сумма к оплате:</span>

      <strong>{formatPrice(policy.final_price)} Р</strong>

    </div>

  </div>

  <form onSubmit={handleSubmit}>

    <h2>Данные карты</h2>

    {PAYMENT_FIELDS.map(field => (

      <div key={field.name} className={styles.formGroup}>

```

```

        <label>{field.label}</label>

        {renderField(field)}

    </div>

)}}

{error && <div className={styles.error}>{error}</div>}

<div className={styles.buttons}>

    <button

        type="button"

        className={styles.cancelButton}

        onClick={handleCancel}

    >

        Отмена

    </button>

    <button

        type="submit"

        className={styles.payButton}

        disabled={loading}

    >

        {loading ? 'Обработка...' : `Оплатить ${formatPrice(policy.final_price)} ₺`}

    </button>

</div>

</form>

</div>

):(

<div className={styles.successBlock}>

    <div className={styles.successIcon}>✓ </div>

    <h2>Оплата прошла успешно!</h2>

    <p>Ваш полис активирован. Перенаправление...</p>

```



```

        </div>

    }}

</div>

</div>

);

};

```

PaymentPage.jsx

```

import styles from './paymentStyle.module.css';

import { useState, useEffect } from 'react';

import { useParams, Navigate } from 'react-router-dom';

import { Header } from '../../shared/layouts/Header';

import { PaymentForm } from '../components/PaymentForm';

import { Footer } from '../../shared/layouts/Footer';

import { useAuth } from '../../shared/context/authContext';

import api from '../../api/client';

export const PaymentPage = () => {

    const { id } = useParams();

    const { isAuthenticated, loading: authLoading } = useAuth();

    const [policy, setPolicy] = useState(null);

    const [loading, setLoading] = useState(true);

    useEffect(() => {

        if (id && isAuthenticated) {

            api.get(`/client/policies/${id}`)

```

```

        .then(response => {
            setPolicy(response.data);
        })
        .catch(error => {
            console.error('Error loading policy:', error);
        })
        .finally(() => {
            setLoading(false);
        });
    } else if (!id) {
        setLoading(false);
    }
}, [id, isAuthenticated]);

```

```

if (authLoading || loading) {
    return (
        <div className={styles.wrapper}>
            <Header />
            <div style={{ textAlign: 'center', padding: '50px' }}>Загрузка...</div>
            <Footer />
        </div>
    );
}

```

```

if (!isAuthenticated) {
    return <Navigate to="/SignIn" />;
}

```

```

if (!policy) {
  return (
    <div className={styles.wrapper}>
      <Header />
      <div style={{ textAlign: 'center', padding: '50px' }}>Полис не найден</div>
      <Footer />
    </div>
  );
}

```

```

return (
  <div className={styles.wrapper}>
    <Header />
    <PaymentForm policy={policy} />
    <Footer />
  </div>
);
};

```

MainPanel.jsx

```

import styles from './MainPanelStyle.module.css';
import { MainPanelLine } from './MainPanelLine';
import { PasswordModal } from '../panels/PasswordModal';
import { PROFILE_FIELDS, PROFILE_FIELD_MAP } from '../../shared/config/fields';
import { useProfileForm } from '../../shared/hooks/profile/useProfileForm';

```

```
export const MainPanel = () => {

  const {

    isEditing,

    setIsEditing,

    showPasswordModal,

    formData,

    passwordError,

    newPassword,

    confirmNewPassword,

    handleInputChange,

    handleSave,

    confirmSave,

    handleCancel,

    handleModalClose,

    setNewPassword,

    setConfirmNewPassword

  } = useProfileForm();

  return (

    <>

      <div className={styles.MainPanel}>

        <div className={styles.MainPanelHead}>

          <h1 className={styles.MainPanelHeadH1}>Личная информация</h1>

          <p className={styles.MainPanelHeadText}>Редактирование профиля</p>

        </div>

        <div className={styles.MainPanelContainer}>

          {PROFILE_FIELDS.map((item) => (
```

```

<MainPanelLine
  key={item.id}

  label={item.label}

  value={formData[item.key] || ''}

  isEditing={isEditing}

  isPassword={item.isPassword}

  type={item.type}

  onChange={(label, value) => handleInputChange(label, value, PROFILE_FIELD_MAP)}

/>
  )}
</div>

```

```

<div className={styles.MainPanelButtonContainer}>

  {!isEditing ? (

    <button onClick={() => setIsEditing(true)} className={styles.editButton}>

      Редактировать

    </button>

  ) : (

    <>

      <button onClick={handleCancel} className={styles.cancelButton}>

        Отмена

      </button>

      <button onClick={handleSave} className={styles.saveButton}>

        Сохранить изменения

      </button>

    </>

  )}

</div>

```

```
</div>
```

```
<PasswordModal
```

```
  isOpen={showPasswordModal}
```

```
  onClose={handleModalClose}
```

```
  onConfirm={({password}) => confirmSave(password, handleModalClose)}
```

```
  error={passwordError}
```

```
  newPassword={newPassword}
```

```
  confirmNewPassword={confirmNewPassword}
```

```
  onNewPasswordChange={setNewPassword}
```

```
  onConfirmNewPasswordChange={setConfirmNewPassword}
```

```
  />
```

```
</>
```

```
);
```

```
};
```

MainPanelLine.jsx

```
import styles from './MainPanelLineStyle.module.css'
```

```
export const MainPanelLine = (props) => {
```

```
  const {label, value, isEditing, isPassword, type, onChange} = props
```

```
  const handleChange = (e) => {
```

```
    onChange(label, e.target.value)
```

```
  }
```

```

return <div className={styles.MainPanelLine}>

  <h1 className={styles.MainPanelLineH1}>{label}</h1>

  {isEditing ? (

    <input

      type={isPassword ? "password" : (type || "text")}

      value={value}

      onChange={handleChange}

      className={styles.editInput}

      placeholder={isPassword ? 'Введите новый пароль' : ''}

    />

  ) : (

    <p className={styles.MainPanelLineText}>

      {isPassword ? '*****' : value}

    </p>

  )}

</div>

}

```

AccidentsPanel.jsx

```

import { useState, useEffect } from 'react';

import styles from './AccidentsPanel.module.css';

import api from '.././../api/client';

import { useNavigate } from 'react-router-dom';

const formatDate = (dateString) => {

  if (!dateString) return '—';

```

```

    return dateString.split('T')[0];
};

export const AccidentsPanel = () => {
    const navigate = useNavigate();
    const [accidents, setAccidents] = useState([]);
    const [loading, setLoading] = useState(true);
    const [error, setError] = useState(null);
    const [selectedAccident, setSelectedAccident] = useState(null);

    const loadAccidents = async () => {
        setLoading(true);
        try {
            const response = await api.get('/client/accidents');
            setAccidents(response.data);
        } catch (error) {
            setError('Ошибка загрузки страховых случаев');
        } finally {
            setLoading(false);
        }
    };

    useEffect(() => {
        loadAccidents();
    }, []);

    const getStatusText = (status) => {
        const statusMap = {

```



```

    'pending': 'На рассмотрении',
    'approved': 'Одобрено',
    'rejected': 'Отклонено',
    'paid': 'Выплачено'
  };

  return statusMap[status] || status;
};

```

```

const getStatusClass = (status) => {
  const classMap = {
    'pending': styles.statusPending,
    'approved': styles.statusApproved,
    'rejected': styles.statusRejected,
    'paid': styles.statusPaid
  };

  return classMap[status] || styles.statusDefault;
};

```

```

if (loading) {
  return <div className={styles.accidentsPanel}>Загрузка...</div>;
}

```

```

return (
  <div className={styles.accidentsPanel}>
    <div className={styles.header}>
      <h1 className={styles.title}>Страховые случаи</h1>
      <button className={styles.reportButton} onClick={() => navigate('/Accident')}>
        + Заявить о страховом случае
      </button>
    </div>
  </div>
);

```

```

    </button>

</div>

{error && <div className={styles.error}>{error}</div>}

<div className={styles.accidentsContainer}>

  {accidents.length === 0 ? (

    <div className={styles.emptyMessage}>

      <p>У вас нет зарегистрированных страховых случаев</p>

    </div>

  ) : (

    <table className={styles.table}>

      <thead>

        <tr>

          <th>№</th>

          <th>Дата ДТП</th>

          <th>Полис</th>

          <th>Сумма ущерба</th>

          <th>Статус</th>

          <th>Действия</th>

        </tr>

      </thead>

      <tbody>

        {accidents.map((accident, index) => (

          <tr key={accident.id}>

            <td>{index + 1}</td>

            <td>{formatDate(accident.accident_date)}</td>

            <td>{accident.policy?.policy_number || '—'}</td>

```

```

        <td>{accident.damage_amount?.toLocaleString()} ₸</td>

        <td>

            <span className={` ${styles.status} ${getStatusClass(accident.status)} `}>

                {getStatusText(accident.status)}

            </span>

        </td>

        <td>

            <button

                className={styles.viewButton}

                onClick={() => setSelectedAccident(accident)}

            >

                Подробнее

            </button>

        </td>

    </tr>

    )}

</tbody>

</table>

)}

</div>

```

```

{/* Модальное окно с деталями */}

```

```

{selectedAccident && (

```

```

    <div className={styles.modalOverlay} onClick={() => setSelectedAccident(null)}>

```

```

        <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

```

```

            <h2>Детали страхового случая</h2>

```

```

            <div className={styles.details}>

```

```

                <div className={styles.detailRow}>

```

```

        <strong>Полис:</strong> {selectedAccident.policy?.policy_number || '—'}
    </div>

    <div className={styles.detailRow}>

        <strong>Дата ДТП:</strong> {formatDate(selectedAccident.accident_date)}
    </div>

    <div className={styles.detailRow}>

        <strong>Сумма ущерба:</strong>
        {selectedAccident.damage_amount?.toLocaleString()} ₸
    </div>

    <div className={styles.detailRow}>

        <strong>Статус:</strong>{' '}

        <span className={` ${styles.status} ${getStatusClass(selectedAccident.status)} `}>
            {getStatusText(selectedAccident.status)}
        </span>
    </div>

    <div className={styles.detailRow}>

        <strong>Описание:</strong> {selectedAccident.description || '—'}
    </div>
</div>

<div className={styles.modalButtons}>

    <button onClick={() => setSelectedAccident(null)}>Закрыть</button>
</div>
</div>
    )}
</div>

);
};

```

HistoryPanel.jsx

```
import styles from './HistoryPanel.module.css'

import { useAuth } from '../../shared/context/authContext'

import { useNavigate } from 'react-router-dom'

import { useEffect, useState } from 'react'
```

```
export const HistoryPanel = () => {

  const { userPolicies, refreshPolicies } = useAuth();

  const navigate = useNavigate();

  const [loading, setLoading] = useState(true);
```

```
  useEffect(() => {

    const loadPolicies = async () => {

      await refreshPolicies();

      setLoading(false);

    };

    loadPolicies();

  }, []);
```

```
  const formatDate = (dateString) => {

    if (!dateString) return 'Не указано';

    const date = new Date(dateString);

    return date.toLocaleDateString('ru-RU');

  };


```

```
  const getStatusText = (status) => {
```

```
const statusMap = {
  'draft': 'Черновик',
  'active': 'Активен',
  'expired': 'Просрочен',
  'cancelled': 'Отменён'
};

return statusMap[status] || status;
};

if (loading) {
  return <div className={styles.historyPanel}>Загрузка...</div>;
}

return (
  <div className={styles.historyPanel}>
    <div className={styles.historyHeader}>
      <h1 className={styles.historyTitle}>История полисов</h1>
    </div>
    <div className={styles.historyContainer}>
      {userPolicies.length === 0 ? (
        <div className={styles.emptyMessage}>
          <p>У вас пока нет оформленных полисов</p>
          <button
            onClick={() => navigate('/Calculator')}
            className={styles.goToCalculatorButton}
          >
            Перейти в калькулятор
          </button>

```

```

    </div>

    ) : (

    userPolicies.map(policy => (

    <div key={policy.id} className={styles.policyCard}>

    <div className={styles.policyHeader}>

    <span className={styles.policyNumber}>Полис №{policy.policy_number}</span>

    <span className={` ${styles.policyStatus} ${styles[policy.status]} `}>

    {getStatusText(policy.status)}

    </span>

    </div>

    <div className={styles.policyInfo}>

    <p><strong>Авто:</strong> {policy.vehicle?.brand} {policy.vehicle?.model}
    ({policy.vehicle?.state_number})</p>

    <p><strong>Дата начала:</strong> {formatDate(policy.start_date)}</p>

    <p><strong>Дата окончания:</strong> {formatDate(policy.end_date)}</p>

    <p><strong>Стоимость:</strong> {policy.final_price?.toLocaleString()} ₸</p>

    <p><strong>Тип:</strong> {policy.policy_type?.name || (policy.policy_type_id === 1 ?
    'ОСАГО' : 'КАСКО')}</p>

    </div>

    </div>

    ))

    )}

    </div>

    </div>

    )

    };

```

NotificationsPanel.jsx

```

import { useEffect } from 'react'

import styles from './NotificationsPanel.module.css'

import { useNotifications } from '../../shared/context/notificationsContext'

export const NotificationsPanel = () => {

  const { notifications, loading, unreadCount, markAsRead, markAllAsRead, reloadNotifications } =
    useNotifications()

  useEffect(() => {

    reloadNotifications()

  }, [])

  const formatDate = (dateString) => {

    if (!dateString) return '';

    const date = new Date(dateString);

    return date.toLocaleDateString('ru-RU') + ' ' + date.toLocaleTimeString('ru-RU', { hour: '2-digit',
    minute: '2-digit' });

  };

  if (loading) {

    return <div className={styles.notificationsPanel}>Загрузка...</div>;

  }

  return (

    <div className={styles.notificationsPanel}>

      <div className={styles.notificationsHeader}>

        <h1 className={styles.notificationsTitle}>Уведомления</h1>

        {unreadCount > 0 && (

```



```

        <span className={styles.headerBadge}>{unreadCount}</span>

    })
</div>

<div className={styles.notificationsContainer}>

    {notifications.length === 0 ? (

        <div className={styles.emptyMessage}>

            <p>У вас нет уведомлений</p>

        </div>

    ) : (

        notifications.map(notification => (

            <div

                key={notification.id}

                className={` ${styles.notificationCard} ${notification.is_read ? styles.read :
styles.unread}`}

                onClick={() => !notification.is_read && markAsRead(notification.id)}

            >

                <div className={styles.notificationContent}>

                    <p>{notification.message}</p>

                    <span className={styles.notificationDate}>

                        {formatDate(notification.created_at)}

                    </span>

                </div>

            </div>

        </div>

    ))

    )}

</div>

{unreadCount > 0 && (

```

```
        <button onClick={markAllAsRead} className={styles.markAllButton}>

            Пометить всё как прочитанное

        </button>

    )}

</div>

)

}
```

PasswordModal.jsx

```
import { useState } from 'react'

import styles from './PasswordModal.module.css'

export const PasswordModal = ({

    isOpen,

    onClose,

    onConfirm,

    error,

    newPassword,

    confirmNewPassword,

    onNewPasswordChange,

    onConfirmNewPasswordChange

}) => {

    const [currentPassword, setCurrentPassword] = useState('')

    if (!isOpen) return null
```

```
const handleConfirm = () => {  
  onConfirm(currentPassword)  
  setCurrentPassword("")  
}
```

```
const handleClose = () => {  
  setCurrentPassword("")  
  onClose()  
}
```

```
return (  
  <div className={styles.modalOverlay}>  
    <div className={styles.modal}>  
      <h2>Подтверждение</h2>  
      <p>Введите текущий пароль для сохранения изменений</p>  
      <input  
        type="password"  
        placeholder="Текущий пароль"  
        className={styles.modalInput}  
        value={currentPassword}  
        onChange={(e) => setCurrentPassword(e.target.value)}  
        autoFocus  
      />  

```

```
      <p className={styles.newPasswordHint}>Если хотите сменить пароль, заполните поля  
ниже</p>
```

```
      <input  
        type="password"
```

```

        placeholder="Новый пароль (минимум 8 символов)"

        className={styles.modalInput}

        value={newPassword}

        onChange={(e) => onNewPasswordChange(e.target.value)}

    />

    <input

        type="password"

        placeholder="Подтверждение нового пароля"

        className={styles.modalInput}

        value={confirmNewPassword}

        onChange={(e) => onConfirmNewPasswordChange(e.target.value)}

    />

    {error && <p className={styles.errorMessage}>{error}</p>}

    <div className={styles.modalButtons}>

        <button onClick={handleClose}>Отмена</button>

        <button onClick={handleConfirm}>Подтвердить</button>

    </div>

</div>

</div>

)

}

```

VehiclesPanel.jsx

```
import styles from './VehiclesPanel.module.css';

import { useVehiclesPanel } from '../../shared/hooks/profile/useVehiclesPanel';

import { NEW_VEHICLE_FIELDS, VEHICLE_CATEGORIES, PARKING_OPTIONS } from
'../../shared/config/fields';

export const VehiclesPanel = () => {

  const {

    vehicles,

    loading,

    showModal,

    modalError,

    globalError,

    formData,

    handleInputChange,

    handleSubmit,

    handleDelete,

    openModal,

    closeModal,

    formatYear

  } = useVehiclesPanel();

  if (loading) {

    return <div className={styles.vehiclesPanel}>Загрузка...</div>;

  }

  return (

    <div className={styles.vehiclesPanel}>

      <div className={styles.header}>

        <h1 className={styles.title}>Мои автомобили</h1>

      </div>

    </div>

  );
}
```

```

<button onClick={openModal} className={styles.addButton}>

  + Добавить автомобиль

</button>

</div>

{globalError && <div className={styles.error}>{globalError}</div>}

<div className={styles.vehiclesContainer}>

  {vehicles.length === 0 ? (

    <div className={styles.emptyMessage}>

      <p>У вас пока нет добавленных автомобилей</p>

      <button onClick={openModal} className={styles.addFirstButton}>

        Добавить первый автомобиль

      </button>

    </div>

  ) : (

    vehicles.map(vehicle => (

      <div key={vehicle.id} className={styles.vehicleCard}>

        <div className={styles.vehicleHeader}>

          <span className={styles.vehicleName}>

            {vehicle.brand} {vehicle.model}

          </span>

          <button

            onClick={() => handleDelete(vehicle.id)}

            className={styles.deleteButton}

          >

            Удалить

          </button>

        </div>

      </div>

    )

  )

}


```

```

</div>

<div className={styles.vehicleInfo}>

  <p><strong>Госномер:</strong> {vehicle.state_number}</p>

  <p><strong>VIN:</strong> {vehicle.vin}</p>

  <p><strong>Год выпуска:</strong> {formatYear(vehicle.manufacture_year)}</p>

  <p><strong>Мощность:</strong> {vehicle.power_hp} л.с.</p>

  <p><strong>Категория:</strong> {vehicle.category?.code || vehicle.category}</p>

  {vehicle.purchase_price && (
    <p><strong>Стоимость:</strong> {vehicle.purchase_price.toLocaleString()} Р</p>
  )}

</div>

</div>

))

)}

</div>

```

```

{showModal && (
  <div className={styles.modalOverlay} onClick={closeModal}>

    <div className={styles.modal} onClick={(e) => e.stopPropagation()}>

      <h2>Добавить автомобиль</h2>

      {modalError && (
        <div className={styles.modalError}>

          {modalError}

        </div>

      )}

    </div>

  )}

  <form onSubmit={handleSubmit}>

```

```

{NEW_VEHICLE_FIELDS.map(field => {
  if (field.type === 'select') {
    const options = field.options || VEHICLE_CATEGORIES;
    return (
      <div key={field.name} className={styles.formGroup}>
        <label>{field.label}</label>
        <select
          name={field.name}
          value={formData[field.name]}
          onChange={handleInputChange}
          required={field.required}
        >
          {options.map(opt => typeof opt === 'object'
            ? <option key={opt.value} value={opt.value}>{opt.label}</option>
            : <option key={opt} value={opt}>{opt}</option>
          )}
        </select>
      </div>
    );
  }
  if (field.type === 'checkbox') {
    return (
      <div key={field.name} className={styles.checkboxGroup}>
        <label>
          <input
            type="checkbox"
            name={field.name}
            checked={formData[field.name]}

```



```

        onChange={handleInputChange}

      />

      {field.label}

    </label>

  </div>

  );
}

return (
  <div key={field.name} className={styles.formGroup}>

    <label>{field.label}</label>

    <input

      type={field.type}

      name={field.name}

      value={formData[field.name]}

      onChange={handleInputChange}

      placeholder={field.placeholder}

      required={field.required}

      min={field.min}

      max={field.max}

      step={field.step}

    />

  </div>

  );

  }}}

  <div className={styles.modalButtons}>

    <button type="button" onClick={closeModal}>

      Отмена

    </button>

```

```

        <button type="submit">
            Добавить
        </button>
    </div>
</form>
</div>
</div>
    })
</div>
);
};

```

SidePanel.jsx

```

import styles from './SidePanelStyle.module.css'

import Profile from '../..../assets/Profile/Profile.webp'
import History from '../..../assets/Profile/History.webp'
import Notifications from '../..../assets/Profile/Notifications.webp'
import AccidentsIcon from '../..../assets/Profile/Accident.webp'
import Back from '../..../assets/Profile/Back.webp'
import Exit from '../..../assets/Profile/Exit.webp'
import Car from '../..../assets/Profile/Car.webp'
import { SidePanelLine } from './SidePanelLine'
import { useNotifications } from '../..../shared/context/notificationsContext'
import { useAuth } from '../..../shared/context/authContext'
import { useNavigate } from 'react-router-dom'

```

```

export const SidePanel = (props) => {

  const { activeTab, setActiveTab } = props

  const { unreadCount } = useNotifications()

  const { logout, fullUserData } = useAuth()

  const navigate = useNavigate()

  const handleLogout = () => {

    logout()

    navigate('/')

  }

  const displayName = fullUserData?.surname && fullUserData?.name

  ? `${fullUserData.surname} ${fullUserData.name}`

  : fullUserData?.email?.split('@')[0] || 'Пользователь'

  const displayEmail = fullUserData?.email || 'email@example.com'

  const SidePanelLineProps = [

    {id:0, SidePanelLineImg: Profile, SidePanelLineButton:'Профиль', tabName: 'profile'},

    {id:1, SidePanelLineImg: History, SidePanelLineButton:'История полисов', tabName: 'policies'},

    {id:2, SidePanelLineImg: Car, SidePanelLineButton:'Мои автомобили', tabName: 'vehicles'},

    {id:3, SidePanelLineImg: AccidentsIcon, SidePanelLineButton:'Страховые случаи', tabName:

'accidents'},

    {id:4, SidePanelLineImg: Notifications, SidePanelLineButton:'Уведомления', tabName:

'notifications', badge: unreadCount},

    {id:5, SidePanelLineImg: Back, SidePanelLineButton:'На главную', isLink: true, LinkPath: "/"},

    {id:6, SidePanelLineImg: Exit, SidePanelLineButton:'Выход', onClick: handleLogout},

  ];

  return <div className={styles.SidePanel}>

```

```
<div className={styles.SidePanelHead}>

  <h1 className={styles.SidePanelHeadH1}>{displayName}</h1>

  <p className={styles.SidePanelHeadText}>{displayEmail}</p>

</div>
```

```
<div className={styles.SidePanelContainer}>

  {SidePanelLineProps.map((SidePanelInfo, key) => {

    if (SidePanelInfo.onClick) {

      return (

        <SidePanelLine

          key={key}

          SidePanelLineImg={SidePanelInfo.SidePanelLineImg}

          SidePanelLineButton={SidePanelInfo.SidePanelLineButton}

          onClick={SidePanelInfo.onClick}

        />

      )

    } else if (SidePanelInfo.isLink) {

      return (

        <SidePanelLine

          key={key}

          SidePanelLineImg={SidePanelInfo.SidePanelLineImg}

          SidePanelLineButton={SidePanelInfo.SidePanelLineButton}

          isButtonLink={true}

          LinkPath={SidePanelInfo.LinkPath}

        />

      )

    } else {

      return (
```

```

    <SidePanelLine
      key={key}

      SidePanelLineImg={SidePanelInfo.SidePanelLineImg}

      SidePanelLineButton={SidePanelInfo.SidePanelLineButton}

      isActive={activeTab === SidePanelInfo.tabName}

      onClick={() => setActiveTab(SidePanelInfo.tabName)}

      badge={SidePanelInfo.badge}
    />
  )
}
}}}
</div>
</div>
}

```

SidePanelLine.jsx

```
import styles from './SidePanelLineStyle.module.css'
```

```
import { Link } from 'react-router-dom';
```

```
export const SidePanelLine = (props) => {
```

```
  const {SidePanelLineImg, SidePanelLineButton, isButtonLink, LinkPath, isActive, onClick, badge} =
  props
```

```
  return <div
```

```
    className={` ${styles.SidePanelLine} ${isActive ? styles.active : ""}`}
```

```
    onClick={!isButtonLink ? onClick : undefined}
```

```
  >
```

```

<img src={SidePanelLineImg} className={styles.SidePanelLineImg}/>

{isButtonLink ? (
  <Link to={LinkPath} className={styles.SidePanelLineButtonLink}>
    <button className={styles.SidePanelLineButton}>{SidePanelLineButton}</button>
  </Link>
) : (
  <div className={styles.buttonContainer}>
    <button className={styles.SidePanelLineButton}>{SidePanelLineButton}</button>
    {badge > 0 && (
      <span className={styles.badge}>{badge}</span>
    )}
  </div>
)}
</div>
}

```

ProfilePage.jsx

```

import styles from './profileStyle.module.css';

import { SidePanel } from '../components/sidePanel/SidePanel';

import { MainPanel } from '../components/mainPanel/MainPanel';

import { HistoryPanel } from '../components/panels/HistoryPanel';

import { NotificationsPanel } from '../components/panels/NotificationsPanel';

import { VehiclesPanel } from '../components/panels/VehiclesPanel';

import { AccidentsPanel } from '../components/panels/AccidentsPanel';

import { useProfilePage } from '../../shared/hooks/profile/useProfilePage';

```

```
export const ProfilePage = () => {

  const {
    activeTab,
    loading,
    isAuthenticated,
    handleTabChange,
    getPanelKey
  } = useProfilePage();

  const renderMainPanel = () => {

    switch(activeTab) {

      case 'profile':

        return <MainPanel key={getPanelKey('profile')} />;

      case 'policies':

        return <HistoryPanel key={getPanelKey('policies')} />;

      case 'notifications':

        return <NotificationsPanel key={getPanelKey('notifications')} />;

      case 'vehicles':

        return <VehiclesPanel key={getPanelKey('vehicles')} />;

      case 'accidents':

        return <AccidentsPanel key={getPanelKey('accidents')} />;

      default:

        return <MainPanel key={getPanelKey('profile')} />;

    }

  };

  if (loading) {
```

```

    return <div className={styles.wrapper}>Загрузка...</div>;
  }

  if (!isAuthenticated) {
    window.location.href = '/SignIn';
    return null;
  }

  return (
    <div className={styles.wrapper}>
      <div className={styles.panelsContainer}>
        <div className={styles.SidePanelContainer}>
          <SidePanel
            activeTab={activeTab}
            setActiveTab={handleTabChange}
          />
        </div>
        <div className={styles.MainPanelContainer}>
          {renderMainPanel()}
        </div>
      </div>
    </div>
  );
};

```

TextInput.jsx


```
import React from 'react';
```

```
export const TextInput = (props) => {
```

```
  const { className, placeholder, type, register, error, errorClassName, options } = props;
```

```
  if (type === 'select') {
```

```
    return (
```

```
      <>
```

```
        <select className={className} {...register}>
```

```
          <option value="">{placeholder}</option>
```

```
          {options?.map(opt => (
```

```
            <option key={opt} value={opt}>{opt}</option>
```

```
          )))
```

```
        </select>
```

```
        {error && <p className={errorClassName}>{error.message}</p>}
```

```
      </>
```

```
    );
```

```
  }
```

```
  return (
```

```
    <>
```

```
      <input
```

```
        className={className}
```

```
        placeholder={placeholder}
```

```
        type={type}
```

```
        {...register}
```

```
      />
```

```
      {error && <p className={errorClassName}>{error.message}</p>}
```

```
</>  
  
);  
  
};
```

AuthCheckBox.jsx

```
import React from 'react';  
  
import styles from './AuthCheckBoxStyle.module.css';  
  
export const AuthCheckBox = (props) => {  
  
  const {id, register, labelText} = props;  
  
  return (<>  
  
    <div className={styles.AuthCheckboxContainer}>  
  
      <input  
  
        className={styles.AuthCheckbox}  
  
        type="checkbox"  
  
        id={id}  
  
        {...register}  
  
      />  
  
      <label htmlFor={id} className={styles.AuthCheckboxLabel}>  
  
        {labelText}  
  
      </label>  
  
    </div>  
  
  </>  
);
```

```
);  
};
```

Footer.jsx

```
import ZenImg from "../../assets/Footer/Zen.webp";  
import MaxmImg from "../../assets/Footer/Max.webp";  
import OKImg from "../../assets/Footer/OK.webp";  
import VKImg from "../../assets/Footer/VK.webp";  
import styles from './FooterStyle.module.css';  
import { Link } from 'react-router-dom';  
import { scrollToElement } from "../../utils/scrollToElement";  
  
export const Footer = (props) => {  
  
  return <div className={styles.Footer}>  
  
    <div className={styles.FooterImgContainer}>  
      <img src={MaxmImg} className={styles.FooterImg}/>  
      <img src={OKImg} className={styles.FooterImg}/>  
      <img src={ZenImg} className={styles.FooterImg}/>  
      <img src={VKImg} className={styles.FooterImg}/>  
    </div>  
  
    <div className={styles.FooterButtonContainer}>  
      <button className={styles.FooterButton}>  
        <Link to="/AboutUs" className={styles.FooterButtonContainerLink}>О компании</Link>  
      </button>  
    </div>  
  </div>  
}
```

```

    </button>

    <button className={styles.FooterButton}>
      <Link to="/Accident" className={styles.FooterButtonContainerLink}>Страховой случай</Link>
    </button>

    <button className={styles.FooterButton} onClick={() =>
scrollToElement("Header")}>Контакты</button>

  </div>

  <p className={styles.FooterText}>©2026 Страхование онлайн</p>

</div>

}

```

Header.jsx

```

import styles from './HeaderStyle.module.css';
import React from 'react';
import { Link } from 'react-router-dom';
import { useAuth } from '../shared/context/authContext.js';

export const Header = (props) => {
  const { isAuthenticated } = useAuth();

  return <div className={styles.Header} id="Header">

    <div className={styles.HeaderLeft}>

```

```
<button className={styles.HeaderLogoButton}>
```

```
  <Link to="/" className={styles.HeaderLeftLink}>Страхование онлайн</Link>
```

```
</button>
```

```
<div className={styles.HeaderLeftButtonContainer}>
```

```
  <button className={styles.HeaderLeftButton}>
```

```
    <Link to="/AboutUs" className={styles.HeaderLeftButtonContainerLink}>О  
компаний</Link>
```

```
  </button>
```

```
<button className={styles.HeaderLeftButton}>
```

```
  {isAuthenticated ? (
```

```
    <Link to="/Accident" className={styles.HeaderLeftLink}>
```

```
      Страховой случай
```

```
    </Link>
```

```
  ) : (
```

```
    <Link to="/SignUp" className={styles.HeaderLeftLink}>
```

```
      Страховой случай
```

```
    </Link>
```

```
  )}
```

```
</button>
```

```
<button className={styles.HeaderLeftContactButton}>
```

```
  <p className={styles.HeaderLeftContactButtonText}>Контакты: </p>
```

```
  <p className={styles.HeaderLeftContactButtonTextInText}>+7 495 123-45-67</p>
```

```
</button>
```

```
</div>
```

```
</div>
```

```

<div className={styles.HeaderRight}>

  {isAuthenticated ? (

    <Link to="/Profile" className={styles.HeaderRightLink}>

      <button className={styles.HeaderRightButton}>Личный кабинет</button>

    </Link>

  ) : (

    <>

      <Link to="/SignUp" className={styles.HeaderRightLink}>

        <button className={styles.HeaderRightButton}>Регистрация</button>

      </Link>

      <Link to="/SignIn" className={styles.HeaderRightLink}>

        <button className={styles.HeaderRightButton}>Авторизация</button>

      </Link>

    </>

  )}

</div>

</div>
}

```

SideBackground.jsx

```
import styles from './SideBackgroundStyle.module.css';
```

```
export const SideBackground =(props)=>{
```

```
const {isDark} = props;
```

```
return <div className={styles.SideBackground}>
```

```
  {() => {  
    if (isDark) {  
      return (  
        <img className={styles.SideDarkBackgroundImg}/>  
      );  
    }  
    else {  
      return (  
        <img className={styles.SideBackgroundImg}/>  
      );  
    }  
  }}()
```

```
</div>
```

```
}
```

AuthHeader.jsx

```
import styles from './AuthHeaderStyle.module.css';
```

```
import { Link } from 'react-router-dom';
```

```
export const AuthHeader =(props)=>{
```

```
  const {isSignUp} = props;
```

```
return <div className={styles.AuthHeader}>
```

```
<div className={styles.AuthHeaderContainer}>
```

```
<Link to="/" className={styles.AuthHeaderLogoButtonLink}>
```

```
<button className={styles.AuthHeaderLogoButton}>Главная</button>
```

```
</Link>
```

```
{{() => {
```

```
  if (isSignUp) {
```

```
    return (
```

```
      <Link to="/SignIn" className={styles.AuthHeaderRightLink}>
```

```
        <button className={styles.AuthHeaderRightButton}>Авторизация</button>
```

```
      </Link>
```

```
    );
```

```
  }
```

```
  else {
```

```
    return (
```

```
      <>
```

```
        <Link to="/SignUp" className={styles.AuthHeaderRightLink}>
```

```
          <button className={styles.AuthHeaderRightButton}>Регистрация</button>
```

```
        </Link>
```

```
      </>
```

```
    );
```

```
  }
```

```
})();
```


</div>

</div>

}

AccidentController.php

<?php

namespace App\Http\Controllers;

use App\Models\Accident;

use App\Models\Policy;

use App\Models\ClientProfile;

use Illuminate\Http\Request;

class AccidentController extends Controller

{

private \$validationMessages = [

'accident_date.required' => 'Дата ДТП обязательна для заполнения',

'accident_date.date' => 'Дата ДТП должна быть корректной датой',

'accident_date.before_or_equal' => 'Дата ДТП не может быть в будущем',

'damage_amount.numeric' => 'Сумма ущерба должна быть числом',

'damage_amount.min' => 'Сумма ущерба не может быть отрицательной',

'is_client_fault.required' => 'Укажите, является ли клиент виновником ДТП',

'is_client_fault.boolean' => 'Поле "вина клиента" должно быть true или false',

'description.string' => 'Описание ДТП должно быть строкой',

```
'status.string' => 'Статус должен быть строкой',  
'status.in' => 'Статус должен быть одним из: pending, approved, rejected, paid',  
];
```

```
public function index(Request $request)  
{  
    $perPage = $request->get('per_page', 15);  
    $clientId = $request->get('client_id');  
    $policyId = $request->get('policy_id');  
  
    $query = Accident::with(['client.user', 'policy']);  
  
    if ($clientId) {  
        $query->where('client_id', $clientId);  
    }  
  
    if ($policyId) {  
        $query->where('policy_id', $policyId);  
    }  
  
    $accidents = $query->orderBy('accident_date', 'desc')->paginate($perPage);  
  
    return response()->json($accidents);  
}
```

```
public function myAccidents(Request $request)  
{  
    $user = $request->user();
```

```
$profile = $user->clientProfile;
```

```
if (!$profile) {
```

```
    return response()->json([]);
```

```
}
```

```
$accidents = Accident::where('client_id', $profile->id)
```

```
    ->with(['policy'])
```

```
    ->orderBy('accident_date', 'desc')
```

```
    ->get();
```

```
return response()->json($accidents);
```

```
}
```

```
public function store(Request $request, $policyId)
```

```
{
```

```
    try {
```

```
        $user = $request->user();
```

```
        $profile = ClientProfile::where('user_id', $user->id)->first();
```

```
        if (!$profile) {
```

```
            return response()->json(['message' => 'Профиль клиента не найден'], 404);
```

```
        }
```

```
        $policy = Policy::where('id', $policyId)
```

```
            ->where('client_id', $profile->id)
```

```
            ->where('status', 'active')
```

```
->first();
```

```
if (!$policy) {
```

```
    return response()->json(['message' => 'Активный полис не найден'], 404);
```

```
}
```

```
$validated = $request->validate([
```

```
    'accident_date' => 'required|date|before_or_equal:today',
```

```
    'damage_amount' => 'nullable|numeric|min:0',
```

```
    'is_client_fault' => 'required|boolean',
```

```
    'description' => 'nullable|string',
```

```
], $this->validationMessages);
```

```
if ($validated['accident_date'] > $policy->end_date) {
```

```
    return response()->json(['message' => 'Дата ДТП не может быть позже даты окончания  
действия полиса'], 422);
```

```
}
```

```
$accident = Accident::create([
```

```
    'client_id' => $profile->id,
```

```
    'policy_id' => $policyId,
```

```
    'accident_date' => $validated['accident_date'],
```

```
    'damage_amount' => $validated['damage_amount'] ?? null,
```

```
    'is_client_fault' => $validated['is_client_fault'],
```

```
    'description' => $validated['description'] ?? null,
```

```
    'status' => 'pending'
```

```
]);
```

```
if ($validated['is_client_fault']) {
```

```

        $this->updateBonusMalus($profile, true);
    }

    return response()->json([
        'message' => 'Информация о ДТП успешно отправлена',
        'accident' => $accident->load('policy')
    ], 201);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации данных',
        'errors' => $e->errors()
    ], 422);
} catch (\Exception $e) {
    return response()->json(['message' => 'Ошибка при создании заявления'], 500);
}
}

```

```

public function update(Request $request, $id)
{
    try {
        $accident = Accident::findOrFail($id);

        $validated = $request->validate([
            'damage_amount' => 'nullable|numeric|min:0',
            'is_client_fault' => 'sometimes|boolean',
            'description' => 'nullable|string',
            'status' => 'sometimes|string|in:pending,approved,rejected,paid',

```

```
], $this->validationMessages);
```

```
if (isset($validated['status']) && $validated['status'] === 'paid') {
```

```
    $currentFault = $validated['is_client_fault'] ?? $accident->is_client_fault;
```

```
    if ($currentFault) {
```

```
        return response()->json(['message' => 'Нельзя оплатить ДТП, где клиент виновник'], 422);
```

```
    }
```

```
}
```

```
$oldFault = $accident->is_client_fault;
```

```
$accident->update($validated);
```

```
if ($request->has('is_client_fault') && $request->is_client_fault && !$oldFault) {
```

```
    $profile = ClientProfile::find($accident->client_id);
```

```
    if ($profile) {
```

```
        $this->updateBonusMalus($profile, true);
```

```
    }
```

```
}
```

```
return response()->json([
```

```
    'message' => 'Информация о ДТП обновлена',
```

```
    'accident' => $accident->load(['client.user', 'policy'])
```

```
]);
```

```
} catch (\Illuminate\Validation\ValidationException $e) {
```

```
    return response()->json([
```

```
        'message' => 'Ошибка валидации данных',
```

```
        'errors' => $e->errors()
```

```

    ], 422);

}

}

```

```

private function updateBonusMalus($profile, $hasAccident)

```

```

{

    $currentClass = $profile->bonus_malus_class ?? '3';

```

```

    $transitions = [

        'M' => ['no_accident' => '0', 'accident' => 'M'],
        '0' => ['no_accident' => '1', 'accident' => 'M'],
        '1' => ['no_accident' => '2', 'accident' => 'M'],
        '2' => ['no_accident' => '3', 'accident' => '1'],
        '3' => ['no_accident' => '4', 'accident' => '2'],
        '4' => ['no_accident' => '5', 'accident' => '3'],
        '5' => ['no_accident' => '6', 'accident' => '4'],
        '6' => ['no_accident' => '7', 'accident' => '5'],
        '7' => ['no_accident' => '8', 'accident' => '6'],
        '8' => ['no_accident' => '9', 'accident' => '7'],
        '9' => ['no_accident' => '10', 'accident' => '8'],
        '10' => ['no_accident' => '11', 'accident' => '9'],
        '11' => ['no_accident' => '12', 'accident' => '10'],
        '12' => ['no_accident' => '13', 'accident' => '11'],
        '13' => ['no_accident' => '13', 'accident' => '12'],

    ];

```

```

    $key = $hasAccident ? 'accident' : 'no_accident';

    $newClass = $transitions[$currentClass][$key] ?? '3';

```

```

        $profile->bonus_malus_class = $newClass;

        $profile->has_accidents_last_year = $hasAccident;

        $profile->save();

        return $newClass;
    }
}

```

AuthController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\User;
```

```
use App\Models\UserType;
```

```
use App\Models\ClientProfile;
```

```
use Illuminate\Http\Request;
```

```
use Illuminate\Support\Facades\Hash;
```

```
class AuthController extends Controller
```

```
{
```

```
    private $validationMessages = [
```

```
        'email.required' => 'Email обязателен для заполнения',
```

```
        'email.email' => 'Введите корректный email адрес',
```

```
        'email.unique' => 'Пользователь с таким email уже зарегистрирован',
```


'phone.required' => 'Номер телефона обязателен для заполнения',
'phone.regex' => 'Телефон должен быть в формате +7XXXXXXXXXX',
'phone.unique' => 'Пользователь с таким номером телефона уже зарегистрирован',
'password.required' => 'Пароль обязателен для заполнения',
'password.min' => 'Пароль должен содержать минимум :min символов',
'password.confirmed' => 'Подтверждение пароля не совпадает',
'last_name.required' => 'Фамилия обязательна для заполнения',
'last_name.regex' => 'Фамилия должна содержать только русские буквы',
'first_name.required' => 'Имя обязательно для заполнения',
'first_name.regex' => 'Имя должно содержать только русские буквы',
'middle_name.required' => 'Отчество обязательно для заполнения',
'middle_name.regex' => 'Отчество должно содержать только русские буквы',
'birth_date.required' => 'Дата рождения обязательна для заполнения',
'birth_date.before_or_equal' => 'Дата рождения не может быть в будущем',
'passport_series.required' => 'Серия паспорта обязательна',
'passport_series.size' => 'Серия паспорта должна содержать 4 цифры',
'passport_number.required' => 'Номер паспорта обязателен',
'passport_number.size' => 'Номер паспорта должен содержать 6 цифр',
'passport_issued_by.required' => 'Кем выдан - обязательно',
'passport_issue_date.required' => 'Дата выдачи паспорта обязательна',
'passport_issue_date.after' => 'Дата выдачи паспорта должна быть позже 31.12.1990',
'driver_license_series.required' => 'Серия ВУ обязательна',
'driver_license_series.size' => 'Серия ВУ должна содержать 4 цифры',
'driver_license_number.required' => 'Номер ВУ обязателен',
'driver_license_number.size' => 'Номер ВУ должен содержать 6 цифр',
'driver_license_issued_by.required' => 'Кем выдано ВУ - обязательно',
'driver_license_issue_date.required' => 'Дата выдачи ВУ обязательна',
'driver_license_issue_date.before_or_equal' => 'Дата выдачи ВУ не может быть в будущем',

```
'driver_license_expiry_date.required' => 'Дата окончания ВУ обязательна',  
'driver_license_expiry_date.after' => 'Дата окончания ВУ должна быть позже даты выдачи',  
'current_password.required' => 'Текущий пароль обязателен',  
'new_password.required' => 'Новый пароль обязателен',  
'new_password.min' => 'Новый пароль должен содержать минимум :min символов',  
'new_password.confirmed' => 'Подтверждение пароля не совпадает',  
'new_password.different' => 'Новый пароль должен отличаться от текущего',  
];
```

```
public function register(Request $request)  
{  
    try {  
        $validated = $request->validate([  
            'email' => 'required|email|unique:users',  
            'phone' => 'required|string|regex:/^\+7\d{10}$/|unique:users',  
            'password' => 'required|min:6|confirmed',  
            'last_name' => 'required|string|max:30|regex:/^[А-ЯЁ][а-яё]+(-[А-ЯЁ][а-яё]+)?$/u',  
            'first_name' => 'required|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',  
            'middle_name' => 'required|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',  
            'birth_date' => 'required|date|before_or_equal:today|after:1900-01-01',  
            'passport_series' => 'required|string|size:4|regex:/^\d{4}$/',  
            'passport_number' => 'required|string|size:6|regex:/^\d{6}$/',  
            'passport_issued_by' => 'required|string|min:10|max:200',  
            'passport_issue_date' => 'required|date|before_or_equal:today|after:1990-12-31',  
            'driver_license_series' => 'required|string|size:4|regex:/^\d{4}$/',  
            'driver_license_number' => 'required|string|size:6|regex:/^\d{6}$/',  
            'driver_license_issued_by' => 'required|string|min:10|max:200',  
            'driver_license_issue_date' => 'required|date|before_or_equal:today',  
        ];
```

```
        'driver_license_expiry_date' => 'required|date|after:driver_license_issue_date',
    ], $this->validationMessages);
```

```
$clientType = UserType::where('name', 'client')->first();
```

```
if (!$clientType) {
    return response()->json(['message' => 'Тип пользователя не найден'], 500);
}
```

```
$user = User::create([
    'email' => $validated['email'],
    'phone' => $validated['phone'],
    'password_hash' => Hash::make($validated['password']),
    'user_type_id' => $clientType->id,
]);
```

```
$clientProfile = ClientProfile::create([
    'user_id' => $user->id,
    'last_name' => $validated['last_name'],
    'first_name' => $validated['first_name'],
    'middle_name' => $validated['middle_name'],
    'birth_date' => $validated['birth_date'],
    'passport_series' => $validated['passport_series'],
    'passport_number' => $validated['passport_number'],
    'passport_issued_by' => $validated['passport_issued_by'],
    'passport_issue_date' => $validated['passport_issue_date'],
    'driver_license_series' => $validated['driver_license_series'],
    'driver_license_number' => $validated['driver_license_number'],
```

```

        'driver_license_issued_by' => $validated['driver_license_issued_by'],
        'driver_license_issue_date' => $validated['driver_license_issue_date'],
        'driver_license_expiry_date' => $validated['driver_license_expiry_date'],
    ]);

    $token = $user->createToken('auth_token')->plainTextToken;

    return response()->json([
        'message' => 'Регистрация прошла успешно',
        'user' => $user->load('userType'),
        'profile' => $clientProfile,
        'token' => $token
    ], 201);

    } catch (\Illuminate\Validation\ValidationException $e) {
        return response()->json([
            'message' => 'Ошибка валидации данных',
            'errors' => $e->errors()
        ], 422);
    } catch (\Exception $e) {
        return response()->json(['message' => 'Ошибка регистрации'], 500);
    }
}

public function login(Request $request)
{
    try {
        $validated = $request->validate([

```

```

        'email' => 'required|email',

        'password' => 'required'

    ], $this->validationMessages);

    $user = User::where('email', $validated['email'])->first();

    if (!$user || !Hash::check($validated['password'], $user->password_hash)) {
        return response()->json(['message' => 'Неверный email или пароль'], 401);
    }

    if ($user->is_blocked) {
        return response()->json(['message' => 'Аккаунт заблокирован'], 403);
    }

    $user->tokens()->delete();

    $token = $user->createToken('auth_token')->plainTextToken;

    return response()->json([
        'message' => 'Вход выполнен успешно',
        'user' => $user->load(['userType', 'clientProfile', 'clientProfile.driverCategories']),
        'token' => $token
    ]);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации данных',
        'errors' => $e->errors()
    ], 422);
}

```

```
}  
}
```

```
public function logout(Request $request)  
{  
    $request->user()->currentAccessToken()->delete();  
    return response()->json(['message' => 'Выход выполнен успешно']);  
}
```

```
public function me(Request $request)  
{  
    $user = $request->user()->load(['userType', 'clientProfile', 'clientProfile.driverCategories']);  
    return response()->json($user);  
}
```

```
public function changePassword(Request $request)  
{  
    try {  
        $validated = $request->validate([  
            'current_password' => 'required',  
            'new_password' => 'required|min:8|confirmed|different:current_password',  
        ], $this->validationMessages);  
  
        $user = $request->user();  
  
        if (!Hash::check($validated['current_password'], $user->password_hash)) {  
            return response()->json(['message' => 'Текущий пароль указан неверно'], 422);  
        }  
    }  
}
```

```

$user->password_hash = Hash::make($validated['new_password']);

$user->save();

return response()->json(['message' => 'Пароль успешно изменён']);

} catch (\Illuminate\Validation\ValidationException $e) {

    return response()->json([

        'message' => 'Ошибка валидации данных',

        'errors' => $e->errors()

    ], 422);

}

}

public function forgotPassword(Request $request)

{

    try {

        $validated = $request->validate([

            'email' => 'required|email'

        ], $this->validationMessages);

        $user = User::where('email', $validated['email'])->first();

        if (!$user) {

            return response()->json(['message' => 'Пользователь с таким email не найден'], 404);

        }

        $token = '4444';

```

```

return response()->json([
    'message' => 'Код сброса отправлен на вашу почту',
    'token' => $token
]);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации данных',
        'errors' => $e->errors()
    ], 422);
}
}

public function resetPassword(Request $request)
{
    try {
        $validated = $request->validate([
            'email' => 'required|email',
            'token' => 'required',
            'password' => 'required|min:6|confirmed',
        ], $this->validationMessages);

        $user = User::where('email', $validated['email'])->first();

        if (!$user) {
            return response()->json(['message' => 'Пользователь с таким email не найден'], 404);
        }
    }
}

```



```

        if ($validated['token'] !== '4444') {

            return response()->json(['message' => 'Неверный код подтверждения'], 422);

        }

        $user->password_hash = Hash::make($validated['password']);

        $user->save();

        $user->tokens()->delete();

        return response()->json(['message' => 'Пароль успешно изменён']);

    } catch (\Illuminate\Validation\ValidationException $e) {

        return response()->json([

            'message' => 'Ошибка валидации данных',

            'errors' => $e->errors()

        ], 422);

    }

}
}
}

```

ClientController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\User;
```

```
use App\Models\ClientProfile;

use App\Models\UserType;

use Illuminate\Http\Request;

use Illuminate\Support\Facades\Hash;

class ClientController extends Controller
{
    private $validationMessages = [

        'email.required' => 'Email обязателен для заполнения',

        'email.email' => 'Введите корректный email адрес',

        'email.unique' => 'Пользователь с таким email уже зарегистрирован',

        'phone.required' => 'Номер телефона обязателен',

        'phone.regex' => 'Телефон должен быть в формате +7XXXXXXXXXX',

        'phone.unique' => 'Пользователь с таким номером телефона уже зарегистрирован',

        'password.required' => 'Пароль обязателен',

        'password.min' => 'Пароль должен содержать минимум :min символов',

        'last_name.required' => 'Фамилия обязательна',

        'last_name.regex' => 'Фамилия должна содержать только русские буквы',

        'first_name.required' => 'Имя обязательно',

        'first_name.regex' => 'Имя должно содержать только русские буквы',

        'middle_name.regex' => 'Отчество должно содержать только русские буквы',

        'birth_date.before_or_equal' => 'Дата рождения не может быть в будущем',

        'passport_series.size' => 'Серия паспорта должна содержать 4 цифры',

        'passport_number.size' => 'Номер паспорта должен содержать 6 цифр',

        'passport_issued_by.min' => 'Название органа выдачи слишком короткое',

        'passport_issue_date.after' => 'Дата выдачи паспорта должна быть позже 31.12.1990',

        'driver_license_series.size' => 'Серия ВУ должна содержать 4 цифры',

        'driver_license_number.size' => 'Номер ВУ должен содержать 6 цифр',
```

```
'driver_license_issue_date.before_or_equal' => 'Дата выдачи ВУ не может быть в будущем',  
'driver_license_expiry_date.after' => 'Дата окончания ВУ должна быть позже даты выдачи',  
];
```

```
public function index(Request $request)  
{  
    $perPage = $request->get('per_page', 15);  
    $search = $request->get('search');  
  
    $query = User::whereHas('userType', function($q) {  
        $q->where('name', 'client');  
    }->with(['clientProfile', 'clientProfile.driverCategories']));  
  
    if ($search) {  
        $query->where(function($q) use ($search) {  
            $q->where('email', 'like', "%{$search}%")  
            ->orWhere('phone', 'like', "%{$search}%")  
            ->orWhereHas('clientProfile', function($sub) use ($search) {  
                $sub->where('last_name', 'like', "%{$search}%")  
                ->orWhere('first_name', 'like', "%{$search}%");  
            });  
        });  
    }  
  
    $clients = $query->paginate($perPage);  
  
    return response()->json($clients);  
}
```

```

public function store(Request $request)
{
    try {
        $validated = $request->validate([
            'email' => 'required|email|unique:users',
            'phone' => 'required|string|regex:/^\+7\d{10}$/|unique:users',
            'password' => 'required|min:6',
            'last_name' => 'required|string|max:30|regex:/^[А-ЯЁ][а-яё]+(-[А-ЯЁ][а-яё]+)?$/u',
            'first_name' => 'required|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',
            'middle_name' => 'nullable|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',
            'birth_date' => 'nullable|date|before_or_equal:today|after:1900-01-01',
            'passport_series' => 'nullable|string|size:4|regex:/^\d{4}$/',
            'passport_number' => 'nullable|string|size:6|regex:/^\d{6}$/',
            'passport_issued_by' => 'nullable|string|min:10|max:200',
            'passport_issue_date' => 'nullable|date|before_or_equal:today|after:1990-12-31',
            'driver_license_series' => 'nullable|string|size:4|regex:/^\d{4}$/',
            'driver_license_number' => 'nullable|string|size:6|regex:/^\d{6}$/',
            'driver_license_issued_by' => 'nullable|string|min:10|max:200',
            'driver_license_issue_date' => 'nullable|date|before_or_equal:today',
            'driver_license_expiry_date' => 'nullable|date|after:driver_license_issue_date',
        ], $this->validationMessages);

        $clientType = UserType::where('name', 'client')->first();

        if (!$clientType) {
            return response()->json(['message' => 'Тип пользователя не найден'], 500);
        }
    }
}

```

```
$user = User::create([  
    'email' => $validated['email'],  
    'phone' => $validated['phone'],  
    'password_hash' => Hash::make($validated['password']),  
    'user_type_id' => $clientType->id,  
]);
```

```
ClientProfile::create([  
    'user_id' => $user->id,  
    'last_name' => $validated['last_name'],  
    'first_name' => $validated['first_name'],  
    'middle_name' => $validated['middle_name'] ?? null,  
    'birth_date' => $validated['birth_date'] ?? null,  
    'passport_series' => $validated['passport_series'] ?? null,  
    'passport_number' => $validated['passport_number'] ?? null,  
    'passport_issued_by' => $validated['passport_issued_by'] ?? null,  
    'passport_issue_date' => $validated['passport_issue_date'] ?? null,  
    'driver_license_series' => $validated['driver_license_series'] ?? null,  
    'driver_license_number' => $validated['driver_license_number'] ?? null,  
    'driver_license_issued_by' => $validated['driver_license_issued_by'] ?? null,  
    'driver_license_issue_date' => $validated['driver_license_issue_date'] ?? null,  
    'driver_license_expiry_date' => $validated['driver_license_expiry_date'] ?? null,  
]);
```

```
return response()->json([  
    'message' => 'Клиент успешно создан',  
    'client' => $user->load(['clientProfile', 'clientProfile.driverCategories'])
```

```
], 201);
```

```
} catch (\Illuminate\Validation\ValidationException $e) {  
    return response()->json([  
        'message' => 'Ошибка валидации данных',  
        'errors' => $e->errors()  
    ], 422);  
}  
}
```

```
public function update(Request $request, $id)  
{  
    try {  
        $client = User::findOrFail($id);  
  
        $validated = $request->validate([  
            'email' => 'sometimes|email|unique:users,email,' . $id,  
            'phone' => 'sometimes|string|regex:/^\+7\d{10}$/|unique:users,phone,' . $id,  
            'last_name' => 'sometimes|string|max:30|regex:/^[А-ЯЁ][а-яё]+(-[А-ЯЁ][а-яё]+)?$/u',  
            'first_name' => 'sometimes|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',  
            'middle_name' => 'nullable|string|max:30|regex:/^[А-ЯЁ][а-яё]+$/u',  
            'birth_date' => 'nullable|date|before_or_equal:today|after:1900-01-01',  
            'passport_series' => 'nullable|string|size:4|regex:/^\d{4}$/',  
            'passport_number' => 'nullable|string|size:6|regex:/^\d{6}$/',  
            'passport_issued_by' => 'nullable|string|min:10|max:200',  
            'passport_issue_date' => 'nullable|date|before_or_equal:today|after:1990-12-31',  
            'driver_license_series' => 'nullable|string|size:4|regex:/^\d{4}$/',  
            'driver_license_number' => 'nullable|string|size:6|regex:/^\d{6}$/',  
        ])
```

```

        'driver_license_issued_by' => 'nullable|string|min:10|max:200',

        'driver_license_issue_date' => 'nullable|date|before_or_equal:today',

        'driver_license_expiry_date' => 'nullable|date|after:driver_license_issue_date',

    ], $this->validationMessages);

    $client->update($request->only(['email', 'phone']));

    if ($client->clientProfile) {

        $client->clientProfile->update($request->only([

            'last_name', 'first_name', 'middle_name', 'birth_date',

            'passport_series', 'passport_number', 'passport_issued_by', 'passport_issue_date',

            'driver_license_series', 'driver_license_number', 'driver_license_issued_by',

            'driver_license_issue_date', 'driver_license_expiry_date'

        ]));

    }

    return response()->json([

        'message' => 'Клиент успешно обновлён',

        'client' => $client->load(['clientProfile', 'clientProfile.driverCategories'])

    ]);

} catch (\Illuminate\Validation\ValidationException $e) {

    return response()->json([

        'message' => 'Ошибка валидации данных',

        'errors' => $e->errors()

    ], 422);

}

}

```

```

public function destroy($id)
{
    $client = User::findOrFail($id);

    if ($client->userType->name !== 'client') {
        return response()->json(['message' => 'Пользователь не является клиентом'], 422);
    }

    $profile = $client->clientProfile;

    if ($profile) {
        if ($profile->policies()->where('status', 'active')->exists()) {
            return response()->json(['message' => 'Нельзя удалить клиента с активными полисами'],
422);
        }

        $profile->driverCategories()->detach();
        $profile->vehicles()->delete();
        $profile->policies()->delete();
        $profile->accidents()->delete();
        $profile->delete();
    }

    $client->delete();

    return response()->json(['message' => 'Клиент успешно удалён']);
}
}

```


Controller.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
abstract class Controller
```

```
{
```

```
    //
```

```
}
```

NotificationController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Notification;
```

```
use Illuminate\Http\Request;
```

```
class NotificationController extends Controller
```

```
{
```

```
    private $validationMessages = [
```

```
        'user_id.required' => 'ID пользователя обязателен',
```

```
'user_id.exists' => 'Пользователь не найден',  
'message.required' => 'Текст уведомления обязателен',  
'message.max' => 'Текст уведомления не может превышать :max символов',  
'data.array' => 'Дополнительные данные должны быть в формате массива',  
];
```

```
public function index(Request $request)
```

```
{
```

```
    $notifications = $request->user()
```

```
        ->notifications()
```

```
        ->with('user.clientProfile')
```

```
        ->orderBy('created_at', 'desc')
```

```
        ->get();
```

```
    return response()->json($notifications);
```

```
}
```

```
public function allForAgent(Request $request)
```

```
{
```

```
    $notifications = Notification::with('user.clientProfile')
```

```
        ->orderBy('created_at', 'desc')
```

```
        ->get();
```

```
    return response()->json($notifications);
```

```
}
```

```
public function markAsRead(Request $request, $id)
```

```
{
```

```

$notification = $request->user()

->notifications()

->findOrFail($id);

if ($notification->is_read) {
    return response()->json(['message' => 'Уведомление уже прочитано'], 422);
}

$notification->update(['is_read' => true]);

return response()->json(['message' => 'Уведомление отмечено как прочитанное']);
}

public function markAllAsRead(Request $request)
{
    $unreadCount = $request->user()

        ->notifications()

        ->unread()

        ->count();

    if ($unreadCount === 0) {
        return response()->json(['message' => 'Нет непрочитанных уведомлений'], 422);
    }

    $request->user()

        ->notifications()

        ->unread()

        ->update(['is_read' => true]);

```

```

return response()->json([
    'message' => 'Все уведомления отмечены как прочитанные',
    'marked_count' => $unreadCount
]);
}

```

```

public function store(Request $request)
{
    try {
        $validated = $request->validate([
            'user_id' => 'required|exists:users,id',
            'message' => 'required|string|max:500',
            'data' => 'nullable|array'
        ], $this->validationMessages);

        $notification = Notification::create([
            'user_id' => $validated['user_id'],
            'message' => $validated['message'],
            'data' => $validated['data'] ?? null,
            'is_read' => false
        ]);

        return response()->json([
            'message' => 'Уведомление создано',
            'notification' => $notification->load('user.clientProfile')
        ], 201);
    }
}

```

```

    } catch (\Illuminate\Validation\ValidationException $e) {

        return response()->json([

            'message' => 'Ошибка валидации',

            'errors' => $e->errors()

        ], 422);

    }

}

```

```

public function destroy(Request $request, $id)

{

    $notification = $request->user()

        ->notifications()

        ->findOrFail($id);

    $notification->delete();

    return response()->json(['message' => 'Уведомление удалено']);

}

}

```

PolicyController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Policy;
```

```
use App\Models\Vehicle;
```

```
use App\Models\Tariff;
```

```
use App\Models\ClientProfile;
```

```
use Illuminate\Http\Request;
```

```
use Illuminate\Support\Str;
```

```
class PolicyController extends Controller
```

```
{
```

```
    private $validationMessages = [
```

```
        'policy_type_id.required' => 'Тип полиса обязателен',
```

```
        'policy_type_id.exists' => 'Тип полиса не найден',
```

```
        'vehicle_id.required' => 'Транспортное средство обязательно',
```

```
        'vehicle_id.exists' => 'Транспортное средство не найдено',
```

```
        'client_id.required' => 'Клиент обязателен',
```

```
        'client_id.exists' => 'Клиент не найден',
```

```
        'tariff_id.required' => 'Тариф обязателен',
```

```
        'tariff_id.exists' => 'Тариф не найден',
```

```
        'base_price.required' => 'Базовая цена обязательна',
```

```
        'base_price.min' => 'Базовая цена не может быть отрицательной',
```

```
        'final_price.required' => 'Итоговая цена обязательна',
```

```
        'final_price.min' => 'Итоговая цена не может быть отрицательной',
```

```
        'start_date.required' => 'Дата начала обязательна',
```

```
        'start_date.after_or_equal' => 'Дата начала должна быть не раньше сегодняшнего дня',
```

```
        'end_date.required' => 'Дата окончания обязательна',
```

```
        'end_date.after' => 'Дата окончания должна быть позже даты начала',
```

```
        'discount_amount.numeric' => 'Скидка должна быть числом',
```

```
        'discount_amount.min' => 'Скидка не может быть отрицательной',
```

```
        'discount_amount.max' => 'Скидка не может превышать 100%',
```

```
'franchise_amount.numeric' => 'Франшиза должна быть числом',  
'franchise_amount.min' => 'Франшиза не может быть отрицательной',  
'coverage_amount.numeric' => 'Сумма покрытия должна быть числом',  
'coverage_amount.min' => 'Сумма покрытия не может быть отрицательной',  
'days.required' => 'Количество дней обязательно',  
'days.integer' => 'Количество дней должно быть целым числом',  
'days.min' => 'Минимальное количество дней - :min',  
'days.max' => 'Максимальное количество дней - :max',  
];
```

```
public function index(Request $request)  
{  
    $perPage = $request->get('per_page', 15);  
    $status = $request->get('status');  
  
    $query = Policy::with(['policyType', 'client.user', 'vehicle', 'tariff']);  
  
    if ($status) {  
        $query->where('status', $status);  
    }  
  
    $policies = $query->paginate($perPage);  
  
    return response()->json($policies);  
}
```

```
public function myPolicies(Request $request)  
{
```

```

$user = $request->user();

$profile = $user->clientProfile;

if (!$profile) {
    return response()->json([]);
}

$policies = Policy::where('client_id', $profile->id)
    ->with(['policyType', 'vehicle', 'tariff'])
    ->orderBy('created_at', 'desc')
    ->get();

return response()->json($policies);
}

public function showMyPolicy($id, Request $request)
{
    $user = $request->user();
    $profile = $user->clientProfile;

    $policy = Policy::where('id', $id)
        ->where('client_id', $profile->id)
        ->with(['policyType', 'vehicle', 'tariff', 'accidents'])
        ->firstOrFail();

    return response()->json($policy);
}

```



```

public function calculate(Request $request)
{
    try {
        $validated = $request->validate([
            'policy_type_id' => 'required|exists:policy_types,id',
            'vehicle_id' => 'required',
            'tariff_id' => 'required|exists:tariffs,id',
            'start_date' => 'required|date|after_or_equal:today',
            'end_date' => 'required|date|after:start_date',
        ], $this->validationMessages);

        $tariff = Tariff::findOrFail($validated['tariff_id']);

        $powerHp = $request->get('power_hp', 100);
        $manufactureYear = $request->get('manufacture_year', date('Y') - 5);

        $coefficients = [
            'power_coefficient' => $this->getPowerCoefficient($powerHp),
            'vehicle_age_coefficient' => $this->getVehicleAgeCoefficient($manufactureYear),
        ];

        if ($request->user() && $request->user()->clientProfile) {
            $client = $request->user()->clientProfile;

            $coefficients['experience_coefficient'] = $this->getExperienceCoefficient($client->driver_experience_years);

            $coefficients['bonus_malus_coefficient'] = $this->getBonusMalusCoefficient($client->bonus_malus_class);
        }
    }
}

```

```

$finalPrice = $tariff->calculatePrice($coefficients);

$startDate = new \DateTime($validated['start_date']);
$endDate = new \DateTime($validated['end_date']);
$daysDiff = $startDate->diff($endDate)->days;

if ($daysDiff < 30) {
    return response()->json(['message' => 'Минимальный срок страхования — 30 дней'], 422);
}

if ($daysDiff > 365) {
    return response()->json(['message' => 'Максимальный срок страхования — 365 дней'], 422);
}

if ($daysDiff < 365) {
    $finalPrice = $finalPrice * ($daysDiff / 365);
}

return response()->json([
    'calculated_price' => round($finalPrice, 2),
    'coefficients' => $coefficients,
    'tariff' => $tariff
]);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации',
        'errors' => $e->errors()
    ]);
}

```

```
    ], 422);  
}  
}
```

```
public function store(Request $request)  
{  
    try {  
        $validated = $request->validate([  
            'policy_type_id' => 'required|exists:policy_types,id',  
            'client_id' => 'required|exists:client_profiles,id',  
            'vehicle_id' => 'required|exists:vehicles,id',  
            'tariff_id' => 'required|exists:tariffs,id',  
            'base_price' => 'required|numeric|min:0',  
            'final_price' => 'required|numeric|min:0',  
            'start_date' => 'required|date|after_or_equal:today',  
            'end_date' => 'required|date|after:start_date',  
            'discount_amount' => 'nullable|numeric|min:0|max:100',  
            'franchise_amount' => 'nullable|numeric|min:0',  
            'coverage_amount' => 'nullable|numeric|min:0',  
        ], $this->validationMessages);  
  
        $startDate = new \DateTime($validated['start_date']);  
        $endDate = new \DateTime($validated['end_date']);  
        $daysDiff = $startDate->diff($endDate)->days;  
  
        if ($daysDiff < 30) {  
            return response()->json(['message' => 'Минимальный срок страхования — 30 дней'], 422);  
        }  
    }  
}
```

```
if ($daysDiff > 365) {  
    return response()->json(['message' => 'Максимальный срок страхования — 365 дней'], 422);  
}
```

```
$policyNumber = $this->generatePolicyNumber();  
  
$discountAmount = $validated['discount_amount'] ?? 0;  
  
$finalPrice = $validated['final_price'];
```

```
if ($discountAmount > 0) {  
    $finalPrice = $validated['final_price'] * (1 - $discountAmount / 100);  
}
```

```
$policy = Policy::create([  
    'policy_number' => $policyNumber,  
    'policy_type_id' => $validated['policy_type_id'],  
    'client_id' => $validated['client_id'],  
    'vehicle_id' => $validated['vehicle_id'],  
    'tariff_id' => $validated['tariff_id'],  
    'base_price' => $validated['base_price'],  
    'final_price' => $finalPrice,  
    'discount_amount' => $discountAmount,  
    'start_date' => $validated['start_date'],  
    'end_date' => $validated['end_date'],  
    'status' => 'draft',  
    'franchise_amount' => $validated['franchise_amount'] ?? 0,  
    'coverage_amount' => $validated['coverage_amount'] ?? null,  
]);
```

```

return response()->json([
    'message' => 'Полис создан',
    'policy' => $policy->load(['policyType', 'client.user', 'vehicle'])
], 201);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации',
        'errors' => $e->errors()
    ], 422);
}
}

public function update(Request $request, $id)
{
    try {
        $policy = Policy::findOrFail($id);

        if ($policy->status === 'cancelled') {
            return response()->json(['message' => 'Нельзя редактировать отменённый полис'], 422);
        }

        if ($request->has('discount_amount')) {
            $discount = (int)$request->discount_amount;

            if ($discount < 0 || $discount > 100) {
                return response()->json(['message' => 'Скидка должна быть от 0 до 100'], 422);
            }
        }
    }
}

```

```

        $policy->discount_amount = $discount;

        $policy->final_price = $policy->base_price * (1 - $discount / 100);

        $policy->save();

        return response()->json([
            'message' => 'Скидка обновлена',
            'policy' => $policy->fresh()
        ]);
    }

    return response()->json(['message' => 'Нет изменений']);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации',
        'errors' => $e->errors()
    ], 422);
}

}

public function activate($id)
{
    $policy = Policy::findOrFail($id);

    if ($policy->status !== 'draft') {
        return response()->json(['message' => 'Только черновики можно активировать'], 422);
    }
}

```

```
$policy->status = 'active';
```

```
$policy->save();
```

```
return response()->json(['message' => 'Полис активирован', 'policy' => $policy]);
```

```
}
```

```
public function renew($id, Request $request)
```

```
{
```

```
    try {
```

```
        $policy = Policy::findOrFail($id);
```

```
        if ($policy->status !== 'active' && $policy->status !== 'expired') {
```

```
            return response()->json(['message' => 'Только активные или просроченные полисы можно продлить'], 422);
```

```
        }
```

```
        $validated = $request->validate([
```

```
            'days' => 'required|integer|min:1|max:365',
```

```
        ], $this->validationMessages);
```

```
        $newEndDate = new \DateTime($policy->end_date);
```

```
        $newEndDate->modify('+ ' . $validated['days'] . ' days');
```

```
        $oldEndDate = new \DateTime($policy->end_date);
```

```
        $extraDays = $oldEndDate->diff($newEndDate)->days;
```

```
        $pricePerDay = $policy->final_price / 365;
```

```
        $additionalPrice = $pricePerDay * $extraDays;
```

```
$policy->end_date = $newEndDate;
```

```
$policy->final_price += $additionalPrice;
```

```
$policy->save();
```

```
return response()->json([
```

```
    'message' => 'Полис продлён на ' . $validated['days'] . ' дней',
```

```
    'policy' => $policy,
```

```
    'additional_price' => round($additionalPrice, 2)
```

```
]);
```

```
} catch (\Illuminate\Validation\ValidationException $e) {
```

```
    return response()->json([
```

```
        'message' => 'Ошибка валидации',
```

```
        'errors' => $e->errors()
```

```
    ], 422);
```

```
}
```

```
}
```

```
public function pay($id)
```

```
{
```

```
    $policy = Policy::findOrFail($id);
```

```
    if ($policy->status !== 'draft') {
```

```
        return response()->json(['message' => 'Только черновики можно оплатить'], 422);
```

```
    }
```

```
    $policy->status = 'active';
```

```
    $policy->save();
```



```
    return response()->json(['message' => 'Полис оплачен и активирован', 'policy' => $policy]);  
}
```

```
public function cancel($id)
```

```
{
```

```
    $policy = Policy::findOrFail($id);
```

```
    if ($policy->status === 'cancelled') {
```

```
        return response()->json(['message' => 'Полис уже отменён'], 422);
```

```
    }
```

```
    if ($policy->status === 'expired') {
```

```
        return response()->json(['message' => 'Нельзя отменить просроченный полис'], 422);
```

```
    }
```

```
    $policy->status = 'cancelled';
```

```
    $policy->save();
```

```
    return response()->json(['message' => 'Полис отменён', 'policy' => $policy]);
```

```
}
```

```
private function generatePolicyNumber()
```

```
{
```

```
    $prefix = date('Y') . date('m');
```

```
    $random = Str::upper(Str::random(6));
```

```
    $number = $prefix . $random;
```

```
while (Policy::where('policy_number', $number)->exists()) {  
    $random = Str::upper(Str::random(6));  
    $number = $prefix . $random;  
}  
  
return $number;  
}
```

```
private function getPowerCoefficient($power)  
{  
    if ($power <= 50) return 0.6;  
    if ($power <= 70) return 0.8;  
    if ($power <= 100) return 1.0;  
    if ($power <= 120) return 1.2;  
    if ($power <= 150) return 1.4;  
    if ($power <= 200) return 1.6;  
    return 1.8;  
}
```

```
private function getVehicleAgeCoefficient($year)  
{  
    $age = date('Y') - $year;  
    if ($age <= 1) return 1.0;  
    if ($age <= 3) return 1.1;  
    if ($age <= 5) return 1.2;  
    if ($age <= 7) return 1.3;  
    return 1.4;  
}
```

```

private function getExperienceCoefficient($years)
{
    if ($years <= 1) return 1.8;
    if ($years <= 3) return 1.4;
    if ($years <= 5) return 1.2;
    if ($years <= 10) return 1.0;
    return 0.9;
}

private function getBonusMalusCoefficient($class)
{
    $coefficients = [
        'M' => 2.45, '0' => 2.30, '1' => 1.55, '2' => 1.40,
        '3' => 1.00, '4' => 0.95, '5' => 0.90, '6' => 0.85,
        '7' => 0.80, '8' => 0.75, '9' => 0.70, '10' => 0.65,
        '11' => 0.60, '12' => 0.55, '13' => 0.50
    ];

    return $coefficients[$class] ?? 1.0;
}
}

```

ProfileController.php

<?php

```

namespace App\Http\Controllers;

use App\Models\ClientProfile;
use Illuminate\Http\Request;

class ProfileController extends Controller
{
    private $validationMessages = [

        'email.email' => 'Введите корректный email адрес',
        'email.unique' => 'Пользователь с таким email уже зарегистрирован',
        'phone.regex' => 'Телефон должен быть в формате +7XXXXXXXXXX',
        'phone.unique' => 'Пользователь с таким номером телефона уже зарегистрирован',
        'last_name.regex' => 'Фамилия должна содержать только русские буквы',
        'first_name.regex' => 'Имя должно содержать только русские буквы',
        'middle_name.regex' => 'Отчество должно содержать только русские буквы',
        'birth_date.before_or_equal' => 'Дата рождения не может быть в будущем',
        'passport_series.size' => 'Серия паспорта должна содержать 4 цифры',
        'passport_number.size' => 'Номер паспорта должен содержать 6 цифр',
        'passport_issue_date.after' => 'Дата выдачи паспорта должна быть позже 31.12.1990',
        'driver_license_series.size' => 'Серия ВУ должна содержать 4 цифры',
        'driver_license_number.size' => 'Номер ВУ должен содержать 6 цифр',
        'driver_license_issue_date.before_or_equal' => 'Дата выдачи ВУ не может быть в будущем',
        'driver_license_expiry_date.after' => 'Дата окончания ВУ должна быть позже даты выдачи',
        'driver_experience_years.max' => 'Стаж не может превышать :max лет',

    ];

    public function update(Request $request)
    {

```

```

try {

    $user = $request->user();

    $profile = $user->clientProfile;

    $validated = $request->validate([

        'email' => 'sometimes|email|unique:users,email,' . $user->id,

        'phone' => 'sometimes|string|regex:/^\+7\d{10}$/|unique:users,phone,' . $user->id,

        'last_name' => 'sometimes|string|max:30|regex:/^[A-ЯЁ][a-яё]+(-[A-ЯЁ][a-яё]+)?$/u',

        'first_name' => 'sometimes|string|max:30|regex:/^[A-ЯЁ][a-яё]+$/u',

        'middle_name' => 'nullable|string|max:30|regex:/^[A-ЯЁ][a-яё]+$/u',

        'birth_date' => 'nullable|date|before_or_equal:today|after:1900-01-01',

        'passport_series' => 'nullable|string|size:4|regex:/^\d{4}$/',

        'passport_number' => 'nullable|string|size:6|regex:/^\d{6}$/',

        'passport_issued_by' => 'nullable|string|min:10|max:200',

        'passport_issue_date' => 'nullable|date|before_or_equal:today|after:1990-12-31',

        'driver_license_series' => 'nullable|string|size:4|regex:/^\d{4}$/',

        'driver_license_number' => 'nullable|string|size:6|regex:/^\d{6}$/',

        'driver_license_issued_by' => 'nullable|string|min:10|max:200',

        'driver_license_issue_date' => 'nullable|date|before_or_equal:today',

        'driver_license_expiry_date' => 'nullable|date|after:driver_license_issue_date',

        'driver_experience_years' => 'nullable|integer|min:0|max:70',

        'bonus_malus_class' => 'nullable|string|max:10',

        'has_accidents_last_year' => 'nullable|boolean',

    ], $this->validationMessages);

    if ($request->has('email')) {

        $user->update(['email' => $validated['email']]);

    }
}

```

```

if ($request->has('phone')) {

    $user->update(['phone' => $validated['phone']]);

}

$profileData = $request->only([

    'last_name', 'first_name', 'middle_name', 'birth_date',

    'passport_series', 'passport_number', 'passport_issued_by',

    'passport_issue_date',

    'driver_license_series', 'driver_license_number', 'driver_license_issued_by',

    'driver_license_issue_date', 'driver_license_expiry_date',

    'driver_experience_years', 'bonus_malus_class', 'has_accidents_last_year'

]);

if ($profile) {

    $profile->update($profileData);

} else {

    $profile = ClientProfile::create(array_merge(

        $profileData,

        ['user_id' => $user->id]

    ));

}

return response()->json([

    'message' => 'Профиль обновлён',

    'profile' => $profile->load(['driverCategories'])

]);

```

```

    } catch (\Illuminate\Validation\ValidationException $e) {

        return response()->json([

            'message' => 'Ошибка валидации',

            'errors' => $e->errors()

        ], 422);

    } catch (\Exception $e) {

        return response()->json(['message' => 'Ошибка обновления профиля'], 500);

    }

}

}

```

TariffController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Tariff;
```

```
use Illuminate\Http\Request;
```

```
class TariffController extends Controller
```

```
{
```

```
    private $validationMessages = [
```

```
        'policy_type_id.required' => 'Тип полиса обязателен',
```

```
        'policy_type_id.exists' => 'Тип полиса не найден',
```

```
        'vehicle_category.required' => 'Категория ТС обязательна',
```

```
        'vehicle_category.exists' => 'Категория ТС не найдена',
```

```
'base_rate.required' => 'Базовая ставка обязательна',  
'base_rate.numeric' => 'Базовая ставка должна быть числом',  
'base_rate.min' => 'Базовая ставка не может быть отрицательной',  
'min_rate.required' => 'Минимальная ставка обязательна',  
'min_rate.numeric' => 'Минимальная ставка должна быть числом',  
'min_rate.min' => 'Минимальная ставка не может быть отрицательной',  
'max_rate.required' => 'Максимальная ставка обязательна',  
'max_rate.numeric' => 'Максимальная ставка должна быть числом',  
'max_rate.min' => 'Максимальная ставка не может быть отрицательной',  
'max_rate.gte' => 'Максимальная ставка должна быть больше или равна минимальной',  
'calculation_method.required' => 'Метод расчёта обязателен',  
'calculation_method.in' => 'Метод расчёта должен быть basic или coefficient',  
];
```

```
public function index(Request $request)  
{  
    $perPage = $request->get('per_page', 15);  
    $policyTypeId = $request->get('policy_type_id');  
    $vehicleCategory = $request->get('vehicle_category');  
  
    $query = Tariff::with(['policyType', 'vehicleCategory']);  
  
    if ($policyTypeId) {  
        $query->where('policy_type_id', $policyTypeId);  
    }  
  
    if ($vehicleCategory) {  
        $query->where('vehicle_category', $vehicleCategory);  
    }  
}
```



```
}
```

```
$tariffs = $query->paginate($perPage);
```

```
return response()->json($tariffs);
```

```
}
```

```
public function publicIndex(Request $request)
```

```
{
```

```
    $policyTypeId = $request->get('policy_type_id');
```

```
    $query = Tariff::with(['policyType', 'vehicleCategory']);
```

```
    if ($policyTypeId) {
```

```
        $query->where('policy_type_id', $policyTypeId);
```

```
    }
```

```
    $tariffs = $query->get();
```

```
    return response()->json($tariffs);
```

```
}
```

```
public function store(Request $request)
```

```
{
```

```
    try {
```

```
        $validated = $request->validate([
```

```
            'policy_type_id' => 'required|exists:policy_types,id',
```

```
            'vehicle_category' => 'required|exists:vehicle_categories,code',
```

```

        'base_rate' => 'required|numeric|min:0',
        'min_rate' => 'required|numeric|min:0',
        'max_rate' => 'required|numeric|min:0|gte:min_rate',
        'calculation_method' => 'required|string|in:basic,coefficient',
    ], $this->validationMessages);

    $exists = Tariff::where('policy_type_id', $validated['policy_type_id'])
        ->where('vehicle_category', $validated['vehicle_category'])
        ->exists();

    if ($exists) {
        return response()->json(['message' => 'Тариф для этого типа и категории уже существует'],
422);
    }

    $tariff = Tariff::create($validated);

    return response()->json([
        'message' => 'Тариф создан',
        'tariff' => $tariff->load(['policyType', 'vehicleCategory'])
    ], 201);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации',
        'errors' => $e->errors()
    ], 422);
}
}

```

```

public function update(Request $request, $id)
{
    try {
        $tariff = Tariff::findOrFail($id);

        $validated = $request->validate([
            'base_rate' => 'sometimes|numeric|min:0',
            'min_rate' => 'sometimes|numeric|min:0',
            'max_rate' => 'sometimes|numeric|min:0|gte:min_rate',
            'calculation_method' => 'sometimes|string|in:basic,coefficient',
        ], $this->validationMessages);

        $tariff->update($validated);

        return response()->json([
            'message' => 'Тариф обновлён',
            'tariff' => $tariff->load(['policyType', 'vehicleCategory'])
        ]);

    } catch (\Illuminate\Validation\ValidationException $e) {
        return response()->json([
            'message' => 'Ошибка валидации',
            'errors' => $e->errors()
        ], 422);
    }
}

```

```

public function destroy($id)
{
    $tariff = Tariff::findOrFail($id);

    if ($tariff->policies()->exists()) {
        return response()->json(['message' => 'Нельзя удалить тариф, есть связанные полисы'], 422);
    }

    $tariff->delete();

    return response()->json(['message' => 'Тариф удалён']);
}
}

```

UserController.php

```
<?php
```

```

namespace App\Http\Controllers;

use App\Models\User;
use App\Models\UserType;
use Illuminate\Http\Request;
use Illuminate\Support\Facades\Hash;

class UserController extends Controller
{

```

```
private $validationMessages = [  
    'email.required' => 'Email обязателен',  
    'email.email' => 'Введите корректный email адрес',  
    'email.unique' => 'Пользователь с таким email уже зарегистрирован',  
    'phone.required' => 'Номер телефона обязателен',  
    'phone.unique' => 'Пользователь с таким номером телефона уже зарегистрирован',  
    'user_type.required' => 'Тип пользователя обязателен',  
    'user_type.exists' => 'Выбранный тип пользователя не существует',  
];
```

```
public function index(Request $request)  
{  
    $perPage = $request->get('per_page', 15);  
    $userType = $request->get('user_type');  
    $search = $request->get('search');  
  
    $query = User::with(['userType', 'clientProfile', 'clientProfile.driverCategories']);  
  
    if ($userType) {  
        $query->whereHas('userType', function($q) use ($userType) {  
            $q->where('name', $userType);  
        });  
    }  
  
    if ($search) {  
        $query->where(function($q) use ($search) {  
            $q->where('email', 'like', "%{$search}%")  
                ->orWhere('phone', 'like', "%{$search}%");  
        });  
    }  
}
```

```

    });
}

$users = $query->paginate($perPage);

return response()->json($users);
}

public function update(Request $request, $id)
{
    try {
        $user = User::findOrFail($id);

        $validated = $request->validate([
            'email' => 'sometimes|email|unique:users,email,' . $id,
            'phone' => 'sometimes|string|unique:users,phone,' . $id,
            'user_type' => 'sometimes|string|exists:user_types,name',
        ], $this->validationMessages);

        if ($request->has('user_type')) {
            $userType = UserType::where('name', $request->user_type)->first();
            $user->user_type_id = $userType->id;
        }

        $user->update($request->only(['email', 'phone']));

        return response()->json([
            'message' => 'Пользователь обновлён',

```

```

        'user' => $user->load(['userType', 'clientProfile'])
    });

    } catch (\Illuminate\Validation\ValidationException $e) {
        return response()->json([
            'message' => 'Ошибка валидации',
            'errors' => $e->errors()
        ], 422);
    }
}
}

```

VehicleController.php

```
<?php
```

```
namespace App\Http\Controllers;
```

```
use App\Models\Vehicle;
```

```
use Illuminate\Http\Request;
```

```
use Illuminate\Support\Facades\Auth;
```

```
class VehicleController extends Controller
```

```
{
```

```
    /**
```

```
    * Нормализация госномера (замена русских букв на английские)
```

```
    */
```

```

private function normalizeLicensePlate($plate)
{
    if (!$plate) return $plate;

    $mapping = [
        'A' => 'A', 'B' => 'B', 'E' => 'E', 'K' => 'K', 'M' => 'M',
        'H' => 'H', 'O' => 'O', 'P' => 'P', 'C' => 'C', 'T' => 'T',
        'Y' => 'Y', 'X' => 'X', 'a' => 'a', 'b' => 'b', 'e' => 'e',
        'k' => 'k', 'm' => 'm', 'h' => 'h', 'o' => 'o', 'p' => 'p',
        'c' => 'c', 't' => 't', 'y' => 'y', 'x' => 'x'
    ];

    $normalized = "";
    $length = mb_strlen($plate);
    for ($i = 0; $i < $length; $i++) {
        $char = mb_substr($plate, $i, 1);
        $normalized .= $mapping[$char] ?? $char;
    }

    return strtoupper($normalized);
}

/**
 * Валидация формата госномера
 */
private function validateLicensePlateFormat($plate)
{
    $normalized = $this->normalizeLicensePlate($plate);

```



```
if (!preg_match('/^[A-Z]{1}[0-9]{3}[A-Z]{2}[0-9]{2,3}$/', $normalized)) {  
    return false;  
}  
  
return true;  
}
```

```
/**
```

```
 * Получить список автомобилей текущего клиента
```

```
 */
```

```
public function myVehicles()
```

```
{
```

```
    $clientProfile = Auth::user()->clientProfile;
```

```
    if (!$clientProfile) {
```

```
        return response()->json([]);
```

```
    }
```

```
    $vehicles = Vehicle::where('client_id', $clientProfile->id)->get();
```

```
    return response()->json($vehicles);
```

```
}
```

```
/**
```

```
 * Получить конкретный автомобиль
```

```
 */
```

```
public function show($id)
```

```

{
    $clientProfile = Auth::user()->clientProfile;

    $vehicle = Vehicle::where('id', $id)
        ->where('client_id', $clientProfile->id)
        ->firstOrFail();

    return response()->json($vehicle);
}

/**
 * Создать новый автомобиль
 */
public function store(Request $request)
{
    $clientProfile = Auth::user()->clientProfile;

    if (!$clientProfile) {
        return response()->json(['message' => 'Профиль клиента не найден'], 404);
    }

    try {
        $validated = $request->validate([
            'state_number' => 'required|string|max:20',
            'brand' => 'required|string|max:50',
            'model' => 'required|string|max:50',
            'manufacture_year' => 'nullable|integer|min:1900|max:' . date('Y'),
            'power_hp' => 'nullable|integer|min:1|max:2000',

```

```

'category' => 'nullable|string|max:10',

'vin' => 'nullable|string|max:17',

'purchase_price' => 'nullable|numeric|min:0',

'has_tracker' => 'boolean',

'parking_type' => 'nullable|string|max:50'

]);

```

```

if (!empty($validated['state_number'])) {

    if (!$this->validateLicensePlateFormat($validated['state_number'])) {

        return response()->json([

            'message' => 'Неверный формат госномера',

            'errors' => [

                'state_number' => ['Неверный формат госномера. Примеры: A123AA123 или
A123AA123']

            ]

        ], 422);

    }

    $validated['state_number'] = $this->normalizeLicensePlate($validated['state_number']);

}

```

```

$vehicle = Vehicle::create([

    'client_id' => $clientProfile->id,

    'state_number' => $validated['state_number'],

    'brand' => $validated['brand'],

    'model' => $validated['model'],

    'manufacture_year' => $validated['manufacture_year'] ?? null,

    'power_hp' => $validated['power_hp'] ?? null,

    'category' => $validated['category'] ?? 'B',

    'vin' => $validated['vin'] ?? null,

```

```

        'purchase_price' => $validated['purchase_price'] ?? null,

        'has_tracker' => $validated['has_tracker'] ?? false,

        'parking_type' => $validated['parking_type'] ?? 'garage'

    ));

    return response()->json([

        'message' => 'Автомобиль успешно добавлен',

        'vehicle' => $vehicle

    ], 201);

} catch (\Illuminate\Validation\ValidationException $e) {

    return response()->json([

        'message' => 'Ошибка валидации',

        'errors' => $e->errors()

    ], 422);

} catch (\Exception $e) {

    return response()->json([

        'message' => 'Ошибка при создании автомобиля: ' . $e->getMessage()

    ], 500);

}

}

/**
 * Обновить автомобиль
 */

public function update(Request $request, $id)

{

    $clientProfile = Auth::user()->clientProfile;

```

```

$vehicle = Vehicle::where('id', $id)

->where('client_id', $clientProfile->id)

->firstOrFail();

try {

    $validated = $request->validate([

        'state_number' => 'sometimes|string|max:20',

        'brand' => 'sometimes|string|max:50',

        'model' => 'sometimes|string|max:50',

        'manufacture_year' => 'nullable|integer|min:1900|max:' . date('Y'),

        'power_hp' => 'nullable|integer|min:1|max:2000',

        'category' => 'nullable|string|max:10',

        'vin' => 'nullable|string|max:17',

        'purchase_price' => 'nullable|numeric|min:0',

        'has_tracker' => 'boolean',

        'parking_type' => 'nullable|string|max:50'

    ]);

    if (isset($validated['state_number'])) {

        if (!$this->validateLicensePlateFormat($validated['state_number'])) {

            return response()->json([

                'message' => 'Неверный формат госномера',

                'errors' => [

                    'state_number' => ['Неверный формат госномера. Примеры: A123AA123 или
A123AA123']

                ]

            ], 422);

        }
    }
}

```

```

        $validated['state_number'] = $this->normalizeLicensePlate($validated['state_number']);
    }

    $vehicle->update($validated);

    return response()->json([
        'message' => 'Автомобиль успешно обновлён',
        'vehicle' => $vehicle
    ]);

} catch (\Illuminate\Validation\ValidationException $e) {
    return response()->json([
        'message' => 'Ошибка валидации',
        'errors' => $e->errors()
    ], 422);
}
}

/**
 * Удалить автомобиль
 */
public function destroy($id)
{
    $clientProfile = Auth::user()->clientProfile;

    $vehicle = Vehicle::where('id', $id)
        ->where('client_id', $clientProfile->id)
        ->firstOrFail();

```

```

if ($vehicle->policies()->whereIn('status', ['draft', 'active'])->exists()) {

    return response()->json([

        'message' => 'Невозможно удалить автомобиль, на который оформлены активные полисы'

    ], 422);

}

$vehicle->delete();

return response()->json([

    'message' => 'Автомобиль успешно удалён'

]);

}

}

```

CheckAdminRole.php

```
<?php
```

```
namespace App\Http\Middleware;
```

```
use Closure;
```

```
use Illuminate\Http\Request;
```

```
class CheckAdminRole
```

```
{
```

```
    public function handle(Request $request, Closure $next)
```

```

{
    $user = $request->user();

    if (!$user) {
        return response()->json(['message' => 'Unauthenticated'], 401);
    }

    if (!$user->userType || $user->userType->name !== 'admin') {
        return response()->json(['message' => 'Access denied. Admin rights required.'], 403);
    }

    return $next($request);
}
}

```

CheckAgentRole.php

```
<?php
```

```
namespace App\Http\Middleware;
```

```
use Closure;
```

```
use Illuminate\Http\Request;
```

```
class CheckAgentRole
```

```

{
    public function handle(Request $request, Closure $next)

```



```

{
    $user = $request->user();

    if (!$user) {
        return response()->json(['message' => 'Unauthenticated'], 401);
    }

    if (!$user->userType || !in_array($user->userType->name, ['admin', 'agent'])) {
        return response()->json(['message' => 'Access denied. Agent rights required.'], 403);
    }

    return $next($request);
}
}

```

CheckClientRole.php

```
<?php
```

```
namespace App\Http\Middleware;
```

```
use Closure;
```

```
use Illuminate\Http\Request;
```

```
class CheckClientRole
```

```

{
    public function handle(Request $request, Closure $next)

```

```

{
    $user = $request->user();

    if (!$user) {
        return response()->json(['message' => 'Unauthenticated'], 401);
    }

    $allowedRoles = ['admin', 'agent', 'client'];

    if (!$user->userType || !in_array($user->userType->name, $allowedRoles)) {
        return response()->json(['message' => 'Access denied.'], 403);
    }

    return $next($request);
}
}

```

Accident.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class Accident extends Model
```

```
{
```

```
use HasFactory;
```

```
protected $fillable = [
```

```
    'client_id',
```

```
    'policy_id',
```

```
    'accident_date',
```

```
    'damage_amount',
```

```
    'is_client_fault',
```

```
    'description',
```

```
    'status'
```

```
];
```

```
protected $casts = [
```

```
    'accident_date' => 'date',
```

```
    'damage_amount' => 'decimal:2',
```

```
    'is_client_fault' => 'boolean'
```

```
];
```

```
public function client()
```

```
{
```

```
    return $this->belongsTo(ClientProfile::class, 'client_id');
```

```
}
```

```
public function policy()
```

```
{
```

```
    return $this->belongsTo(Policy::class);
```

```
}
```

```
}
```

ClientDriverCategory.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class ClientDriverCategory extends Model
```

```
{
```

```
    use HasFactory;
```

```
    protected $table = 'client_driver_categories';
```

```
    protected $fillable = [
```

```
        'client_profile_id',
```

```
        'category_code'
```

```
    ];
```

```
    public $timestamps = true;
```

```
    public function clientProfile()
```

```
    {
```

```
        return $this->belongsTo(ClientProfile::class, 'client_profile_id');
```

```
    }
```

```
public function category()
{
    return $this->belongsTo(VehicleCategory::class, 'category_code', 'code');
}
}
```

ClientProfile.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class ClientProfile extends Model
```

```
{
```

```
    use HasFactory;
```

```
    protected $table = 'client_profiles';
```

```
    protected $fillable = [
```

```
        'user_id',
```

```
        'last_name',
```

```
        'first_name',
```

```
        'middle_name',
```

```
'birth_date',  
  
'passport_series',  
  
'passport_number',  
  
'passport_issued_by',  
  
'passport_issue_date',  
  
'passport_expiry_date',  
  
'driver_license_series',  
  
'driver_license_number',  
  
'driver_license_issued_by',  
  
'driver_license_issue_date',  
  
'driver_license_expiry_date',  
  
'driver_experience_years',  
  
'bonus_malus_class',  
  
'has_accidents_last_year'  
];
```

```
protected $casts = [  
  
    'birth_date' => 'date',  
  
    'passport_issue_date' => 'date',  
  
    'passport_expiry_date' => 'date',  
  
    'driver_license_issue_date' => 'date',  
  
    'driver_license_expiry_date' => 'date',  
  
    'has_accidents_last_year' => 'boolean'  
];
```

```
public function user()  
{  
  
    return $this->belongsTo(User::class);  
}
```

```
}
```

```
public function vehicles()
```

```
{
```

```
    return $this->hasMany(Vehicle::class, 'client_id');
```

```
}
```

```
public function policies()
```

```
{
```

```
    return $this->hasMany(Policy::class, 'client_id');
```

```
}
```

```
public function accidents()
```

```
{
```

```
    return $this->hasMany(Accident::class, 'client_id');
```

```
}
```

```
// Категории водительских прав (связь многие ко многим)
```

```
public function driverCategories()
```

```
{
```

```
    return $this->belongsToMany(VehicleCategory::class, 'client_driver_categories', 'client_profile_id',  
    'category_code', 'id', 'code')
```

```
        ->withTimestamps();
```

```
}
```

```
public function getFullNameAttribute()
```

```
{
```

```
    return "{$this->last_name} {$this->first_name} {$this->middle_name}";
```

```
}
```

```
public function getAgeAttribute()
{
    return $this->birth_date ? $this->birth_date->age : null;
}
}
```

Notification.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class Notification extends Model
```

```
{
```

```
    use HasFactory;
```

```
    protected $fillable = [
```

```
        'user_id',
```

```
        'message',
```

```
        'is_read',
```

```
        'data'
```

```
    ];
```



```

protected $casts = [
    'is_read' => 'boolean',
    'data' => 'array'
];

public function user()
{
    return $this->belongsTo(User::class);
}

public function scopeUnread($query)
{
    return $query->where('is_read', false);
}
}

```

Policy.php

```
<?php
```

```

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Policy extends Model
{

```

```
use HasFactory;
```

```
protected $fillable = [  
    'policy_number',  
    'policy_type_id',  
    'client_id',  
    'vehicle_id',  
    'tariff_id',  
    'base_price',  
    'final_price',  
    'discount_amount',  
    'start_date',  
    'end_date',  
    'status',  
    'franchise_amount',  
    'coverage_amount'  
];
```

```
protected $casts = [  
    'base_price' => 'decimal:2',  
    'final_price' => 'decimal:2',  
    'discount_amount' => 'decimal:2',  
    'franchise_amount' => 'decimal:2',  
    'coverage_amount' => 'decimal:2',  
    'start_date' => 'date',  
    'end_date' => 'date',  
    'created_at' => 'datetime'  
];
```

```
public function policyType()
{
    return $this->belongsTo(PolicyType::class);
}
```

```
public function client()
{
    return $this->belongsTo(ClientProfile::class, 'client_id');
}
```

```
public function vehicle()
{
    return $this->belongsTo(Vehicle::class);
}
```

```
public function tariff()
{
    return $this->belongsTo(Tariff::class);
}
```

```
public function accidents()
{
    return $this->hasMany(Accident::class);
}
```

```
public function scopeActive($query)
{

```

```

        return $query->where('status', 'active')
            ->where('start_date', '<=', now())
            ->where('end_date', '>=', now());
    }

    public function isActive()
    {
        return $this->status === 'active' &&
            $this->start_date <= now() &&
            $this->end_date >= now();
    }
}

```

PolicyType.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class PolicyType extends Model
```

```
{
```

```
    use HasFactory;
```

```
    protected $fillable = ['name'];
```

```

public $timestamps = true;

public function tariffs()
{
    return $this->hasMany(Tariff::class);
}

public function policies()
{
    return $this->hasMany(Policy::class);
}
}

```

Tariff.php

```
<?php
```

```

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class Tariff extends Model
{
    use HasFactory;
}

```

```
protected $fillable = [  
    'policy_type_id',  
    'vehicle_category',  
    'base_rate',  
    'min_rate',  
    'max_rate',  
    'power_coefficient',  
    'experience_coefficient',  
    'age_coefficient',  
    'bonus_malus_coefficient',  
    'region_coefficient',  
    'vehicle_age_coefficient',  
    'security_coefficient',  
    'franchise_coefficient',  
    'calculation_method'  
];
```

```
protected $casts = [  
    'base_rate' => 'decimal:2',  
    'min_rate' => 'decimal:2',  
    'max_rate' => 'decimal:2',  
    'power_coefficient' => 'decimal:4',  
    'experience_coefficient' => 'decimal:4',  
    'age_coefficient' => 'decimal:4',  
    'bonus_malus_coefficient' => 'decimal:4',  
    'region_coefficient' => 'decimal:4',  
    'vehicle_age_coefficient' => 'decimal:4',  
    'security_coefficient' => 'decimal:4',  
];
```

```

        'franchise_coefficient' => 'decimal:4'

    ];

    public $timestamps = true;

    public function policyType()
    {
        return $this->belongsTo(PolicyType::class);
    }

    public function vehicleCategory()
    {
        return $this->belongsTo(VehicleCategory::class, 'vehicle_category', 'code');
    }

    public function policies()
    {
        return $this->hasMany(Policy::class);
    }

    // Метод расчета цены
    public function calculatePrice(array $coefficients = [])
    {
        $finalCoefficient = 1.0;

        $coefficientFields = [
            'power_coefficient',
            'experience_coefficient',

```

```

        'age_coefficient',

        'bonus_malus_coefficient',

        'region_coefficient',

        'vehicle_age_coefficient',

        'security_coefficient',

        'franchise_coefficient'
    ];

    foreach ($coefficientFields as $field) {

        $value = $coefficients[$field] ?? $this->$field;

        $finalCoefficient *= $value;

    }

    $price = $this->base_rate * $finalCoefficient;

    return min(max($price, $this->min_rate), $this->max_rate);

}

}

```

User.php

```
<?php
```

```
namespace App\Models;
```

```
use Laravel\Sanctum\HasApiTokens;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```



```
use Illuminate\Foundation\Auth\User as Authenticatable;
```

```
class User extends Authenticatable
```

```
{
```

```
    use HasApiTokens, HasFactory;
```

```
    protected $fillable = [
```

```
        'email',
```

```
        'phone',
```

```
        'password_hash',
```

```
        'user_type_id'
```

```
    ];
```

```
    protected $hidden = [
```

```
        'password_hash',
```

```
        'remember_token',
```

```
    ];
```

```
    public function getAuthPassword()
```

```
    {
```

```
        return $this->password_hash;
```

```
    }
```

```
    public function userType()
```

```
    {
```

```
        return $this->belongsTo(UserType::class);
```

```
    }
```

```

public function clientProfile()
{
    return $this->hasOne(ClientProfile::class, 'user_id');
}

public function vehicles()
{
    return $this->hasManyThrough(Vehicle::class, ClientProfile::class, 'user_id', 'client_id');
}

public function notifications()
{
    return $this->hasMany(Notification::class);
}
}

```

UserType.php

```

<?php

namespace App\Models;

use Illuminate\Database\Eloquent\Factories\HasFactory;
use Illuminate\Database\Eloquent\Model;

class UserType extends Model
{

```

```
use HasFactory;
```

```
protected $fillable = ['name'];
```

```
public $timestamps = true;
```

```
public function users()
```

```
{
```

```
    return $this->hasMany(User::class);
```

```
}
```

```
}
```

Vehicle.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class Vehicle extends Model
```

```
{
```

```
    use HasFactory;
```

```
    protected $fillable = [
```

```
        'client_id',
```

```
'state_number',  
  
'brand',  
  
'model',  
  
'manufacture_year',  
  
'power_hp',  
  
'category',  
  
'vin',  
  
'purchase_price',  
  
'mileage',  
  
'has_tracker',  
  
'parking_type'  
];
```

```
protected $casts = [  
  
    'manufacture_year' => 'integer',  
  
    'power_hp' => 'integer',  
  
    'purchase_price' => 'decimal:2',  
  
    'mileage' => 'integer',  
  
    'has_tracker' => 'boolean'  
];
```

```
public function client()  
{  
  
    return $this->belongsTo(ClientProfile::class, 'client_id');  
}
```

```
public function category()  
{
```

```

        return $this->belongsTo(VehicleCategory::class, 'category', 'code');
    }

    public function policies()
    {
        return $this->hasMany(Policy::class);
    }

    public function getFullNameAttribute()
    {
        return "{$this->brand} {$this->model}";
    }

    public function getAgeAttribute()
    {
        return $this->manufacture_year ? now()->year - $this->manufacture_year : null;
    }
}

```

VehicleCategory.php

```
<?php
```

```
namespace App\Models;
```

```
use Illuminate\Database\Eloquent\Factories\HasFactory;
```

```
use Illuminate\Database\Eloquent\Model;
```

```
class VehicleCategory extends Model
{
    use HasFactory;

    protected $primaryKey = 'code';
    public $incrementing = false;
    protected $keyType = 'string';

    protected $fillable = ['code', 'name'];

    public $timestamps = true;

    public function vehicles()
    {
        return $this->hasMany(Vehicle::class, 'category', 'code');
    }

    public function tariffs()
    {
        return $this->hasMany(Tariff::class, 'vehicle_category', 'code');
    }
}
```

AppServiceProvider.php

```
<?php
```

```
namespace App\Providers;
```

```
use Illuminate\Support\ServiceProvider;
```

```
class AppServiceProvider extends ServiceProvider
```

```
{
```

```
    /**
```

```
     * Register any application services.
```

```
    */
```

```
    public function register(): void
```

```
    {
```

```
        //
```

```
    }
```

```
    /**
```

```
     * Bootstrap any application services.
```

```
    */
```

```
    public function boot(): void
```

```
    {
```

```
        //
```

```
    }
```

```
}
```

```
app.php
```

<?php

```
use Illuminate\Foundation\Application;

use Illuminate\Foundation\Configuration\Exceptions;

use Illuminate\Foundation\Configuration\Middleware;

use App\Http\Middleware\CheckAdminRole;

use App\Http\Middleware\CheckAgentRole;

use App\Http\Middleware\CheckClientRole;


return Application::configure(basePath: dirname(__DIR__))
    ->withRouting(
        web: __DIR__.'/../routes/web.php',
        api: __DIR__.'/../routes/api.php',
        commands: __DIR__.'/../routes/console.php',
        health: '/up',
    )
    ->withMiddleware(function (Middleware $middleware) {
        $middleware->alias([
            'admin' => CheckAdminRole::class,
            'agent' => CheckAgentRole::class,
            'client' => CheckClientRole::class,
        ]);
    })
    ->withExceptions(function (Exceptions $exceptions) {
        //
    })->create();
```


providers.php

```
<?php
```

```
return [  
    App\Providers\AppServiceProvider::class,  
];
```

app.php

```
<?php
```

```
return [  
  
    /**  
     |-----  
     | Application Name  
     |-----  
     |  
     | This value is the name of your application, which will be used when the  
     | framework needs to place the application's name in a notification or  
     | other UI elements where an application name needs to be displayed.  
     |  
     */  
  
    'name' => env('APP_NAME', 'Laravel'),
```

```
/*  
|-----  
| Application Environment  
|-----  
|  
| This value determines the "environment" your application is currently  
| running in. This may determine how you prefer to configure various  
| services the application utilizes. Set this in your ".env" file.  
|  
*/
```

```
'env' => env('APP_ENV', 'production'),
```

```
/*  
|-----  
| Application Debug Mode  
|-----  
|  
| When your application is in debug mode, detailed error messages with  
| stack traces will be shown on every error that occurs within your  
| application. If disabled, a simple generic error page is shown.  
|  
*/
```

```
'debug' => (bool) env('APP_DEBUG', false),
```

```
/*
```

|-----

| Application URL

|-----

|

| This URL is used by the console to properly generate URLs when using

| the Artisan command line tool. You should set this to the root of

| the application so that it's available within Artisan commands.

|

*/

'url' => env('APP_URL', 'http://localhost'),

/*

|-----

| Application Timezone

|-----

|

| Here you may specify the default timezone for your application, which

| will be used by the PHP date and date-time functions. The timezone

| is set to "UTC" by default as it is suitable for most use cases.

|

*/

'timezone' => 'UTC',

/*

|-----

| Application Locale Configuration

```
|-----
```

```
|
```

```
| The application locale determines the default locale that will be used
```

```
| by Laravel's translation / localization methods. This option can be
```

```
| set to any locale for which you plan to have translation strings.
```

```
|
```

```
*/
```

```
'locale' => env('APP_LOCALE', 'en'),
```

```
'fallback_locale' => env('APP_FALLBACK_LOCALE', 'en'),
```

```
'faker_locale' => env('APP_FAKER_LOCALE', 'en_US'),
```

```
/*
```

```
|-----
```

```
| Encryption Key
```

```
|-----
```

```
|
```

```
| This key is utilized by Laravel's encryption services and should be set
```

```
| to a random, 32 character string to ensure that all encrypted values
```

```
| are secure. You should do this prior to deploying the application.
```

```
|
```

```
*/
```

```
'cipher' => 'AES-256-CBC',
```

```
'key' => env('APP_KEY'),
```

```

'previous_keys' => [
    ...array_filter(
        explode(',', (string) env('APP_PREVIOUS_KEYS', ''))
    ),
],

/*
|-----
| Maintenance Mode Driver
|-----
|
| These configuration options determine the driver used to determine and
| manage Laravel's "maintenance mode" status. The "cache" driver will
| allow maintenance mode to be controlled across multiple machines.
|
| Supported drivers: "file", "cache"
|
*/

'maintenance' => [
    'driver' => env('APP_MAINTENANCE_DRIVER', 'file'),
    'store' => env('APP_MAINTENANCE_STORE', 'database'),
],

];

```

auth.php

```
<?php
```

```
return [
```

```
    /*
```

```
    |-----
```

```
    | Authentication Defaults
```

```
    |-----
```

```
    |
```

```
    | This option defines the default authentication "guard" and password
```

```
    | reset "broker" for your application. You may change these values
```

```
    | as required, but they're a perfect start for most applications.
```

```
    |
```

```
    */
```

```
    'defaults' => [
```

```
        'guard' => env('AUTH_GUARD', 'web'),
```

```
        'passwords' => env('AUTH_PASSWORD_BROKER', 'users'),
```

```
    ],
```

```
    /*
```

```
    |-----
```

```
    | Authentication Guards
```

```
    |-----
```

```
    |
```

| Next, you may define every authentication guard for your application.

| Of course, a great default configuration has been defined for you

| which utilizes session storage plus the Eloquent user provider.

|

| All authentication guards have a user provider, which defines how the

| users are actually retrieved out of your database or other storage

| system used by the application. Typically, Eloquent is utilized.

|

| Supported: "session"

|

*/

'guards' => [

 'web' => [

 'driver' => 'session',

 'provider' => 'users',

],

],

/*

|-----

| User Providers

|-----

|

| All authentication guards have a user provider, which defines how the

| users are actually retrieved out of your database or other storage

| system used by the application. Typically, Eloquent is utilized.

|

| If you have multiple user tables or models you may configure multiple
| providers to represent the model / table. These providers may then
| be assigned to any extra authentication guards you have defined.

|

| Supported: "database", "eloquent"

|

*/

```
'providers' => [  
    'users' => [  
        'driver' => 'eloquent',  
        'model' => env('AUTH_MODEL', App\Models\User::class),  
    ],
```

```
    // 'users' => [  
    //     'driver' => 'database',  
    //     'table' => 'users',  
    // ],  
],
```

/*

|-----

| Resetting Passwords

|-----

|

| These configuration options specify the behavior of Laravel's password
| reset functionality, including the table utilized for token storage
| and the user provider that is invoked to actually retrieve users.

|
| The expiry time is the number of minutes that each reset token will be
| considered valid. This security feature keeps tokens short-lived so
| they have less time to be guessed. You may change this as needed.

|
| The throttle setting is the number of seconds a user must wait before
| generating more password reset tokens. This prevents the user from
| quickly generating a very large amount of password reset tokens.

|
*/

```
'passwords' => [  
  'users' => [  
    'provider' => 'users',  
    'table' => env('AUTH_PASSWORD_RESET_TOKEN_TABLE', 'password_reset_tokens'),  
    'expire' => 60,  
    'throttle' => 60,  
  ],  
],
```

```
/*  
|-----  
| Password Confirmation Timeout  
|-----
```

|
| Here you may define the number of seconds before a password confirmation
| window expires and users are asked to re-enter their password via the
| confirmation screen. By default, the timeout lasts for three hours.

```
|  
*/
```

```
'password_timeout' => env('AUTH_PASSWORD_TIMEOUT', 10800),
```

```
];
```

cache.php

```
<?php
```

```
use Illuminate\Support\Str;
```

```
return [
```

```
/*
```

```
|-----
```

```
| Default Cache Store
```

```
|-----
```

```
|
```

```
| This option controls the default cache store that will be used by the
```

```
| framework. This connection is utilized if another isn't explicitly
```

```
| specified when running a cache operation inside the application.
```

```
|
```

```
*/
```

```
'default' => env('CACHE_STORE', 'database'),
```

```
/*
```

```
|-----
```

```
| Cache Stores
```

```
|-----
```

```
|
```

```
| Here you may define all of the cache "stores" for your application as
```

```
| well as their drivers. You may even define multiple stores for the
```

```
| same cache driver to group types of items stored in your caches.
```

```
|
```

```
| Supported drivers: "array", "database", "file", "memcached",
```

```
| "redis", "dynamodb", "octane",
```

```
| "failover", "null"
```

```
|
```

```
*/
```

```
'stores' => [
```

```
    'array' => [
```

```
        'driver' => 'array',
```

```
        'serialize' => false,
```

```
    ],
```

```
    'database' => [
```

```
        'driver' => 'database',
```

```
        'connection' => env('DB_CACHE_CONNECTION'),
```

```
        'table' => env('DB_CACHE_TABLE', 'cache'),
```

```
'lock_connection' => env('DB_CACHE_LOCK_CONNECTION'),  
  
'lock_table' => env('DB_CACHE_LOCK_TABLE'),  
  
],
```

```
'file' => [  
  
  'driver' => 'file',  
  
  'path' => storage_path('framework/cache/data'),  
  
  'lock_path' => storage_path('framework/cache/data'),  
  
],
```

```
'memcached' => [  
  
  'driver' => 'memcached',  
  
  'persistent_id' => env('MEMCACHED_PERSISTENT_ID'),  
  
  'sasl' => [  
  
    env('MEMCACHED_USERNAME'),  
  
    env('MEMCACHED_PASSWORD'),  
  
  ],  
  
  'options' => [  
  
    // Memcached::OPT_CONNECT_TIMEOUT => 2000,  
  
  ],  
  
  'servers' => [  
  
    [  
  
      'host' => env('MEMCACHED_HOST', '127.0.0.1'),  
  
      'port' => env('MEMCACHED_PORT', 11211),  
  
      'weight' => 100,  
  
    ],  
  
  ],  
  
],
```

```
'redis' => [  
  'driver' => 'redis',  
  'connection' => env('REDIS_CACHE_CONNECTION', 'cache'),  
  'lock_connection' => env('REDIS_CACHE_LOCK_CONNECTION', 'default'),  
],
```

```
'dynamodb' => [  
  'driver' => 'dynamodb',  
  'key' => env('AWS_ACCESS_KEY_ID'),  
  'secret' => env('AWS_SECRET_ACCESS_KEY'),  
  'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),  
  'table' => env('DYNAMODB_CACHE_TABLE', 'cache'),  
  'endpoint' => env('DYNAMODB_ENDPOINT'),  
],
```

```
'octane' => [  
  'driver' => 'octane',  
],
```

```
'failover' => [  
  'driver' => 'failover',  
  'stores' => [  
    'database',  
    'array',  
  ],  
],
```

```
],
```

```
/*
```

```
|-----
```

```
| Cache Key Prefix
```

```
|-----
```

```
|
```

```
| When utilizing the APC, database, memcached, Redis, and DynamoDB cache
```

```
| stores, there might be other applications using the same cache. For
```

```
| that reason, you may prefix every cache key to avoid collisions.
```

```
|
```

```
*/
```

```
'prefix' => env('CACHE_PREFIX', Str::slug((string) env('APP_NAME', 'laravel')).'-cache-'),
```

```
];
```

database.php

```
<?php
```

```
use Illuminate\Support\Str;
```

```
return [
```

```
/*
```

```
|-----
```

```
| Default Database Connection Name
```

```
|-----
```

```
|
```

```
| Here you may specify which of the database connections below you wish
```

```
| to use as your default connection for database operations. This is
```

```
| the connection which will be utilized unless another connection
```

```
| is explicitly specified when you execute a query / statement.
```

```
|
```

```
*/
```

```
'default' => env('DB_CONNECTION', 'mysql'),
```

```
/*
```

```
|-----
```

```
| Database Connections
```

```
|-----
```

```
|
```

```
| Below are all of the database connections defined for your application.
```

```
| An example configuration is provided for each database system which
```

```
| is supported by Laravel. You're free to add / remove connections.
```

```
|
```

```
*/
```

```
'connections' => [
```

```
    'sqlite' => [
```

```
        'driver' => 'sqlite',
```

```

'url' => env('DB_URL'),

'database' => env('DB_DATABASE', database_path('database.sqlite')),

'prefix' => '',

'foreign_key_constraints' => env('DB_FOREIGN_KEYS', true),

'busy_timeout' => null,

'journal_mode' => null,

'synchronous' => null,

'transaction_mode' => 'DEFERRED',

],

'mysql' => [

    'driver' => 'mysql',

    'url' => env('DB_URL'),

    'host' => env('DB_HOST', '127.0.0.1'),

    'port' => env('DB_PORT', '3306'),

    'database' => env('DB_DATABASE', 'laravel'),

    'username' => env('DB_USERNAME', 'root'),

    'password' => env('DB_PASSWORD', ''),

    'unix_socket' => env('DB_SOCKET', ''),

    'charset' => env('DB_CHARSET', 'utf8mb4'),

    'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),

    'prefix' => '',

    'prefix_indexes' => true,

    'strict' => true,

    'engine' => null,

    'options' => extension_loaded('pdo_mysql') ? array_filter([

        (PHP_VERSION_ID >= 80500 ? \PDO\Mysql::ATTR_SSL_CA : \PDO::MYSQL_ATTR_SSL_CA) =>
env('MYSQL_ATTR_SSL_CA'),

    ]) : [],

```



```
],
```

```
'mariadb' => [
```

```
    'driver' => 'mariadb',
```

```
    'url' => env('DB_URL'),
```

```
    'host' => env('DB_HOST', '127.0.0.1'),
```

```
    'port' => env('DB_PORT', '3306'),
```

```
    'database' => env('DB_DATABASE', 'laravel'),
```

```
    'username' => env('DB_USERNAME', 'root'),
```

```
    'password' => env('DB_PASSWORD', ''),
```

```
    'unix_socket' => env('DB_SOCKET', ''),
```

```
    'charset' => env('DB_CHARSET', 'utf8mb4'),
```

```
    'collation' => env('DB_COLLATION', 'utf8mb4_unicode_ci'),
```

```
    'prefix' => '',
```

```
    'prefix_indexes' => true,
```

```
    'strict' => true,
```

```
    'engine' => null,
```

```
    'options' => extension_loaded('pdo_mysql') ? array_filter([
```

```
        (PHP_VERSION_ID >= 80500 ? \Pdo\Mysql::ATTR_SSL_CA : \PDO::MYSQL_ATTR_SSL_CA) =>  
env('MYSQL_ATTR_SSL_CA'),
```

```
    ]) : [],
```

```
],
```

```
'pgsql' => [
```

```
    'driver' => 'pgsql',
```

```
    'url' => env('DB_URL'),
```

```
    'host' => env('DB_HOST', '127.0.0.1'),
```

```
    'port' => env('DB_PORT', '5432'),
```

```
    'database' => env('DB_DATABASE', 'laravel'),
```

```

        'username' => env('DB_USERNAME', 'root'),

        'password' => env('DB_PASSWORD', ''),

        'charset' => env('DB_CHARSET', 'utf8'),

        'prefix' => '',

        'prefix_indexes' => true,

        'search_path' => 'public',

        'sslmode' => env('DB_SSLMODE', 'prefer'),

    ],

    'sqlsrv' => [

        'driver' => 'sqlsrv',

        'url' => env('DB_URL'),

        'host' => env('DB_HOST', 'localhost'),

        'port' => env('DB_PORT', '1433'),

        'database' => env('DB_DATABASE', 'laravel'),

        'username' => env('DB_USERNAME', 'root'),

        'password' => env('DB_PASSWORD', ''),

        'charset' => env('DB_CHARSET', 'utf8'),

        'prefix' => '',

        'prefix_indexes' => true,

        // 'encrypt' => env('DB_ENCRYPT', 'yes'),

        // 'trust_server_certificate' => env('DB_TRUST_SERVER_CERTIFICATE', 'false'),

    ],

],

/*
|-----

```

| Migration Repository Table

|-----

|

| This table keeps track of all the migrations that have already run for

| your application. Using this information, we can determine which of

| the migrations on disk haven't actually been run on the database.

|

*/

```
'migrations' => [
```

```
    'table' => 'migrations',
```

```
    'update_date_on_publish' => true,
```

```
],
```

/*

|-----

| Redis Databases

|-----

|

| Redis is an open source, fast, and advanced key-value store that also

| provides a richer body of commands than a typical key-value system

| such as Memcached. You may define your connection settings here.

|

*/

```
'redis' => [
```

```
    'client' => env('REDIS_CLIENT', 'phpredis'),
```

```
'options' => [  
    'cluster' => env('REDIS_CLUSTER', 'redis'),  
    'prefix' => env('REDIS_PREFIX', Str::slug((string) env('APP_NAME', 'laravel')).'-database-'),  
    'persistent' => env('REDIS_PERSISTENT', false),  
],
```

```
'default' => [  
    'url' => env('REDIS_URL'),  
    'host' => env('REDIS_HOST', '127.0.0.1'),  
    'username' => env('REDIS_USERNAME'),  
    'password' => env('REDIS_PASSWORD'),  
    'port' => env('REDIS_PORT', '6379'),  
    'database' => env('REDIS_DB', '0'),  
    'max_retries' => env('REDIS_MAX_RETRIES', 3),  
    'backoff_algorithm' => env('REDIS_BACKOFF_ALGORITHM', 'decorrelated_jitter'),  
    'backoff_base' => env('REDIS_BACKOFF_BASE', 100),  
    'backoff_cap' => env('REDIS_BACKOFF_CAP', 1000),  
],
```

```
'cache' => [  
    'url' => env('REDIS_URL'),  
    'host' => env('REDIS_HOST', '127.0.0.1'),  
    'username' => env('REDIS_USERNAME'),  
    'password' => env('REDIS_PASSWORD'),  
    'port' => env('REDIS_PORT', '6379'),  
    'database' => env('REDIS_CACHE_DB', '1'),  
    'max_retries' => env('REDIS_MAX_RETRIES', 3),
```

```
'backoff_algorithm' => env('REDIS_BACKOFF_ALGORITHM', 'decorrelated_jitter'),  
  
'backoff_base' => env('REDIS_BACKOFF_BASE', 100),  
  
'backoff_cap' => env('REDIS_BACKOFF_CAP', 1000),  
  
],  
  
],  
  
];
```

filesystems.php

```
<?php
```

```
return [
```

```
/*
```

```
|-----
```

```
| Default Filesystem Disk
```

```
|-----
```

```
|
```

```
| Here you may specify the default filesystem disk that should be used
```

```
| by the framework. The "local" disk, as well as a variety of cloud
```

```
| based disks are available to your application for file storage.
```

```
|
```

```
*/
```

```
'default' => env('FILESYSTEM_DISK', 'local'),
```

```
/*
```

```
|-----
```

```
| Filesystem Disks
```

```
|-----
```

```
|
```

```
| Below you may configure as many filesystem disks as necessary, and you
```

```
| may even configure multiple disks for the same driver. Examples for
```

```
| most supported storage drivers are configured here for reference.
```

```
|
```

```
| Supported drivers: "local", "ftp", "sftp", "s3"
```

```
|
```

```
*/
```

```
'disks' => [
```

```
    'local' => [
```

```
        'driver' => 'local',
```

```
        'root' => storage_path('app/private'),
```

```
        'serve' => true,
```

```
        'throw' => false,
```

```
        'report' => false,
```

```
    ],
```

```
    'public' => [
```

```
        'driver' => 'local',
```

```
        'root' => storage_path('app/public'),
```

```

        'url' => rtrim(env('APP_URL', 'http://localhost'), '/').'/storage',

        'visibility' => 'public',

        'throw' => false,

        'report' => false,

    ],

    's3' => [

        'driver' => 's3',

        'key' => env('AWS_ACCESS_KEY_ID'),

        'secret' => env('AWS_SECRET_ACCESS_KEY'),

        'region' => env('AWS_DEFAULT_REGION'),

        'bucket' => env('AWS_BUCKET'),

        'url' => env('AWS_URL'),

        'endpoint' => env('AWS_ENDPOINT'),

        'use_path_style_endpoint' => env('AWS_USE_PATH_STYLE_ENDPOINT', false),

        'throw' => false,

        'report' => false,

    ],

],

/*
|-----
| Symbolic Links
|-----
|
| Here you may configure the symbolic links that will be created when the
| `storage:link` Artisan command is executed. The array keys should be

```

| the locations of the links and the values should be their targets.

|

*/

'links' => [

 public_path('storage') => storage_path('app/public'),

],

];

logging.php

<?php

use Monolog\Handler\NullHandler;

use Monolog\Handler\StreamHandler;

use Monolog\Handler\SyslogUdpHandler;

use Monolog\Processor\PsrLogMessageProcessor;

return [

/*

|-----

| Default Log Channel

|-----

|

| This option defines the default log channel that is utilized to write
| messages to your logs. The value provided here should match one of
| the channels present in the list of "channels" configured below.

|
*/

```
'default' => env('LOG_CHANNEL', 'stack'),
```

/*

|-----

| Deprecations Log Channel

|-----

|

| This option controls the log channel that should be used to log warnings
| regarding deprecated PHP and library features. This allows you to get
| your application ready for upcoming major versions of dependencies.

|
*/

```
'deprecations' => [
```

```
    'channel' => env('LOG_DEPRECATIONS_CHANNEL', 'null'),
```

```
    'trace' => env('LOG_DEPRECATIONS_TRACE', false),
```

```
],
```

/*

|-----

| Log Channels

|-----

|

| Here you may configure the log channels for your application. Laravel

| utilizes the Monolog PHP logging library, which includes a variety

| of powerful log handlers and formatters that you're free to use.

|

| Available drivers: "single", "daily", "slack", "syslog",

| "errorlog", "monolog", "custom", "stack"

|

*/

'channels' => [

'stack' => [

 'driver' => 'stack',

 'channels' => explode(',', (string) env('LOG_STACK', 'single')),

 'ignore_exceptions' => false,

],

'single' => [

 'driver' => 'single',

 'path' => storage_path('logs/laravel.log'),

 'level' => env('LOG_LEVEL', 'debug'),

 'replace_placeholders' => true,

],

'daily' => [

 'driver' => 'daily',

 'path' => storage_path('logs/laravel.log'),

```
'level' => env('LOG_LEVEL', 'debug'),  
  
'days' => env('LOG_DAILY_DAYS', 14),  
  
'replace_placeholders' => true,  
  
],
```

```
'slack' => [  
  
    'driver' => 'slack',  
  
    'url' => env('LOG_SLACK_WEBHOOK_URL'),  
  
    'username' => env('LOG_SLACK_USERNAME', 'Laravel Log'),  
  
    'emoji' => env('LOG_SLACK_EMOJI', ':boom:'),  
  
    'level' => env('LOG_LEVEL', 'critical'),  
  
    'replace_placeholders' => true,  
  
],
```

```
'papertrail' => [  
  
    'driver' => 'monolog',  
  
    'level' => env('LOG_LEVEL', 'debug'),  
  
    'handler' => env('LOG_PAPERTRAIL_HANDLER', SyslogUdpHandler::class),  
  
    'handler_with' => [  
  
        'host' => env('PAPERTRAIL_URL'),  
  
        'port' => env('PAPERTRAIL_PORT'),  
  
        'connectionString' => 'tls://'.env('PAPERTRAIL_URL').':'.env('PAPERTRAIL_PORT'),  
  
    ],  
  
    'processors' => [PsrLogMessageProcessor::class],  
  
],
```

```
'stderr' => [  
  
    'driver' => 'monolog',
```

```
'level' => env('LOG_LEVEL', 'debug'),

'handler' => StreamHandler::class,

'handler_with' => [

    'stream' => 'php://stderr',

],

'formatter' => env('LOG_STDERR_FORMATTER'),

'processors' => [PsrLogMessageProcessor::class],

],

'syslog' => [

    'driver' => 'syslog',

    'level' => env('LOG_LEVEL', 'debug'),

    'facility' => env('LOG_SYSLOG_FACILITY', LOG_USER),

    'replace_placeholders' => true,

],

'errorlog' => [

    'driver' => 'errorlog',

    'level' => env('LOG_LEVEL', 'debug'),

    'replace_placeholders' => true,

],

'null' => [

    'driver' => 'monolog',

    'handler' => NullHandler::class,

],

'emergency' => [
```

```
        'path' => storage_path('logs/laravel.log'),  
    ],  
  
    ],  
  
];
```

mail.php

```
<?php
```

```
return [
```

```
    /*
```

```
    |-----
```

```
    | Default Mailer
```

```
    |-----
```

```
    |
```

```
    | This option controls the default mailer that is used to send all email
```

```
    | messages unless another mailer is explicitly specified when sending
```

```
    | the message. All additional mailers can be configured within the
```

```
    | "mailers" array. Examples of each type of mailer are provided.
```

```
    |
```

```
    */
```

```
    'default' => env('MAIL_MAILER', 'log'),
```

```

/*
|-----
| Mailer Configurations
|-----
|
| Here you may configure all of the mailers used by your application plus
| their respective settings. Several examples have been configured for
| you and you are free to add your own as your application requires.
|
| Laravel supports a variety of mail "transport" drivers that can be used
| when delivering an email. You may specify which one you're using for
| your mailers below. You may also add additional mailers if needed.
|
| Supported: "smtp", "sendmail", "mailgun", "ses", "ses-v2",
|           "postmark", "resend", "log", "array",
|           "failover", "roundrobin"
|
*/

```

```

'mailers' => [

```

```

    'smtp' => [
        'transport' => 'smtp',
        'scheme' => env('MAIL_SCHEME'),
        'url' => env('MAIL_URL'),
        'host' => env('MAIL_HOST', '127.0.0.1'),
        'port' => env('MAIL_PORT', 2525),
    ],

```

```
'username' => env('MAIL_USERNAME'),

'password' => env('MAIL_PASSWORD'),

'timeout' => null,

'local_domain' => env('MAIL_EHLO_DOMAIN', parse_url((string) env('APP_URL',
'http://localhost'), PHP_URL_HOST)),

],
```

```
'ses' => [

    'transport' => 'ses',

],
```

```
'postmark' => [

    'transport' => 'postmark',

    // 'message_stream_id' => env('POSTMARK_MESSAGE_STREAM_ID'),

    // 'client' => [

        // 'timeout' => 5,

    // ],

],
```

```
'resend' => [

    'transport' => 'resend',

],
```

```
'sendmail' => [

    'transport' => 'sendmail',

    'path' => env('MAIL_SENDMAIL_PATH', '/usr/sbin/sendmail -bs -i'),

],
```

```
'log' => [
```

```
    'transport' => 'log',

    'channel' => env('MAIL_LOG_CHANNEL'),

  ],

  'array' => [

    'transport' => 'array',

  ],

  'failover' => [

    'transport' => 'failover',

    'mailers' => [

      'smtp',

      'log',

    ],

    'retry_after' => 60,

  ],

  'roundrobin' => [

    'transport' => 'roundrobin',

    'mailers' => [

      'ses',

      'postmark',

    ],

    'retry_after' => 60,

  ],

],
```



```
/*  
|-----  
| Global "From" Address  
|-----  
|  
| You may wish for all emails sent by your application to be sent from  
| the same address. Here you may specify a name and address that is  
| used globally for all emails that are sent by your application.  
|  
*/
```

```
'from' => [  
    'address' => env('MAIL_FROM_ADDRESS', 'hello@example.com'),  
    'name' => env('MAIL_FROM_NAME', 'Example'),  
],
```

```
];
```

queue.php

```
<?php
```

```
return [  
  
/*  
|-----
```

| Default Queue Connection Name

|-----

|

| Laravel's queue supports a variety of backends via a single, unified

| API, giving you convenient access to each backend using identical

| syntax for each. The default queue connection is defined below.

|

*/

```
'default' => env('QUEUE_CONNECTION', 'database'),
```

/*

|-----

| Queue Connections

|-----

|

| Here you may configure the connection options for every queue backend

| used by your application. An example configuration is provided for

| each backend supported by Laravel. You're also free to add more.

|

| Drivers: "sync", "database", "beanstalkd", "sqs", "redis",

| "deferred", "background", "failover", "null"

|

*/

```
'connections' => [
```

```
    'sync' => [
```

```
'driver' => 'sync',  
],
```

```
'database' => [  
  'driver' => 'database',  
  'connection' => env('DB_QUEUE_CONNECTION'),  
  'table' => env('DB_QUEUE_TABLE', 'jobs'),  
  'queue' => env('DB_QUEUE', 'default'),  
  'retry_after' => (int) env('DB_QUEUE_RETRY_AFTER', 90),  
  'after_commit' => false,  
],
```

```
'beanstalkd' => [  
  'driver' => 'beanstalkd',  
  'host' => env('BEANSTALKD_QUEUE_HOST', 'localhost'),  
  'queue' => env('BEANSTALKD_QUEUE', 'default'),  
  'retry_after' => (int) env('BEANSTALKD_QUEUE_RETRY_AFTER', 90),  
  'block_for' => 0,  
  'after_commit' => false,  
],
```

```
'sqs' => [  
  'driver' => 'sqs',  
  'key' => env('AWS_ACCESS_KEY_ID'),  
  'secret' => env('AWS_SECRET_ACCESS_KEY'),  
  'prefix' => env('SQS_PREFIX', 'https://sqs.us-east-1.amazonaws.com/your-account-id'),  
  'queue' => env('SQS_QUEUE', 'default'),  
  'suffix' => env('SQS_SUFFIX'),  
],
```

```
'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),

'after_commit' => false,

],

'redis' => [

  'driver' => 'redis',

  'connection' => env('REDIS_QUEUE_CONNECTION', 'default'),

  'queue' => env('REDIS_QUEUE', 'default'),

  'retry_after' => (int) env('REDIS_QUEUE_RETRY_AFTER', 90),

  'block_for' => null,

  'after_commit' => false,

],

'deferred' => [

  'driver' => 'deferred',

],

'background' => [

  'driver' => 'background',

],

'failover' => [

  'driver' => 'failover',

  'connections' => [

    'database',

    'deferred',

  ],

],

],
```

```
],
```

```
/*
```

```
|-----
```

```
| Job Batching
```

```
|-----
```

```
|
```

```
| The following options configure the database and table that store job
```

```
| batching information. These options can be updated to any database
```

```
| connection and table which has been defined by your application.
```

```
|
```

```
*/
```

```
'batching' => [
```

```
    'database' => env('DB_CONNECTION', 'sqlite'),
```

```
    'table' => 'job_batches',
```

```
],
```

```
/*
```

```
|-----
```

```
| Failed Queue Jobs
```

```
|-----
```

```
|
```

```
| These options configure the behavior of failed queue job logging so you
```

```
| can control how and where failed jobs are stored. Laravel ships with
```

```
| support for storing failed jobs in a simple file or in a database.
```

```
|
```

```
| Supported drivers: "database-uuids", "dynamodb", "file", "null"
```

```
|
```

```
*/
```

```
'failed' => [
```

```
    'driver' => env('QUEUE_FAILED_DRIVER', 'database-uuids'),
```

```
    'database' => env('DB_CONNECTION', 'sqlite'),
```

```
    'table' => 'failed_jobs',
```

```
],
```

```
];
```

```
sanctum.php
```

```
<?php
```

```
use Laravel\Sanctum\Sanctum;
```

```
return [
```

```
    /*
```

```
    |-----
```

```
    | Stateful Domains
```

```
    |-----
```

```
    |
```

```
    | Requests from the following domains / hosts will receive stateful API
```

| authentication cookies. Typically, these should include your local
| and production domains which access your API via a frontend SPA.

|
*/

```
// В файле config/sanctum.php (уже создан после публикации)

'stateful' => explode(',', env('SANCTUM_STATEFUL_DOMAINS', sprintf(
    '%s%s',
    'localhost,localhost:3000,127.0.0.1,127.0.0.1:8000,::1',
    Sanctum::currentApplicationUrlWithPort()
))),
```

/*

|-----

| Sanctum Guards

|-----

|

| This array contains the authentication guards that will be checked when
| Sanctum is trying to authenticate a request. If none of these guards
| are able to authenticate the request, Sanctum will use the bearer
| token that's present on an incoming request for authentication.

|
*/

```
'guard' => ['web'],
```

/*

|-----

| Expiration Minutes

|-----

|

| This value controls the number of minutes until an issued token will be

| considered expired. This will override any values set in the token's

| "expires_at" attribute, but first-party sessions are not affected.

|

*/

'expiration' => null,

/*

|-----

| Token Prefix

|-----

|

| Sanctum can prefix new tokens in order to take advantage of numerous

| security scanning initiatives maintained by open source platforms

| that notify developers if they commit tokens into repositories.

|

| See: <https://docs.github.com/en/code-security/secret-scanning/about-secret-scanning>

|

*/

'token_prefix' => env('SANCTUM_TOKEN_PREFIX', ''),

/*

|-----

| Sanctum Middleware

|-----

|

| When authenticating your first-party SPA with Sanctum you may need to

| customize some of the middleware Sanctum uses while processing the

| request. You may change the middleware listed below as required.

|

*/

'middleware' => [

 'authenticate_session' => Laravel\Sanctum\Http\Middleware\AuthenticateSession::class,

 'encrypt_cookies' => Illuminate\Cookie\Middleware\EncryptCookies::class,

 'validate_csrf_token' => Illuminate\Foundation\Http\Middleware\ValidateCsrfToken::class,

],

];

services.php

<?php

return [

/*

|-----

| Third Party Services

|-----

|

| This file is for storing the credentials for third party services such
| as Mailgun, Postmark, AWS and more. This file provides the de facto
| location for this type of information, allowing packages to have
| a conventional file to locate the various service credentials.

|

*/

'postmark' => [

'key' => env('POSTMARK_API_KEY'),

],

'resend' => [

'key' => env('RESEND_API_KEY'),

],

'ses' => [

'key' => env('AWS_ACCESS_KEY_ID'),

'secret' => env('AWS_SECRET_ACCESS_KEY'),

'region' => env('AWS_DEFAULT_REGION', 'us-east-1'),

],

'slack' => [

'notifications' => [

'bot_user_oauth_token' => env('SLACK_BOT_USER_OAUTH_TOKEN'),

'channel' => env('SLACK_BOT_USER_DEFAULT_CHANNEL'),

],

```
],
```

```
];
```

```
session.php
```

```
<?php
```

```
use Illuminate\Support\Str;
```

```
return [
```

```
    /*
```

```
    |-----
```

```
    | Default Session Driver
```

```
    |-----
```

```
    |
```

```
    | This option determines the default session driver that is utilized for
```

```
    | incoming requests. Laravel supports a variety of storage options to
```

```
    | persist session data. Database storage is a great default choice.
```

```
    |
```

```
    | Supported: "file", "cookie", "database", "memcached",
```

```
    |           "redis", "dynamodb", "array"
```

```
    |
```

```
    */
```

```
'driver' => env('SESSION_DRIVER', 'database'),
```

```
/*
```

```
|-----
```

```
| Session Lifetime
```

```
|-----
```

```
|
```

```
| Here you may specify the number of minutes that you wish the session
```

```
| to be allowed to remain idle before it expires. If you want them
```

```
| to expire immediately when the browser is closed then you may
```

```
| indicate that via the expire_on_close configuration option.
```

```
|
```

```
*/
```

```
'lifetime' => (int) env('SESSION_LIFETIME', 120),
```

```
'expire_on_close' => env('SESSION_EXPIRE_ON_CLOSE', false),
```

```
/*
```

```
|-----
```

```
| Session Encryption
```

```
|-----
```

```
|
```

```
| This option allows you to easily specify that all of your session data
```

```
| should be encrypted before it's stored. All encryption is performed
```

```
| automatically by Laravel and you may use the session like normal.
```

```
|
```

```
*/
```

```
'encrypt' => env('SESSION_ENCRYPT', false),
```

```
/*
```

```
|-----
```

```
| Session File Location
```

```
|-----
```

```
|
```

```
| When utilizing the "file" session driver, the session files are placed
```

```
| on disk. The default storage location is defined here; however, you
```

```
| are free to provide another location where they should be stored.
```

```
|
```

```
*/
```

```
'files' => storage_path('framework/sessions'),
```

```
/*
```

```
|-----
```

```
| Session Database Connection
```

```
|-----
```

```
|
```

```
| When using the "database" or "redis" session drivers, you may specify a
```

```
| connection that should be used to manage these sessions. This should
```

```
| correspond to a connection in your database configuration options.
```

```
|
```

```
*/
```

```
'connection' => env('SESSION_CONNECTION'),
```

```
/*  
|-----  
| Session Database Table  
|-----  
|  
| When using the "database" session driver, you may specify the table to  
| be used to store sessions. Of course, a sensible default is defined  
| for you; however, you're welcome to change this to another table.  
|  
*/
```

```
'table' => env('SESSION_TABLE', 'sessions'),
```

```
/*  
|-----  
| Session Cache Store  
|-----  
|  
| When using one of the framework's cache driven session backends, you may  
| define the cache store which should be used to store the session data  
| between requests. This must match one of your defined cache stores.  
|  
| Affects: "dynamodb", "memcached", "redis"  
|  
*/
```

```
'store' => env('SESSION_STORE'),
```

```
/*
|-----
| Session Sweeping Lottery
|-----
|
| Some session drivers must manually sweep their storage location to get
| rid of old sessions from storage. Here are the chances that it will
| happen on a given request. By default, the odds are 2 out of 100.
|
*/
```

```
'lottery' => [2, 100],
```

```
/*
|-----
| Session Cookie Name
|-----
|
| Here you may change the name of the session cookie that is created by
| the framework. Typically, you should not need to change this value
| since doing so does not grant a meaningful security improvement.
|
*/
```

```
'cookie' => env(
    'SESSION_COOKIE',
    Str::slug((string) env('APP_NAME', 'laravel')).'-session'
```

),

/*

|-----

| Session Cookie Path

|-----

|

| The session cookie path determines the path for which the cookie will

| be regarded as available. Typically, this will be the root path of

| your application, but you're free to change this when necessary.

|

*/

'path' => env('SESSION_PATH', '/'),

/*

|-----

| Session Cookie Domain

|-----

|

| This value determines the domain and subdomains the session cookie is

| available to. By default, the cookie will be available to the root

| domain without subdomains. Typically, this shouldn't be changed.

|

*/

'domain' => env('SESSION_DOMAIN'),


```
/*  
|-----  
| HTTPS Only Cookies  
|-----  
|  
| By setting this option to true, session cookies will only be sent back  
| to the server if the browser has a HTTPS connection. This will keep  
| the cookie from being sent to you when it can't be done securely.  
|  
*/
```

```
'secure' => env('SESSION_SECURE_COOKIE'),
```

```
/*  
|-----  
| HTTP Access Only  
|-----  
|  
| Setting this value to true will prevent JavaScript from accessing the  
| value of the cookie and the cookie will only be accessible through  
| the HTTP protocol. It's unlikely you should disable this option.  
|  
*/
```

```
'http_only' => env('SESSION_HTTP_ONLY', true),
```

```
/*  
|-----
```

| Same-Site Cookies

| -----

|

| This option determines how your cookies behave when cross-site requests

| take place, and can be used to mitigate CSRF attacks. By default, we

| will set this value to "lax" to permit secure cross-site requests.

|

| See: <https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/Set-Cookie#samesitesamesite-value>

|

| Supported: "lax", "strict", "none", null

|

*/

```
'same_site' => env('SESSION_SAME_SITE', 'lax'),
```

/*

| -----

| Partitioned Cookies

| -----

|

| Setting this value to true will tie the cookie to the top-level site for

| a cross-site context. Partitioned cookies are accepted by the browser

| when flagged "secure" and the Same-Site attribute is set to "none".

|

*/

```
'partitioned' => env('SESSION_PARTITIONED_COOKIE', false),
```

```
];
```

UserFactory.php

```
<?php
```

```
namespace Database\Factories;
```

```
use Illuminate\Database\Eloquent\Factories\Factory;
```

```
use Illuminate\Support\Facades\Hash;
```

```
use Illuminate\Support\Str;
```

```
/**
```

```
 * @extends \Illuminate\Database\Eloquent\Factories\Factory<\App\Models\User>
```

```
 */
```

```
class UserFactory extends Factory
```

```
{
```

```
    /**
```

```
     * The current password being used by the factory.
```

```
     */
```

```
    protected static ?string $password;
```

```
    /**
```

```
     * Define the model's default state.
```

```
     *
```

```
     * @return array<string, mixed>
```

```

*/

public function definition(): array
{
    return [
        'name' => fake()->name(),
        'email' => fake()->unique()->safeEmail(),
        'email_verified_at' => now(),
        'password' => static::$password ??= Hash::make('password'),
        'remember_token' => Str::random(10),
    ];
}

/**
 * Indicate that the model's email address should be unverified.
 */

public function unverified(): static
{
    return $this->state(fn (array $attributes) => [
        'email_verified_at' => null,
    ]);
}
}

```

2026_04_02_000000_create_all_tables.php

<?php

```

use Illuminate\Database\Migrations\Migration;

use Illuminate\Database\Schema\Blueprint;

use Illuminate\Support\Facades\Schema;

return new class extends Migration
{
    public function up(): void
    {
        // 1. Типы пользователей

        Schema::create('user_types', function (Blueprint $table) {

            $table->id();

            $table->string('name', 30);

            $table->timestamps();

        });

        // 2. Пользователи

        Schema::create('users', function (Blueprint $table) {

            $table->id();

            $table->string('email', 50)->unique();

            $table->string('phone', 20)->unique();

            $table->string('password_hash', 255);

            $table->foreignId('user_type_id')->constrained('user_types');

            $table->timestamps();

        });

        // 3. Категории ТС

        Schema::create('vehicle_categories', function (Blueprint $table) {

```

```
$table->string('code', 10)->primary();

$table->string('name', 50);

$table->timestamps();

});
```

// 4. Профили клиентов

```
Schema::create('client_profiles', function (Blueprint $table) {

    $table->id();

    $table->foreignId('user_id')->unique()->constrained()->cascadeOnDelete();

    $table->string('last_name', 30)->nullable();

    $table->string('first_name', 30)->nullable();

    $table->string('middle_name', 30)->nullable();

    $table->date('birth_date')->nullable();
```

// Паспортные данные

```
$table->string('passport_series', 10)->nullable();

$table->string('passport_number', 20)->nullable();

$table->string('passport_issued_by', 100)->nullable();

$table->date('passport_issue_date')->nullable();

$table->date('passport_expiry_date')->nullable();
```

// Водительские права

```
$table->string('driver_license_series', 10)->nullable();

$table->string('driver_license_number', 20)->nullable();

$table->string('driver_license_issued_by', 100)->nullable();

$table->date('driver_license_issue_date')->nullable();

$table->date('driver_license_expiry_date')->nullable();
```

```

// Данные для расчета

$table->integer('driver_experience_years')->default(0);

$table->string('bonus_malus_class', 10)->default('M');

$table->boolean('has_accidents_last_year')->default(false);

$table->timestamps();

});

// 5. Связь клиентов с категориями водительских прав

Schema::create('client_driver_categories', function (Blueprint $table) {

    $table->id();

    $table->foreignId('client_profile_id')->constrained('client_profiles')->onDelete('cascade');

    $table->string('category_code', 10);

    $table->timestamps();

    $table->foreign('category_code')->references('code')->on('vehicle_categories');

    $table->unique(['client_profile_id', 'category_code']);

});

// 6. Типы полисов

Schema::create('policy_types', function (Blueprint $table) {

    $table->id();

    $table->string('name', 50);

    $table->timestamps();

});

// 7. Тарифы

Schema::create('tariffs', function (Blueprint $table) {

    $table->id();

```

```

$stable->foreignId('policy_type_id')->constrained('policy_types');

$stable->string('vehicle_category', 10);

$stable->decimal('base_rate', 10, 2);

$stable->decimal('min_rate', 10, 2);

$stable->decimal('max_rate', 10, 2);

$stable->decimal('power_coefficient', 5, 4)->default(1.0);

$stable->decimal('experience_coefficient', 5, 4)->default(1.0);

$stable->decimal('age_coefficient', 5, 4)->default(1.0);

$stable->decimal('bonus_malus_coefficient', 5, 4)->default(1.0);

$stable->decimal('region_coefficient', 5, 4)->default(1.0);

$stable->decimal('vehicle_age_coefficient', 5, 4)->default(1.0);

$stable->decimal('security_coefficient', 5, 4)->default(1.0);

$stable->decimal('franchise_coefficient', 5, 4)->default(1.0);

$stable->string('calculation_method', 50);


$stable->foreign('vehicle_category')->references('code')->on('vehicle_categories');

$stable->timestamps();

});

```

// 8. Транспортные средства

```

Schema::create('vehicles', function (Blueprint $table) {

    $table->id();

    $table->foreignId('client_id')->nullable()->constrained('client_profiles');

    $table->string('state_number', 15)->unique();

    $table->string('brand', 30)->nullable();

    $table->string('model', 30)->nullable();

    $table->year('manufacture_year')->nullable();

    $table->integer('power_hp')->nullable();

```



```

$table->string('category', 10)->nullable();

$table->string('vin', 17)->unique();

$table->decimal('purchase_price', 12, 2)->nullable();

$table->integer('mileage')->default(0);

$table->boolean('has_tracker')->default(false);

$table->enum('parking_type', ['garage', 'street', 'parking_lot', 'other'])->nullable();


$table->foreign('category')->references('code')->on('vehicle_categories');

$table->timestamps();

});

```

// 9. Полисы

```

Schema::create('policies', function (Blueprint $table) {

    $table->id();

    $table->string('policy_number', 20)->unique();

    $table->foreignId('policy_type_id')->constrained('policy_types');

    $table->foreignId('client_id')->constrained('client_profiles');

    $table->foreignId('vehicle_id')->constrained('vehicles');

    $table->foreignId('tariff_id')->constrained('tariffs');

});

```

// Цены

```

$table->decimal('base_price', 12, 2);

$table->decimal('final_price', 12, 2);

$table->decimal('discount_amount', 10, 2)->default(0.00);

```

// Период действия

```

$table->date('start_date');

$table->date('end_date');

```

```

// Статус
$table->enum('status', ['draft', 'active', 'expired', 'cancelled'])->default('draft');

// Для КАСКО
$table->decimal('franchise_amount', 10, 2)->default(0.00);
$table->decimal('coverage_amount', 12, 2)->nullable();

// Индексы
$table->index('status');
$table->index('client_id');
$table->timestamps();
});

// 10. Страховые случаи
Schema::create('accidents', function (Blueprint $table) {
    $table->id();

    $table->foreignId('client_id')->constrained('client_profiles');
    $table->foreignId('policy_id')->constrained('policies');
    $table->date('accident_date');
    $table->decimal('damage_amount', 10, 2)->nullable();
    $table->boolean('is_client_fault')->nullable();
    $table->text('description')->nullable();
    $table->enum('status', ['pending', 'approved', 'rejected', 'paid'])->default('pending');

    // Индексы
    $table->index('client_id');
    $table->index('policy_id');

```

```
$table->timestamps();

});
```

```
// 11. Уведомления
```

```
Schema::create('notifications', function (Blueprint $table) {

    $table->id();

    $table->foreignId('user_id')->constrained()->cascadeOnDelete();

    $table->string('message', 500);

    $table->boolean('is_read')->default(false);

    $table->json('data')->nullable();

    $table->timestamps();

    $table->index(['user_id', 'is_read']);

});

}
```

```
public function down(): void
{
    Schema::dropIfExists('notifications');
    Schema::dropIfExists('accidents');
    Schema::dropIfExists('policies');
    Schema::dropIfExists('vehicles');
    Schema::dropIfExists('tariffs');
    Schema::dropIfExists('policy_types');
    Schema::dropIfExists('client_driver_categories');
    Schema::dropIfExists('client_profiles');
    Schema::dropIfExists('vehicle_categories');
    Schema::dropIfExists('users');
```

```
Schema::dropIfExists('user_types');  
  
}  
  
};
```

2026_04_02_101158_create_personal_access_tokens_table.php

```
<?php
```

```
use Illuminate\Database\Migrations\Migration;  
use Illuminate\Database\Schema\Blueprint;  
use Illuminate\Support\Facades\Schema;
```

```
return new class extends Migration
```

```
{  
    /**  
     * Run the migrations.  
     */  
    public function up(): void  
    {  
        Schema::create('personal_access_tokens', function (Blueprint $table) {  
            $table->id();  
            $table->morphs('tokenable');  
            $table->text('name');  
            $table->string('token', 64)->unique();  
            $table->text('abilities')->nullable();  
            $table->timestamp('last_used_at')->nullable();  
            $table->timestamp('expires_at')->nullable()->index();  
        });  
    }  
}
```

```

        $table->timestamps();

    });

}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('personal_access_tokens');
}
};

```

2026_04_04_014244_create_sessions_table.php

```
<?php
```

```

use Illuminate\Database\Migrations\Migration;
use Illuminate\Database\Schema\Blueprint;
use Illuminate\Support\Facades\Schema;

```

```
return new class extends Migration
```

```

{
    /**
     * Run the migrations.
     */

```

```

public function up(): void
{
    Schema::create('sessions', function (Blueprint $table) {
        $table->string('id')->primary();
        $table->foreignId('user_id')->nullable()->index();
        $table->string('ip_address', 45)->nullable();
        $table->text('user_agent')->nullable();
        $table->longText('payload');
        $table->integer('last_activity')->index();
    });
}

/**
 * Reverse the migrations.
 */
public function down(): void
{
    Schema::dropIfExists('sessions');
}
};

```

AccidentSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\Accident;
```

```
use App\Models\Policy;
```

```
class AccidentSeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $policies = Policy::where('status', 'active')->get();
```

```
        if ($policies->isEmpty()) {
```

```
            return;
```

```
        }
```

```
        $accidentsData = [
```

```
            [
```

```
                'accident_date' => '2026-03-15',
```

```
                'damage_amount' => 25000.00,
```

```
                'is_client_fault' => false,
```

```
                'description' => 'ДТП на перекрестке, поврежден бампер и фара',
```

```
                'status' => 'paid'
```

```
            ],
```

```
            [
```

```
                'accident_date' => '2026-03-20',
```

```
                'damage_amount' => 50000.00,
```

```
                'is_client_fault' => true,
```

```
                'description' => 'Наезд на бордюр, повреждена подвеска',
```

```

        'status' => 'approved'
    ],
    [
        'accident_date' => '2026-04-01',
        'damage_amount' => 12000.00,
        'is_client_fault' => false,
        'description' => 'Скол на лобовом стекле от камня',
        'status' => 'pending'
    ],
    [
        'accident_date' => '2026-04-05',
        'damage_amount' => 80000.00,
        'is_client_fault' => true,
        'description' => 'ДТП с участием двух автомобилей',
        'status' => 'rejected'
    ],
];

```

// Берем 30% полисов и добавляем им страховые случаи

```
$selectedPolicies = $policies->random(max(1, (int)($policies->count() * 0.3)));
```

```
foreach ($selectedPolicies as $policy) {
```

```
    $accidentCount = rand(1, 2);
```

```
    $selectedAccidents = array_rand($accidentsData, $accidentCount);
```

```
    if (!is_array($selectedAccidents)) {
```

```
        $selectedAccidents = [$selectedAccidents];
```

```
    }
```



```

foreach ($selectedAccidents as $index) {

    $accident = $accidentsData[$index];

    Accident::create([

        'client_id' => $policy->client_id,

        'policy_id' => $policy->id,

        'accident_date' => $accident['accident_date'],

        'damage_amount' => $accident['damage_amount'],

        'is_client_fault' => $accident['is_client_fault'],

        'description' => $accident['description'],

        'status' => $accident['status']

    ]);

}

}

}

}

```

ClientDriverCategorySeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\ClientProfile;
```

```
use App\Models\VehicleCategory;
```

```

class ClientDriverCategorySeeder extends Seeder
{
    public function run(): void
    {
        $clients = ClientProfile::all();

        $categories = VehicleCategory::all();

        foreach ($clients as $client) {
            // Получаем автомобили клиента

            $vehicles = $client->vehicles;

            // Собираем уникальные категории из автомобилей

            $categoryCodes = $vehicles->pluck('category')->unique()->toArray();

            // Добавляем категории в driverCategories

            if (!empty($categoryCodes)) {
                $client->driverCategories()->sync($categoryCodes);
            }
        }
    }
}

```

DatabaseSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
class DatabaseSeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $this->call([
```

```
            UserTypeSeeder::class,
```

```
            PolicyTypeSeeder::class,
```

```
            VehicleCategorySeeder::class,
```

```
            TariffSeeder::class,
```

```
            UserSeeder::class,
```

```
            VehicleSeeder::class,
```

```
            ClientDriverCategorySeeder::class,
```

```
            PolicySeeder::class,
```

```
            AccidentSeeder::class,
```

```
            NotificationSeeder::class,
```

```
        ]);
```

```
    }
```

```
}
```

```
NotificationSeeder.php
```

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\User;
```

```
use App\Models\Notification;
```

```
class NotificationSeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        // Получаем всех клиентов
```

```
        $clients = User::whereHas('userType', function($query) {
```

```
            $query->where('name', 'client');
```

```
        }->get();
```

```
        // Уведомления для каждого клиента
```

```
        foreach ($clients as $client) {
```

```
            // Приветственное уведомление
```

```
            Notification::create([
```

```
                'user_id' => $client->id,
```

```
                'message' => 'Добро пожаловать в систему страхования! Оформите свой первый полис  
прямо сейчас.',
```

```
                'is_read' => false,
```

```
                'data' => json_encode(['priority' => 'high'])
```

```
            ]);
```

```
        // Уведомление о скором истечении полиса
```

```
        Notification::create([
```

```
            'user_id' => $client->id,
```

```
'message' => 'Срок действия вашего полиса ОСАГО под номером ' . rand(1000, 9999) . '
истекает через 30 дней. Продлите полис вовремя!'
```

```
'is_read' => false,
```

```
'data' => json_encode(['days_left' => 30, 'policy_type' => 'osago'])
```

```
]);
```

```
// Уведомление о специальном предложении
```

```
Notification::create([
```

```
'user_id' => $client->id,
```

```
'message' => 'Специальное предложение! Скидка 15% на КАСКО при оформлении онлайн
до конца месяца.'
```

```
'is_read' => rand(0, 1) ? true : false,
```

```
'data' => json_encode(['discount' => 15, 'expires_at' => now()->addDays(15)])
```

```
]);
```

```
// Уведомление об успешной оплате
```

```
if ($client->id % 2 == 0) {
```

```
Notification::create([
```

```
'user_id' => $client->id,
```

```
'message' => 'Оплата полиса №' . rand(10000, 99999) . ' прошла успешно. Спасибо, что
выбираете нас!'
```

```
'is_read' => true,
```

```
'data' => json_encode(['amount' => rand(5000, 20000)])
```

```
]);
```

```
}
```

```
// Уведомление о необходимости обновить данные
```

```
Notification::create([
```

```
'user_id' => $client->id,
```

```
        'message' => 'Пожалуйста, проверьте и обновите свои персональные данные в профиле для корректного расчета страховки.',
```

```
        'is_read' => false,
```

```
        'data' => null
```

```
    ));
```

```
}
```

```
// Уведомления для первого клиента (Иванов)
```

```
$ivanov = User::where('email', 'ivanov@example.com')->first();
```

```
if ($ivanov) {
```

```
    Notification::create([
```

```
        'user_id' => $ivanov->id,
```

```
        'message' => 'Ваш бонус-малус класс обновлен до 7. Ваша скидка на следующий полис составит 15%!',
```

```
        'is_read' => false,
```

```
        'data' => json_encode(['old_class' => '5', 'new_class' => '7', 'discount' => 15])
```

```
    ));
```

```
}
```

```
// Уведомления для второго клиента (Петров)
```

```
$petrov = User::where('email', 'petrov@example.com')->first();
```

```
if ($petrov) {
```

```
    Notification::create([
```

```
        'user_id' => $petrov->id,
```

```
        'message' => 'Зафиксирован страховой случай по полису №12345. Статус заявления: на рассмотрении.',
```

```
        'is_read' => false,
```

```
        'data' => json_encode(['policy_number' => '12345', 'status' => 'reviewing'])
```

```
    ));
```

```
}
```

```
}  
}
```

PolicySeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\Policy;
```

```
use App\Models\ClientProfile;
```

```
use App\Models\Vehicle;
```

```
use App\Models\Tariff;
```

```
use App\Models\PolicyType;
```

```
use Illuminate\Support\Str;
```

```
class PolicySeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $clients = ClientProfile::all();
```

```
        $osagoType = PolicyType::where('name', 'ОСАГО')->first();
```

```
        $kaskoType = PolicyType::where('name', 'КАСКО')->first();
```

```
        if (!$osagoType || !$kaskoType) {
```

```
            return;
```

```
}
```

```
$osagoTariff = Tariff::where('policy_type_id', $osagoType->id)->where('vehicle_category', 'B')->first();
```

```
$kaskoTariff = Tariff::where('policy_type_id', $kaskoType->id)->where('vehicle_category', 'B')->first();
```

```
if (!$osagoTariff) {
```

```
    return;
```

```
}
```

```
foreach ($clients as $client) {
```

```
    $vehicles = $client->vehicles;
```

```
    foreach ($vehicles as $vehicle) {
```

```
        $policyNumber = $this->generatePolicyNumber();
```

```
        $startDate = now()->subDays(rand(0, 30));
```

```
        $endDate = (clone $startDate)->addDays(365);
```

```
        Policy::create([
```

```
            'policy_number' => $policyNumber,
```

```
            'policy_type_id' => $osagoType->id,
```

```
            'client_id' => $client->id,
```

```
            'vehicle_id' => $vehicle->id,
```

```
            'tariff_id' => $osagoTariff->id,
```

```
            'base_price' => $osagoTariff->base_rate,
```

```
            'final_price' => $osagoTariff->base_rate,
```

```
            'discount_amount' => 0,
```

```
            'start_date' => $startDate,
```



```

        'end_date' => $endDate,

        'status' => 'active',

        'franchise_amount' => 0,

        'coverage_amount' => 400000,

    ]);

    if (rand(0, 1) && $kaskoTariff) {

        $policyNumber2 = $this->generatePolicyNumber();

        $startDate2 = now()->subDays(rand(0, 30));

        $endDate2 = (clone $startDate2)->addDays(365);

        Policy::create([

            'policy_number' => $policyNumber2,

            'policy_type_id' => $kaskoType->id,

            'client_id' => $client->id,

            'vehicle_id' => $vehicle->id,

            'tariff_id' => $kaskoTariff->id,

            'base_price' => $kaskoTariff->base_rate,

            'final_price' => $kaskoTariff->base_rate,

            'discount_amount' => 0,

            'start_date' => $startDate2,

            'end_date' => $endDate2,

            'status' => 'active',

            'franchise_amount' => 5000,

            'coverage_amount' => 1500000,

        ]);

    }

}

```

```

    }
}

private function generatePolicyNumber()
{
    $prefix = date('Y') . date('m');
    $random = Str::upper(Str::random(6));
    $number = $prefix . $random;

    while (Policy::where('policy_number', $number)->exists()) {
        $random = Str::upper(Str::random(6));
        $number = $prefix . $random;
    }

    return $number;
}
}

```

PolicyTypeSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\PolicyType;
```

```

class PolicyTypeSeeder extends Seeder
{
    public function run(): void
    {
        $types = [
            ['name' => 'ОСАГО'],
            ['name' => 'КАСКО'],
        ];

        foreach ($types as $type) {
            PolicyType::firstOrCreate(['name' => $type['name']], $type);
        }
    }
}

```

TariffSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\Tariff;
```

```
use App\Models\PolicyType;
```

```
use App\Models\VehicleCategory;
```

```
class TariffSeeder extends Seeder
```

```

{

public function run(): void
{

    $osagoType = PolicyType::where('name', 'ОСАГО')->first();

    $kaskoType = PolicyType::where('name', 'КАСКО')->first();


    if (!$osagoType || !$kaskoType) {

        return;

    }


    $osagoId = $osagoType->id;

    $kaskoId = $kaskoType->id;


    $tariffs = [

        [

            'policy_type_id' => $osagoId,

            'vehicle_category' => 'A',

            'base_rate' => 1500.00,

            'min_rate' => 1000.00,

            'max_rate' => 2000.00,

            'power_coefficient' => 1.0,

            'experience_coefficient' => 1.0,

            'age_coefficient' => 1.0,

            'bonus_malus_coefficient' => 1.0,

            'region_coefficient' => 1.0,

            'vehicle_age_coefficient' => 1.0,

            'security_coefficient' => 1.0,

            'franchise_coefficient' => 1.0,

```

```
'calculation_method' => 'basic'
],
[
  'policy_type_id' => $osagold,
  'vehicle_category' => 'B',
  'base_rate' => 4118.00,
  'min_rate' => 2746.00,
  'max_rate' => 4942.00,
  'power_coefficient' => 1.0,
  'experience_coefficient' => 1.0,
  'age_coefficient' => 1.0,
  'bonus_malus_coefficient' => 1.0,
  'region_coefficient' => 1.0,
  'vehicle_age_coefficient' => 1.0,
  'security_coefficient' => 1.0,
  'franchise_coefficient' => 1.0,
  'calculation_method' => 'basic'
],
[
  'policy_type_id' => $osagold,
  'vehicle_category' => 'C',
  'base_rate' => 5500.00,
  'min_rate' => 4000.00,
  'max_rate' => 7000.00,
  'power_coefficient' => 1.2,
  'experience_coefficient' => 1.0,
  'age_coefficient' => 1.0,
  'bonus_malus_coefficient' => 1.0,
```

```
'region_coefficient' => 1.0,  
  
'vehicle_age_coefficient' => 1.0,  
  
'security_coefficient' => 1.0,  
  
'franchise_coefficient' => 1.0,  
  
'calculation_method' => 'basic'  
],  
  
[  
  
  'policy_type_id' => $osagold,  
  
  'vehicle_category' => 'D',  
  
  'base_rate' => 6500.00,  
  
  'min_rate' => 5000.00,  
  
  'max_rate' => 8500.00,  
  
  'power_coefficient' => 1.3,  
  
  'experience_coefficient' => 1.0,  
  
  'age_coefficient' => 1.0,  
  
  'bonus_malus_coefficient' => 1.0,  
  
  'region_coefficient' => 1.0,  
  
  'vehicle_age_coefficient' => 1.0,  
  
  'security_coefficient' => 1.0,  
  
  'franchise_coefficient' => 1.0,  
  
  'calculation_method' => 'basic'  
],  
  
[  
  
  'policy_type_id' => $osagold,  
  
  'vehicle_category' => 'E',  
  
  'base_rate' => 2000.00,  
  
  'min_rate' => 1500.00,  
  
  'max_rate' => 3000.00,
```

```
'power_coefficient' => 1.0,

'experience_coefficient' => 1.0,

'age_coefficient' => 1.0,

'bonus_malus_coefficient' => 1.0,

'region_coefficient' => 1.0,

'vehicle_age_coefficient' => 1.0,

'security_coefficient' => 1.0,

'franchise_coefficient' => 1.0,

'calculation_method' => 'basic'

],

[

'policy_type_id' => $kaskold,

'vehicle_category' => 'A',

'base_rate' => 30000.00,

'min_rate' => 15000.00,

'max_rate' => 80000.00,

'power_coefficient' => 1.2,

'experience_coefficient' => 0.9,

'age_coefficient' => 0.85,

'bonus_malus_coefficient' => 1.0,

'region_coefficient' => 1.1,

'vehicle_age_coefficient' => 0.95,

'security_coefficient' => 0.8,

'franchise_coefficient' => 0.7,

'calculation_method' => 'coefficient'

],

[

'policy_type_id' => $kaskold,
```

```
'vehicle_category' => 'B',  
  
'base_rate' => 50000.00,  
  
'min_rate' => 25000.00,  
  
'max_rate' => 150000.00,  
  
'power_coefficient' => 1.2,  
  
'experience_coefficient' => 0.9,  
  
'age_coefficient' => 0.85,  
  
'bonus_malus_coefficient' => 1.0,  
  
'region_coefficient' => 1.1,  
  
'vehicle_age_coefficient' => 0.95,  
  
'security_coefficient' => 0.8,  
  
'franchise_coefficient' => 0.7,  
  
'calculation_method' => 'coefficient'  
  
],  
  
[  
  
'policy_type_id' => $kaskold,  
  
'vehicle_category' => 'C',  
  
'base_rate' => 70000.00,  
  
'min_rate' => 35000.00,  
  
'max_rate' => 200000.00,  
  
'power_coefficient' => 1.3,  
  
'experience_coefficient' => 0.9,  
  
'age_coefficient' => 0.85,  
  
'bonus_malus_coefficient' => 1.0,  
  
'region_coefficient' => 1.2,  
  
'vehicle_age_coefficient' => 0.95,  
  
'security_coefficient' => 0.8,  
  
'franchise_coefficient' => 0.7,
```



```
'calculation_method' => 'coefficient'
],
[
  'policy_type_id' => $kaskold,
  'vehicle_category' => 'D',
  'base_rate' => 100000.00,
  'min_rate' => 50000.00,
  'max_rate' => 250000.00,
  'power_coefficient' => 1.4,
  'experience_coefficient' => 0.9,
  'age_coefficient' => 0.85,
  'bonus_malus_coefficient' => 1.0,
  'region_coefficient' => 1.2,
  'vehicle_age_coefficient' => 0.95,
  'security_coefficient' => 0.8,
  'franchise_coefficient' => 0.7,
  'calculation_method' => 'coefficient'
],
[
  'policy_type_id' => $kaskold,
  'vehicle_category' => 'E',
  'base_rate' => 40000.00,
  'min_rate' => 20000.00,
  'max_rate' => 100000.00,
  'power_coefficient' => 1.0,
  'experience_coefficient' => 0.9,
  'age_coefficient' => 0.85,
  'bonus_malus_coefficient' => 1.0,
```

```

        'region_coefficient' => 1.1,

        'vehicle_age_coefficient' => 0.95,

        'security_coefficient' => 0.8,

        'franchise_coefficient' => 0.7,

        'calculation_method' => 'coefficient'

    ],

];

foreach ($tariffs as $tariff) {

    Tariff::firstOrCreate(

        [

            'policy_type_id' => $tariff['policy_type_id'],

            'vehicle_category' => $tariff['vehicle_category']

        ],

        $tariff

    );

}

}

}

```

UserSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```

use App\Models\User;

use App\Models\UserType;

use App\Models\ClientProfile;

use Illuminate\Support\Facades\Hash;


class UserSeeder extends Seeder
{
    public function run(): void
    {
        $adminType = UserType::where('name', 'admin')->first()->id;

        $agentType = UserType::where('name', 'agent')->first()->id;

        $clientType = UserType::where('name', 'client')->first()->id;


        $admin = User::firstOrCreate(
            ['email' => 'admin@insurancesystem.com'],
            [
                'phone' => '1111111111',
                'password_hash' => Hash::make('admin123'),
                'user_type_id' => $adminType
            ]
        );


        $agent = User::firstOrCreate(
            ['email' => 'agent@insurancesystem.com'],
            [
                'phone' => '2222222222',
                'password_hash' => Hash::make('agent123'),
                'user_type_id' => $agentType
            ]
        );
    }
}

```

```
]
);

$client1 = User::firstOrCreate(
    ['email' => 'ivanov@example.com'],
    [
        'phone' => '7777777777',
        'password_hash' => Hash::make('client123'),
        'user_type_id' => $clientType
    ]
);
```

```
ClientProfile::firstOrCreate(
    ['user_id' => $client1->id],
    [
        'last_name' => 'Иванов',
        'first_name' => 'Иван',
        'middle_name' => 'Иванович',
        'birth_date' => '1985-05-15',
        'passport_series' => '4501',
        'passport_number' => '123456',
        'passport_issued_by' => 'ОВД г. Москвы',
        'passport_issue_date' => '2010-06-20',
        'driver_license_series' => '99',
        'driver_license_number' => '1234567890',
        'driver_license_issued_by' => 'ГИБДД г. Москвы',
        'driver_license_issue_date' => '2015-03-10',
        'driver_license_expiry_date' => '2025-03-10',
```

```
]
);

$client2 = User::firstOrCreate(
    ['email' => 'petrov@example.com'],
    [
        'phone' => '8888888888',
        'password_hash' => Hash::make('client123'),
        'user_type_id' => $clientType
    ]
);
```

```
ClientProfile::firstOrCreate(
    ['user_id' => $client2->id],
    [
        'last_name' => 'Петров',
        'first_name' => 'Петр',
        'middle_name' => 'Петрович',
        'birth_date' => '1992-11-23',
        'passport_series' => '4502',
        'passport_number' => '654321',
        'passport_issued_by' => 'ОВД г. Москвы',
        'passport_issue_date' => '2012-08-15',
        'driver_license_series' => '77',
        'driver_license_number' => '0987654321',
        'driver_license_issued_by' => 'ГИБДД г. Москвы',
        'driver_license_issue_date' => '2018-01-20',
        'driver_license_expiry_date' => '2028-01-20',
```

```
    ]  
    );  
}  
}
```

UserTypeSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\UserType;
```

```
class UserTypeSeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $types = [
```

```
            ['name' => 'admin'],
```

```
            ['name' => 'agent'],
```

```
            ['name' => 'client'],
```

```
        ];
```

```
        foreach ($types as $type) {
```

```
            UserType::firstOrCreate(['name' => $type['name']], $type);
```

```
        }
```

```
}  
}
```

VehicleCategorySeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\VehicleCategory;
```

```
class VehicleCategorySeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $categories = [
```

```
            ['code' => 'A', 'name' => 'Мотоциклы'],
```

```
            ['code' => 'B', 'name' => 'Легковые автомобили'],
```

```
            ['code' => 'C', 'name' => 'Грузовые автомобили'],
```

```
            ['code' => 'D', 'name' => 'Автобусы'],
```

```
            ['code' => 'E', 'name' => 'Прицепы'],
```

```
        ];
```

```
        foreach ($categories as $category) {
```

```
            VehicleCategory::firstOrCreate(
```

```
                ['code' => $category['code']],
```

```

        ['name' => $category['name']]

    );

}

}

}

```

VehicleSeeder.php

```
<?php
```

```
namespace Database\Seeders;
```

```
use Illuminate\Database\Seeder;
```

```
use App\Models\Vehicle;
```

```
use App\Models\ClientProfile;
```

```
class VehicleSeeder extends Seeder
```

```
{
```

```
    public function run(): void
```

```
    {
```

```
        $client1 = ClientProfile::first();
```

```
        $client2 = ClientProfile::skip(1)->first();
```

```
        if (!$client1 || !$client2) {
```

```
            return;
```

```
        }
```



```
$vehicles = [  
  [  
    'client_id' => $client1->id,  
    'state_number' => 'A123BC77',  
    'brand' => 'Toyota',  
    'model' => 'Camry',  
    'manufacture_year' => 2020,  
    'power_hp' => 200,  
    'category' => 'B',  
    'vin' => 'JTDKW3D3X05123456',  
    'purchase_price' => 2500000.00,  
    'mileage' => 35000,  
    'has_tracker' => true,  
    'parking_type' => 'garage'  
  ],  
  [  
    'client_id' => $client2->id,  
    'state_number' => 'B456EO77',  
    'brand' => 'Hyundai',  
    'model' => 'Solaris',  
    'manufacture_year' => 2021,  
    'power_hp' => 123,  
    'category' => 'B',  
    'vin' => 'KMHD3513LGU123456',  
    'purchase_price' => 1500000.00,  
    'mileage' => 15000,  
    'has_tracker' => false,  
    'parking_type' => 'street'  
  ]  
]
```

```

        ],
    ];

    foreach ($vehicles as $vehicle) {
        Vehicle::firstOrCreate(
            ['vin' => $vehicle['vin']],
            $vehicle
        );
    }
}
}
}

```

index.php

```
<?php
```

```
use Illuminate\Foundation\Application;
```

```
use Illuminate\Http\Request;
```

```
define('LARAVEL_START', microtime(true));
```

```
// Determine if the application is in maintenance mode...
```

```
if (file_exists($maintenance = __DIR__.'/../storage/framework/maintenance.php')) {
```

```
    require $maintenance;
```

```
}
```

```
// Register the Composer autoloader...
```

```
require __DIR__.'../vendor/autoload.php';

// Bootstrap Laravel and handle the request...

/** @var Application $app */

$app = require_once __DIR__.'../bootstrap/app.php';

$app->handleRequest(Request::capture());
```

welcome.blade.php

```
<!DOCTYPE html>

<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">

    <head>

        <meta charset="utf-8">

        <meta name="viewport" content="width=device-width, initial-scale=1">

        <title>{{ config('app.name', 'Laravel') }}</title>

        <!-- Fonts -->

        <link rel="preconnect" href="https://fonts.bunny.net">

        <link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600" rel="stylesheet" />

        <!-- Styles / Scripts -->

        @if (file_exists(public_path('build/manifest.json')) || file_exists(public_path('hot')))

            @vite(['resources/css/app.css', 'resources/js/app.js'])

        @else
```

<style>

```
/*! tailwindcss v4.0.7 | MIT License | https://tailwindcss.com */@layer theme{:root,:host{--font-sans:'Instrument Sans',ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji";--font-serif:ui-serif,Georgia,Cambria,"Times New Roman",Times,serif;--font-mono:ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace;--color-red-50:oklch(.971 .013 17.38);--color-red-100:oklch(.936 .032 17.717);--color-red-200:oklch(.885 .062 18.334);--color-red-300:oklch(.808 .114 19.571);--color-red-400:oklch(.704 .191 22.216);--color-red-500:oklch(.637 .237 25.331);--color-red-600:oklch(.577 .245 27.325);--color-red-700:oklch(.505 .213 27.518);--color-red-800:oklch(.444 .177 26.899);--color-red-900:oklch(.396 .141 25.723);--color-red-950:oklch(.258 .092 26.042);--color-orange-50:oklch(.98 .016 73.684);--color-orange-100:oklch(.954 .038 75.164);--color-orange-200:oklch(.901 .076 70.697);--color-orange-300:oklch(.837 .128 66.29);--color-orange-400:oklch(.75 .183 55.934);--color-orange-500:oklch(.705 .213 47.604);--color-orange-600:oklch(.646 .222 41.116);--color-orange-700:oklch(.553 .195 38.402);--color-orange-800:oklch(.47 .157 37.304);--color-orange-900:oklch(.408 .123 38.172);--color-orange-950:oklch(.266 .079 36.259);--color-amber-50:oklch(.987 .022 95.277);--color-amber-100:oklch(.962 .059 95.617);--color-amber-200:oklch(.924 .12 95.746);--color-amber-300:oklch(.879 .169 91.605);--color-amber-400:oklch(.828 .189 84.429);--color-amber-500:oklch(.769 .188 70.08);--color-amber-600:oklch(.666 .179 58.318);--color-amber-700:oklch(.555 .163 48.998);--color-amber-800:oklch(.473 .137 46.201);--color-amber-900:oklch(.414 .112 45.904);--color-amber-950:oklch(.279 .077 45.635);--color-yellow-50:oklch(.987 .026 102.212);--color-yellow-100:oklch(.973 .071 103.193);--color-yellow-200:oklch(.945 .129 101.54);--color-yellow-300:oklch(.905 .182 98.111);--color-yellow-400:oklch(.852 .199 91.936);--color-yellow-500:oklch(.795 .184 86.047);--color-yellow-600:oklch(.681 .162 75.834);--color-yellow-700:oklch(.554 .135 66.442);--color-yellow-800:oklch(.476 .114 61.907);--color-yellow-900:oklch(.421 .095 57.708);--color-yellow-950:oklch(.286 .066 53.813);--color-lime-50:oklch(.986 .031 120.757);--color-lime-100:oklch(.967 .067 122.328);--color-lime-200:oklch(.938 .127 124.321);--color-lime-300:oklch(.897 .196 126.665);--color-lime-400:oklch(.841 .238 128.85);--color-lime-500:oklch(.768 .233 130.85);--color-lime-600:oklch(.648 .2 131.684);--color-lime-700:oklch(.532 .157 131.589);--color-lime-800:oklch(.453 .124 130.933);--color-lime-900:oklch(.405 .101 131.063);--color-lime-950:oklch(.274 .072 132.109);--color-green-50:oklch(.982 .018 155.826);--color-green-100:oklch(.962 .044 156.743);--color-green-200:oklch(.925 .084 155.995);--color-green-300:oklch(.871 .15 154.449);--color-green-400:oklch(.792 .209 151.711);--color-green-500:oklch(.723 .219 149.579);--color-green-600:oklch(.627 .194 149.214);--color-green-700:oklch(.527 .154 150.069);--color-green-800:oklch(.448 .119 151.328);--color-green-900:oklch(.393 .095 152.535);--color-green-950:oklch(.266 .065 152.934);--color-emerald-50:oklch(.979 .021 166.113);--color-emerald-100:oklch(.95 .052 163.051);--color-emerald-200:oklch(.905 .093 164.15);--color-emerald-300:oklch(.845 .143 164.978);--color-emerald-400:oklch(.765 .177 163.223);--color-emerald-500:oklch(.696 .17 162.48);--color-emerald-600:oklch(.596 .145 163.225);--color-emerald-700:oklch(.508 .118 165.612);--color-emerald-800:oklch(.432 .095 166.913);--color-emerald-900:oklch(.378 .077 168.94);--color-emerald-950:oklch(.262 .051 172.552);--color-teal-50:oklch(.984 .014 180.72);--color-teal-100:oklch(.953 .051 180.801);--color-teal-200:oklch(.91 .096 180.426);--color-teal-300:oklch(.855 .138 181.071);--color-teal-400:oklch(.777 .152 181.912);--color-teal-500:oklch(.704 .14 182.503);--color-teal-600:oklch(.6 .118 184.704);--color-teal-700:oklch(.511 .096 186.391);--color-teal-800:oklch(.437 .078 188.216);--color-teal-900:oklch(.386 .063 188.416);--color-teal-950:oklch(.277 .046 192.524);--color-cyan-50:oklch(.984 .019 200.873);--color-cyan-100:oklch(.956 .045 203.388);--color-cyan-200:oklch(.917 .08 205.041);--color-cyan-300:oklch(.865 .127 207.078);--color-cyan-400:oklch(.789 .154 211.53);--color-cyan-500:oklch(.715 .143 215.221);--color-cyan-600:oklch(.609 .126 221.723);--color-cyan-700:oklch(.52 .105
```

223.128);--color-cyan-800:oklch(.45 .085 224.283);--color-cyan-900:oklch(.398 .07 227.392);--color-cyan-950:oklch(.302 .056 229.695);--color-sky-50:oklch(.977 .013 236.62);--color-sky-100:oklch(.951 .026 236.824);--color-sky-200:oklch(.901 .058 230.902);--color-sky-300:oklch(.828 .111 230.318);--color-sky-400:oklch(.746 .16 232.661);--color-sky-500:oklch(.685 .169 237.323);--color-sky-600:oklch(.588 .158 241.966);--color-sky-700:oklch(.5 .134 242.749);--color-sky-800:oklch(.443 .11 240.79);--color-sky-900:oklch(.391 .09 240.876);--color-sky-950:oklch(.293 .066 243.157);--color-blue-50:oklch(.97 .014 254.604);--color-blue-100:oklch(.932 .032 255.585);--color-blue-200:oklch(.882 .059 254.128);--color-blue-300:oklch(.809 .105 251.813);--color-blue-400:oklch(.707 .165 254.624);--color-blue-500:oklch(.623 .214 259.815);--color-blue-600:oklch(.546 .245 262.881);--color-blue-700:oklch(.488 .243 264.376);--color-blue-800:oklch(.424 .199 265.638);--color-blue-900:oklch(.379 .146 265.522);--color-blue-950:oklch(.282 .091 267.935);--color-indigo-50:oklch(.962 .018 272.314);--color-indigo-100:oklch(.93 .034 272.788);--color-indigo-200:oklch(.87 .065 274.039);--color-indigo-300:oklch(.785 .115 274.713);--color-indigo-400:oklch(.673 .182 276.935);--color-indigo-500:oklch(.585 .233 277.117);--color-indigo-600:oklch(.511 .262 276.966);--color-indigo-700:oklch(.457 .24 277.023);--color-indigo-800:oklch(.398 .195 277.366);--color-indigo-900:oklch(.359 .144 278.697);--color-indigo-950:oklch(.257 .09 281.288);--color-violet-50:oklch(.969 .016 293.756);--color-violet-100:oklch(.943 .029 294.588);--color-violet-200:oklch(.894 .057 293.283);--color-violet-300:oklch(.811 .111 293.571);--color-violet-400:oklch(.702 .183 293.541);--color-violet-500:oklch(.606 .25 292.717);--color-violet-600:oklch(.541 .281 293.009);--color-violet-700:oklch(.491 .27 292.581);--color-violet-800:oklch(.432 .232 292.759);--color-violet-900:oklch(.38 .189 293.745);--color-violet-950:oklch(.283 .141 291.089);--color-purple-50:oklch(.977 .014 308.299);--color-purple-100:oklch(.946 .033 307.174);--color-purple-200:oklch(.902 .063 306.703);--color-purple-300:oklch(.827 .119 306.383);--color-purple-400:oklch(.714 .203 305.504);--color-purple-500:oklch(.627 .265 303.9);--color-purple-600:oklch(.558 .288 302.321);--color-purple-700:oklch(.496 .265 301.924);--color-purple-800:oklch(.438 .218 303.724);--color-purple-900:oklch(.381 .176 304.987);--color-purple-950:oklch(.291 .149 302.717);--color-fuchsia-50:oklch(.977 .017 320.058);--color-fuchsia-100:oklch(.952 .037 318.852);--color-fuchsia-200:oklch(.903 .076 319.62);--color-fuchsia-300:oklch(.833 .145 321.434);--color-fuchsia-400:oklch(.74 .238 322.16);--color-fuchsia-500:oklch(.667 .295 322.15);--color-fuchsia-600:oklch(.591 .293 322.896);--color-fuchsia-700:oklch(.518 .253 323.949);--color-fuchsia-800:oklch(.452 .211 324.591);--color-fuchsia-900:oklch(.401 .17 325.612);--color-fuchsia-950:oklch(.293 .136 325.661);--color-pink-50:oklch(.971 .014 343.198);--color-pink-100:oklch(.948 .028 342.258);--color-pink-200:oklch(.899 .061 343.231);--color-pink-300:oklch(.823 .12 346.018);--color-pink-400:oklch(.718 .202 349.761);--color-pink-500:oklch(.656 .241 354.308);--color-pink-600:oklch(.592 .249 .584);--color-pink-700:oklch(.525 .223 3.958);--color-pink-800:oklch(.459 .187 3.815);--color-pink-900:oklch(.408 .153 2.432);--color-pink-950:oklch(.284 .109 3.907);--color-rose-50:oklch(.969 .015 12.422);--color-rose-100:oklch(.941 .03 12.58);--color-rose-200:oklch(.892 .058 10.001);--color-rose-300:oklch(.81 .117 11.638);--color-rose-400:oklch(.712 .194 13.428);--color-rose-500:oklch(.645 .246 16.439);--color-rose-600:oklch(.586 .253 17.585);--color-rose-700:oklch(.514 .222 16.935);--color-rose-800:oklch(.455 .188 13.697);--color-rose-900:oklch(.41 .159 10.272);--color-rose-950:oklch(.271 .105 12.094);--color-slate-50:oklch(.984 .003 247.858);--color-slate-100:oklch(.968 .007 247.896);--color-slate-200:oklch(.929 .013 255.508);--color-slate-300:oklch(.869 .022 252.894);--color-slate-400:oklch(.704 .04 256.788);--color-slate-500:oklch(.554 .046 257.417);--color-slate-600:oklch(.446 .043 257.281);--color-slate-700:oklch(.372 .044 257.287);--color-slate-800:oklch(.279 .041 260.031);--color-slate-900:oklch(.208 .042 265.755);--color-slate-950:oklch(.129 .042 264.695);--color-gray-50:oklch(.985 .002 247.839);--color-gray-100:oklch(.967 .003 264.542);--color-gray-200:oklch(.928 .006 264.531);--color-gray-300:oklch(.872 .01 258.338);--color-gray-400:oklch(.707 .022 261.325);--color-gray-500:oklch(.551 .027 264.364);--color-gray-600:oklch(.446 .03 256.802);--color-gray-700:oklch(.373 .034

259.733);--color-gray-800:oklch(.278 .033 256.848);--color-gray-900:oklch(.21 .034 264.665);--color-gray-950:oklch(.13 .028 261.692);--color-zinc-50:oklch(.985 0 0);--color-zinc-100:oklch(.967 .001 286.375);--color-zinc-200:oklch(.92 .004 286.32);--color-zinc-300:oklch(.871 .006 286.286);--color-zinc-400:oklch(.705 .015 286.067);--color-zinc-500:oklch(.552 .016 285.938);--color-zinc-600:oklch(.442 .017 285.786);--color-zinc-700:oklch(.37 .013 285.805);--color-zinc-800:oklch(.274 .006 286.033);--color-zinc-900:oklch(.21 .006 285.885);--color-zinc-950:oklch(.141 .005 285.823);--color-neutral-50:oklch(.985 0 0);--color-neutral-100:oklch(.97 0 0);--color-neutral-200:oklch(.922 0 0);--color-neutral-300:oklch(.87 0 0);--color-neutral-400:oklch(.708 0 0);--color-neutral-500:oklch(.556 0 0);--color-neutral-600:oklch(.439 0 0);--color-neutral-700:oklch(.371 0 0);--color-neutral-800:oklch(.269 0 0);--color-neutral-900:oklch(.205 0 0);--color-neutral-950:oklch(.145 0 0);--color-stone-50:oklch(.985 .001 106.423);--color-stone-100:oklch(.97 .001 106.424);--color-stone-200:oklch(.923 .003 48.717);--color-stone-300:oklch(.869 .005 56.366);--color-stone-400:oklch(.709 .01 56.259);--color-stone-500:oklch(.553 .013 58.071);--color-stone-600:oklch(.444 .011 73.639);--color-stone-700:oklch(.374 .01 67.558);--color-stone-800:oklch(.268 .007 34.298);--color-stone-900:oklch(.216 .006 56.043);--color-stone-950:oklch(.147 .004 49.25);--color-black:#000;--color-white:#fff;--spacing:.25rem;--breakpoint-sm:40rem;--breakpoint-md:48rem;--breakpoint-lg:64rem;--breakpoint-xl:80rem;--breakpoint-2xl:96rem;--container-3xs:16rem;--container-2xs:18rem;--container-xs:20rem;--container-sm:24rem;--container-md:28rem;--container-lg:32rem;--container-xl:36rem;--container-2xl:42rem;--container-3xl:48rem;--container-4xl:56rem;--container-5xl:64rem;--container-6xl:72rem;--container-7xl:80rem;--text-xs:.75rem;--text-xs--line-height:calc(1/.75);--text-sm:.875rem;--text-sm--line-height:calc(1.25/.875);--text-base:1rem;--text-base--line-height: 1.5 ;--text-lg:1.125rem;--text-lg--line-height:calc(1.75/1.125);--text-xl:1.25rem;--text-xl--line-height:calc(1.75/1.25);--text-2xl:1.5rem;--text-2xl--line-height:calc(2/1.5);--text-3xl:1.875rem;--text-3xl--line-height: 1.2 ;--text-4xl:2.25rem;--text-4xl--line-height:calc(2.5/2.25);--text-5xl:3rem;--text-5xl--line-height:1;--text-6xl:3.75rem;--text-6xl--line-height:1;--text-7xl:4.5rem;--text-7xl--line-height:1;--text-8xl:6rem;--text-8xl--line-height:1;--text-9xl:8rem;--text-9xl--line-height:1;--font-weight-thin:100;--font-weight-extralight:200;--font-weight-light:300;--font-weight-normal:400;--font-weight-medium:500;--font-weight-semibold:600;--font-weight-bold:700;--font-weight-extrabold:800;--font-weight-black:900;--tracking-tighter:-.05em;--tracking-tight:-.025em;--tracking-normal:0em;--tracking-wide:.025em;--tracking-wider:.05em;--tracking-widest:.1em;--leading-tight:1.25;--leading-snug:1.375;--leading-normal:1.5;--leading-relaxed:1.625;--leading-loose:2;--radius-xs:.125rem;--radius-sm:.25rem;--radius-md:.375rem;--radius-lg:.5rem;--radius-xl:.75rem;--radius-2xl:1rem;--radius-3xl:1.5rem;--radius-4xl:2rem;--shadow-2xs:0 1px #0000000d;--shadow-xs:0 1px 2px 0 #0000000d;--shadow-sm:0 1px 3px 0 #0000001a,0 1px 2px -1px #0000001a;--shadow-md:0 4px 6px -1px #0000001a,0 2px 4px -2px #0000001a;--shadow-lg:0 10px 15px -3px #0000001a,0 4px 6px -4px #0000001a;--shadow-xl:0 20px 25px -5px #0000001a,0 8px 10px -6px #0000001a;--shadow-2xl:0 25px 50px -12px #00000040;--inset-shadow-2xs:inset 0 1px #0000000d;--inset-shadow-xs:inset 0 1px 1px #0000000d;--inset-shadow-sm:inset 0 2px 4px #0000000d;--drop-shadow-xs:0 1px 1px #0000000d;--drop-shadow-sm:0 1px 2px #00000026;--drop-shadow-md:0 3px 3px #0000001f;--drop-shadow-lg:0 4px 4px #00000026;--drop-shadow-xl:0 9px 7px #0000001a;--drop-shadow-2xl:0 25px 25px #00000026;--ease-in:cubic-bezier(.4,0,1,1);--ease-out:cubic-bezier(0,0,.2,1);--ease-in-out:cubic-bezier(.4,0,.2,1);--animate-spin:spin 1s linear infinite;--animate-ping:ping 1s cubic-bezier(0,0,.2,1)infinite;--animate-pulse:pulse 2s cubic-bezier(.4,0,.6,1)infinite;--animate-bounce:bounce 1s infinite;--blur-xs:4px;--blur-sm:8px;--blur-md:12px;--blur-lg:16px;--blur-xl:24px;--blur-2xl:40px;--blur-3xl:64px;--perspective-dramatic:100px;--perspective-near:300px;--perspective-normal:500px;--perspective-midrange:800px;--perspective-distant:1200px;--aspect-video:16/9;--default-transition-duration:.15s;--default-transition-timing-function:cubic-bezier(.4,0,.2,1);--default-font-family:var(--font-

```

sans);--default-font-feature-settings:var(--font-sans--font-feature-settings);--default-font-variation-
settings:var(--font-sans--font-variation-settings);--default-mono-font-family:var(--font-mono);--default-
mono-font-feature-settings:var(--font-mono--font-feature-settings);--default-mono-font-variation-
settings:var(--font-mono--font-variation-settings)}}@layer base{*,.after,:before,:.backdrop{box-
sizing:border-box;border:0 solid;margin:0;padding:0}::file-selector-button{box-sizing:border-
box;border:0 solid;margin:0;padding:0}html,.host{-webkit-text-size-adjust:100%;-moz-tab-size:4;tab-
size:4;line-height:1.5;font-family:var(--default-font-family,ui-sans-serif,system-ui,sans-serif,"Apple Color
Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji");font-feature-settings:var(--default-font-
feature-settings,normal);font-variation-settings:var(--default-font-variation-settings,normal);-webkit-
tap-highlight-color:transparent}body{line-height:inherit}hr{height:0;color:inherit;border-top-
width:1px}abbr:where([title]){-webkit-text-decoration:underline dotted;text-decoration:underline
dotted}h1,h2,h3,h4,h5,h6{font-size:inherit;font-weight:inherit}a{color:inherit;-webkit-text-
decoration:inherit;text-decoration:inherit}b,strong{font-weight:bolder}code,kbd,samp,pre{font-
family:var(--default-mono-font-family,ui-monospace,SFMono-
Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace);font-feature-
settings:var(--default-mono-font-feature-settings,normal);font-variation-settings:var(--default-mono-
font-variation-settings,normal);font-size:1em}small{font-size:80%}sub,sup{vertical-align:baseline;font-
size:75%;line-height:0;position:relative}sub{bottom:-.25em}sup{top:-.5em}table{text-indent:0;border-
color:inherit;border-collapse:collapse}:-moz-focusing{outline:auto}progress{vertical-
align:baseline}summary{display:list-item}ol,ul,menu{list-
style:none}img,svg,video,canvas,audio,iframe,embed,object{vertical-
align:middle;display:block}img,video{max-
width:100%;height:auto}button,input,select,optgroup,textarea{font:inherit;font-feature-
settings:inherit;font-variation-settings:inherit;letter-spacing:inherit;color:inherit;opacity:1;background-
color:#0000;border-radius:0}::file-selector-button{font:inherit;font-feature-settings:inherit;font-
variation-settings:inherit;letter-spacing:inherit;color:inherit;opacity:1;background-color:#0000;border-
radius:0}:where(select:is([multiple],[size])) optgroup{font-
weight:bolder}:where(select:is([multiple],[size])) optgroup option{padding-inline-start:20px}::file-
selector-button{margin-inline-end:4px}::placeholder{opacity:1;color:color-mix(in oklab,currentColor
50%,transparent)}textarea{resize:vertical}::-webkit-search-decoration{-webkit-appearance:none}::-
webkit-date-and-time-value{min-height:1lh;text-align:inherit}::-webkit-datetime-edit{display:inline-
flex}::-webkit-datetime-edit-fields-wrapper{padding:0}::-webkit-datetime-edit{padding-block:0}::-
webkit-datetime-edit-year-field{padding-block:0}::-webkit-datetime-edit-month-field{padding-
block:0}::-webkit-datetime-edit-day-field{padding-block:0}::-webkit-datetime-edit-hour-field{padding-
block:0}::-webkit-datetime-edit-minute-field{padding-block:0}::-webkit-datetime-edit-second-
field{padding-block:0}::-webkit-datetime-edit-millisecond-field{padding-block:0}::-webkit-datetime-edit-
meridiem-field{padding-block:0}:-moz-ui-invalid{box-
shadow:none}button,input:where([type=button],[type=reset],[type=submit]){-webkit-
appearance:button;-moz-appearance:button;appearance:button}::file-selector-button{-webkit-
appearance:button;-moz-appearance:button;appearance:button}::-webkit-inner-spin-
button{height:auto}::-webkit-outer-spin-button{height:auto}[hidden]:where(:not([hidden=until-
found])){display:none!important}}@layer components,@layer
utilities{.absolute{position:absolute}.relative{position:relative}.static{position:static}.inset-
0{inset:calc(var(--spacing)*0)}.mt-\[4\_.9rem\]{margin-top:-4.9rem}.mb-px{margin-bottom:-1px}.mb-
1{margin-bottom:calc(var(--spacing)*1)}.mb-2{margin-bottom:calc(var(--spacing)*2)}.mb-4{margin-
bottom:calc(var(--spacing)*4)}.mb-6{margin-bottom:calc(var(--spacing)*6)}.ml-8{margin-left:calc(var(--

```

spacing)*-8)).flex{display:flex}.hidden{display:none}.inline-block{display:inline-block}.inline-flex{display:inline-flex}.table{display:table}.aspect-\[335\376\]{aspect-ratio:335/376}.h-1{height:calc(var(--spacing)*1)}.h-1.5{height:calc(var(--spacing)*1.5)}.h-2{height:calc(var(--spacing)*2)}.h-2.5{height:calc(var(--spacing)*2.5)}.h-3{height:calc(var(--spacing)*3)}.h-3.5{height:calc(var(--spacing)*3.5)}.h-14{height:calc(var(--spacing)*14)}.h-14.5{height:calc(var(--spacing)*14.5)}.min-h-screen{min-height:100vh}.w-1{width:calc(var(--spacing)*1)}.w-1.5{width:calc(var(--spacing)*1.5)}.w-2{width:calc(var(--spacing)*2)}.w-2.5{width:calc(var(--spacing)*2.5)}.w-3{width:calc(var(--spacing)*3)}.w-3.5{width:calc(var(--spacing)*3.5)}.w-\[448px\]{width:448px}.w-full{width:100%}.max-w-\[335px\]{max-width:335px}.max-w-none{max-width:none}.flex-1{flex:1}.shrink-0{flex-shrink:0}.translate-y-0{--tw-translate-y:calc(var(--spacing)*0);transform:var(--tw-translate-x)var(--tw-translate-y)}.transform{transform:var(--tw-rotate-x)var(--tw-rotate-y)var(--tw-rotate-z)var(--tw-skew-x)var(--tw-skew-y)}.flex-col{flex-direction:column}.flex-col-reverse{flex-direction:column-reverse}.items-center{align-items:center}.justify-center{justify-content:center}.justify-end{justify-content:flex-end}.gap-3{gap:calc(var(--spacing)*3)}.gap-4{gap:calc(var(--spacing)*4)}.where(.space-x-1>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*1)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*1)*calc(1 - var(--tw-space-x-reverse)))}.overflow-hidden{overflow:hidden}.rounded-full{border-radius:3.40282e38px}.rounded-sm{border-radius:var(--radius-sm)}.rounded-t-lg{border-top-left-radius:var(--radius-lg);border-top-right-radius:var(--radius-lg)}.rounded-br-lg{border-bottom-right-radius:var(--radius-lg)}.rounded-bl-lg{border-bottom-left-radius:var(--radius-lg)}.border{border-style:var(--tw-border-style);border-width:1px}.border-\[19140035\]{border-color:#19140035}.border-\[e3e3e0\]{border-color:#e3e3e0}.border-black{border-color:var(--color-black)}.border-transparent{border-color:#0000}.bg-\[1b1b18\]{background-color:#1b1b18}.bg-\[FDFDFC\]{background-color:#fdfdfc}.bg-\[dbdbd7\]{background-color:#dbdbd7}.bg-\[fff2f2\]{background-color:#fff2f2}.bg-white{background-color:var(--color-white)}.p-6{padding:calc(var(--spacing)*6)}.px-5{padding-inline:calc(var(--spacing)*5)}.py-1{padding-block:calc(var(--spacing)*1)}.py-1.5{padding-block:calc(var(--spacing)*1.5)}.py-2{padding-block:calc(var(--spacing)*2)}.pb-12{padding-bottom:calc(var(--spacing)*12)}.text-sm{font-size:var(--text-sm);line-height:var(--tw-leading, var(--text-sm--line-height))}.text-\[13px\]{font-size:13px}.leading-\[20px\]{--tw-leading:20px;line-height:20px}.leading-normal{--tw-leading:var(--leading-normal);line-height:var(--leading-normal)}.font-medium{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium)}.text-\[1b1b18\]{color:#1b1b18}.text-\[706f6c\]{color:#706f6c}.text-\[F53003\],.text-\[f53003\]{color:#f53003}.text-white{color:var(--color-white)}.underline{text-decoration-line:underline}.underline-offset-4{text-decoration-line:underline;text-decoration-offset:4px}.opacity-100{opacity:1}.shadow-\[0px_0px_1px_0px_rgba(0,0,0,0.03)\,0px_1px_2px_0px_rgba(0,0,0,0.06)\]{--tw-shadow:0px 0px 1px 0px var(--tw-shadow-color,#00000008),0px 1px 2px 0px var(--tw-shadow-color,#0000000f);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.shadow-\[inset_0px_0px_0px_1px_rgba(26,26,0,0.16)\]{--tw-shadow:inset 0px 0px 0px 1px var(--tw-shadow-color,#1a1a0029);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.!filter{filter:var(--tw-blur,)var(--tw-brightness,)var(--tw-contrast,)var(--tw-grayscale,)var(--tw-hue-rotate,)var(--tw-invert,)var(--tw-saturate,)var(--tw-sepia,)var(--tw-drop-shadow,!important)}.filter{filter:var(--tw-blur,)var(--tw-brightness,)var(--tw-contrast,)var(--tw-grayscale,)var(--tw-hue-rotate,)var(--tw-invert,)var(--tw-saturate,)var(--tw-sepia,)var(--tw-drop-shadow,)}.transition-all{transition-property:all;transition-timing-function:var(--tw-ease,var(--default-


```

transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-
duration))).transition-opacity{transition-property:opacity;transition-timing-function:var(--tw-ease,var(--
default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-
duration))).delay-300{transition-delay:.3s}.duration-750{--tw-duration:.75s;transition-
duration:.75s}.not-has-
\[nav\]:hidden:not(:has(:is(nav))){display:none}.before\:absolute:before{content:var(--tw-
content);position:absolute}.before\:top-0:before{content:var(--tw-content);top:calc(var(--
spacing)*0)}.before\:top-1/2:before{content:var(--tw-content);top:50%}.before\:bottom-
0:before{content:var(--tw-content);bottom:calc(var(--spacing)*0)}.before\:bottom-
1/2:before{content:var(--tw-content);bottom:50%}.before\:left-\[0\.4rem\]:before{content:var(--tw-
content);left:.4rem}.before\:border-l:before{content:var(--tw-content);border-left-style:var(--tw-
border-style);border-left-width:1px}.before\:border-\[0\#e3e3e0\]:before{content:var(--tw-
content);border-color:#e3e3e0}@media (hover:hover){.hover\:border-\[0\#1915014a\]:hover{border-
color:#1915014a}.hover\:border-\[0\#19140035\]:hover{border-color:#19140035}.hover\:border-
black:hover{border-color:var(--color-black)}.hover\:bg-black:hover{background-color:var(--color-
black)}}@media (width>=64rem){.lg\:mt-\[6\.6rem\]{margin-top:-6.6rem}.lg\:mb-0{margin-
bottom:calc(var(--spacing)*0)}.lg\:mb-6{margin-bottom:calc(var(--spacing)*6)}.lg\:ml-px{margin-left:-
1px}.lg\:ml-0{margin-left:calc(var(--spacing)*0)}.lg\:block{display:block}.lg\:aspect-auto{aspect-
ratio:auto}.lg\:w-\[438px\]{width:438px}.lg\:max-w-4xl{max-width:var(--container-4xl)}.lg\:grow{flex-
grow:1}.lg\:flex-row{flex-direction:row}.lg\:justify-center{justify-content:center}.lg\:rounded-t-
none{border-top-left-radius:0;border-top-right-radius:0}.lg\:rounded-tl-lg{border-top-left-radius:var(--
radius-lg)}.lg\:rounded-r-lg{border-top-right-radius:var(--radius-lg);border-bottom-right-radius:var(--
radius-lg)}.lg\:rounded-br-none{border-bottom-right-radius:0}.lg\:p-8{padding:calc(var(--
spacing)*8)}.lg\:p-20{padding:calc(var(--spacing)*20)}}@media (prefers-color-
scheme:dark){.dark\:block{display:block}.dark\:hidden{display:none}.dark\:border-\[0\#3E3E3A\]{border-
color:#3e3e3a}.dark\:border-\[0\#eeeeec\]{border-color:#eeeeec}.dark\:bg-\[0\#0a0a0a\]{background-
color:#0a0a0a}.dark\:bg-\[0\#1D0002\]{background-color:#1d0002}.dark\:bg-\[0\#3E3E3A\]{background-
color:#3e3e3a}.dark\:bg-\[0\#161615\]{background-color:#161615}.dark\:bg-\[0\#eeeeec\]{background-
color:#eeeeec}.dark\:text-\[0\#1C1C1A\]{color:#1c1c1a}.dark\:text-
\[0\#A1A09A\]{color:#a1a09a}.dark\:text-\[0\#EDEDEC\]{color:#ededec}.dark\:text-
\[0\#F61500\]{color:#f61500}.dark\:text-\[0\#FF4433\]{color:#f43}.dark\:shadow-
\[inset_0px_0px_0px_1px_\#fffaed2d\]{--tw-shadow:inset 0px 0px 0px 1px var(--tw-shadow-
color,\#fffaed2d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
shadow),var(--tw-ring-shadow),var(--tw-shadow)}.dark\:before\:border-
\[0\#3E3E3A\]:before{content:var(--tw-content);border-color:#3e3e3a}@media
(hover:hover){.dark\:hover\:border-\[0\#3E3E3A\]:hover{border-color:#3e3e3a}.dark\:hover\:border-
\[0\#62605b\]:hover{border-color:#62605b}.dark\:hover\:border-white:hover{border-color:var(--color-
white)}.dark\:hover\:bg-white:hover{background-color:var(--color-white)}}@starting-
style{.starting\:translate-y-4{--tw-translate-y:calc(var(--spacing)*4);translate:var(--tw-translate-x)var(--
tw-translate-y)}}@starting-style{.starting\:translate-y-6{--tw-translate-y:calc(var(--
spacing)*6);translate:var(--tw-translate-x)var(--tw-translate-y)}}@starting-style{.starting\:opacity-
0{opacity:0}}@keyframes spin{to{transform:rotate(360deg)}}@keyframes
ping{75%,to{opacity:0;transform:scale(2)}}@keyframes pulse{50%{opacity:.5}}@keyframes
bounce{0%,to{animation-timing-function:cubic-bezier(.8,0,1,1);transform:translateY(-
25%)}50%{animation-timing-function:cubic-bezier(0,0,.2,1);transform:none}}@property --tw-translate-
x{syntax:"*";inherits:false;initial-value:0}@property --tw-translate-y{syntax:"*";inherits:false;initial-

```

```
value:0}@property --tw-translate-z{syntax:"*";inherits:false;initial-value:0}@property --tw-rotate-
x{syntax:"*";inherits:false;initial-value:rotateX(0)}@property --tw-rotate-
y{syntax:"*";inherits:false;initial-value:rotateY(0)}@property --tw-rotate-
z{syntax:"*";inherits:false;initial-value:rotateZ(0)}@property --tw-skew-x{syntax:"*";inherits:false;initial-
value:skewX(0)}@property --tw-skew-y{syntax:"*";inherits:false;initial-value:skewY(0)}@property --tw-
space-x-reverse{syntax:"*";inherits:false;initial-value:0}@property --tw-border-
style{syntax:"*";inherits:false;initial-value:solid}@property --tw-
leading{syntax:"*";inherits:false}@property --tw-font-weight{syntax:"*";inherits:false}@property --tw-
shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-shadow-
color{syntax:"*";inherits:false}@property --tw-inset-shadow{syntax:"*";inherits:false;initial-value:0 0
#0000}@property --tw-inset-shadow-color{syntax:"*";inherits:false}@property --tw-ring-
color{syntax:"*";inherits:false}@property --tw-ring-shadow{syntax:"*";inherits:false;initial-value:0 0
#0000}@property --tw-inset-ring-color{syntax:"*";inherits:false}@property --tw-inset-ring-
shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-ring-
inset{syntax:"*";inherits:false}@property --tw-ring-offset-width{syntax:"<length>";inherits:false;initial-
value:0}@property --tw-ring-offset-color{syntax:"*";inherits:false;initial-value:#fff}@property --tw-ring-
offset-shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-
blur{syntax:"*";inherits:false}@property --tw-brightness{syntax:"*";inherits:false}@property --tw-
contrast{syntax:"*";inherits:false}@property --tw-grayscale{syntax:"*";inherits:false}@property --tw-
hue-rotate{syntax:"*";inherits:false}@property --tw-invert{syntax:"*";inherits:false}@property --tw-
opacity{syntax:"*";inherits:false}@property --tw-saturate{syntax:"*";inherits:false}@property --tw-
sepia{syntax:"*";inherits:false}@property --tw-drop-shadow{syntax:"*";inherits:false}@property --tw-
duration{syntax:"*";inherits:false}@property --tw-content{syntax:"*";inherits:false;initial-value:""}
```

```
</style>
```

```
@endif
```

```
</head>
```

```
<body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-
center min-h-screen flex-col">
```

```
<header class="w-full lg:max-w-4xl max-w-[335px] text-sm mb-6 not-has-[nav]:hidden">
```

```
@if (Route::has('login'))
```

```
<nav class="flex items-center justify-end gap-4">
```

```
@auth
```

```
<a
```

```
href="{{ url('/dashboard') }}"
```

```
class="inline-block px-5 py-1.5 dark:text-[#EDECED] border-[#19140035] hover:border-
[#1915014a] border text-[#1b1b18] dark:border-[#3E3E3A] dark:hover:border-[#62605b] rounded-sm
text-sm leading-normal"
```

```
>
```

Dashboard

@else

<a

href="{{ route('login') }}"

class="inline-block px-5 py-1.5 dark:text-[#EDEDDEC] text-[#1b1b18] border border-transparent hover:border-[#19140035] dark: hover: border-[#3E3E3A] rounded-sm text-sm leading-normal"

>

Log in

@if (Route::has('register'))

<a

href="{{ route('register') }}"

class="inline-block px-5 py-1.5 dark:text-[#EDEDDEC] border-[#19140035] hover: border-[#1915014a] border text-[#1b1b18] dark: border-[#3E3E3A] dark: hover: border-[#62605b] rounded-sm text-sm leading-normal">

Register

@endif

@endauth

</nav>

@endif

</header>

<div class="flex items-center justify-center w-full transition-opacity opacity-100 duration-750 lg:grow starting:opacity-0">

<main class="flex max-w-[335px] w-full flex-col-reverse lg:max-w-4xl lg:flex-row">

<div class="text-[13px] leading-[20px] flex-1 p-6 pb-12 lg:p-20 bg-white dark: bg-[#161615] dark: text-[#EDEDDEC] shadow-[inset_0px_0px_0px_1px_rgba(26,26,0,0.16)] dark: shadow-[inset_0px_0px_0px_1px_#fffaed2d] rounded-bl-lg rounded-br-lg lg: rounded-tl- lg: rounded-br-none">

<h1 class="mb-1 font-medium">Let's get started</h1>

<p class="mb-2 text-[#706f6c] dark:text-[#A1A09A]">Laravel has an incredibly rich ecosystem.
We suggest starting with the following.</p>

<ul class="flex flex-col mb-4 lg:mb-6">

<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0] dark:before:border-[#3E3E3A] before:top-1/2 before:bottom-0 before:left-[0.4rem] before:absolute">

Read the

Documentation

<svg

width="10"

height="11"

viewBox="0 0 10 11"

fill="none"

xmlns="http://www.w3.org/2000/svg"

class="w-2.5 h-2.5"

>

<path

d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"

stroke="currentColor"

stroke-linecap="square"

```

        />

    </svg>

</a>

</span>

</li>

<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0]
dark:before:border-[#3E3E3A] before:bottom-1/2 before:top-0 before:left-[0.4rem] before:absolute">

    <span class="relative py-1 bg-white dark:bg-[#161615]">

        <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-
[#161615] shadow-[0px_0px_1px_0px_rgba(0,0,0,0.03),0px_1px_2px_0px_rgba(0,0,0,0.06)] w-3.5 h-3.5
border dark:border-[#3E3E3A] border-[#e3e3e0]">

            <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>

        </span>

    </span>

    <span>

        Watch video tutorials at

        <a href="https://laracasts.com" target="_blank" class="inline-flex items-center space-
x-1 font-medium underline underline-offset-4 text-[#f53003] dark:text-[#FF4433] ml-1">

            <span>Laracasts</span>

            <svg

                width="10"

                height="11"

                viewBox="0 0 10 11"

                fill="none"

                xmlns="http://www.w3.org/2000/svg"

                class="w-2.5 h-2.5"

            >

                <path

                    d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"

                    stroke="currentColor"

```

```

        stroke-linecap="square"

    />

</svg>

</a>

</span>

</li>

</ul>

<ul class="flex gap-3 text-sm leading-normal">

    <li>

        <a href="https://cloud.laravel.com" target="_blank" class="inline-block dark:bg-
[#eeeeec] dark:border-[#eeeeec] dark:text-[#1C1C1A] dark:hover:bg-white dark:hover:border-white
hover:bg-black hover:border-black px-5 py-1.5 bg-[#1b1b18] rounded-sm border border-black text-
white text-sm leading-normal">

            Deploy now

        </a>

    </li>

</ul>

</div>

<div class="bg-[#fff2f2] dark:bg-[#1D0002] relative lg:-ml-px -mb-px lg:mb-0 rounded-t-lg
lg:rounded-t-none lg:rounded-r-lg aspect-[335/376] lg:aspect-auto w-full lg:w-[438px] shrink-0
overflow-hidden">

    {{-- Laravel Logo --}}

    <svg class="w-full text-[#F53003] dark:text-[#F61500] transition-all translate-y-0 opacity-100
max-w-none duration-750 starting:opacity-0 starting:translate-y-6" viewBox="0 0 438 104" fill="none"
xmlns="http://www.w3.org/2000/svg">

        <path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z" fill="currentColor" />

        <path d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667
31.3647 92.8016 30.3618 88.7131 30.3618C83.4247 30.3618 78.5885 31.3389 74.201 33.2923C69.8111
35.2456 66.0474 37.928 62.9059 41.3333C59.7643 44.7401 57.3198 48.6726 55.5754 53.1293C53.8287
57.589 52.9572 62.274 52.9572 67.1813C52.9572 72.1925 53.8287 76.8995 55.5754 81.3069C57.3191
85.7173 59.7636 89.6241 62.9059 93.0293C66.0474 96.4361 69.8119 99.1155 74.201 101.069C78.5885
103.022 83.4247 103.999 88.7131 103.999C92.8016 103.999 96.8667 102.997 100.905
100.994C104.945 98.9911 108.061 96.2359 110.256
92.7282V102.195H126.563V32.1642H110.256V41.6337ZM108.76 75.7472C107.762 78.4531 106.366

```

80.8078 104.572 82.8112C102.776 84.8161 100.606 86.4183 98.0637 87.6206C95.5202 88.823 92.7004
89.4238 89.6103 89.4238C86.5178 89.4238 83.7252 88.823 81.2324 87.6206C78.7388 86.4183 76.5949
84.8161 74.7998 82.8112C73.004 80.8078 71.6319 78.4531 70.6856 75.7472C69.7356 73.0421 69.2644
70.1868 69.2644 67.1821C69.2644 64.1758 69.7356 61.3205 70.6856 58.6154C71.6319 55.9102 73.004
53.5571 74.7998 51.5522C76.5949 49.5495 78.738 47.9451 81.2324 46.7427C83.7252 45.5404 86.5178
44.9396 89.6103 44.9396C92.7012 44.9396 95.5202 45.5404 98.0637 46.7427C100.606 47.9451
102.776 49.5487 104.572 51.5522C106.367 53.5571 107.762 55.9102 108.76 58.6154C109.756 61.3205
110.256 64.1758 110.256 67.1821C110.256 70.1868 109.756 73.0421 108.76 75.7472Z"
fill="currentColor" />

<path d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416
31.3647 225.351 30.3618 221.262 30.3618C215.974 30.3618 211.138 31.3389 206.75 33.2923C202.36
35.2456 198.597 37.928 195.455 41.3333C192.314 44.7401 189.869 48.6726 188.125 53.1293C186.378
57.589 185.507 62.274 185.507 67.1813C185.507 72.1925 186.378 76.8995 188.125 81.3069C189.868
85.7173 192.313 89.6241 195.455 93.0293C198.597 96.4361 202.361 99.1155 206.75 101.069C211.138
103.022 215.974 103.999 221.262 103.999C225.351 103.999 229.416 102.997 233.455
100.994C237.494 98.9911 240.611 96.2359 242.805
92.7282V102.195H259.112V32.1642H242.805V41.6337ZM241.31 75.7472C240.312 78.4531 238.916
80.8078 237.122 82.8112C235.326 84.8161 233.156 86.4183 230.614 87.6206C228.07 88.823 225.251
89.4238 222.16 89.4238C219.068 89.4238 216.275 88.823 213.782 87.6206C211.289 86.4183 209.145
84.8161 207.35 82.8112C205.554 80.8078 204.182 78.4531 203.236 75.7472C202.286 73.0421 201.814
70.1868 201.814 67.1821C201.814 64.1758 202.286 61.3205 203.236 58.6154C204.182 55.9102
205.554 53.5571 207.35 51.5522C209.145 49.5495 211.288 47.9451 213.782 46.7427C216.275 45.5404
219.068 44.9396 222.16 44.9396C225.251 44.9396 228.07 45.5404 230.614 46.7427C233.156 47.9451
235.326 49.5487 237.122 51.5522C238.917 53.5571 240.312 55.9102 241.31 58.6154C242.306 61.3205
242.806 64.1758 242.806 67.1821C242.805 70.1868 242.305 73.0421 241.31 75.7472Z"
fill="currentColor" />

<path d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />

<path d="M139.43 102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z"
fill="currentColor" />

<path d="M324.49 32.1665L303.995 85.794L283.498 32.1665H266.983L293.748
102.197H314.242L341.006 32.1665H324.49Z" fill="currentColor" />

<path d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797 67.1828C340.797
89.6597 356.094 104 378.661 104C391.29 104 399.354 99.1488 409.206 88.5848L398.189
80.0226C398.183 80.031 389.874 90.9895 377.468 90.9895C363.048 90.9895 356.977 79.3111 356.977
73.269H411.075C413.917 50.1328 398.775 30.3656 376.571 30.3656ZM357.02 61.0967C357.145
59.7487 359.023 43.3761 376.442 43.3761C393.861 43.3761 395.978 59.7464 396.099
61.0967H357.02Z" fill="currentColor" />

</svg>

{{-- Light Mode 12 SVG --}}

<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem] dark:hidden" viewBox="0 0 440 376" fill="none" xmlns="http://www.w3.org/2000/svg">

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371 239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754 176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z" fill="black" />

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" fill="black" />

<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569 328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296 279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352 237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97 186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371 239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754 176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961 190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03 270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346 333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087 405.649L188.263 355.73Z" stroke="#1B1B18" stroke-width="1" />

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733 176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" stroke="#1B1B18" stroke-width="1" />

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479 235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077 279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071 253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464 199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699 211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083 148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296 155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745 227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055 341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246 377.375L233.415 377.368L204.592 327.449Z" fill="#F8B803" />

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" fill="#F8B803" />

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" stroke="#1B1B18" stroke-width="1" />

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" stroke="#1B1B18" stroke-width="1" />

</g>

<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-
100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" fill="#F0ACB8" />

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" fill="#F0ACB8" />

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#1B1B18" stroke-width="1" />

```
<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515  
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#1B1B18" stroke-width="1" />
```

```
</g>
```

```
<g style="mix-blend-mode: plus-darker" class="transition-all delay-300 translate-y-0  
opacity-100 duration-750 starting:opacity-0 starting:translate-y-4">
```

```
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823  
262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554  
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749  
165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823  
154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335  
181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289  
109.659C186.442 102.583 201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655  
109.663C296.649 116.549 313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895  
367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399  
367.438 250.814C361.033 259.229 351.095 269.557 337.624 281.796L419.782 281.8L448.605  
331.719L259.774 331.712L230.951 281.792Z" fill="#F3BEC7" />
```

```
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608  
102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z" fill="#F3BEC7" />
```

```
<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823  
262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554  
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749  
165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823  
154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335  
181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289  
109.659C186.442 102.583 201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655  
109.663C296.649 116.549 313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895  
367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399  
367.438 250.814C361.033 259.229 351.095 269.557 337.624 281.796L419.782 281.8L448.605  
331.719L259.774 331.712L230.951 281.792Z" stroke="#1B1B18" stroke-width="1" />
```

```
<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608  
102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z" stroke="#1B1B18" stroke-width="1" />
```

```
</g>
```

```
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0  
starting:translate-y-4">
```

```
<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393  
219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792 293.166  
259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768  
263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111  
224.831 207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929  
245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615  
206.836 116.261 201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958
```

176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164
190.119 271.502 199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233
270.45 337.044 283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915
320.337 326.515 322.4 324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297
355.37L406.121 405.289L217.29 405.282L188.467 355.363Z" stroke="#1B1B18" stroke-width="1"
stroke-linejoin="bevel" />

<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765
175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z" stroke="#1B1B18" stroke-width="1"
stroke-linejoin="bevel" />

<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235
82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.915Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182
212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.964Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366
172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688
154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.257Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875
82.6442L132.806 183.221C143.959 176.145 158.812 172.607 177.363 172.608L235.432 72.0311Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669
233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013
255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049
294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.608Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584
124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573
178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871
82.6499L132.803 183.227C126.708 187.027 122.059 191.702 118.857 197.25L176.925 96.6737Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96
324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562
178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454
255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925
212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91
301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13
405.285L464.198 304.708Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955
324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z" stroke="#1B1B18"
stroke-width="1" stroke-linejoin="bevel" />

<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37
254.787Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853
255.524L183.921 154.947Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92
154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842
227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.562Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212
175.756L15.5469 75.1797Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862
254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401 225.966L44.5279 125.39Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431 75.19Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

</g>

<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887 72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z" fill="#F0ACB8" />

<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214 132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676 124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887 72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457 329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311 169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031 223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198 304.716L275.367 304.709L246.544 254.79Z" fill="#F0ACB8" />

```
304.716L275.367 304.709L246.544 254.79Z" stroke="#1B1B18" stroke-width="1" stroke-  
linejoin="round" />
```

```
</g>
```

```
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-  
100 duration-750 starting:opacity-0 starting:translate-y-4">
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886  
304.712L170.942 304.71L67.41 125.402Z" fill="#FOACB8" />
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886  
304.712L170.942 304.71L67.41 125.402Z" stroke="#1B1B18" stroke-width="1" />
```

```
</g>
```

```
</svg>
```

```
{{-- Dark Mode 12 SVG --}}
```

```
<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem]  
hidden dark:block" viewBox="0 0 440 376" fill="none" xmlns="http://www.w3.org/2000/svg">
```

```
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0  
starting:translate-y-4">
```

```
<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569  
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296  
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352  
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97  
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371  
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754  
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961  
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03  
270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346  
333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087  
405.649L188.263 355.73Z" fill="black"/>
```

```
<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733  
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" fill="black"/>
```

```
<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569  
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296  
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352  
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97  
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371  
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754  
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961  
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03
```

270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346
333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087
405.649L188.263 355.73Z" stroke="#FF750F" stroke-width="1"/>

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" stroke="#FF750F" stroke-width="1"/>

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" fill="#391800"/>

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" fill="#391800"/>

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" stroke="#FF750F" stroke-width="1"/>

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" stroke="#FF750F" stroke-width="1"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4" style="mix-blend-mode:hard-light">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046

133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" fill="#733000"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" fill="#733000"/>

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#FF750F" stroke-width="1"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#FF750F" stroke-width="1"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.726 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#FF750F" stroke-width="1"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#FF750F" stroke-width="1"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">

<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393
219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792 293.166

259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768
263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111
224.831 207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929
245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615
206.836 116.261 201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958
176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164
190.119 271.502 199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233
270.45 337.044 283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915
320.337 326.515 322.4 324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297
355.37L406.121 405.289L217.29 405.282L188.467 355.363Z" stroke="#FF750F" stroke-width="1"
stroke-linejoin="bevel"/>

<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765
175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z" stroke="#FF750F" stroke-width="1"
stroke-linejoin="bevel"/>

<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235
82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.915Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182
212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.964Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366
172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688
154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.257Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875
82.6442L132.806 183.221C143.959 176.145 158.812 172.607 177.363 172.608L235.432 72.0311Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669
233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z" stroke="#FF750F" stroke-
width="1" stroke-linejoin="bevel"/>

<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013
255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049
294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.608Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584
124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573
178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871
82.6499L132.803 183.227C126.708 187.027 122.059 191.702 118.857 197.25L176.925 96.6737Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96
324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562
178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454
255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z" stroke="#FF750F" stroke-
width="1" stroke-linejoin="bevel"/>

<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925
212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91
301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13
405.285L464.198 304.708Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955
324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37
254.787Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853
255.524L183.921 154.947Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92
154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

```
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842
227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.562Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212
175.756L15.5469 75.1797Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862
254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358
304.706Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401
225.966L44.5279 125.39Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733
175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431
75.19Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798
355.361L246.866 254.784Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471
355.358L246.539 254.781Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257
225.967L67.3906 125.391Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853
405.276L170.921 304.699Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>
```

```
</g>
```

```
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4" style="mix-blend-mode:hard-light">
```

```
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849
227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577
178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735
132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214
132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" fill="#4B0600"/>
```

```
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849
227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577
178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735
132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214
132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" stroke="#FF750F" stroke-width="1" stroke-
linejoin="round"/>
```

```
</g>
```

```
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4" style="mix-blend-mode:hard-light">
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" fill="#4B0600"/>
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" stroke="#FF750F" stroke-width="1"/>
```

```
</g>
```

```
</svg>
```

```
<div class="absolute inset-0 rounded-t-lg lg:rounded-t-none lg:rounded-r-lg shadow-
[inset_0px_0px_0px_1px_rgba(26,26,0,0.16)] dark:shadow-
[inset_0px_0px_0px_1px_#fffaed2d]"></div>
```

```
</div>
```

```
</main>
```

```
</div>
```

```
@if (Route::has('login'))
```

```
<div class="h-14.5 hidden lg:block"></div>
```

```
@endif
```

```
</body>
```

```
</html>
```

api.php

<?php

```
use Illuminate\Support\Facades\Route;

use App\Http\Controllers\AuthController;

use App\Http\Controllers\ProfileController;

use App\Http\Controllers\ClientController;

use App\Http\Controllers\VehicleController;

use App\Http\Controllers\PolicyController;

use App\Http\Controllers\TariffController;

use App\Http\Controllers\AccidentController;

use App\Http\Controllers\UserController;

use App\Http\Controllers\NotificationController;


// Публичные эндпоинты

Route::post('auth/register', [AuthController::class, 'register']);

Route::post('auth/login', [AuthController::class, 'login']);

Route::post('auth/forgot-password', [AuthController::class, 'forgotPassword']);

Route::post('auth/reset-password', [AuthController::class, 'resetPassword']);

Route::post('policies/calculate', [PolicyController::class, 'calculate']);


// Публичные справочники

Route::get('tariffs/public', [TariffController::class, 'publicIndex']);


// Защищенные эндпоинты

Route::middleware(['auth:sanctum'])->group(function () {
```

// Общие для всех

Route::get('auth/me', [AuthController::class, 'me']);

Route::post('auth/logout', [AuthController::class, 'logout']);

Route::put('auth/change-password', [AuthController::class, 'changePassword']);

Route::put('profile', [ProfileController::class, 'update']);

// Уведомления

Route::post('notifications', [NotificationController::class, 'store']);

Route::get('notifications', [NotificationController::class, 'index']);

Route::put('notifications/{id}/read', [NotificationController::class, 'markAsRead']);

Route::put('notifications/read-all', [NotificationController::class, 'markAllAsRead']);

Route::delete('notifications/{id}', [NotificationController::class, 'destroy']);

// Клиент

Route::middleware(['client'])->prefix('client')->group(function () {

Route::get('policies', [PolicyController::class, 'myPolicies']);

Route::get('policies/{policy}', [PolicyController::class, 'showMyPolicy']);

Route::post('policies', [PolicyController::class, 'store']);

Route::post('policies/{policy}/pay', [PolicyController::class, 'pay']);

Route::post('policies/{policy}/cancel', [PolicyController::class, 'cancel']);

Route::get('vehicles', [VehicleController::class, 'myVehicles']);

Route::post('vehicles', [VehicleController::class, 'store']);

Route::delete('vehicles/{vehicle}', [VehicleController::class, 'destroy']);

Route::get('accidents', [AccidentController::class, 'myAccidents']);

Route::post('accidents/{policy}', [AccidentController::class, 'store']);

```
});
```

```
// Агент
```

```
Route::middleware(['agent'])->prefix('agent')->group(function () {
```

```
    Route::get('clients', [ClientController::class, 'index']);
```

```
    Route::post('clients', [ClientController::class, 'store']);
```

```
    Route::put('clients/{client}', [ClientController::class, 'update']);
```

```
    Route::delete('clients/{client}', [ClientController::class, 'destroy']);
```

```
    Route::get('policies', [PolicyController::class, 'index']);
```

```
    Route::put('policies/{policy}', [PolicyController::class, 'update']);
```

```
    Route::post('policies/{policy}/activate', [PolicyController::class, 'activate']);
```

```
    Route::post('policies/{policy}/renew', [PolicyController::class, 'renew']);
```

```
    Route::post('policies/{policy}/cancel', [PolicyController::class, 'cancel']);
```

```
    Route::get('accidents', [AccidentController::class, 'index']);
```

```
    Route::put('accidents/{accident}', [AccidentController::class, 'update']);
```

```
    Route::get('notifications/all', [NotificationController::class, 'allForAgent']);
```

```
});
```

```
// Админ
```

```
Route::middleware(['admin'])->prefix('admin')->group(function () {
```

```
    Route::get('users', [UserController::class, 'index']);
```

```
    Route::put('users/{user}', [UserController::class, 'update']);
```

```
    Route::get('policies', [PolicyController::class, 'index']);
```

```
    Route::post('policies/{policy}/cancel', [PolicyController::class, 'cancel']);
```

```

Route::get('accidents', [AccidentController::class, 'index']);

Route::put('accidents/{accident}', [AccidentController::class, 'update']);


Route::get('tariffs', [TariffController::class, 'index']);

Route::post('tariffs', [TariffController::class, 'store']);

Route::put('tariffs/{tariff}', [TariffController::class, 'update']);

Route::delete('tariffs/{tariff}', [TariffController::class, 'destroy']);

});

});

```

console.php

```
<?php
```

```

use Illuminate\Foundation\Inspiring;

use Illuminate\Support\Facades\Artisan;

```

```

Artisan::command('inspire', function () {

    $this->comment(Inspiring::quote());

})->purpose('Display an inspiring quote');

```

web.php

```
<?php
```



```
use Illuminate\Support\Facades\Route;
```

```
Route::get('/', function () {  
    return view('welcome');  
});
```

TestCase.php

```
<?php
```

```
namespace Tests;
```

```
use Illuminate\Foundation\Testing\TestCase as BaseTestCase;
```

```
abstract class TestCase extends BaseTestCase
```

```
{
```

```
    //
```

```
}
```

ApiTest.php

```
<?php
```

```
namespace Tests\Feature;

use Tests\TestCase;

use PHPUnit\Framework\Attributes\Test;

use App\Models\User;

use App\Models\ClientProfile;

use App\Models\Vehicle;

use App\Models\Policy;

use App\Models\Tariff;

use App\Models\PolicyType;

use App\Models\Accident;

use App\Models\Notification;

use Illuminate\Foundation\Testing\RefreshDatabase;
```

```
class ApiTest extends TestCase
```

```
{
```

```
    use RefreshDatabase;
```

```
    protected $userToken;
```

```
    protected $agentToken;
```

```
    protected $adminToken;
```

```
    protected $testUser;
```

```
    protected $testAgent;
```

```
    protected $testAdmin;
```

```
    protected $testVehicleId;
```

```
    protected $testPolicyId;
```

```
    protected $testAccidentId;
```

```
    protected $testNotificationId;
```

```
protected $testClientUserId;
```

```
protected function setUp(): void
```

```
{
```

```
    parent::setUp();
```

```
    $this->seed();
```

```
    $this->testUser = User::where('email', 'ivanov@example.com')->first();
```

```
    $this->testAgent = User::where('email', 'agent@insurancesystem.com')->first();
```

```
    $this->testAdmin = User::where('email', 'admin@insurancesystem.com')->first();
```

```
}
```

```
protected function getUserToken()
```

```
{
```

```
    $response = $this->postJson('/api/auth/login', [
```

```
        'email' => 'ivanov@example.com',
```

```
        'password' => 'client123'
```

```
    ]);
```

```
    return $response->json('token');
```

```
}
```

```
protected function getAgentToken()
```

```
{
```

```
    $response = $this->postJson('/api/auth/login', [
```

```
        'email' => 'agent@insurancesystem.com',
```

```
        'password' => 'agent123'
```

```
    ]);
```

```
        return $response->json('token');
    }
}
```

```
protected function getAdminToken()
{
    $response = $this->postJson('/api/auth/login', [
        'email' => 'admin@insurancesystem.com',
        'password' => 'admin123'
    ]);
    return $response->json('token');
}
```

```
// ===== АУТЕНТИФИКАЦИЯ (8 тестов) =====
```

```
#[Test]
public function test_01_auth_register()
{
    $response = $this->postJson('/api/auth/register', [
        'email' => 'newuser@test.com',
        'phone' => '+79991234500',
        'password' => 'password123',
        'password_confirmation' => 'password123',
        'last_name' => 'Новый',
        'first_name' => 'Пользователь',
        'middle_name' => 'Тестович',
        'birth_date' => '1990-01-01',
        'passport_series' => '1234',
        'passport_number' => '123456',
    ]);
}
```

```
'passport_issued_by' => 'ОВД г. Москвы',  
'passport_issue_date' => '2010-01-01',  
'driver_license_series' => '1234',  
'driver_license_number' => '123456',  
'driver_license_issued_by' => 'ГИБДД г. Москвы',  
'driver_license_issue_date' => '2015-01-01',  
'driver_license_expiry_date' => '2025-01-01'  
]);
```

```
$response->assertStatus(201);  
$this->assertArrayHasKey('token', $response->json());
```

```
echo "\n 01. POST /auth/register - OK\n";  
}
```

```
#[Test]  
public function test_02_auth_login()  
{  
    $response = $this->postJson('/api/auth/login', [  
        'email' => 'ivanov@example.com',  
        'password' => 'client123'  
    ]);  
  
    $response->assertStatus(200);  
    $this->assertArrayHasKey('token', $response->json());  
  
    echo "\n 02. POST /auth/login - OK\n";  
}
```

```
#[Test]

public function test_03_auth_forgot_password()
{
    $response = $this->postJson('/api/auth/forgot-password', [
        'email' => 'ivanov@example.com'
    ]);

    $response->assertStatus(200);

    echo "03. POST /auth/forgot-password - OK\n";
}
```

```
#[Test]

public function test_04_auth_reset_password()
{
    $response = $this->postJson('/api/auth/reset-password', [
        'email' => 'ivanov@example.com',
        'token' => '4444',
        'password' => 'newpass123',
        'password_confirmation' => 'newpass123'
    ]);

    $loginResponse = $this->postJson('/api/auth/login', [
        'email' => 'ivanov@example.com',
        'password' => 'newpass123'
    ]);
```

```

if ($loginResponse->status() === 200) {

    $token = $loginResponse->json('token');

    $this->withHeader('Authorization', "Bearer $token")

        ->putJson('/api/auth/change-password', [

            'current_password' => 'newpass123',

            'new_password' => 'client123',

            'new_password_confirmation' => 'client123'

        ]);

}

$response->assertStatus(200);

echo "❏ 04. POST /auth/reset-password - OK\n";
}

#[Test]
public function test_05_auth_me()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")

        ->getJson('/api/auth/me');

    $response->assertStatus(200);

    $this->assertEquals('ivanov@example.com', $response->json('email'));

    echo "❏ 05. GET /auth/me - OK\n";
}

```

```
#[Test]

public function test_06_auth_logout()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/auth/logout');

    $response->assertStatus(200);

    echo "☑ 06. POST /auth/logout - OK\n";
}
```

```
#[Test]

public function test_07_auth_change_password()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson('/api/auth/change-password', [
            'current_password' => 'client123',
            'new_password' => 'newpass123',
            'new_password_confirmation' => 'newpass123'
        ]);

    $this->withHeader('Authorization', "Bearer $token")
        ->putJson('/api/auth/change-password', [
```



```

        'current_password' => 'newpass123',

        'new_password' => 'client123',

        'new_password_confirmation' => 'client123'

    ));

$response->assertStatus(200);

echo "❏ 07. PUT /auth/change-password - OK\n";
}

#[Test]
public function test_08_profile_update()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson('/api/profile', [
            'last_name' => 'Обновленный',
            'first_name' => 'Профиль'
        ]);

    $response->assertStatus(200);

    echo "❏ 08. PUT /profile - OK\n";
}

// ===== УВЕДОМЛЕНИЯ (5 тестов) =====

```

```
#[Test]

public function test_09_notifications_index()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/notifications');

    $response->assertStatus(200);

    echo "09. GET /notifications - OK\n";
}
```

```
#[Test]

public function test_10_notifications_store()
{
    $token = $this->getAdminToken();

    $user = User::first();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/notifications', [
            'user_id' => $user->id,
            'message' => 'Тестовое уведомление'
        ]);

    $response->assertStatus(201);

    $this->testNotificationId = $response->json('notification.id');
```

```

        echo "❏ 10. POST /notifications - OK\n";
    }

#[Test]
public function test_11_notifications_mark_as_read()
{
    $token = $this->getAdminToken();

    $user = User::first();

    $createResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/notifications', [
            'user_id' => $user->id,
            'message' => 'Тестовое уведомление для прочтения'
        ]);

    $notificationId = $createResponse->json('notification.id');

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson("/api/notifications/{$notificationId}/read");

    $response->assertStatus(200);

    echo "❏ 11. PUT /notifications/{id}/read - OK\n";
}

#[Test]

```

```

public function test_12_notifications_mark_all_as_read()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson('/api/notifications/read-all');

    $this->assertTrue(in_array($response->status(), [200, 422]));

    echo "☑ 12. PUT /notifications/read-all - OK\n";
}

#[Test]
public function test_13_notifications_destroy()
{
    $token = $this->getAdminToken();

    $user = User::first();

    $createResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/notifications', [
            'user_id' => $user->id,
            'message' => 'Тестовое уведомление для удаления'
        ]);

    $notificationId = $createResponse->json('notification.id');

    $response = $this->withHeader('Authorization', "Bearer $token")

```

```
->deleteJson("/api/notifications/{$notificationId}");
```

```
$response->assertStatus(200);
```

```
echo "❏ 13. DELETE /notifications/{id} - OK\n";
```

```
}
```

```
// ===== КЛИЕНТ - ПОЛИСЫ (5 тестов) =====
```

```
#[Test]
```

```
public function test_14_client_policies_index()
```

```
{
```

```
    $token = $this->getUserToken();
```

```
    $response = $this->withHeader('Authorization', "Bearer $token")
```

```
        ->getJson('/api/client/policies');
```

```
    $response->assertStatus(200);
```

```
    echo "❏ 14. GET /client/policies - OK\n";
```

```
}
```

```
#[Test]
```

```
public function test_15_client_policies_show()
```

```
{
```

```
    $token = $this->getUserToken();
```

```
    $policies = $this->withHeader('Authorization', "Bearer $token")
```

```

->getJson('/api/client/policies');

if (count($policies->json()) > 0) {
    $policyId = $policies->json()[0]['id'];
    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson("/api/client/policies/{$policyId}");
    $response->assertStatus(200);
} else {
    $this->markTestSkipped('Нет полисов для тестирования');
}

echo "❏ 15. GET /client/policies/{policy} - OK\n";
}

#[Test]
public function test_16_client_policies_store()
{
    $token = $this->getUserToken();

    $clientProfile = ClientProfile::where('user_id', $this->testUser->id)->first();

    $vehicleResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/client/vehicles', [
            'state_number' => 'P001PP77',
            'brand' => 'Test',
            'model' => 'Test',
            'manufacture_year' => 2020,
            'power_hp' => 150,

```

```

        'category' => 'B',

        'vin' => substr('TESTPOLICY' . rand(100, 999), 0, 17),

    ]);

$vehicleId = $vehicleResponse->json('vehicle.id');

$tariff = Tariff::where('vehicle_category', 'B')->first();

$calculateResponse = $this->postJson('/api/policies/calculate', [

    'policy_type_id' => 1,

    'vehicle_id' => $vehicleId,

    'tariff_id' => $tariff->id,

    'start_date' => date('Y-m-d', strtotime('+1 day')),

    'end_date' => date('Y-m-d', strtotime('+1 year')),

    'power_hp' => 150,

    'manufacture_year' => 2020

]);

$calculatedPrice = $calculateResponse->json('calculated_price');

$response = $this->withHeader('Authorization', "Bearer $token")

->postJson('/api/client/policies', [

    'policy_type_id' => 1,

    'client_id' => $clientProfile->id,

    'vehicle_id' => $vehicleId,

    'tariff_id' => $tariff->id,

    'base_price' => $calculatedPrice,

    'final_price' => $calculatedPrice,

```

```

        'start_date' => date('Y-m-d', strtotime('+1 day')),

        'end_date' => date('Y-m-d', strtotime('+1 year'))

    });

$response->assertStatus(201);

$this->testPolicyId = $response->json('policy.id');

echo "❏ 16. POST /client/policies - OK\n";
}

#[Test]
public function test_17_client_policies_pay()
{
    $token = $this->getUserToken();

    $clientProfile = ClientProfile::where('user_id', $this->testUser->id)->first();

    $vehicleResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/client/vehicles', [

            'state_number' => 'P002PP77',

            'brand' => 'Pay',

            'model' => 'Test',

            'manufacture_year' => 2020,

            'power_hp' => 150,

            'category' => 'B',

            'vin' => substr('PAYTEST' . rand(100, 999), 0, 17),

        ]);

```



```

$vehicleId = $vehicleResponse->json('vehicle.id');

$tariff = Tariff::where('vehicle_category', 'B')->first();

$createResponse = $this->withHeader('Authorization', "Bearer $token")
    ->postJson('/api/client/policies', [
        'policy_type_id' => 1,
        'client_id' => $clientProfile->id,
        'vehicle_id' => $vehicleId,
        'tariff_id' => $tariff->id,
        'base_price' => 10000,
        'final_price' => 8500,
        'start_date' => date('Y-m-d', strtotime('+1 day')),
        'end_date' => date('Y-m-d', strtotime('+1 year'))
    ]);

$policyId = $createResponse->json('policy.id');

$response = $this->withHeader('Authorization', "Bearer $token")
    ->postJson("/api/client/policies/{$policyId}/pay");

$response->assertStatus(200);

echo "👉 17. POST /client/policies/{policy}/pay - OK\n";
}

#[Test]
public function test_18_client_policies_cancel()
{

```

```
$token = $this->getUserToken();
```

```
$clientProfile = ClientProfile::where('user_id', $this->testUser->id)->first();
```

```
$vehicleResponse = $this->withHeader('Authorization', "Bearer $token")
```

```
->postJson('/api/client/vehicles', [  
    'state_number' => 'P003PP77',  
    'brand' => 'Cancel',  
    'model' => 'Test',  
    'manufacture_year' => 2020,  
    'power_hp' => 150,  
    'category' => 'B',  
    'vin' => substr('CANCELTEST' . rand(100, 999), 0, 17),  
]);
```

```
$vehicleId = $vehicleResponse->json('vehicle.id');
```

```
$tariff = Tariff::where('vehicle_category', 'B')->first();
```

```
$createResponse = $this->withHeader('Authorization', "Bearer $token")
```

```
->postJson('/api/client/policies', [  
    'policy_type_id' => 1,  
    'client_id' => $clientProfile->id,  
    'vehicle_id' => $vehicleId,  
    'tariff_id' => $tariff->id,  
    'base_price' => 10000,  
    'final_price' => 8500,  
    'start_date' => date('Y-m-d', strtotime('+1 day')),  
    'end_date' => date('Y-m-d', strtotime('+1 year'))
```

```
]);
```

```
$policyId = $createResponse->json('policy.id');
```

```
$response = $this->withHeader('Authorization', "Bearer $token")  
->postJson("/api/client/policies/{$policyId}/cancel");
```

```
$response->assertStatus(200);
```

```
echo "❏ 18. POST /client/policies/{policy}/cancel - OK\n";
```

```
}
```

```
// ===== КЛИЕНТ - ТРАНСПОРТ (3 теста) =====
```

```
#[Test]
```

```
public function test_19_client_vehicles_index()
```

```
{
```

```
$token = $this->getUserToken();
```

```
$response = $this->withHeader('Authorization', "Bearer $token")
```

```
->getJson('/api/client/vehicles');
```

```
$response->assertStatus(200);
```

```
echo "❏ 19. GET /client/vehicles - OK\n";
```

```
}
```

```
#[Test]
```

```

public function test_20_client_vehicles_store()
{
    $token = $this->getUserToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/client/vehicles', [
            'state_number' => 'V001VV77',
            'brand' => 'Toyota',
            'model' => 'Camry',
            'manufacture_year' => 2020,
            'power_hp' => 200,
            'category' => 'B',
            'vin' => substr('VEHICLETEST' . rand(100, 999), 0, 17),
            'purchase_price' => 2500000,
            'has_tracker' => true,
            'parking_type' => 'garage'
        ]);

    $response->assertStatus(201);

    $this->testVehicleId = $response->json('vehicle.id');

    echo "⏏ 20. POST /client/vehicles - OK\n";
}

```

```

#[Test]
public function test_21_client_vehicles_destroy()
{
    $token = $this->getUserToken();

```

```

$createResponse = $this->withHeader('Authorization', "Bearer $token")

->postJson('/api/client/vehicles', [

    'state_number' => 'V002VV77',

    'brand' => 'Audi',

    'model' => 'A6',

    'manufacture_year' => 2021,

    'power_hp' => 250,

    'category' => 'B',

    'vin' => substr('DELETETEST' . rand(100, 999), 0, 17),

]);

$vehicleId = $createResponse->json('vehicle.id');

$response = $this->withHeader('Authorization', "Bearer $token")

->deleteJson("/api/client/vehicles/{$vehicleId}");

$response->assertStatus(200);

echo "21. DELETE /client/vehicles/{vehicle} - OK\n";
}

// ===== КЛИЕНТ - СТРАХОВЫЕ СЛУЧАИ (2 теста) =====

#[Test]
public function test_22_client_accidents_index()
{
    $token = $this->getUserToken();

```

```

$response = $this->withHeader('Authorization', "Bearer $token")
    ->getJson('/api/client/accidents');

$response->assertStatus(200);

echo "22. GET /client/accidents - OK\n";
}

#[Test]
public function test_23_client_accidents_store()
{
    $token = $this->getUserToken();

    $policies = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/client/policies');

    if (count($policies->json()) > 0) {
        $policyId = $policies->json()[0]['id'];

        $response = $this->withHeader('Authorization', "Bearer $token")
            ->postJson("/api/client/accidents/{$policyId}", [
                'accident_date' => date('Y-m-d', strtotime('-1 day')),
                'damage_amount' => 50000,
                'is_client_fault' => false,
                'description' => 'Тестовое ДТП'
            ]);

```

```

$response->assertStatus(201);

$this->testAccidentId = $response->json('accident.id');

} else {

    $this->markTestSkipped('Нет активных полисов для тестирования');

}

echo "❗ 23. POST /client/accidents/{policy} - ОК\n";

}

// ===== ПУБЛИЧНЫЕ ЭНДПОИНТЫ (2 теста) =====

#[Test]
public function test_24_policies_calculate_public()
{
    $userToken = $this->getUserToken();

    $letters = ['A', 'B', 'E', 'K', 'M', 'H', 'O', 'P', 'C', 'T', 'Y', 'X'];

    $stateNumber = $letters[array_rand($letters)] . rand(100, 999) . $letters[array_rand($letters)] .
    $letters[array_rand($letters)] . rand(10, 99);

    $vehicleResponse = $this->withHeader('Authorization', "Bearer $userToken")
        ->postJson('/api/client/vehicles', [
            'state_number' => $stateNumber,
            'brand' => 'Calc',
            'model' => 'Test',
            'manufacture_year' => 2020,
            'power_hp' => 150,
            'category' => 'B',
            'vin' => substr('CALCTEST' . rand(100000, 999999), 0, 17),
        ]

```

```
));
```

```
$vehicleId = $vehicleResponse->json('vehicle.id');
```

```
$tariff = Tariff::where('vehicle_category', 'B')->first();
```

```
$response = $this->postJson('/api/policies/calculate', [
```

```
    'policy_type_id' => 1,
```

```
    'vehicle_id' => $vehicleId,
```

```
    'tariff_id' => $tariff->id,
```

```
    'start_date' => date('Y-m-d', strtotime('+1 day')),
```

```
    'end_date' => date('Y-m-d', strtotime('+1 year')),
```

```
    'power_hp' => 150,
```

```
    'manufacture_year' => 2020
```

```
]);
```

```
$response->assertStatus(200);
```

```
$this->assertArrayHasKey('calculated_price', $response->json());
```

```
echo "❏ 24. POST /policies/calculate (public) - OK\n";
```

```
}
```

```
#[Test]
```

```
public function test_25_tariffs_public()
```

```
{
```

```
    $response = $this->getJson('/api/tariffs/public');
```

```
    $response->assertStatus(200);
```



```

        echo "❏ 25. GET /tariffs/public - OK\n";
    }

// ===== АГЕНТ - КЛИЕНТЫ (4 теста) =====

#[Test]
public function test_26_agent_clients_index()
{
    $token = $this->getAgentToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/agent/clients');

    $response->assertStatus(200);

    echo "❏ 26. GET /agent/clients - OK\n";
}

#[Test]
public function test_27_agent_clients_store()
{
    $token = $this->getAgentToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/agent/clients', [
            'email' => 'agentclient@test.com',
            'phone' => '+79991234999',
            'password' => 'password123',
        ]);

```

```

        'last_name' => 'Агентский',

        'first_name' => 'Клиент'

    });

$response->assertStatus(201);

$this->testClientUserId = $response->json('client.id');

echo "❏ 27. POST /agent/clients - OK\n";
}

#[Test]
public function test_28_agent_clients_update()
{
    $token = $this->getAgentToken();

    $uniqueNum = rand(1000000000, 9999999999);

    $workingPhone = '+7' . substr($uniqueNum, 0, 10);

    $createResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/agent/clients', [

            'email' => 'agentclientupdate' . rand(1, 999) . '@test.com',

            'phone' => $workingPhone,

            'password' => 'password123',

            'last_name' => 'Тестов',

            'first_name' => 'Тест',

            'middle_name' => 'Тестович',

            'birth_date' => '1990-01-01'

        ]);

```

```

        $userId = $createResponse->json('client.id');

        $response = $this->withHeader('Authorization', "Bearer $token")
            ->putJson("/api/agent/clients/{$userId}", [
                'last_name' => 'Обновлен'
            ]);

        $response->assertStatus(200);

        echo "☑ 28. PUT /agent/clients/{client} - OK\n";
    }

#[Test]
public function test_29_agent_clients_destroy()
{
    $token = $this->getAgentToken();

    $uniqueNum = rand(1000000000, 9999999999);
    $workingPhone = '+7' . substr($uniqueNum, 0, 10);

    $createResponse = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/agent/clients', [
            'email' => 'todelete' . rand(1, 999) . '@test.com',
            'phone' => $workingPhone,
            'password' => 'password123',
            'last_name' => 'Удалов',
            'first_name' => 'Тест',
        ]);

```

```

        'middle_name' => 'Тестович',

        'birth_date' => '1990-01-01'

    ));

    $userId = $createResponse->json('client.id');

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->deleteJson("/api/agent/clients/{userId}");

    $response->assertStatus(200);

    echo "❏ 29. DELETE /agent/clients/{client} - OK\n";
}

// ===== АГЕНТ - ПОЛИСЫ (5 тестов) =====

#[Test]
public function test_30_agent_policies_index()
{
    $token = $this->getAgentToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/agent/policies');

    $response->assertStatus(200);

    echo "❏ 30. GET /agent/policies - OK\n";
}

```

```

#[Test]

public function test_31_agent_policies_update()
{
    $token = $this->getAgentToken();

    $policy = Policy::first();

    if (!$policy) {
        $this->markTestSkipped('Нет полисов для обновления');
    }

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson("/api/agent/policies/{policy->id}", [
            'discount_amount' => 10
        ]);

    $response->assertStatus(200);

    echo "☑ 31. PUT /agent/policies/{policy} - OK\n";
}

```

```

#[Test]

public function test_32_agent_policies_activate()
{
    // Проверим, какой пользователь получается

    $token = $this->getAgentToken();

```

```
$meResponse = $this->withHeader('Authorization', "Bearer $token")
    ->getJson('/api/auth/me');

// Берем существующего клиента и его ТС
$client = ClientProfile::where('last_name', 'Иванов')->first();
$this->assertNotNull($client, 'Клиент Иванов не найден');

$vehicle = Vehicle::where('client_id', $client->id)->first();
$this->assertNotNull($vehicle, 'ТС клиента не найдено');

$tariff = Tariff::where('vehicle_category', 'B')->first();
$this->assertNotNull($tariff, 'Тариф не найден');

// Логинимся под клиентом
$user = User::find($client->user_id);
$loginResponse = $this->postJson('/api/auth/login', [
    'email' => $user->email,
    'password' => 'client123'
]);

$clientToken = $loginResponse->json('token');

// Создаем полис
$createResponse = $this->withHeader('Authorization', "Bearer $clientToken")
    ->postJson('/api/client/policies', [
        'policy_type_id' => 1,
        'client_id' => $client->id,
        'vehicle_id' => $vehicle->id,
```

```

        'tariff_id' => $tariff->id,

        'base_price' => 10000,

        'final_price' => 8500,

        'start_date' => date('Y-m-d'),

        'end_date' => date('Y-m-d', strtotime('+1 year'))

    ]);

```

```

$policyId = $createResponse->json('policy.id');

```

```

// Агент активирует полис

```

```

$response = $this->withHeader('Authorization', "Bearer $token")
    ->postJson("/api/agent/policies/{$policyId}/activate");

```

```

$response->assertStatus(200);

```

```

$this->assertEquals('active', $response->json('policy.status'));

```

```

echo "❏ 32. POST /agent/policies/{policy}/activate - OK\n";
}

```

```

#[Test]

```

```

public function test_33_agent_policies_renew()

```

```

{

```

```

    $token = $this->getAgentToken();

```

```

    $policy = Policy::where('status', 'active')->first();

```

```

    if (!$policy) {

```

```

        $this->markTestSkipped('Нет активных полисов для продления');
    }
}

```

```
}
```

```
$response = $this->withHeader('Authorization', "Bearer $token")
```

```
->postJson("/api/agent/policies/{policy->id}/renew", [
```

```
    'days' => 30
```

```
]);
```

```
$response->assertStatus(200);
```

```
echo "❏ 33. POST /agent/policies/{policy}/renew - OK\n";
```

```
}
```

```
#[Test]
```

```
public function test_34_agent_policies_cancel()
```

```
{
```

```
    $token = $this->getAgentToken();
```

```
    $policy = Policy::where('status', 'active')->first();
```

```
    if (!$policy) {
```

```
        $this->markTestSkipped('Нет активных полисов для отмены');
    }
```

```
    $response = $this->withHeader('Authorization', "Bearer $token")
```

```
->postJson("/api/agent/policies/{policy->id}/cancel");
```

```
    $response->assertStatus(200);
```



```

        echo "❏ 34. POST /agent/policies/{policy}/cancel - OK\n";
    }

// ===== АГЕНТ - СТРАХОВЫЕ СЛУЧАИ (2 теста) =====

#[Test]
public function test_35_agent_accidents_index()
{
    $token = $this->getAgentToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/agent/accidents');

    $response->assertStatus(200);

    echo "❏ 35. GET /agent/accidents - OK\n";
}

#[Test]
public function test_36_agent_accidents_update()
{
    $token = $this->getAgentToken();

    $accident = Accident::first();

    if (!$accident) {
        $this->markTestSkipped('Нет страховых случаев для обновления');
    }
}

```

```

$response = $this->withHeader('Authorization', "Bearer $token")

    ->putJson("/api/agent/accidents/{$accident->id}", [

        'status' => 'approved'

    ]);

$response->assertStatus(200);

echo "⌘ 36. PUT /agent/accidents/{accident} - OK\n";
}

// ===== АГЕНТ - УВЕДОМЛЕНИЯ (1 тест) =====

#[Test]
public function test_37_agent_notifications_all()
{
    $token = $this->getAgentToken();

    $response = $this->withHeader('Authorization', "Bearer $token")

        ->getJson('/api/agent/notifications/all');

    $response->assertStatus(200);

    echo "⌘ 37. GET /agent/notifications/all - OK\n";
}

// ===== АДМИН - ПОЛЬЗОВАТЕЛИ (2 теста) =====

```

```
#[Test]

public function test_38_admin_users_index()
{
    $token = $this->getAdminToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/admin/users');

    $response->assertStatus(200);

    echo "☑ 38. GET /admin/users - OK\n";
}
```

```
#[Test]

public function test_39_admin_users_update()
{
    $token = $this->getAdminToken();

    $user = User::where('email', 'agent@insurancesystem.com')->first();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson("/api/admin/users/{$user->id}", [
            'email' => 'agent@insurancesystem.com'
        ]);

    $response->assertStatus(200);

    echo "☑ 39. PUT /admin/users/{user} - OK\n";
}
```

```
}
```

```
// ===== АДМИН - ПОЛИСЫ (2 теста) =====
```

```
#[Test]
```

```
public function test_40_admin_policies_index()
```

```
{
```

```
    $token = $this->getAdminToken();
```

```
    $response = $this->withHeader('Authorization', "Bearer $token")
```

```
        ->getJson('/api/admin/policies');
```

```
    $response->assertStatus(200);
```

```
    echo "☑ 40. GET /admin/policies - ОК\n";
```

```
}
```

```
#[Test]
```

```
public function test_41_admin_policies_cancel()
```

```
{
```

```
    $token = $this->getAdminToken();
```

```
    $policy = Policy::where('status', 'active')->first();
```

```
    if (!$policy) {
```

```
        $this->markTestSkipped('Нет активных полисов для отмены');
```

```
    }
```

```

$response = $this->withHeader('Authorization', "Bearer $token")
    ->postJson("/api/admin/policies/{policy->id}/cancel");

$response->assertStatus(200);

echo "❏ 41. POST /admin/policies/{policy}/cancel - OK\n";
}

// ===== АДМИН - СТРАХОВЫЕ СЛУЧАИ (2 теста) =====

#[Test]
public function test_42_admin_accidents_index()
{
    $token = $this->getAdminToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/admin/accidents');

    $response->assertStatus(200);

    echo "❏ 42. GET /admin/accidents - OK\n";
}

#[Test]
public function test_43_admin_accidents_update()
{
    $adminToken = $this->getAdminToken();

```

```

// Сначала проверим, что админ может получить список ДТП

$indexResponse = $this->withHeader('Authorization', "Bearer $adminToken")
    ->getJson('/api/admin/accidents');

if ($indexResponse->status() === 200) {
    $accidents = $indexResponse->json();
    if (!empty($accidents['data'])) {
        $accidentId = $accidents['data'][0]['id'];

        // Пробуем обновить

        $response = $this->withHeader('Authorization', "Bearer $adminToken")
            ->putJson("/api/admin/accidents/{$accidentId}", [
                'status' => 'approved'
            ]);

        $response->assertStatus(200);
    } else {
        $this->markTestSkipped('Нет ДТП для обновления');
    }
} else {
    $this->fail('Админ не может получить список ДТП');
}

echo "❏ 43. PUT /admin/accidents/{accident} - ОК\n";
}

// ===== АДМИН - ТАРИФЫ (4 теста) =====

```

```
#[Test]

public function test_44_admin_tariffs_index()
{
    $token = $this->getAdminToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->getJson('/api/admin/tariffs');

    $response->assertStatus(200);

    echo "☑ 44. GET /admin/tariffs - OK\n";
}
```

```
#[Test]

public function test_45_admin_tariffs_store()
{
    $token = $this->getAdminToken();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->postJson('/api/admin/tariffs', [
            'policy_type_id' => 1,
            'vehicle_category' => 'A',
            'base_rate' => 5000,
            'min_rate' => 3000,
            'max_rate' => 8000,
            'calculation_method' => 'basic'
        ]);
}
```

```

$this->assertTrue(in_array($response->status(), [201, 422]));

echo "❏ 45. POST /admin/tariffs - ОК (или уже существует)\n";
}

#[Test]
public function test_46_admin_tariffs_update()
{
    $token = $this->getAdminToken();

    $tariff = Tariff::first();

    $response = $this->withHeader('Authorization', "Bearer $token")
        ->putJson("/api/admin/tariffs/{$tariff->id}", [
            'base_rate' => 6000
        ]);

    $response->assertStatus(200);

    echo "❏ 46. PUT /admin/tariffs/{tariff} - ОК\n";
}

#[Test]
public function test_47_admin_tariffs_destroy()
{
    $token = $this->getAdminToken();

    $tariff = Tariff::first();

```



```

        if (!$tariff) {

            $this->markTestSkipped('Нет тарифов для удаления');

            return;

        }

        $response = $this->withHeader('Authorization', "Bearer $token")
            ->deleteJson("/api/admin/tariffs/{$tariff->id}");

        $response->assertStatus(200);

        echo "☑ 47. DELETE /admin/tariffs/{tariff} - OK\n";

    }

}

```

ExampleTest.php

```

<?php

namespace Tests\Unit;

use PHPUnit\Framework\TestCase;

class ExampleTest extends TestCase
{
    /**
     * A basic test example.

```

```
*/  
  
public function test_that_true_is_true(): void  
{  
    $this->assertTrue(true);  
}  
}
```

app.css

```
@import 'tailwindcss';
```

```
@source '../vendor/laravel/framework/src/Illuminate/Pagination/resources/views/*.blade.php';
```

```
@source '../storage/framework/views/*.php';
```

```
@source '../**/*.blade.php';
```

```
@source '../**/*.js';
```

```
@theme {
```

```
--font-sans: 'Instrument Sans', ui-sans-serif, system-ui, sans-serif, 'Apple Color Emoji', 'Segoe UI Emoji',  
            'Segoe UI Symbol', 'Noto Color Emoji';
```

```
}
```

AboutTitleBlockStyle.module.css

```
.AboutTitleBlock{
```

```
height: 69vh;  
  
width: 100%;  
  
display: flex;  
  
justify-content: center;  
  
align-items: center;  
  
}
```

```
.AboutTitleBlockImg{  
  
height: 100%;  
  
width: 69%;  
  
margin-right: 10%;  
  
}
```

AboutBlockStyle.module.css

```
.AboutBlock{  
  
height: 24%;  
  
width: 100%;  
  
margin-top: 4%;  
  
margin-bottom: 4%;  
  
}
```

```
.AboutBlockContainer{  
  
height: 100%;  
  
width: 100%;  
  
display: flex;  
  
flex-direction: row;
```

```
    justify-content: center;
}
```

```
.AboutBlockImgContainer{
    height: 100%;
    width: 50%;
}
```

```
.AboutBlockTextContainer{
    width: 50%;
    display: flex;
    flex-direction: column;
    align-items: flex-start;
    justify-content: flex-start;
    padding-left: 4%;
    padding-right: 4%;
}
```

```
.AboutBlockRightTextContainer{
    width: 50%;
    display: flex;
    flex-direction: column;
    align-items: flex-end;
    justify-content: flex-start;
    padding-left: 4%;
    padding-right: 4%;
}
```

```
.AboutBlockImg{  
    height: 100%;  
    width: 100%;  
}
```

```
.AboutBlockH1{  
    font-size: 6vh;  
    text-align: left;  
}
```

```
.AboutBlockRightH1{  
    font-size: 6vh;  
    text-align: right;  
}
```

```
.AboutBlockText{  
    font-size: 3vh;  
    color: #848383;  
    text-align: left;  
}
```

```
.AboutBlockRightText{  
    font-size: 3vh;  
    color: #848383;  
    text-align: right;  
}
```

AboutMainBlockStyle.module.css

```
.AboutMainBlock{  
  width: 100%;  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  justify-content: center;  
}
```

```
.AboutMainBlockH1Container{  
  margin-top: 4%;  
  width: 50%;  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  justify-content: center;  
}
```

```
.AboutMainBlockH1{  
  font-size: 4vh;  
}
```

```
.AboutMainBlockBlockContainer{  
  display: flex;
```

```
flex-direction: column;

align-items: center;

justify-content: center;

}
```

aboutUsStyle.module.css

```
* {

  box-sizing: border-box;

}
```

```
html, body {

  margin: 0;

  padding: 0;

  width: 100%;

  height: 100%;

  overflow: visible;

}
```

```
.wrapper {

  width: 100%;

  height: 100%;

}
```

AccidentBlock.module.css

```
.accidentForm {  
    max-width: 800px;  
    margin: 0 auto;  
    padding: 40px 20px;  
    background: white;  
    border-radius: 16px;  
    box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);  
}
```

```
.header {  
    text-align: center;  
    margin-bottom: 30px;  
}
```

```
.title {  
    font-size: 28px;  
    color: #000033;  
    margin-bottom: 10px;  
}
```

```
.subtitle {  
    font-size: 16px;  
    color: #666;  
}
```

```
.progress {  
    display: flex;  
    justify-content: space-between;
```



```
margin-bottom: 40px;  
gap: 10px;  
}
```

```
.step {  
  flex: 1;  
  text-align: center;  
  padding: 12px 8px;  
  background: #f5f5f5;  
  border-radius: 8px;  
  color: #999;  
  font-size: 14px;  
  font-weight: 500;  
}
```

```
.step.active {  
  background: #000033;  
  color: white;  
}
```

```
.content {  
  min-height: 400px;  
}
```

```
.stepContent {  
  animation: fadeIn 0.3s ease;  
}
```

```
@keyframes fadeIn {  
  from {  
    opacity: 0;  
    transform: translateY(10px);  
  }  
  to {  
    opacity: 1;  
    transform: translateY(0);  
  }  
}
```

```
.stepContent h2 {  
  font-size: 22px;  
  color: #333;  
  margin-bottom: 25px;  
  text-align: center;  
}
```

```
.vehicleList,  
.policyList {  
  display: flex;  
  flex-direction: column;  
  gap: 16px;  
  margin-bottom: 20px;  
}
```

```
.vehicleCard,  
.policyCard {
```

```
background: #f8f9fa;

border-radius: 12px;

padding: 16px;

border: 1px solid #e0e0e0;

transition: all 0.3s;

cursor: pointer;

}
```

```
.vehicleCard:hover,

.policyCard:hover {

    box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);

    transform: translateY(-2px);

}
```

```
.vehicleCard.selected,

.policyCard.selected {

    border: 2px solid #000033;

    background: #f0f7ff;

    box-shadow: 0 2px 8px rgba(0, 0, 51, 0.2);

}
```

```
.vehicleCard h4,

.policyCard h4 {

    font-size: 18px;

    font-weight: 600;

    color: #333;

    margin-bottom: 12px;

    padding-bottom: 8px;
```

```
border-bottom: 1px solid #e0e0e0;  
}
```

```
.vehicleCard p,  
.policyCard p {  
    font-size: 14px;  
    color: #666;  
    margin: 4px 0;  
}
```

```
.formGroup {  
    margin-bottom: 20px;  
}
```

```
.formGroup label {  
    display: block;  
    margin-bottom: 8px;  
    font-weight: 500;  
    color: #333;  
}
```

```
.formGroup input,  
.formGroup textarea {  
    width: 100%;  
    padding: 12px 16px;  
    border: 1px solid #ddd;  
    border-radius: 8px;  
    font-size: 16px;
```

```
    transition: border-color 0.3s;

    font-family: inherit;
}
```

```
.formGroup input:focus,
.formGroup textarea:focus {

    outline: none;

    border-color: #000033;
}
```

```
.formGroup textarea {

    resize: vertical;
}
```

```
.infoBlock {

    background: #f8f9fa;

    border-radius: 12px;

    padding: 16px;

    margin: 20px 0;
}
```

```
.infoBlock h4 {

    font-size: 16px;

    font-weight: 600;

    color: #333;

    margin-bottom: 12px;

    padding-bottom: 8px;

    border-bottom: 1px solid #e0e0e0;
```

```
}
```

```
.infoBlock p {  
  font-size: 14px;  
  color: #666;  
  margin: 6px 0;  
}
```

```
.buttons {  
  display: flex;  
  gap: 15px;  
  margin-top: 20px;  
}
```

```
.backButton {  
  flex: 1;  
  padding: 12px;  
  background: #6c757d;  
  color: white;  
  border: none;  
  border-radius: 8px;  
  font-size: 16px;  
  cursor: pointer;  
  transition: background 0.3s;  
}
```

```
.backButton:hover {  
  background: #5a6268;
```

```
}
```

```
.submitButton {  
    flex: 1;  
    padding: 12px;  
    background: #000033;  
    color: white;  
    border: none;  
    border-radius: 8px;  
    font-size: 16px;  
    cursor: pointer;  
    transition: background 0.3s;  
}
```

```
.submitButton:hover {  
    background: #333366;  
}
```

```
.submitButton:disabled {  
    background: #ccc;  
    cursor: not-allowed;  
}
```

```
.addVehicleButton {  
    padding: 12px 24px;  
    background: #4669B0;  
    color: white;  
    border: none;
```

```
border-radius: 8px;

cursor: pointer;

font-size: 16px;

margin-top: 20px;
}
```

```
.addVehicleButton:hover {

    background: #3457a0;
}
```

```
.emptyMessage {

    text-align: center;

    padding: 60px 20px;

    background: #f8f9fa;

    border-radius: 12px;

    color: #666;
}
```

```
.emptyMessage p {

    margin-bottom: 20px;

    font-size: 16px;
}
```

```
.error {

    background: #f8d7da;

    color: #721c24;

    padding: 12px;

    border-radius: 8px;
```



```
margin-bottom: 20px;  
}
```

```
.success {  
  background: #d4edda;  
  color: #155724;  
  padding: 12px;  
  border-radius: 8px;  
  margin-bottom: 20px;  
}
```

accidentStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  height: 100%;  
  overflow: visible;  
}
```

```
.wrapper {  
  width: 100%;
```

```
height: 100%;  
}
```

```
.loading {  
  text-align: center;  
  padding: 50px;  
  font-size: 18px;  
  color: #666;  
}
```

ForgotPasswordForm.module.css

```
.forgotPasswordForm {  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  min-height: calc(100vh - 160px);  
  padding: 40px 20px;  
  background: white;  
}
```

```
.card {  
  background: white;  
  border-radius: 16px;  
  padding: 40px;  
  width: 100%;  
  max-width: 450px;
```

```
    box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);  
}
```

```
.title {  
    font-size: 28px;  
    color: #000033;  
    text-align: center;  
    margin-bottom: 20px;  
}
```

```
.description {  
    text-align: center;  
    color: #666;  
    margin-bottom: 30px;  
    font-size: 14px;  
}
```

```
.demoHint {  
    display: inline-block;  
    margin-top: 8px;  
    padding: 4px 8px;  
    background: #f0f0f0;  
    border-radius: 4px;  
    font-size: 12px;  
    color: #4669B0;  
}
```

```
.formGroup {
```

```
margin-bottom: 20px;  
}
```

```
.formGroup label {  
  display: block;  
  margin-bottom: 8px;  
  font-weight: 500;  
  color: #333;  
}
```

```
.input {  
  width: 100%;  
  padding: 12px 16px;  
  border: 1px solid #ddd;  
  border-radius: 8px;  
  font-size: 16px;  
  transition: border-color 0.3s;  
}
```

```
.input:focus {  
  outline: none;  
  border-color: #000033;  
}
```

```
.errorMessage {  
  color: red;  
  font-size: 12px;  
  margin-top: 4px;
```

```
display: block;  
}
```

```
.error {  
    background: #f8d7da;  
    color: #721c24;  
    padding: 12px;  
    border-radius: 8px;  
    margin-bottom: 20px;  
    text-align: center;  
}
```

```
.success {  
    background: #d4edda;  
    color: #155724;  
    padding: 12px;  
    border-radius: 8px;  
    margin-bottom: 20px;  
    text-align: center;  
}
```

```
.submitButton {  
    width: 100%;  
    padding: 14px;  
    background: #000033;  
    color: white;  
    border: none;  
    border-radius: 8px;
```

```
font-size: 16px;

cursor: pointer;

transition: background 0.3s;

margin-top: 10px;
}
```

```
.submitButton:hover {

    background: #333366;
}
```

```
.submitButton:disabled {

    background: #ccc;

    cursor: not-allowed;
}
```

```
.links {

    text-align: center;

    margin-top: 20px;
}
```

```
.link {

    color: #4669B0;

    text-decoration: none;

    font-size: 14px;
}
```

```
.link:hover {

    text-decoration: underline;
}
```

```
}
```

```
.linkButton {  
    background: none;  
    border: none;  
    color: #4669B0;  
    cursor: pointer;  
    font-size: 14px;  
}
```

```
.linkButton:hover {  
    text-decoration: underline;  
}
```

SignInFormStyle.module.css

```
.SignInForm{  
    background-color: white;  
    width: 100%;  
    height: 90vh;  
}
```

```
.SignInFormH1{  
    font-size: 4vh;  
}
```

```
.SignInFormForm{
```

```
display: flex;

flex-direction: column;

align-items: center;

justify-content: center;

gap: 2%;

width: 100%;

height: 64vh;

}
```

```
.SignInFormFormInput{

height: 8%;

width: 44%;

text-indent: 4%;

color: #9E9E9E;

}
```

```
.errorMessage {

color: red;

font-size: 14px;

margin: 0;

text-align: left;

width: 44%;

}
```

```
.SignInFormFormContainer{

height: 4%;

width: 44%;

display: flex;
```



```
flex-direction: row;

justify-content: space-between;

}
```

```
.SignInFormFormForgotPasswordButton{

display: inline-block;

margin-left: 2%;

border: white;

background-color: white;

font-size: 1.5vh;

color: #616161;

padding-bottom: 2%;

}
```

```
.SignInFormFormButton{

height: 8%;

width: 44%;

background-color: #000033;

border-color: #000033;

color: white;

}
```

```
.SignInFormFormForgotPasswordLink{

text-decoration: none;

}
```

SignUpFormStyle.module.css

```
.SignUpForm{  
  background-color: white;  
  width: 100%;  
  height: 90vh;  
}
```

```
.SignInFormH1{  
  font-size: 4vh;  
  margin: 1%;  
}
```

```
.SignUpFormForm{  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  justify-content: flex-start;  
  gap: 1.5%;  
  width: 100%;  
  height: 90vh;  
}
```

```
.SignUpFormFormInput{  
  height: 6%;  
  width: 44%;  
  text-indent: 4%;  
  color: #9E9E9E;
```

```
}
```

```
.SignUpFormFormButton{  
  height: 8%;  
  width: 44%;  
  background-color: #000033;  
  border-color: #000033;  
  color: white;  
}
```

```
.SignUpFormFormText{  
  font-size: 1vh;  
  color: #9E9E9E;  
}
```

```
.errorMessage {  
  color: red;  
  font-size: 14px;  
  margin: 0;  
  text-align: left;  
  width: 44%;  
}
```

```
.stepIndicator {  
  text-align: center;  
  margin-bottom: 20px;  
  font-size: 16px;  
  color: #666;
```

```
}
```

```
.buttonContainer {  
  display: flex;  
  gap: 15px;  
  justify-content: center;  
  margin-top: 20px;  
  width: 44%;  
}
```

```
.primaryButton {  
  flex: 1;  
  height: 50px;  
  background-color: #000033;  
  color: white;  
  border: none;  
  border-radius: 6px;  
  font-size: 16px;  
  cursor: pointer;  
}
```

```
.secondaryButton {  
  flex: 1;  
  height: 50px;  
  background-color: #666;  
  color: white;  
  border: none;  
  border-radius: 6px;
```

```
font-size: 16px;

cursor: pointer;
}
```

```
.primaryButton:hover {

background-color: #333366;
}
```

```
.secondaryButton:hover {

background-color: #888;
}
```

```
.formError {

background-color: #fee;

border: 1px solid #fcc;

border-radius: 8px;

color: #c00;

font-size: 14px;

margin-bottom: 16px;

padding: 12px 16px;

text-align: center;
}
```

```
.formError {

background-color: #fee;

border: 1px solid #fcc;

border-radius: 8px;

color: #c00;
```

```
font-size: 14px;

margin-bottom: 16px;

padding: 12px 16px;

text-align: center;

}
```

```
.apiErrors {

margin-bottom: 16px;

}
```

```
.fieldError {

background-color: #fee;

border: 1px solid #fcc;

border-radius: 8px;

color: #c00;

font-size: 14px;

margin-bottom: 10px;

padding: 10px 14px;

}
```

```
.errorMessage {

color: #c00;

font-size: 12px;

margin-top: 4px;

display: block;

}
```

forgotPasswordStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  height: 100%;  
}
```

```
.wrapper {  
  width: 100%;  
  height: 100%;  
  overflow: hidden;  
  display: flex;  
  flex-direction: row;  
}
```

```
.main{  
  width: 73%;  
  height: 100%;  
}
```

```
.SideBackgroundContainer{  
  width: 27%;
```

```
    height: 100vh;  
  }
```

signInStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  height: 100%;  
}
```

```
.wrapper {  
  width: 100%;  
  height: 100%;  
  overflow: hidden;  
  display: flex;  
  flex-direction: row;  
}
```

```
.main{  
  width: 73%;  
  height: 100%;
```



```
}
```

```
.SideBackgroundContainer{
```

```
  width: 27%;
```

```
  height: 100vh;
```

```
}
```

```
signUpStyle.module.css
```

```
* {
```

```
  box-sizing: border-box;
```

```
}
```

```
html, body {
```

```
  margin: 0;
```

```
  padding: 0;
```

```
  width: 100%;
```

```
  height: 100%;
```

```
}
```

```
.wrapper {
```

```
  width: 100%;
```

```
  height: 100vh;
```

```
  display: flex;
```

```
  flex-direction: row;
```

```
  overflow: hidden;
```

```
}
```

```
.main{  
    width: 73%;  
    height: 100%;  
}
```

```
.SideBackgroundContainer{  
    width: 27%;  
    height: 100vh;  
}
```

CalculatorBlock.module.css

```
.calculator {  
    max-width: 800px;  
    margin: 0 auto;  
    padding: 40px 20px;  
    background: white;  
    border-radius: 16px;  
    box-shadow: 0 4px 20px rgba(0, 0, 0, 0.1);  
}
```

```
.header {  
    text-align: center;  
    margin-bottom: 30px;  
}
```

```
.header h1 {  
    font-size: 28px;  
    color: #000033;  
    margin-bottom: 20px;  
}
```

```
.tabs {  
    display: flex;  
    justify-content: center;  
    gap: 20px;  
}
```

```
.tab {  
    padding: 10px 30px;  
    font-size: 18px;  
    border: none;  
    background: #f0f0f0;  
    border-radius: 30px;  
    cursor: pointer;  
    transition: all 0.3s;  
}
```

```
.tab.active {  
    background: #000033;  
    color: white;  
}
```

```
.progress {
```

```
display: flex;

justify-content: space-between;

margin-bottom: 40px;

padding: 0 20px;

gap: 10px;

}
```

```
.step {

  flex: 1;

  text-align: center;

  padding: 12px 8px;

  background: #f5f5f5;

  border-radius: 8px;

  color: #999;

  font-size: 14px;

  font-weight: 500;

  transition: all 0.3s;

}
```

```
.step.active {

  background: #000033;

  color: white;

}
```

```
.step.clickable {

  cursor: pointer;

  transition: all 0.3s;

}
```

```
.step.clickable:hover {  
    background: #e0e0e0;  
    transform: translateY(-2px);  
}
```

```
.content {  
    min-height: 400px;  
}
```

```
.stepContent {  
    animation: fadeIn 0.3s ease;  
}
```

```
@keyframes fadeIn {  
    from {  
        opacity: 0;  
        transform: translateY(10px);  
    }  
    to {  
        opacity: 1;  
        transform: translateY(0);  
    }  
}
```

```
.stepContent h2 {  
    font-size: 22px;  
    color: #333;
```

```
margin-bottom: 25px;

text-align: center;

}
```

```
.formGroup {

margin-bottom: 20px;

}
```

```
.formGroup label {

display: block;

margin-bottom: 8px;

font-weight: 500;

color: #333;

}
```

```
.formGroup input,

.formGroup select {

width: 100%;

padding: 12px 16px;

border: 1px solid #ddd;

border-radius: 8px;

font-size: 16px;

transition: border-color 0.3s;

}
```

```
.formGroup input:focus,

.formGroup select:focus {

outline: none;

}
```

```
border-color: #000033;  
}
```

```
.row {  
  display: flex;  
  gap: 20px;  
}
```

```
.row .formGroup {  
  flex: 1;  
}
```

```
.checkboxGroup {  
  margin: 20px 0;  
}
```

```
.checkboxGroup label {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  cursor: pointer;  
}
```

```
.checkboxGroup input {  
  width: 18px;  
  height: 18px;  
}
```

```
.buttons {  
    display: flex;  
    gap: 15px;  
    margin-top: 30px;  
}
```

```
.nextButton,  
.calculateButton,  
.submitButton {  
    flex: 1;  
    padding: 14px;  
    background: #000033;  
    color: white;  
    border: none;  
    border-radius: 8px;  
    font-size: 16px;  
    cursor: pointer;  
    transition: background 0.3s;  
}
```

```
.nextButton:hover,  
.calculateButton:hover,  
.submitButton:hover {  
    background: #333366;  
}
```

```
.prevButton {  
    flex: 1;
```



```
padding: 14px;

background: #6c757d;

color: white;

border: none;

border-radius: 8px;

font-size: 16px;

cursor: pointer;

transition: background 0.3s;

}
```

```
.prevButton:hover {

    background: #5a6268;

}
```

```
.result {

    text-align: center;

    padding: 20px;

}
```

```
.price {

    background: #f8f9fa;

    padding: 30px;

    border-radius: 12px;

    margin-bottom: 30px;

}
```

```
.price span {

    display: block;
```

```
font-size: 18px;  
  
color: #666;  
  
margin-bottom: 10px;  
}
```

```
.price strong {  
  
font-size: 36px;  
  
color: #000033;  
}
```

```
.info {  
  
text-align: left;  
  
background: #f8f9fa;  
  
padding: 20px;  
  
border-radius: 12px;  
  
margin-bottom: 30px;  
}
```

```
.info p {  
  
font-weight: bold;  
  
margin-bottom: 10px;  
}
```

```
.info ul {  
  
margin: 0;  
  
padding-left: 20px;  
}
```

```
.info li {  
    margin: 8px 0;  
    color: #555;  
}
```

```
.resultButtons {  
    display: flex;  
    gap: 15px;  
    margin-top: 20px;  
}
```

```
.resultButtons .prevButton {  
    flex: 1;  
    background: #6c757d;  
}
```

```
.resultButtons .submitButton {  
    flex: 1;  
    background: #000033;  
}
```

```
.resultButtons .prevButton:hover {  
    background: #5a6268;  
}
```

```
.resultButtons .submitButton:hover {  
    background: #333366;  
}
```

```
.errorMessage {  
  color: red;  
  font-size: 14px;  
  margin: 0;  
  text-align: left;  
  width: 44%;  
}
```

```
.vehicleSelector {  
  margin-bottom: 20px;  
}
```

```
.vehicleSelector label {  
  display: block;  
  margin-bottom: 15px;  
  font-weight: 500;  
  color: #333;  
  font-size: 16px;  
}
```

```
.vehicleList {  
  display: flex;  
  flex-direction: column;  
  gap: 16px;  
  margin-bottom: 20px;  
  max-height: 400px;  
  overflow-y: auto;
```

```
}
```

```
.vehicleCard {
```

```
    background: #f8f9fa;
```

```
    border-radius: 12px;
```

```
    padding: 16px;
```

```
    border: 1px solid #e0e0e0;
```

```
    transition: box-shadow 0.3s;
```

```
    cursor: pointer;
```

```
}
```

```
.vehicleCard:hover {
```

```
    box-shadow: 0 2px 8px rgba(0, 0, 0, 0.1);
```

```
}
```

```
.vehicleCard.selected {
```

```
    border: 2px solid #000033;
```

```
    background: #f0f7ff;
```

```
    box-shadow: 0 2px 8px rgba(0, 0, 51, 0.2);
```

```
}
```

```
.vehicleCard h4 {
```

```
    font-size: 18px;
```

```
    font-weight: 600;
```

```
    color: #333;
```

```
    margin-bottom: 12px;
```

```
    padding-bottom: 8px;
```

```
    border-bottom: 1px solid #e0e0e0;
```

```
}
```

```
.vehicleCard p {  
  font-size: 14px;  
  color: #666;  
  margin: 4px 0;  
}
```

```
.addVehicleButton {  
  width: 100%;  
  padding: 12px;  
  background: #4669B0;  
  color: white;  
  border: none;  
  border-radius: 8px;  
  cursor: pointer;  
  font-size: 14px;  
  transition: background 0.3s;  
  margin-top: 10px;  
}
```

```
.addVehicleButton:hover {  
  background: #3457a0;  
}
```

```
.modalOverlay {  
  position: fixed;  
  top: 0;
```

```
left: 0;

right: 0;

bottom: 0;

background: rgba(0, 0, 0, 0.5);

display: flex;

justify-content: center;

align-items: center;

z-index: 1000;

}
```

```
.modal {

  background: white;

  border-radius: 12px;

  padding: 24px;

  width: 90%;

  max-width: 500px;

  max-height: 80vh;

  overflow-y: auto;

}
```

```
.modal h2 {

  margin-bottom: 20px;

  color: #333;

}
```

```
.modal .formGroup {

  margin-bottom: 16px;

}
```

```
.modal .formGroup label {  
  
  display: block;  
  
  margin-bottom: 6px;  
  
  font-weight: 500;  
  
  color: #333;  
  
}
```

```
.modal .formGroup input,  
.modal .formGroup select {  
  
  width: 100%;  
  
  padding: 8px 12px;  
  
  border: 1px solid #ddd;  
  
  border-radius: 6px;  
  
  font-size: 14px;  
  
}
```

```
.modal .row {  
  
  display: grid;  
  
  grid-template-columns: 1fr 1fr;  
  
  gap: 12px;  
  
}
```

```
.modal .checkboxGroup {  
  
  margin: 16px 0;  
  
}
```

```
.modal .checkboxGroup label {
```



```
display: flex;

align-items: center;

gap: 8px;

cursor: pointer;

}
```

```
.modalButtons {

display: flex;

justify-content: flex-end;

gap: 12px;

margin-top: 24px;

}
```

```
.modalButtons button {

padding: 8px 16px;

border-radius: 6px;

cursor: pointer;

font-size: 14px;

}
```

```
.modalButtons button:first-child {

background: #6c757d;

color: white;

border: none;

}
```

```
.modalButtons button:last-child {

background: #4669B0;
```

```
    color: white;

    border: none;
}
```

```
.modalButtons button:last-child:hover {

    background: #3457a0;
}
```

calculatorStyle.module.css

```
* {

    box-sizing: border-box;
}
```

```
html, body {

    margin: 0;

    padding: 0;

    width: 100%;

    height: 100%;

    overflow: visible;
}
```

```
.wrapper {

    width: 100%;

    height: 100%;
}
```

AboutBlockStyle.module.css

```
.AboutBlock{  
  width: 100%;  
  height: 72vh;  
  background-color: white;  
}
```

```
.AboutBlockContainer {  
  float: left;  
  width: 49%;  
  height: 98%;  
  display: flex;  
  flex-direction: column;  
  text-align: center;  
  align-items: center;  
  justify-content: center;  
}
```

```
.AboutBlockH1{  
  color: black;  
  font-size: 4vh;  
  margin: 4%;  
  margin-left: 20%;  
  text-align: left;  
  font-family: 'Verdana';  
}
```

```
.AboutBlockText{  
    color: gray;  
    font-size: 2vh;  
    width: 70%;  
    margin: 1%;  
    text-align: left;  
    margin-left: 11%;  
}
```

```
.AboutBlockLink {  
    text-decoration: none;  
    width: 25%;  
    height: 10%;  
    margin: 4%;  
}
```

```
.AboutBlockButton{  
    width: 100%;  
    height: 100%;  
    background-color: #000033;  
    border: none;  
    color: white;  
    font-size: 1.5vh;  
    border-radius: 6px;  
}
```

```
.AboutBlockImg{
```

```
float: right;  
  
width: 49%;  
  
height: 98%;  
}
```

TitleBlockStyle.module.css

```
.TitleBlock{  
  
  width: 100%;  
  
  height: 72vh;  
}
```

```
.TitleBlockImg{  
  
  float: left;  
  
  width: 49%;  
  
  height: 98%;  
}
```

```
.TitleBlockContainer{  
  
  float: right;  
  
  width: 49%;  
  
  height: 98%;  
  
  display: flex;  
  
  flex-direction: column;  
  
  text-align: center;  
  
  align-items: center;
```

```
background-image: linear-gradient(to right, rgb(232 232 232 / 10.8%), rgb(72 100 111 / 60%)),  
url("../assets/SideBackground/SideBackground.webp");
```

```
background-repeat: no-repeat, no-repeat;
```

```
background-size: cover, cover;
```

```
background-position: center, center;
```

```
}
```

```
.TitleBlockH1{
```

```
color: white;
```

```
font-size: 8vh;
```

```
margin: 4%;
```

```
margin-left: 20%;
```

```
text-align: left;
```

```
font-family: 'Verdana';
```

```
}
```

```
.TitleBlockText{
```

```
color: white;
```

```
font-size: 3vh;
```

```
width: 70%;
```

```
margin: 1%;
```

```
text-align: left;
```

```
margin-left: 11%;
```

```
}
```

```
.TitleBlockLink{
```

```
width: 25%;
```

```
height: 10%;
```

```
text-decoration: none;
```

```
}
```

```
.TitleBlockButton{  
  width: 100%;  
  height: 100%;  
  margin: 4%;  
  background-color: #000033;  
  border-color: #000033;  
  color: white;  
  display: flex;  
  flex-direction: row;  
  text-align: center;  
  justify-content: center;  
  align-items: center;  
  border-radius: 6px;  
}
```

```
.TitleBlockButtonText{  
  display: inline-block;  
  font-size: 1.5vh;  
}
```

```
.TitleBlockButtonImg{  
  display: inline-block;  
}
```

```
@media (max-width: 1400px) {  
  .TitleBlockH1{
```

```
        font-size: 7.5vh;
    }

    .TitleBlockText{

        font-size: 4.4vh;
    }

    .TitleBlockButtonText{

        font-size: 2.5vh;
    }

    .TitleBlockLink{

        width: 30%;
    }
}
```

```
@media (max-width: 1200px) {

    .TitleBlockH1{

        font-size: 6.9vh;
    }

    .TitleBlockText{

        font-size: 4.4vh;
    }

    .TitleBlockButtonText{

        font-size: 2.8vh;
    }

    .TitleBlockLink{

        width: 32%;
    }
}
```



```
@media (max-width: 1024px) {  
  
  .TitleBlockH1{  
  
    font-size: 6.3vh;  
  
  }  
  
  .TitleBlockText{  
  
    font-size: 4vh;  
  
  }  
  
  .TitleBlockButtonText{  
  
    font-size: 2.8vh;  
  
  }  
  
  .TitleBlockLink{  
  
    width: 35%;  
  
  }  
}
```

```
@media (max-width: 1000px) {  
  
  .TitleBlockH1{  
  
    font-size: 7.9vh;  
  
  }  
  
  .TitleBlockText{  
  
    font-size: 5vh;  
  
  }  
  
  .TitleBlockButtonText{  
  
    font-size: 3.5vh;  
  
  }  
  
  .TitleBlockLink{  
  
    width: 38%;  
  
  }  
}
```

```
}
```

```
@media (max-width: 900px) {
```

```
  .TitleBlockH1{
```

```
    font-size: 7vh;
```

```
  }
```

```
  .TitleBlockText{
```

```
    font-size: 4.8vh;
```

```
  }
```

```
  .TitleBlockButtonText{
```

```
    font-size: 3.9vh;
```

```
  }
```

```
  .TitleBlockLink{
```

```
    width: 40%;
```

```
  }
```

```
}
```

```
@media (max-width: 768px) {
```

```
  .TitleBlockH1{
```

```
    font-size: 6.3vh;
```

```
  }
```

```
  .TitleBlockText{
```

```
    font-size: 4.4vh;
```

```
  }
```

```
  .TitleBlockButtonText{
```

```
    font-size: 3.9vh;
```

```
  }
```

```
  .TitleBlockLink{
```

```
        width: 42%;  
    }  
}
```

```
@media (max-width: 650px) {  
    .TitleBlockH1{  
        font-size: 5.5vh;  
    }  
    .TitleBlockText{  
        font-size: 3.9vh;  
    }  
    .TitleBlockButtonText{  
        font-size: 3.6vh;  
    }  
    .TitleBlockLink{  
        width: 45%;  
    }  
}
```

```
@media (max-width: 550px) {  
    .TitleBlockH1{  
        font-size: 4.8vh;  
    }  
    .TitleBlockText{  
        font-size: 3.6vh;  
    }  
    .TitleBlockButtonText{  
        font-size: 3.5vh;  
    }  
}
```

```
}

.TitleBlockLink{

    width: 48%;

}

}

@media (max-width: 450px) {

    .TitleBlockH1{

        font-size: 4.4vh;

    }

    .TitleBlockText{

        font-size: 3.5vh;

    }

    .TitleBlockButtonText{

        font-size: 3.1vh;

    }

    .TitleBlockLink{

        width: 50%;

    }

}
```

CatalogBlockStyle.module.css

```
.CatalogBlock{

    width: 100%;

    height: 100vh;

    background-image: linear-gradient(to right, rgb(232 232 232 / 10.8%), rgb(72 100 111 / 60%)),
    url("../assets/SideBackground/SideBackground.webp");

}
```

```
background-repeat: no-repeat, no-repeat;

background-size: cover, cover;

background-position: center, center;

display: flex;

flex-direction: column;

text-align: center;

justify-content: center;

align-items: center;

}
```

```
.CatalogBlockHead{

  height: 25%;

  width: 100%;

  display: flex;

  flex-direction: column;

  text-align: center;

  justify-content: center;

  align-items: center;

}
```

```
.CatalogBlockHeadH1{

  color: white;

  font-size: 4vh;

}
```

```
.CatalogBlockHeadText{

  color: white;

  font-size: 2vh;
```

```
}
```

```
.CatalogBlockContainer{  
    height: 69%;  
    width: 69%;  
    text-align: center;  
    margin-left: 14%;  
    margin-right: 12%;  
    display: flex;  
    flex-direction: row;  
}
```

CatalogCardStyle.module.css

```
.CatalogBlockCard {  
    background-color: white;  
    height: 89%;  
    width: 44%;  
    margin: 4%;  
    float: left;  
    border: none;  
    border-radius: 6px;  
    display: flex;  
    flex-direction: column;  
    padding-left: 5%;  
    padding-right: 5%;  
}
```

```
.CatalogBlockCardH1Container {  
  
    height: 17%;  
  
    width: 100%;  
  
    display: flex;  
  
    justify-content: center;  
  
    align-items: center;  
  
}
```

```
.CatalogBlockCardTextContainer {  
  
    height: 55%;  
  
    width: 100%;  
  
    display: flex;  
  
    justify-content: flex-start;  
  
    align-items: flex-start;  
  
    flex-direction: column;  
  
    overflow-y: auto;  
  
}
```

```
.CatalogBlockCardList {  
  
    list-style: none;  
  
    padding: 0;  
  
    margin: 0;  
  
    width: 100%;  
  
}
```

```
.CatalogBlockCardListItem {  
  
    position: relative;
```

```
padding-left: 20px;  
margin-bottom: 12px;  
font-size: 2vh;  
line-height: 1.4;  
text-align: left;  
color: #333;  
}
```

```
.CatalogBlockCardListItem::before {  
  content: "•";  
  position: absolute;  
  left: 0;  
  color: #000033;  
  font-size: 2.5vh;  
  font-weight: bold;  
}
```

```
.CatalogBlockCardPriceContainer {  
  height: 18%;  
  width: 100%;  
  display: flex;  
  justify-content: flex-start;  
  align-items: center;  
}
```

```
.CatalogBlockCardButtonContainer {  
  height: 22%;  
  width: 100%;
```



```
display: flex;

justify-content: center;

align-items: center;

}
```

```
.CatalogBlockCardH1 {

font-size: 3vh;

margin: 1%;

margin-top: 7%;

}
```

```
.CatalogBlockCardText {

display: inline-block;

font-size: 1.5vh;

margin: 4%;

margin-right: 2%;

color: #666;

}
```

```
.CatalogBlockCardTextInPrice {

display: inline-block;

font-size: 2.5vh;

margin: 4%;

margin-left: 2%;

font-weight: bold;

color: #000033;

}
```

```
.CatalogBlockCardContainerLink {  
    text-decoration: none;  
    width: 69%;  
    height: 69%;  
    margin: 1%;  
    margin-bottom: 13%;  
}
```

```
.CatalogBlockCardButton {  
    width: 100%;  
    height: 100%;  
    background-color: #000033;  
    border: none;  
    color: white;  
    font-size: 2vh;  
    border-radius: 6px;  
    cursor: pointer;  
    transition: background-color 0.3s ease;  
}
```

```
.CatalogBlockCardButton:hover {  
    background-color: #000066;  
}
```

WhyUsBlockCardStyle.module.css

```
/* WhyUsBlockCardStyle.module.css */
```

```
.WhyUsBlockCard{  
    height: 89%;  
    width: 20%;  
    float: left;  
    margin: 2%;  
}
```

```
.WhyUsBlockCardImg{  
    width: 100%;  
    height: 54%;  
}
```

```
.WhyUsBlockCardH1{  
    margin: 1%;  
}
```

```
.WhyUsBlockCardText{  
    color: gray;  
}
```

```
@media (max-width: 1200px) {  
    .WhyUsBlockCard{  
        width: 18%;  
        margin: 1%;  
    }  
    .WhyUsBlockCardH1{  
        font-size: 2.5vh;  
    }  
}
```

```
.WhyUsBlockCardText{  
    font-size: 1.8vh;  
}  
}
```

```
@media (max-width: 1024px) {
```

```
.WhyUsBlockCard{  
    width: 40%;  
    margin: 2%;  
    height: auto;  
    min-height: 40vh;  
}
```

```
.WhyUsBlockCardImg{  
    height: auto;  
    max-height: 200px;  
}
```

```
.WhyUsBlockCardH1{  
    font-size: 3vh;  
    margin: 3% 0;  
}
```

```
.WhyUsBlockCardText{  
    font-size: 2vh;  
    padding: 0 5%;  
}  
}
```

```
@media (max-width: 768px) {
```

```
.WhyUsBlockCard{
```

```
        width: 80%;

        margin: 3% auto;
    }

    .WhyUsBlockCardH1{

        font-size: 3.5vh;
    }

    .WhyUsBlockCardText{

        font-size: 2.2vh;
    }
}
```

```
@media (max-width: 480px) {

    .WhyUsBlockCard{

        width: 90%;
    }

    .WhyUsBlockCardH1{

        font-size: 3vh;
    }

    .WhyUsBlockCardText{

        font-size: 2vh;
    }
}
```

WhyUsBlockStyle.module.css

```
/* WhyUsBlockStyle.module.css */

.WhyUsBlock{
```

```
width: 100%;  
  
height: 100vh;  
  
text-align: center;  
  
background-color: #F7F8FA;  
  
padding-top: 4%;  
}
```

```
.WhyUsBlockHeader{  
  
    height: 25%;  
  
    width: 100%;  
  
    text-align: center;  
}
```

```
.WhyUsBlockHeaderH1{  
  
    font-size: 9vh;  
  
    margin-top: 0%;  
}
```

```
.WhyUsBlockHeaderText{  
  
    display: inline-block;  
  
    font-size: 2vh;  
  
    color:gray;  
}
```

```
.WhyUsBlockHeaderTextInText{  
  
    display: inline-block;  
  
    font-size: 3vh;  
  
    margin: 1%;  
}
```

```
}
```

```
.WhyUsBlockContainer{
```

```
    height: 70%;
```

```
    width: 88%;
```

```
    margin-left: 8%;
```

```
}
```

```
@media (max-width: 1200px) {
```

```
    .WhyUsBlockContainer{
```

```
        height: auto;
```

```
        display: flex;
```

```
        flex-wrap: wrap;
```

```
        justify-content: center;
```

```
    }
```

```
}
```

```
@media (max-width: 1024px) {
```

```
    .WhyUsBlock{
```

```
        height: auto;
```

```
        padding-bottom: 5%;
```

```
    }
```

```
    .WhyUsBlockHeaderH1{
```

```
        font-size: 7vh;
```

```
    }
```

```
    .WhyUsBlockHeaderText{
```

```
        font-size: 2.5vh;
```

```
    }
```

```
.WhyUsBlockHeaderTextInText{  
    font-size: 3.5vh;  
}  
}
```

```
@media (max-width: 768px) {  
    .WhyUsBlockHeaderH1{  
        font-size: 6vh;  
    }  
    .WhyUsBlockHeaderText{  
        font-size: 2.2vh;  
    }  
    .WhyUsBlockHeaderTextInText{  
        font-size: 3vh;  
    }  
}
```

```
@media (max-width: 480px) {  
    .WhyUsBlockHeaderH1{  
        font-size: 5vh;  
    }  
    .WhyUsBlockHeaderText{  
        font-size: 2vh;  
    }  
    .WhyUsBlockHeaderTextInText{  
        font-size: 2.8vh;  
    }  
}
```


homeStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
a {  
  color: inherit;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  overflow: visible;  
}
```

```
.Wrapper {  
  display: flex;  
  flex-direction: column;  
  background-color: white;  
}
```

Panels.module.css

```
.adminPanel {  
  
  display: flex;  
  
  min-height: 100vh;  
  
  background: #f5f5f5;  
  
}
```

```
.sidebar {  
  
  width: 260px;  
  
  background: #000033;  
  
  color: white;  
  
  display: flex;  
  
  flex-direction: column;  
  
}
```

```
.logo {  
  
  padding: 24px;  
  
  border-bottom: 1px solid rgba(255,255,255,0.1);  
  
}
```

```
.logo h2 {  
  
  margin: 0;  
  
  font-size: 20px;  
  
}
```

```
.nav {  
  
  flex: 1;  
  
  padding: 20px 0;
```

```
}
```

```
.navItem {  
  width: 100%;  
  padding: 14px 24px;  
  background: none;  
  border: none;  
  color: rgba(255,255,255,0.7);  
  text-align: left;  
  font-size: 16px;  
  cursor: pointer;  
  transition: all 0.3s;  
}
```

```
.navItem:hover {  
  background: rgba(255,255,255,0.1);  
  color: white;  
}
```

```
.navItem.active {  
  background: #4669B0;  
  color: white;  
}
```

```
.main {  
  flex: 1;  
  display: flex;  
  flex-direction: column;
```

```
    overflow: hidden;
}
```

```
.header {
    background: white;
    padding: 20px 30px;
    border-bottom: 1px solid #e0e0e0;
}
```

```
.header h1 {
    margin: 0;
    font-size: 24px;
    color: #333;
}
```

```
.content {
    flex: 1;
    padding: 20px 30px;
    overflow-y: auto;
}
```

```
.searchBar, .filterBar {
    margin-bottom: 20px;
}
```

```
.searchInput, .filterSelect {
    width: 100%;
    max-width: 300px;
```

```
padding: 10px 16px;

border: 1px solid #ddd;

border-radius: 8px;

font-size: 14px;

}
```

```
.table {

width: 100%;

background: white;

border-radius: 12px;

overflow: hidden;

box-shadow: 0 1px 3px rgba(0,0,0,0.1);

}
```

```
.table th {

background: #f8f9fa;

padding: 12px 16px;

text-align: left;

font-weight: 600;

color: #333;

border-bottom: 1px solid #e0e0e0;

}
```

```
.table td {

padding: 12px 16px;

border-bottom: 1px solid #f0f0f0;

}
```

```
.table tr:hover {  
    background: #f8f9fa;  
}
```

```
.addButton {  
    margin-bottom: 20px;  
    padding: 10px 20px;  
    background: #4669B0;  
    color: white;  
    border: none;  
    border-radius: 8px;  
    cursor: pointer;  
}
```

```
.editButton, .deleteButton, .cancelButton, .viewButton {  
    padding: 4px 8px;  
    margin: 0 4px;  
    border: none;  
    border-radius: 4px;  
    cursor: pointer;  
}
```

```
.editButton {  
    background: #4669B0;  
    color: white;  
}
```

```
.deleteButton {
```

```
background: #dc3545;  
  
color: white;  
}
```

```
.cancelButton {  
  
background: #ffc107;  
  
color: #333;  
}
```

```
.viewButton {  
  
background: #28a745;  
  
color: white;  
}
```

```
.select, .statusSelect {  
  
padding: 4px 8px;  
  
border: 1px solid #ddd;  
  
border-radius: 4px;  
}
```

```
.status {  
  
padding: 4px 8px;  
  
border-radius: 4px;  
  
font-size: 12px;  
}
```

```
.status.active {  
  
background: #d4edda;
```

```
    color: #155724;  
}
```

```
.status.expired {  
    background: #f8d7da;  
    color: #721c24;  
}
```

```
.status.draft {  
    background: #fff3cd;  
    color: #856404;  
}
```

```
.status.cancelled {  
    background: #e2e3e5;  
    color: #383d41;  
}
```

```
.loading {  
    text-align: center;  
    padding: 40px;  
    color: #666;  
}
```

```
.error {  
    background: #f8d7da;  
    color: #721c24;  
    padding: 12px;
```



```
border-radius: 8px;  
  
margin-bottom: 20px;  
}
```

```
.modalOverlay {  
  position: fixed;  
  
  top: 0;  
  
  left: 0;  
  
  right: 0;  
  
  bottom: 0;  
  
  background: rgba(0,0,0,0.5);  
  
  display: flex;  
  
  justify-content: center;  
  
  align-items: center;  
  
  z-index: 1000;  
}
```

```
.modal {  
  
  background: white;  
  
  border-radius: 12px;  
  
  padding: 24px;  
  
  width: 90%;  
  
  max-width: 500px;  
  
  max-height: 80vh;  
  
  overflow-y: auto;  
}
```

```
.modal h2 {
```

```
margin-bottom: 20px;  
color: #333;  
}
```

```
.formGroup {  
    margin-bottom: 16px;  
}
```

```
.formGroup label {  
    display: block;  
    margin-bottom: 6px;  
    font-weight: 500;  
    color: #333;  
}
```

```
.formGroup input,  
.formGroup select {  
    width: 100%;  
    padding: 8px 12px;  
    border: 1px solid #ddd;  
    border-radius: 6px;  
    font-size: 14px;  
}
```

```
.modalButtons {  
    display: flex;  
    justify-content: flex-end;  
    gap: 12px;
```

```
margin-top: 24px;  
}
```

```
.modalButtons button {  
padding: 8px 16px;  
border-radius: 6px;  
cursor: pointer;  
}
```

```
.modalButtons button:first-child {  
background: #6c757d;  
color: white;  
border: none;  
}
```

```
.modalButtons button:last-child {  
background: #4669B0;  
color: white;  
border: none;  
}
```

```
.navIcon {  
width: 20px;  
height: 20px;  
margin-right: 12px;  
vertical-align: middle;  
}
```

```
.actionIcon {  
  width: 16px;  
  height: 16px;  
  vertical-align: middle;  
}
```

```
.expandedRow {  
  background: #f9f9f9;  
}
```

```
.expandedContent {  
  padding: 16px;  
}
```

```
.expandedContent h4 {  
  margin: 12px 0 8px 0;  
  color: #333;  
  font-size: 14px;  
}
```

```
.expandedContent h4:first-child {  
  margin-top: 0;  
}
```

```
.expandedGrid {  
  display: grid;  
  grid-template-columns: repeat(3, 1fr);  
  gap: 12px;
```

```
margin-bottom: 16px;  
}
```

```
.vehicleInfo {  
  display: flex;  
  gap: 20px;  
  padding: 8px;  
  background: #f0f0f0;  
  border-radius: 8px;  
  margin-bottom: 8px;  
  font-size: 13px;  
}
```

```
.discountInput {  
  padding: 4px 8px;  
  border: 1px solid #ddd;  
  border-radius: 4px;  
  text-align: center;  
}
```

```
.discountInput {  
  width: 70px;  
  padding: 4px 8px;  
  border: 1px solid #ddd;  
  border-radius: 4px;  
  text-align: center;  
}
```

```
.header {  
  
  display: flex;  
  
  justify-content: space-between;  
  
  align-items: center;  
  
  background: white;  
  
  padding: 20px 30px;  
  
  border-bottom: 1px solid #e0e0e0;  
  
}
```

```
.header h1 {  
  
  margin: 0;  
  
  font-size: 24px;  
  
  color: #333;  
  
}
```

```
.headerButton {  
  
  background-color: #4669B0;  
  
  color: white;  
  
  border: none;  
  
  padding: 10px 20px;  
  
  border-radius: 8px;  
  
  cursor: pointer;  
  
  font-size: 14px;  
  
  font-weight: 500;  
  
  transition: background-color 0.3s;  
  
}
```

```
.headerButton:hover {
```

```
background-color: #31548a;  
}
```

```
.addButton {  
    background: #4669B0;  
    color: white;  
    border: none;  
    padding: 10px 20px;  
    border-radius: 8px;  
    cursor: pointer;  
    font-size: 14px;  
    margin-bottom: 20px;  
}
```

```
.addButton:hover {  
    background: #31548a;  
}
```

adminStyle.module.css

```
* {  
    box-sizing: border-box;  
}
```

```
html, body {  
    margin: 0;  
    padding: 0;
```

```
width: 100%;  
height: 100%;  
}
```

```
.wrapper {  
  width: 100%;  
  height: 100%;  
  overflow: hidden;  
  display: flex;  
  flex-direction: column;  
}
```

agentStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  height: 100%;  
}
```

```
.wrapper {
```



```
width: 100%;  
height: 100%;  
overflow: hidden;  
display: flex;  
flex-direction: column;  
}
```

PaymentForm.module.css

```
.paymentForm {  
  max-width: 800px;  
  margin: 0 auto;  
  padding: 40px 20px;  
  background: white;  
  border-radius: 16px;  
  box-shadow: 0 2px 8px rgba(0, 0, 0, 0.08);  
  border: 1px solid #d0d0d0;  
}
```

```
.title {  
  font-size: 28px;  
  color: #000033;  
  text-align: center;  
  margin-bottom: 30px;  
}
```

```
.policyInfo {  
    margin-bottom: 30px;  
    padding-bottom: 20px;  
    border-bottom: 1px solid #e0e0e0;  
}
```

```
.policyInfo h2 {  
    font-size: 18px;  
    color: #333;  
    margin-bottom: 15px;  
}
```

```
.infoRow {  
    display: flex;  
    justify-content: space-between;  
    padding: 8px 0;  
    border-bottom: 1px solid #f0f0f0;  
}
```

```
.infoRow span {  
    color: #666;  
}
```

```
.infoRow strong {  
    color: #333;  
}
```

```
.totalRow {
```

```
display: flex;

justify-content: space-between;

padding: 12px 0;

margin-top: 8px;

border-top: 2px solid #e0e0e0;

font-size: 18px;

}
```

```
.totalRow strong {

  color: #000033;

  font-size: 24px;

}
```

```
.formGroup {

  margin-bottom: 20px;

}
```

```
.formGroup label {

  display: block;

  margin-bottom: 8px;

  font-weight: 500;

  color: #333;

}
```

```
.formGroup input {

  width: 100%;

  padding: 12px 16px;

  border: 1px solid #ddd;
```

```
border-radius: 8px;  
  
font-size: 16px;  
}
```

```
.formGroup input:focus {  
  
  outline: none;  
  
  border-color: #000033;  
}
```

```
.row {  
  
  display: flex;  
  
  gap: 20px;  
}
```

```
.row .formGroup {  
  
  flex: 1;  
}
```

```
.buttons {  
  
  display: flex;  
  
  gap: 15px;  
  
  margin-top: 30px;  
}
```

```
.cancelButton {  
  
  flex: 1;  
  
  padding: 14px;  
  
  background: #6c757d;
```

```
color: white;

border: none;

border-radius: 8px;

font-size: 16px;

cursor: pointer;

}
```

```
.cancelButton:hover {

    background: #5a6268;

}
```

```
.payButton {

    flex: 1;

    padding: 14px;

    background: #000033;

    color: white;

    border: none;

    border-radius: 8px;

    font-size: 16px;

    cursor: pointer;

}
```

```
.payButton:hover {

    background: #333366;

}
```

```
.payButton:disabled {

    background: #ccc;

}
```

```
    cursor: not-allowed;
}
```

```
.error {
    background: #f8d7da;
    color: #721c24;
    padding: 12px;
    border-radius: 8px;
    margin: 20px 0;
    text-align: center;
}
```

```
.successBlock {
    text-align: center;
    padding: 50px 30px;
}
```

```
.successIcon {
    width: 80px;
    height: 80px;
    background: #000033;
    color: white;
    font-size: 50px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    margin: 0 auto 20px;
```

```
}
```

```
.successBlock h2 {  
    color: #000033;  
    margin-bottom: 10px;  
}
```

```
.successBlock p {  
    color: #666;  
}
```

paymentStyle.module.css

```
* {  
    box-sizing: border-box;  
}
```

```
html, body {  
    margin: 0;  
    padding: 0;  
    width: 100%;  
    height: 100%;  
}
```

```
.wrapper {  
    width: 100%;  
    height: 100%;
```

```
overflow: hidden;

display: flex;

flex-direction: column;
}
```

MainPanelLineStyle.module.css

```
.MainPanelLine {

  width: 100%;

  height: 14%;

  display: flex;

  flex-direction: row;

  justify-content: space-between;

  align-items: center;

  border-top: #F3F4F6;

  border-bottom: white;

  border-right: white;

  border-left: white;

  border-style: solid;
}
```

```
.MainPanelLineH1 {

  display: inline-block;

  font-size: 1.5vh;
}
```



```
.MainPanelLineText {  
    display: inline-block;  
    font-size: 1.4vh;  
}
```

```
.editInput {  
    font-size: 1.4vh;  
    padding: 5px;  
}
```

```
@media (max-width: 1600px) {  
    .MainPanelLineH1 {  
        font-size: 1.9vh;  
    }  
    .MainPanelLineText {  
        font-size: 1.8vh;  
    }  
    .editInput {  
        font-size: 1.8vh;  
    }  
}
```

```
@media (max-width: 1366px) {  
    .MainPanelLineH1 {  
        font-size: 2.2vh;  
    }  
    .MainPanelLineText {
```

```
        font-size: 2.1vh;
    }

    .editInput {
        font-size: 2.1vh;
    }
}
```

```
@media (max-width: 1280px) {

    .MainPanelLine {
        height: 16%;
    }

    .MainPanelLineH1 {
        font-size: 2.5vh;
    }

    .MainPanelLineText {
        font-size: 2.4vh;
    }

    .editInput {
        font-size: 2.4vh;
    }
}
```

```
@media (max-width: 1024px) {

    .MainPanelLine {
        height: 17%;
    }

    .MainPanelLineH1 {
        font-size: 2.8vh;
    }
}
```

```
}  
  
.MainPanelLineText {  
    font-size: 2.7vh;  
}  
  
.editInput {  
    font-size: 2.7vh;  
}  
}
```

```
@media (max-width: 900px) {  
  
    .MainPanelLine {  
        height: 18%;  
    }  
  
    .MainPanelLineH1 {  
        font-size: 3.1vh;  
    }  
  
    .MainPanelLineText {  
        font-size: 3vh;  
    }  
  
    .editInput {  
        font-size: 3vh;  
    }  
}
```

```
@media (max-width: 768px) {  
  
    .MainPanelLine {  
        height: 19%;  
    }  
}
```

```
.MainPanelLineH1 {  
    font-size: 3.4vh;  
}  
  
.MainPanelLineText {  
    font-size: 3.3vh;  
}  
  
.editInput {  
    font-size: 3.3vh;  
}  
}
```

```
@media (max-width: 640px) {  
    .MainPanelLine {  
        height: 20%;  
    }  
  
    .MainPanelLineH1 {  
        font-size: 3.7vh;  
    }  
  
    .MainPanelLineText {  
        font-size: 3.6vh;  
    }  
  
    .editInput {  
        font-size: 3.6vh;  
    }  
}
```

```
@media (max-width: 480px) {  
    .MainPanelLine {
```

```
        height: 22%;  
    }  
    .MainPanelLineH1 {  
        font-size: 4vh;  
    }  
    .MainPanelLineText {  
        font-size: 3.9vh;  
    }  
    .editInput {  
        font-size: 3.9vh;  
    }  
}
```

MainPanelStyle.module.css

```
.MainPanel{  
    height: 95%;  
    width: 90%;  
    margin-left: 5%;  
    display: flex;  
    flex-direction: column;  
}
```

```
.MainPanelHead{  
    height: 15%;  
    width: 100%;  
    text-align: left;
```

```
flex-shrink: 0;  
}
```

```
.MainPanelHeadH1{  
  font-size: 2vh;  
}
```

```
.MainPanelHeadText{  
  font-size: 1.5vh;  
}
```

```
.MainPanelContainer{  
  flex: 1;  
  overflow-y: auto;  
  width: 100%;  
  margin: 10px 0;  
}
```

```
.MainPanelButtonContainer{  
  height: 10%;  
  flex-shrink: 0;  
  display: flex;  
  gap: 10px;  
}
```

```
.MainPanelButtonContainer button {  
  height: 69%;  
  width: 44%;
```

```
border-radius: 14px;

background-color: #4669B0;

border-color: #4669B0;

color: white;

cursor: pointer;

}
```

```
.MainPanelButtonContainer button:first-child {

    background-color: #6c757d;

}
```

```
.MainPanelButtonContainer button:last-child {

    background-color: #4669B0;

    border-color: #4669B0;

}
```

```
@media (max-width: 1600px) {

    .MainPanelHeadH1 {

        font-size: 2.3vh;

    }

    .MainPanelHeadText {

        font-size: 1.8vh;

    }

}
```

```
@media (max-width: 1366px) {

    .MainPanelHeadH1 {

        font-size: 2.6vh;
```

```
}  
  
.MainPanelHeadText {  
    font-size: 2.1vh;  
}  
}
```

```
@media (max-width: 1280px) {  
  
    .MainPanelHeadH1 {  
        font-size: 2.9vh;  
    }  
  
    .MainPanelHeadText {  
        font-size: 2.4vh;  
    }  
}
```

```
@media (max-width: 1024px) {  
  
    .MainPanelHeadH1 {  
        font-size: 3.2vh;  
    }  
  
    .MainPanelHeadText {  
        font-size: 2.7vh;  
    }  
}
```

```
@media (max-width: 900px) {  
  
    .MainPanelHeadH1 {  
        font-size: 3.5vh;  
    }  
}
```



```
.MainPanelHeadText {  
    font-size: 3vh;  
}  
}
```

```
@media (max-width: 768px) {  
    .MainPanelHeadH1 {  
        font-size: 3.8vh;  
    }  
    .MainPanelHeadText {  
        font-size: 3.3vh;  
    }  
}
```

```
@media (max-width: 640px) {  
    .MainPanelHeadH1 {  
        font-size: 4.2vh;  
    }  
    .MainPanelHeadText {  
        font-size: 3.6vh;  
    }  
    .MainPanelButtonContainer button {  
        font-size: 2vh;  
    }  
}
```

```
@media (max-width: 480px) {  
    .MainPanelHeadH1 {
```

```
        font-size: 4.5vh;
    }

    .MainPanelHeadText {

        font-size: 4vh;

    }

    .MainPanelButtonContainer button {

        font-size: 2.2vh;

    }
}
```

AccidentsPanel.module.css

```
.accidentsPanel {

    padding: 20px;

    height: 100%;

    display: flex;

    flex-direction: column;

}

.header {

    display: flex;

    justify-content: space-between;

    align-items: center;

    margin-bottom: 24px;

    flex-shrink: 0;

    flex-wrap: wrap;

    gap: 12px;
```

```
}
```

```
.title {
```

```
margin: 0;
```

```
font-size: 24px;
```

```
color: #333;
```

```
}
```

```
.reportButton {
```

```
background-color: #4669B0;
```

```
color: white;
```

```
border: none;
```

```
padding: 8px 16px;
```

```
border-radius: 8px;
```

```
cursor: pointer;
```

```
font-size: 14px;
```

```
font-weight: 500;
```

```
transition: background-color 0.3s;
```

```
white-space: nowrap;
```

```
}
```

```
.reportButton:hover {
```

```
background-color: #4669B0;
```

```
}
```

```
.accidentsContainer {
```

```
flex: 1;
```

```
overflow-x: auto;
```

```
}
```

```
.table {  
  width: 100%;  
  background: white;  
  border-radius: 12px;  
  overflow: hidden;  
  box-shadow: 0 1px 3px rgba(0,0,0,0.1);  
}
```

```
.table th {  
  background: #f8f9fa;  
  padding: 12px 16px;  
  text-align: left;  
  font-weight: 600;  
  color: #333;  
  border-bottom: 1px solid #e0e0e0;  
}
```

```
.table td {  
  padding: 12px 16px;  
  border-bottom: 1px solid #f0f0f0;  
}
```

```
.table tr:hover {  
  background: #f8f9fa;  
}
```

```
.status {  
  
  padding: 4px 8px;  
  
  border-radius: 4px;  
  
  font-size: 12px;  
  
  font-weight: 500;  
  
  display: inline-block;  
  
}
```

```
.statusPending {  
  
  background: #fff3cd;  
  
  color: #856404;  
  
}
```

```
.statusApproved {  
  
  background: #d4edda;  
  
  color: #155724;  
  
}
```

```
.statusRejected {  
  
  background: #f8d7da;  
  
  color: #721c24;  
  
}
```

```
.statusPaid {  
  
  background: #c5e1a5;  
  
  color: #004085;  
  
}
```

```
.viewButton {  
    padding: 4px 12px;  
    background: #4669B0;  
    color: white;  
    border: none;  
    border-radius: 4px;  
    cursor: pointer;  
    font-size: 12px;  
}
```

```
.viewButton:hover {  
    background: #31548a;  
}
```

```
.emptyMessage {  
    text-align: center;  
    padding: 60px 20px;  
    color: #666;  
}
```

```
.emptyReportButton {  
    background-color: #dc3545;  
    color: white;  
    border: none;  
    padding: 10px 20px;  
    border-radius: 8px;  
    cursor: pointer;  
    font-size: 14px;
```

```
margin-top: 20px;
}

.emptyReportButton:hover {
  background-color: #c82333;
}
```

```
.error {
  background: #f8d7da;
  color: #721c24;
  padding: 12px;
  border-radius: 8px;
  margin-bottom: 20px;
  flex-shrink: 0;
}
```

```
.modalOverlay {
  position: fixed;
  top: 0;
  left: 0;
  right: 0;
  bottom: 0;
  background: rgba(0,0,0,0.5);
  display: flex;
  justify-content: center;
  align-items: center;
  z-index: 1000;
}
```

```
.modal {  
  
  background: white;  
  
  border-radius: 12px;  
  
  padding: 24px;  
  
  width: 90%;  
  
  max-width: 500px;  
  
  max-height: 80vh;  
  
  overflow-y: auto;  
  
}
```

```
.modal h2 {  
  
  margin: 0 0 20px 0;  
  
  color: #333;  
  
}
```

```
.details {  
  
  margin-bottom: 24px;  
  
}
```

```
.detailRow {  
  
  margin-bottom: 12px;  
  
  padding: 8px 0;  
  
  border-bottom: 1px solid #f0f0f0;  
  
}
```

```
.detailRow strong {  
  
  display: inline-block;
```



```
width: 120px;

color: #555;
}
```

```
.modalButtons {

  display: flex;

  justify-content: flex-end;
}
```

```
.modalButtons button {

  padding: 8px 20px;

  background: #4669B0;

  color: white;

  border: none;

  border-radius: 6px;

  cursor: pointer;
}
```

```
.modalButtons button:hover {

  background: #31548a;
}
```

```
@media (max-width: 1600px) {

  .title {

    font-size: 2.5vh;

  }

  .reportButton {

    font-size: 1.8vh;
  }
}
```

```
        padding: 0.8vh 1.8vh;
    }

    .table th {

        padding: 1.5vh 2vh;

        font-size: 1.8vh;
    }

    .table td {

        padding: 1.5vh 2vh;

        font-size: 1.8vh;
    }

    .status {

        font-size: 1.6vh;

        padding: 0.5vh 1vh;
    }

    .viewButton {

        font-size: 1.6vh;

        padding: 0.5vh 1.5vh;
    }
}
```

```
@media (max-width: 1366px) {

    .title {

        font-size: 2.8vh;
    }

    .reportButton {

        font-size: 2vh;

        padding: 1vh 2vh;
    }
}
```

```
.table th {  
    padding: 1.8vh 2.2vh;  
    font-size: 2vh;  
}  
  
.table td {  
    padding: 1.8vh 2.2vh;  
    font-size: 2vh;  
}  
  
.status {  
    font-size: 1.8vh;  
    padding: 0.6vh 1.2vh;  
}  
  
.viewButton {  
    font-size: 1.8vh;  
    padding: 0.6vh 1.8vh;  
}  
}
```

```
@media (max-width: 1280px) {  
    .title {  
        font-size: 3vh;  
    }  
  
    .reportButton {  
        font-size: 2.2vh;  
        padding: 1.2vh 2.2vh;  
    }  
  
    .table th {  
        padding: 2vh 2.5vh;
```

```
        font-size: 2.2vh;
    }

    .table td {

        padding: 2vh 2.5vh;

        font-size: 2.2vh;
    }

    .status {

        font-size: 2vh;

        padding: 0.7vh 1.3vh;
    }

    .viewButton {

        font-size: 2vh;

        padding: 0.7vh 2vh;
    }
}
```

```
@media (max-width: 1024px) {

    .title {

        font-size: 3.2vh;
    }

    .reportButton {

        font-size: 2.4vh;

        padding: 1.4vh 2.4vh;
    }

    .table th {

        padding: 2.2vh 2.8vh;

        font-size: 2.4vh;
    }
}
```

```
.table td {  
    padding: 2.2vh 2.8vh;  
    font-size: 2.4vh;  
}  
  
.status {  
    font-size: 2.2vh;  
    padding: 0.8vh 1.4vh;  
}  
  
.viewButton {  
    font-size: 2.2vh;  
    padding: 0.8vh 2.2vh;  
}  
}
```

```
@media (max-width: 900px) {
```

```
    .title {  
        font-size: 3.5vh;  
    }  
  
    .reportButton {  
        font-size: 2.6vh;  
        padding: 1.6vh 2.6vh;  
    }
```

```
    .table th {  
        padding: 2.5vh 3vh;  
        font-size: 2.6vh;  
    }
```

```
    .table td {  
        padding: 2.5vh 3vh;
```

```
    font-size: 2.6vh;
  }

  .status {

    font-size: 2.4vh;

    padding: 0.9vh 1.5vh;
  }

  .viewButton {

    font-size: 2.4vh;

    padding: 0.9vh 2.4vh;
  }
}
```

```
@media (max-width: 768px) {
```

```
  .header {

    flex-direction: column;

    align-items: stretch;
  }
```

```
  .title {

    font-size: 3.8vh;

    text-align: center;
  }
```

```
  .reportButton {

    font-size: 2.8vh;

    padding: 1.8vh 2.8vh;

    width: 100%;

    white-space: normal;
  }
```

```
  .table th {
```

```
padding: 2.8vh 3.2vh;

font-size: 2.8vh;
}

.table td {

padding: 2.8vh 3.2vh;

font-size: 2.8vh;
}

.status {

font-size: 2.6vh;

padding: 1vh 1.6vh;
}

.viewButton {

font-size: 2.6vh;

padding: 1vh 2.6vh;
}
}
```

```
@media (max-width: 640px) {

.title {

font-size: 4vh;
}

.reportButton {

font-size: 3vh;

padding: 2vh 3vh;

width: 100%;

white-space: normal;
}

.table th {
```

```
padding: 3vh 3.5vh;

font-size: 3vh;
}

.table td {

padding: 3vh 3.5vh;

font-size: 3vh;
}

.status {

font-size: 2.8vh;

padding: 1.1vh 1.7vh;
}

.viewButton {

font-size: 2.8vh;

padding: 1.1vh 2.8vh;
}
}
```

```
@media (max-width: 480px) {

.title {

font-size: 4.2vh;
}

.reportButton {

font-size: 3.2vh;

padding: 2.2vh 3.2vh;

width: 100%;

white-space: normal;
}

.table th {
```



```
padding: 3.2vh 3.8vh;

font-size: 3.2vh;
}

.table td {

padding: 3.2vh 3.8vh;

font-size: 3.2vh;
}

.status {

font-size: 3vh;

padding: 1.2vh 1.8vh;
}

.viewButton {

font-size: 3vh;

padding: 1.2vh 3vh;
}
}
```

HistoryPanel.module.css

```
.historyPanel {

padding: 30px;

height: 100%;

overflow-y: auto;

width: 100%;

box-sizing: border-box;
}
```

```
.historyHeader {  
    display: flex;  
    align-items: center;  
    gap: 10px;  
    margin-bottom: 20px;  
    width: 100%;  
}
```

```
.historyTitle {  
    font-size: 24px;  
    color: #000033;  
    margin: 0;  
}
```

```
.historyContainer {  
    display: flex;  
    flex-direction: column;  
    gap: 20px;  
    width: 100%;  
}
```

```
.policyCard {  
    background-color: #f8f9fa;  
    border-radius: 10px;  
    padding: 20px;  
    border-left: 4px solid #000033;  
    width: 100%;  
    box-sizing: border-box;
```

```
}
```

```
.policyHeader {  
  display: flex;  
  justify-content: space-between;  
  align-items: center;  
  margin-bottom: 15px;  
  width: 100%;  
  flex-wrap: wrap;  
  gap: 10px;  
}
```

```
.policyNumber {  
  font-size: 18px;  
  font-weight: bold;  
  color: #000033;  
}
```

```
.policyStatus {  
  padding: 5px 10px;  
  border-radius: 15px;  
  font-size: 14px;  
}
```

```
.policyStatus.active {  
  background-color: #d4edda;  
  color: #155724;  
}
```

```
.policyStatus.completed {  
    background-color: #f8d7da;  
    color: #721c24;  
}
```

```
.policyInfo {  
    width: 100%;  
}
```

```
.policyInfo p {  
    margin: 8px 0;  
    font-size: 14px;  
    color: #333;  
    width: 100%;  
}
```

```
.policyInfo strong {  
    color: #000033;  
    width: 120px;  
    display: inline-block;  
}
```

```
.emptyMessage {  
    text-align: center;  
    padding: 40px;  
    color: #666;  
}
```

```
.emptyMessage p:first-child {  
    font-size: 18px;  
    margin-bottom: 10px;  
}
```

```
.emptyMessage p:last-child {  
    font-size: 14px;  
    color: #999;  
}
```

```
.goToCalculatorButton {  
    margin-top: 20px;  
    padding: 12px 24px;  
    background-color: #000033;  
    color: white;  
    border: none;  
    border-radius: 8px;  
    cursor: pointer;  
    font-size: 16px;  
    transition: background 0.3s;  
}
```

```
.goToCalculatorButton:hover {  
    background-color: #333366;  
}
```

```
@media (max-width: 1600px) {
```

```
.historyPanel {  
    padding: 2.5vh;  
}  
  
.historyTitle {  
    font-size: 2.5vh;  
}  
  
.policyCard {  
    padding: 1.8vh;  
}  
  
.policyNumber {  
    font-size: 2vh;  
}  
  
.policyStatus {  
    font-size: 1.6vh;  
    padding: 0.5vh 1.2vh;  
}  
  
.policyInfo p {  
    font-size: 1.6vh;  
    margin: 0.8vh 0;  
}  
  
.policyInfo strong {  
    width: 14vh;  
}  
}
```

```
@media (max-width: 1366px) {  
    .historyPanel {  
        padding: 2.8vh;  
    }
```

```
}  
  
.historyTitle {  
    font-size: 2.8vh;  
}  
  
.policyCard {  
    padding: 2vh;  
}  
  
.policyNumber {  
    font-size: 2.2vh;  
}  
  
.policyStatus {  
    font-size: 1.8vh;  
    padding: 0.6vh 1.4vh;  
}  
  
.policyInfo p {  
    font-size: 1.8vh;  
    margin: 1vh 0;  
}  
  
.policyInfo strong {  
    width: 15vh;  
}  
}
```

```
@media (max-width: 1280px) {
```

```
    .historyPanel {  
        padding: 3vh;  
    }
```

```
    .historyTitle {
```

```
        font-size: 3vh;
    }

    .policyCard {
        padding: 2.2vh;
    }

    .policyNumber {
        font-size: 2.4vh;
    }

    .policyStatus {
        font-size: 2vh;
        padding: 0.7vh 1.5vh;
    }

    .policyInfo p {
        font-size: 2vh;
        margin: 1.2vh 0;
    }

    .policyInfo strong {
        width: 16vh;
    }
}
```

```
@media (max-width: 1024px) {

    .historyPanel {
        padding: 3.2vh;
    }

    .historyTitle {
        font-size: 3.2vh;
    }
}
```



```
.policyCard {  
    padding: 2.4vh;  
}  
  
.policyNumber {  
    font-size: 2.6vh;  
}  
  
.policyStatus {  
    font-size: 2.2vh;  
    padding: 0.8vh 1.6vh;  
}  
  
.policyInfo p {  
    font-size: 2.2vh;  
    margin: 1.4vh 0;  
}  
  
.policyInfo strong {  
    width: 17vh;  
}  
}
```

```
@media (max-width: 900px) {
```

```
    .historyPanel {  
        padding: 3.5vh;  
    }
```

```
    .historyTitle {  
        font-size: 3.5vh;  
    }
```

```
    .policyCard {  
        padding: 2.6vh;
```

```
}

.policyNumber {
    font-size: 2.8vh;
}

.policyStatus {
    font-size: 2.4vh;
    padding: 0.9vh 1.7vh;
}

.policyInfo p {
    font-size: 2.4vh;
    margin: 1.6vh 0;
}

.policyInfo strong {
    width: 18vh;
}
}

@media (max-width: 768px) {
    .historyPanel {
        padding: 3.8vh;
    }

    .historyTitle {
        font-size: 3.8vh;
        text-align: center;
        width: 100%;
    }

    .historyHeader {
        justify-content: center;
    }
}
```

```
}  
  
.policyCard {  
  padding: 2.8vh;  
}  
  
.policyHeader {  
  flex-direction: column;  
  align-items: flex-start;  
}  
  
.policyNumber {  
  font-size: 3vh;  
}  
  
.policyStatus {  
  font-size: 2.6vh;  
  padding: 1vh 1.8vh;  
}  
  
.policyInfo p {  
  font-size: 2.6vh;  
  margin: 1.8vh 0;  
}  
  
.policyInfo strong {  
  width: 19vh;  
}  
  
.goToCalculatorButton {  
  font-size: 2.6vh;  
  padding: 1.8vh 3.6vh;  
}  
}
```

```
@media (max-width: 640px) {
```

```
  .historyPanel {
```

```
    padding: 4vh;
```

```
  }
```

```
  .historyTitle {
```

```
    font-size: 4vh;
```

```
  }
```

```
  .policyCard {
```

```
    padding: 3vh;
```

```
  }
```

```
  .policyNumber {
```

```
    font-size: 3.2vh;
```

```
  }
```

```
  .policyStatus {
```

```
    font-size: 2.8vh;
```

```
    padding: 1.1vh 1.9vh;
```

```
  }
```

```
  .policyInfo p {
```

```
    font-size: 2.8vh;
```

```
    margin: 2vh 0;
```

```
  }
```

```
  .policyInfo strong {
```

```
    width: 20vh;
```

```
    display: block;
```

```
    margin-bottom: 0.5vh;
```

```
  }
```

```
  .goToCalculatorButton {
```

```
    font-size: 2.8vh;
```

```
        padding: 2vh 4vh;
    }
}
```

```
@media (max-width: 480px) {
```

```
    .historyPanel {
        padding: 4.2vh;
    }
```

```
    .historyTitle {
        font-size: 4.2vh;
    }
```

```
    .policyCard {
        padding: 3.2vh;
    }
```

```
    .policyNumber {
        font-size: 3.4vh;
    }
```

```
    .policyStatus {
        font-size: 3vh;
        padding: 1.2vh 2vh;
    }
```

```
    .policyInfo p {
        font-size: 3vh;
        margin: 2.2vh 0;
    }
```

```
    .policyInfo strong {
        width: 22vh;
        display: block;
```

```
        margin-bottom: 0.8vh;
    }

    .goToCalculatorButton {
        font-size: 3vh;
        padding: 2.2vh 4.2vh;
    }
}
```

NotificationsPanel.module.css

```
.notificationsPanel {
    padding: 30px;
    height: 100%;
    overflow-y: auto;
}
```

```
.notificationsHeader {
    display: flex;
    align-items: center;
    gap: 10px;
    margin-bottom: 20px;
}
```

```
.notificationsTitle {
    font-size: 24px;
    color: #000033;
    margin: 0;
```

```
}
```

```
.headerBadge {  
  background-color: #ff4444;  
  color: white;  
  border-radius: 50%;  
  padding: 4px 8px;  
  font-size: 14px;  
  min-width: 24px;  
  height: 24px;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
}
```

```
.notificationsContainer {  
  display: flex;  
  flex-direction: column;  
  gap: 15px;  
  margin-bottom: 20px;  
}
```

```
.notificationCard {  
  background-color: white;  
  border-radius: 10px;  
  padding: 20px;  
  border: 1px solid #ddd;  
  cursor: pointer;
```

```
}
```

```
.notificationCard.unread {  
    border-left: 4px solid #4669B0;  
    background-color: #f0f7ff;  
}
```

```
.notificationCard.read {  
    opacity: 0.7;  
}
```

```
.notificationContent p {  
    margin: 0 0 8px 0;  
    font-size: 14px;  
    color: #333;  
}
```

```
.notificationDate {  
    font-size: 12px;  
    color: #999;  
}
```

```
.markAllButton {  
    width: 100%;  
    padding: 12px;  
    background-color: #4669B0;  
    color: white;  
    border: none;
```



```
border-radius: 6px;

cursor: pointer;

font-size: 16px;
}

.markAllButton:hover {

background-color: #3457a0;
}
```

```
@media (max-width: 1600px) {

.notificationsPanel {

padding: 2.5vh;
}

.notificationsTitle {

font-size: 2.5vh;
}

.headerBadge {

font-size: 1.6vh;

min-width: 2.5vh;

height: 2.5vh;

padding: 0.4vh 0.8vh;
}

.notificationCard {

padding: 1.8vh;
}

.notificationContent p {

font-size: 1.6vh;

margin-bottom: 0.8vh;
}
```

```
}  
  
.notificationDate {  
    font-size: 1.4vh;  
}  
  
.markAllButton {  
    font-size: 1.8vh;  
    padding: 1.2vh;  
}  
}
```

```
@media (max-width: 1366px) {
```

```
    .notificationsPanel {  
        padding: 2.8vh;  
    }  

```

```
    .notificationsTitle {  
        font-size: 2.8vh;  
    }  

```

```
    .headerBadge {  
        font-size: 1.8vh;  
        min-width: 2.8vh;  
        height: 2.8vh;  
        padding: 0.5vh 0.9vh;  
    }  

```

```
    .notificationCard {  
        padding: 2vh;  
    }  

```

```
    .notificationContent p {  
        font-size: 1.8vh;  
    }  
}
```

```
        margin-bottom: 1vh;
    }

    .notificationDate {
        font-size: 1.6vh;
    }

    .markAllButton {
        font-size: 2vh;
        padding: 1.4vh;
    }
}
```

```
@media (max-width: 1280px) {

    .notificationsPanel {
        padding: 3vh;
    }

    .notificationsTitle {
        font-size: 3vh;
    }

    .headerBadge {
        font-size: 2vh;
        min-width: 3vh;
        height: 3vh;
        padding: 0.5vh 1vh;
    }

    .notificationCard {
        padding: 2.2vh;
    }

    .notificationContent p {
```

```
    font-size: 2vh;

    margin-bottom: 1.2vh;
}

.notificationDate {

    font-size: 1.8vh;
}

.markAllButton {

    font-size: 2.2vh;

    padding: 1.6vh;
}
}
```

```
@media (max-width: 1024px) {

    .notificationsPanel {

        padding: 3.2vh;
    }

    .notificationsTitle {

        font-size: 3.2vh;
    }

    .headerBadge {

        font-size: 2.2vh;

        min-width: 3.2vh;

        height: 3.2vh;

        padding: 0.6vh 1.1vh;
    }

    .notificationCard {

        padding: 2.4vh;
    }
}
```

```
.notificationContent p {  
    font-size: 2.2vh;  
    margin-bottom: 1.4vh;  
}  
  
.notificationDate {  
    font-size: 2vh;  
}  
  
.markAllButton {  
    font-size: 2.4vh;  
    padding: 1.8vh;  
}  
}
```

```
@media (max-width: 900px) {
```

```
    .notificationsPanel {  
        padding: 3.5vh;  
    }  

```

```
    .notificationsTitle {  
        font-size: 3.5vh;  
    }  

```

```
    .headerBadge {  
        font-size: 2.4vh;  
        min-width: 3.5vh;  
        height: 3.5vh;  
        padding: 0.6vh 1.2vh;  
    }  

```

```
    .notificationCard {  
        padding: 2.6vh;  
    }  
}
```

```
}  
  
.notificationContent p {  
    font-size: 2.4vh;  
    margin-bottom: 1.6vh;  
}  
  
.notificationDate {  
    font-size: 2.2vh;  
}  
  
.markAllButton {  
    font-size: 2.6vh;  
    padding: 2vh;  
}  
}
```

```
@media (max-width: 768px) {  
    .notificationsPanel {  
        padding: 3.8vh;  
    }  
  
    .notificationsHeader {  
        justify-content: center;  
    }  
  
    .notificationsTitle {  
        font-size: 3.8vh;  
    }  
  
    .headerBadge {  
        font-size: 2.6vh;  
        min-width: 3.8vh;  
        height: 3.8vh;  
    }  
}
```

```
        padding: 0.7vh 1.3vh;
    }

    .notificationCard {
        padding: 2.8vh;
    }

    .notificationContent p {
        font-size: 2.6vh;
        margin-bottom: 1.8vh;
    }

    .notificationDate {
        font-size: 2.4vh;
    }

    .markAllButton {
        font-size: 2.8vh;
        padding: 2.2vh;
    }
}
```

```
@media (max-width: 640px) {

    .notificationsPanel {
        padding: 4vh;
    }

    .notificationsTitle {
        font-size: 4vh;
    }

    .headerBadge {
        font-size: 2.8vh;
        min-width: 4vh;
    }
}
```

```
    height: 4vh;

    padding: 0.7vh 1.4vh;
}

.notificationCard {

    padding: 3vh;
}

.notificationContent p {

    font-size: 2.8vh;

    margin-bottom: 2vh;
}

.notificationDate {

    font-size: 2.6vh;
}

.markAllButton {

    font-size: 3vh;

    padding: 2.4vh;
}
}
```

```
@media (max-width: 480px) {

    .notificationsPanel {

        padding: 4.2vh;
    }

    .notificationsTitle {

        font-size: 4.2vh;
    }

    .headerBadge {

        font-size: 3vh;
    }
}
```



```
    min-width: 4.2vh;

    height: 4.2vh;

    padding: 0.8vh 1.5vh;
}

.notificationCard {

    padding: 3.2vh;
}

.notificationContent p {

    font-size: 3vh;

    margin-bottom: 2.2vh;
}

.notificationDate {

    font-size: 2.8vh;
}

.markAllButton {

    font-size: 3.2vh;

    padding: 2.6vh;
}
}
```

PasswordModal.module.css

```
.modalOverlay {

    position: fixed;

    top: 0;

    left: 0;

    right: 0;
```

```
bottom: 0;

background-color: rgba(0, 0, 0, 0.5);

display: flex;

justify-content: center;

align-items: center;

z-index: 1000;

}
```

```
.modal {

  background-color: white;

  padding: 30px;

  border-radius: 14px;

  width: 400px;

  text-align: center;

}
```

```
.modal h2 {

  margin-bottom: 15px;

  font-size: 24px;

}
```

```
.modal p {

  margin-bottom: 20px;

  color: #666;

}
```

```
.modalInput {

  width: 100%;

}
```

```
padding: 12px;  
  
border: 1px solid #ddd;  
  
border-radius: 6px;  
  
margin-bottom: 20px;  
  
font-size: 16px;  
}
```

```
.modalButtons {  
  
  display: flex;  
  
  gap: 10px;  
}
```

```
.modalButtons button {  
  
  flex: 1;  
  
  padding: 12px;  
  
  border: none;  
  
  border-radius: 6px;  
  
  cursor: pointer;  
  
  font-size: 16px;  
}
```

```
.modalButtons button:first-child {  
  
  background-color: #ddd;  
}
```

```
.modalButtons button:last-child {  
  
  background-color: #000033;  
  
  color: white;
```

```
}
```

VehiclesPanel.module.css

```
.vehiclesPanel {
```

```
  padding: 20px;
```

```
  background: #fff;
```

```
  border-radius: 12px;
```

```
  height: 100%;
```

```
  overflow-y: auto;
```

```
}
```

```
.header {
```

```
  display: flex;
```

```
  justify-content: space-between;
```

```
  align-items: center;
```

```
  margin-bottom: 24px;
```

```
  padding-bottom: 16px;
```

```
  border-bottom: 2px solid #f0f0f0;
```

```
}
```

```
.title {
```

```
  font-size: 24px;
```

```
  color: #333;
```

```
}
```

```
.addButton {
```

```
background: #4669B0;

color: white;

border: none;

padding: 10px 20px;

border-radius: 8px;

cursor: pointer;

font-size: 14px;

transition: background 0.3s;

}
```

```
.addButton:hover {

    background: #4669B0;

}
```

```
.vehiclesContainer {

    display: flex;

    flex-direction: column;

    gap: 16px;

}
```

```
.vehicleCard {

    background: #f8f9fa;

    border-radius: 12px;

    padding: 16px;

    border: 1px solid #e0e0e0;

    transition: box-shadow 0.3s;

}
```

```
.vehicleCard:hover {  
    box-shadow: 0 2px 8px rgba(0,0,0,0.1);  
}
```

```
.vehicleHeader {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    margin-bottom: 12px;  
    padding-bottom: 8px;  
    border-bottom: 1px solid #e0e0e0;  
}
```

```
.vehicleName {  
    font-size: 18px;  
    font-weight: 600;  
    color: #333;  
}
```

```
.deleteButton {  
    background: #dc3545;  
    color: white;  
    border: none;  
    padding: 6px 12px;  
    border-radius: 6px;  
    cursor: pointer;  
    font-size: 12px;  
}
```

```
.deleteButton:hover {  
    background: #c82333;  
}
```

```
.vehicleInfo {  
    display: grid;  
    grid-template-columns: repeat(auto-fill, minmax(200px, 1fr));  
    gap: 8px;  
    font-size: 14px;  
    color: #666;  
}
```

```
.vehicleInfo p {  
    margin: 4px 0;  
}
```

```
.emptyMessage {  
    text-align: center;  
    padding: 60px 20px;  
    background: #f8f9fa;  
    border-radius: 12px;  
    color: #666;  
}
```

```
.emptyMessage p {  
    margin-bottom: 20px;  
    font-size: 16px;
```

```
}
```

```
.addFirstButton {  
  background: #4669B0;  
  color: white;  
  border: none;  
  padding: 12px 24px;  
  border-radius: 8px;  
  cursor: pointer;  
  font-size: 16px;  
}
```

```
.error {  
  background: #f8d7da;  
  color: #721c24;  
  padding: 12px;  
  border-radius: 8px;  
  margin-bottom: 20px;  
}
```

```
.modalOverlay {  
  position: fixed;  
  top: 0;  
  left: 0;  
  right: 0;  
  bottom: 0;  
  background: rgba(0,0,0,0.5);  
  display: flex;
```



```
    justify-content: center;

    align-items: center;

    z-index: 1000;
}
```

```
.modal {

    background: white;

    border-radius: 12px;

    padding: 24px;

    width: 90%;

    max-width: 500px;

    max-height: 80vh;

    overflow-y: auto;
}
```

```
.modal h2 {

    margin-bottom: 20px;

    color: #333;
}
```

```
.formGroup {

    margin-bottom: 16px;
}
```

```
.formGroup label {

    display: block;

    margin-bottom: 6px;

    font-weight: 500;
}
```

```
    color: #333;  
}
```

```
.formGroup input,  
.formGroup select {  
    width: 100%;  
    padding: 8px 12px;  
    border: 1px solid #ddd;  
    border-radius: 6px;  
    font-size: 14px;  
}
```

```
.row {  
    display: grid;  
    grid-template-columns: 1fr 1fr;  
    gap: 12px;  
}
```

```
.checkboxGroup {  
    margin: 16px 0;  
}
```

```
.checkboxGroup label {  
    display: flex;  
    align-items: center;  
    gap: 8px;  
    cursor: pointer;  
}
```

```
.modalButtons {  
  display: flex;  
  justify-content: flex-end;  
  gap: 12px;  
  margin-top: 24px;  
}
```

```
.modalButtons button {  
  padding: 8px 16px;  
  border-radius: 6px;  
  cursor: pointer;  
  font-size: 14px;  
}
```

```
.modalButtons button:first-child {  
  background: #6c757d;  
  color: white;  
  border: none;  
}
```

```
.modalButtons button:last-child {  
  background: #4669B0;  
  color: white;  
  border: none;  
}
```

```
.modalError {
```

```
background-color: #fee;

border: 1px solid #fcc;

color: #c33;

padding: 10px 15px;

border-radius: 6px;

margin-bottom: 15px;

font-size: 14px;

word-break: break-word;

}
```

```
.hint {

display: block;

font-size: 12px;

color: #666;

margin-top: 4px;

}
```

SidePanelLineStyle.module.css

```
.SidePanelLine {

width: 100%;

height: 18%;

display: flex;

flex-direction: row;

justify-content: left;

align-items: center;

}
```

```
.SidePanelLineImg {  
  
    display: inline-block;  
  
    width: 20%;  
  
    height: 100%;  
  
}
```

```
.SidePanelLineButtonLink {  
  
    display: inline-block;  
  
    margin-left: 4%;  
  
}
```

```
.SidePanelLineButton {  
  
    display: inline-block;  
  
    background-color: white;  
  
    border: none;  
  
    font-size: 1.5vh;  
  
}
```

```
.SidePanelLine {  
  
    width: 100%;  
  
    height: 18%;  
  
    display: flex;  
  
    flex-direction: row;  
  
    justify-content: left;  
  
    align-items: center;  
  
    cursor: pointer;  
  
}
```

```
.SidePanelLine.active {  
    background-color: #f0f0f0;  
    border-radius: 8px;  
}
```

```
.SidePanelLineImg {  
    display: inline-block;  
    width: 20%;  
    height: 100%;  
}
```

```
.buttonContainer {  
    display: flex;  
    align-items: center;  
    gap: 10px;  
    margin-left: 4%;  
}
```

```
.SidePanelLineButton {  
    display: inline-block;  
    background-color: white;  
    border: none;  
    font-size: 1.5vh;  
    cursor: pointer;  
}
```

```
.badge {
```

```
background-color: #ff4444;

color: white;

border-radius: 50%;

padding: 2px 6px;

font-size: 12px;

min-width: 18px;

height: 18px;

display: flex;

align-items: center;

justify-content: center;

}
```

```
.SidePanelLineButtonLink {

display: inline-block;

margin-left: 4%;

text-decoration: none;

color: black;

}
```

```
@media (max-width: 1600px) {

  .SidePanelLineButton {

    font-size: 1.9vh;

  }

}
```

```
@media (max-width: 1366px) {

  .SidePanelLine {

    height: 16%;

  }

}
```

```
}  
  
.SidePanelLineButton {  
  
    font-size: 2.2vh;  
  
}  
  
}
```

```
@media (max-width: 1280px) {  
  
    .SidePanelLine {  
  
        height: 15%;  
  
    }  
  
    .SidePanelLineButton {  
  
        font-size: 2.5vh;  
  
    }  
  
    .badge {  
  
        font-size: 11px;  
  
        min-width: 16px;  
  
        height: 16px;  
  
    }  
  
}
```

```
@media (max-width: 1024px) {  
  
    .SidePanelLine {  
  
        height: 14%;  
  
    }  
  
    .SidePanelLineButton {  
  
        font-size: 2.8vh;  
  
    }  
  
    .badge {
```



```
    font-size: 12px;

    min-width: 17px;

    height: 17px;

  }
}
```

```
@media (max-width: 900px) {

  .SidePanellLine {

    height: 13.5%;

  }

  .SidePanellLineButton {

    font-size: 3.1vh;

  }

}
```

```
@media (max-width: 768px) {

  .SidePanellLine {

    height: 13%;

  }

  .SidePanellLineButton {

    font-size: 3.4vh;

  }

}
```

```
@media (max-width: 640px) {

  .SidePanellLine {

    height: 12.5%;

  }

}
```

```
.SidePanelLineButton {  
    font-size: 3.7vh;  
}  
}
```

```
@media (max-width: 480px) {  
    .SidePanelLine {  
        height: 12%;  
    }  
    .SidePanelLineButton {  
        font-size: 4vh;  
    }  
}
```

SidePanelStyle.module.css

```
.SidePanel {  
    height: 95%;  
    width: 69%;  
    margin-left: 10%;  
}
```

```
.SidePanelHead {  
    height: 25%;  
    width: 100%;  
    text-align: left;  
    border-top: white;
```

```
border-bottom: #F3F4F6;  
  
border-right: white;  
  
border-left: white;  
  
border-style: solid;  
  
}
```

```
.SidePanelHeadH1 {  
  
  font-size: 2vh;  
  
}
```

```
.SidePanelHeadText {  
  
  font-size: 1.5vh;  
  
}
```

```
.SidePanelContainer {  
  
  height: 60%;  
  
  width: 100%;  
  
}
```

```
@media (max-width: 1600px) {
```

```
  .SidePanel {  
  
    width: 74%;  
  
    margin-left: 8%;  
  
  }
```

```
  .SidePanelHeadH1 {  
  
    font-size: 2.4vh;  
  
  }
```

```
  .SidePanelHeadText {
```

```
        font-size: 2vh;
    }
}

@media (max-width: 1366px) {
    .SidePanel {
        width: 78%;
        margin-left: 7%;
        height: 96%;
    }
    .SidePanelHead {
        height: 23%;
    }
    .SidePanelHeadH1 {
        font-size: 2.7vh;
    }
    .SidePanelHeadText {
        font-size: 2.3vh;
    }
}
```

```
@media (max-width: 1280px) {
    .SidePanel {
        width: 82%;
        margin-left: 6%;
        height: 97%;
    }
    .SidePanelHead {
```

```
        height: 22%;
    }

    .SidePanelHeadH1 {
        font-size: 3vh;
    }

    .SidePanelHeadText {
        font-size: 2.6vh;
    }

    .SidePanelContainer {
        height: 63%;
    }
}
```

```
@media (max-width: 1024px) {

    .SidePanel {
        width: 86%;
        margin-left: 5%;
        height: 97%;
    }

    .SidePanelHead {
        height: 21%;
    }

    .SidePanelHeadH1 {
        font-size: 3.3vh;
    }

    .SidePanelHeadText {
        font-size: 2.9vh;
    }
}
```

```
.SidePanelContainer {  
    height: 64%;  
}  
}
```

```
@media (max-width: 900px) {
```

```
.SidePanel {  
    width: 90%;  
    margin-left: 4%;  
    height: 98%;  
}
```

```
.SidePanelHead {  
    height: 20%;  
}
```

```
.SidePanelHeadH1 {  
    font-size: 3.6vh;  
}
```

```
.SidePanelHeadText {  
    font-size: 3.2vh;  
}
```

```
.SidePanelContainer {  
    height: 65%;  
}  
}
```

```
@media (max-width: 768px) {
```

```
.SidePanel {  
    width: 94%;
```

```
    margin-left: 3%;

    height: 98%;
}

.SidePanelHead {

    height: 19%;
}

.SidePanelHeadH1 {

    font-size: 3.9vh;
}

.SidePanelHeadText {

    font-size: 3.5vh;
}

.SidePanelContainer {

    height: 66%;
}
}
```

```
@media (max-width: 640px) {

    .SidePanel {

        width: 96%;

        margin-left: 2%;

        height: 99%;
    }

    .SidePanelHead {

        height: 18%;
    }

    .SidePanelHeadH1 {

        font-size: 4.2vh;
    }
}
```

```
}  
  
.SidePanelHeadText {  
    font-size: 3.8vh;  
}  
  
.SidePanelContainer {  
    height: 67%;  
}  
}
```

```
@media (max-width: 480px) {  
  
    .SidePanel {  
        width: 98%;  
        margin-left: 1%;  
        height: 99%;  
    }  
  
    .SidePanelHead {  
        height: 17%;  
    }  
  
    .SidePanelHeadH1 {  
        font-size: 4.5vh;  
    }  
  
    .SidePanelHeadText {  
        font-size: 4.1vh;  
    }  
  
    .SidePanelContainer {  
        height: 68%;  
    }  
}
```


profileStyle.module.css

```
* {  
  box-sizing: border-box;  
}
```

```
html, body {  
  margin: 0;  
  padding: 0;  
  width: 100%;  
  height: 100vh;  
}
```

```
.wrapper {  
  width: 100%;  
  height: 100vh;  
  background-image: url("../..../assets/SideBackground/SideDarkBackground.webp");  
  background-repeat: no-repeat;  
  background-size: cover;  
  background-position: center;  
  overflow: hidden;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
}
```

```
.SidePanelContainer {  
  
    background-color: white;  
  
    border-radius: 14px;  
  
    width: 31%;  
  
    height: 64%;  
  
    display: flex;  
  
    flex-direction: column;  
  
    align-items: left;  
  
    justify-content: center;  
  
}
```

```
.MainPanelContainer {  
  
    background-color: white;  
  
    border-radius: 14px;  
  
    width: 57%;  
  
    height: 94%;  
  
    display: flex;  
  
    flex-direction: column;  
  
    align-items: left;  
  
    justify-content: center;  
  
}
```

```
.panelsContainer {  
  
    width: 80%;  
  
    height: 80%;  
  
    display: flex;  
  
    flex-direction: row;  
  
    align-items: flex-start;
```

```
    justify-content: space-between;
}
```

```
@media (max-width: 1600px) {
    .panelsContainer {
        width: 85%;
        height: 85%;
    }
    .SidePanelContainer {
        width: 30%;
        height: 70%;
    }
    .MainPanelContainer {
        width: 58%;
        height: 92%;
    }
}
```

```
@media (max-width: 1366px) {
    .panelsContainer {
        width: 88%;
        height: 88%;
    }
    .SidePanelContainer {
        width: 32%;
        height: 74%;
    }
    .MainPanelContainer {
```

```
        width: 56%;  
        height: 90%;  
    }  
}
```

```
@media (max-width: 1280px) {  
    .panelsContainer {  
        width: 90%;  
        height: 90%;  
    }  
    .SidePanelContainer {  
        width: 34%;  
        height: 78%;  
    }  
    .MainPanelContainer {  
        width: 54%;  
        height: 88%;  
    }  
}
```

```
@media (max-width: 1024px) {  
    .panelsContainer {  
        width: 92%;  
        height: 92%;  
    }  
    .SidePanelContainer {  
        width: 36%;  
        height: 82%;  
    }  
}
```

```
}

.MainPanelContainer {

    width: 52%;

    height: 86%;

}

}

@media (max-width: 900px) {

    .panelsContainer {

        width: 94%;

        height: 94%;

    }

    .SidePanelContainer {

        width: 38%;

        height: 85%;

    }

    .MainPanelContainer {

        width: 50%;

        height: 88%;

    }

}
```

```
@media (max-width: 768px) {

    .panelsContainer {

        width: 96%;

        height: 96%;

    }

    .SidePanelContainer {
```

```
    width: 40%;

    height: 88%;
}

.MainPanelContainer {

    width: 48%;

    height: 90%;
}
}
```

```
@media (max-width: 640px) {

    .panelsContainer {

        width: 98%;

        height: 98%;
    }

    .SidePanelContainer {

        width: 42%;

        height: 90%;
    }

    .MainPanelContainer {

        width: 46%;

        height: 92%;
    }
}
```

```
}  
  
.SidePanelContainer {  
    width: 44%;  
    height: 92%;  
}  
  
.MainPanelContainer {  
    width: 44%;  
    height: 92%;  
}  
}
```

AuthCheckBoxStyle.module.css

```
.AuthCheckboxContainer{  
    width: 44%;  
    display: inline-block;  
}
```

```
.AuthCheckbox{  
    display: inline-block;  
    margin-right: 2%;  
}
```

```
.AuthCheckboxLabel{  
    display: inline-block;  
    margin-left: 2%;  
    margin-right: 2%;  
}
```

```
font-size: 1.5vh;  
  
color: #616161;  
  
}
```

FooterStyle.module.css

```
.Footer{  
  
  width: 100%;  
  
  height: 22vh;  
  
  display: flex;  
  
  flex-direction: column;  
  
  text-align: center;  
  
  justify-content: center;  
  
  align-items: center;  
  
  grid-gap: 1%;  
  
}
```

```
.FooterImgContainer{  
  
  width: 88%;  
  
  height: 44%;  
  
}
```

```
.FooterImg{  
  
  margin: 1%;  
  
  width: auto;  
  
  height: 8vh;  
  
}
```



```
.FooterButtonContainer{  
    width: 88%;  
    height: 24%;  
    display: flex;  
    flex-direction: row;  
    text-align: center;  
    justify-content: center;  
    align-items: center;  
}
```

```
.FooterButtonContainerLink{  
    text-decoration: none;  
}
```

```
.FooterButton{  
    width: auto;  
    height: 4vh;  
    background-color: white;  
    border: none;  
    font-size: 1.5vh;  
}
```

```
.FooterText{  
    color: gray;  
    font-size: 1vh;  
}
```

```
@media (max-width: 768px) {
```

```
  .Footer{
```

```
    height: auto;
```

```
    padding: 3vh 0;
```

```
  }
```

```
  .FooterImgContainer{
```

```
    height: auto;
```

```
  }
```

```
  .FooterImg{
```

```
    height: 6vh;
```

```
  }
```

```
  .FooterButtonContainer{
```

```
    height: auto;
```

```
    flex-wrap: wrap;
```

```
    gap: 1vh;
```

```
  }
```

```
  .FooterButton{
```

```
    height: 5vh;
```

```
    font-size: 2vh;
```

```
  }
```

```
}
```

```
@media (max-width: 480px) {
```

```
  .FooterButtonContainer{
```

```
    flex-direction: column;
```

```
  }
```

```
  .FooterButton{
```

```
    width: 80%;
```

```
}  
  
.FooterImg{  
    height: 5vh;  
}  
}
```

HeaderStyle.module.css

```
.Header{  
    width: 100%;  
    height: 10vh;  
    margin-bottom: 1%;  
}
```

```
.HeaderLeft{  
    width: 74%;  
    height: 100%;  
    display: inline-block;  
}
```

```
.HeaderLogoButton{  
    float: left;  
    width: 44%;  
    height: 100%;  
    background-color: white;  
    border: none;  
    font-size: 4vh;
```

```
text-align: left;

margin-left: 4%;

outline: none;

}
```

```
.HeaderLeftLink{

text-decoration: none;

}
```

```
.HeaderLeftButtonContainer {

float: right;

width: 50%;

height: 100%;

display: flex;

align-items: center;

justify-content: center;

flex-direction: row;

}
```

```
.HeaderLeftButtonContainerLink{

text-decoration: none;

}
```

```
.HeaderLeftButton{

margin-left: 1%;

margin-right: 1%;

width: 24%;

height: 100%;
```

```
background-color: white;

border: none;

color: gray;

font-size: 1.4vh;

}
```

```
.HeaderLeftContactButton {

margin-left: 1%;

margin-right: 1%;

width: 50%;

height: 100%;

background-color: white;

border: none;

color: gray;

font-size: 1.5vh;

}
```

```
.HeaderLeftContactButtonText{

display: inline-block;

margin: 1%;

}
```

```
.HeaderLeftContactButtonTextInText{

display: inline-block;

margin: 1%;

color: black;

font-weight: bold;

}
```

```
.HeaderRight{  
    width: 25%;  
    height: 100%;  
    display: inline-block;  
}
```

```
.HeaderRightLink{  
    text-decoration: none;  
}
```

```
.HeaderRightButton{  
    float: right;  
    margin: 1%;  
    width: 44%;  
    height: 44%;  
    background-color: #837DBA;  
    border-color: #837DBA;  
    border-radius: 6px;  
    margin-top: 6%;  
    color: white;  
}
```

```
@media (max-width: 1600px) {  
    .HeaderLogoButton{  
        font-size: 32px;  
    }  
    .HeaderLeftButton{
```

```
        font-size: 16px;
    }

    .HeaderLeftContactButton{

        font-size: 16px;
    }

    .HeaderRightButton{

        font-size: 16px;

        width: auto;

        padding: 0 20px;

        white-space: nowrap;
    }
}
```

```
@media (max-width: 1200px) {

    .HeaderLeft{

        width: 70%;
    }

    .HeaderLogoButton{

        font-size: 28px;

        width: 38%;
    }

    .HeaderLeftButtonContainer{

        width: 58%;
    }

    .HeaderLeftButton{

        font-size: 14px;

        width: auto;

        padding: 0 10px;
    }
}
```

```
}

.HeaderLeftContactButton{

    font-size: 14px;

    width: auto;

    padding: 0 10px;

    white-space: nowrap;

}

.HeaderRight{

    width: 28%;

}

.HeaderRightButton{

    font-size: 14px;

    width: auto;

    padding: 0 15px;

    white-space: nowrap;

}

}
```

```
@media (max-width: 1000px) {

    .Header{

        height: auto;

        display: flex;

        flex-direction: column;

    }

    .HeaderLeft{

        width: 100%;

        display: block;

    }

}
```



```
.HeaderLogoButton{
```

```
    float: none;
```

```
    width: 100%;
```

```
    text-align: center;
```

```
    margin-left: 0;
```

```
    font-size: 28px;
```

```
    height: 8vh;
```

```
}
```

```
.HeaderLeftButtonContainer{
```

```
    float: none;
```

```
    width: 100%;
```

```
    justify-content: center;
```

```
    flex-wrap: wrap;
```

```
    height: auto;
```

```
    padding: 1.5vh 0;
```

```
    gap: 10px;
```

```
}
```

```
.HeaderLeftButton{
```

```
    padding: 0 15px;
```

```
    font-size: 18px;
```

```
    height: 6vh;
```

```
}
```

```
.HeaderLeftContactButton{
```

```
    padding: 0 15px;
```

```
    font-size: 18px;
```

```
    height: 6vh;
```

```
    white-space: nowrap;
```

```
}
```

```
.HeaderRight{  
    width: 100%;  
    display: flex;  
    justify-content: center;  
    gap: 15px;  
    height: 8vh;  
    margin-top: 1.5vh;  
}  
  
.HeaderRightButton{  
    float: none;  
    padding: 0 25px;  
    height: 6vh;  
    margin-top: 1.5vh;  
    font-size: 18px;  
    white-space: nowrap;  
}  
}
```

```
@media (max-width: 700px) {  
    .HeaderLeftButton{  
        font-size: 16px;  
        padding: 0 12px;  
    }  
    .HeaderLeftContactButton{  
        font-size: 16px;  
        padding: 0 12px;  
    }  
    .HeaderRightButton{
```

```
    font-size: 16px;

    padding: 0 20px;
}

}
```

```
@media (max-width: 550px) {
```

```
  .HeaderLeftButtonContainer{

    flex-direction: column;

    align-items: center;

    gap: 10px;

  }
```

```
  .HeaderLeftButton{

    width: 90%;

    height: 6vh;

    font-size: 18px;

    padding: 0;

  }
```

```
  .HeaderLeftContactButton{

    width: 90%;

    height: 6vh;

    font-size: 18px;

    white-space: normal;

    padding: 0;

  }
```

```
  .HeaderRight{

    flex-direction: column;

    align-items: center;

    gap: 10px;
```

```
    height: auto;

    margin-top: 2vh;
}

.HeaderRightButton{

    width: 90%;

    height: 6vh;

    margin-top: 0;

    font-size: 18px;

    padding: 0;

    white-space: normal;
}

.HeaderLogoButton{

    font-size: 24px;

    height: 8vh;
}
}
```

```
@media (max-width: 400px) {

    .HeaderLeftButton{

        font-size: 16px;

        height: 7vh;
    }

    .HeaderLeftContactButton{

        font-size: 16px;

        height: 7vh;
    }

    .HeaderRightButton{

        font-size: 16px;
```

```
        height: 7vh;

    }

    .HeaderLogoButton{

        font-size: 20px;

    }

}
```

SideBackgroundStyle.module.css

```
.SideBackground {

    height: 100%;

    width: 100%;

}
```

```
.SideDarkBackgroundImg{

    background-image: linear-gradient(to right, rgb(232 232 232 / 10.8%), rgb(72 100 111 / 60%)),
    url("../assets/SideBackground/SideDarkBackground.webp");

    background-repeat: no-repeat, no-repeat;

    background-size: cover, cover;

    background-position: center, center;

    height: 100%;

    width: 100%;

    transform: scale(1.01)

}
```

```
.SideBackgroundImg{

    background-image: linear-gradient(to right, rgb(232 232 232 / 10.8%), rgb(72 100 111 / 60%)),
    url("../assets/SideBackground/SideBackground.webp");

}
```

```
background-repeat: no-repeat;

background-size: cover;

background-position: center;

height: 100%;

width: 100%;

transform: scale(1.01)

}
```

AuthHeaderStyle.module.css

```
.AuthHeader{

  width: 100%;

  height: 10vh;

  background-color: white;

}
```

```
.AuthHeaderContainer{

  width: 100%;

  height: 100%;

  display: flex;

  flex-direction: row;

  justify-content: space-between;

  align-items: center;

  padding-left: 2%;

  padding-right: 4%;

}
```

```
.AuthHeaderLogoButtonLink{  
    text-decoration: none;  
    width: 12%;  
    height: 44%;  
    display: inline-block;  
    margin: 1%;  
}
```

```
.AuthHeaderLogoButton{  
    width: 100%;  
    height: 100%;  
    background-color: #000033;  
    border-color: #000033;  
    text-align: center;  
    color: white;  
    border-radius: 6px;  
}
```

```
.AuthHeaderRightLink{  
    text-decoration: none;  
    width: 12%;  
    height: 44%;  
    display: inline-block;  
    margin: 1%;  
}
```

```
.AuthHeaderRightButton{  
    width: 100%;
```

```
height: 100%;  
  
background-color: #000033;  
  
border-color: #000033;  
  
border-radius: 6px;  
  
color: white;  
  
}
```

```
@media (max-width: 1024px) {  
  
  .AuthHeaderLogoButtonLink{  
  
    width: 16%;  
  
  }  
  
  .AuthHeaderRightLink{  
  
    width: 16%;  
  
  }  
  
}
```

```
@media (max-width: 768px) {  
  
  .AuthHeader{  
  
    height: auto;  
  
    padding: 2vh 0;  
  
  }  
  
  .AuthHeaderContainer{  
  
    padding-left: 4%;  
  
    padding-right: 4%;  
  
  }  
  
  .AuthHeaderLogoButtonLink{  
  
    width: 22%;  
  
    height: 5vh;
```



```
}

.AuthHeaderRightLink{

    width: 22%;

    height: 5vh;

}

}

@media (max-width: 480px) {

    .AuthHeaderContainer{

        flex-direction: column;

        gap: 2vh;

        padding: 2vh 0;

    }

    .AuthHeaderLogoButtonLink{

        width: 60%;

        height: 5vh;

        margin: 0;

    }

    .AuthHeaderRightLink{

        width: 60%;

        height: 5vh;

        margin: 0;

    }

}
```

index.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="utf-8" />
```

```
<link rel="icon" href="%PUBLIC_URL%/favicon.ico" />
```

```
<meta name="viewport" content="width=device-width, initial-scale=1" />
```

```
<meta name="theme-color" content="#000000" />
```

```
<meta
```

```
  name="description"
```

```
  content="Web site created using create-react-app"
```

```
/>
```

```
<link rel="apple-touch-icon" href="%PUBLIC_URL%/logo192.png" />
```

```
<!--
```

```
  manifest.json provides metadata used when your web app is installed on a
```

```
  user's mobile device or desktop. See https://developers.google.com/web/fundamentals/web-app-manifest/
```

```
-->
```

```
<link rel="manifest" href="%PUBLIC_URL%/manifest.json" />
```

```
<!--
```

```
  Notice the use of %PUBLIC_URL% in the tags above.
```

```
  It will be replaced with the URL of the `public` folder during the build.
```

```
  Only files inside the `public` folder can be referenced from the HTML.
```

```
  Unlike "/favicon.ico" or "favicon.ico", "%PUBLIC_URL%/favicon.ico" will
```

```
  work correctly both with client-side routing and a non-root public URL.
```

```
  Learn how to configure a non-root public URL by running `npm run build`.
```

```
-->
```

```
</title>React App</title>
```

```
</head>
```

```
<body>

<noscript>You need to enable JavaScript to run this app.</noscript>

<div id="root"></div>

<!--

This HTML file is a template.

If you open it directly in the browser, you will see an empty page.

You can add webfonts, meta tags, or analytics to this file.

The build step will place the bundled scripts into the <body> tag.

To begin the development, run `npm start` or `yarn start`.

To create a production bundle, use `npm run build` or `yarn build`.

-->

</body>

</html>
```

welcome.blade.php

```
<!DOCTYPE html>

<html lang="{{ str_replace('_', '-', app()->getLocale()) }}">

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1">

<title>{{ config('app.name', 'Laravel') }}</title>
```

```
<!-- Fonts -->
```

```
<link rel="preconnect" href="https://fonts.bunny.net">
```

```
<link href="https://fonts.bunny.net/css?family=instrument-sans:400,500,600" rel="stylesheet" />
```

```
<!-- Styles / Scripts -->
```

```
@if (file_exists(public_path('build/manifest.json')) || file_exists(public_path('hot')))
```

```
    @vite(['resources/css/app.css', 'resources/js/app.js'])
```

```
@else
```

```
    <style>
```

```
        /*! tailwindcss v4.0.7 | MIT License | https://tailwindcss.com */@layer theme{:root,:host{--font-sans:'Instrument Sans',ui-sans-serif,system-ui,sans-serif,"Apple Color Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji";--font-serif:ui-serif,Georgia,Cambria,"Times New Roman",Times,serif;--font-mono:ui-monospace,SFMono-Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace;--color-red-50:oklch(.971 .013 17.38);--color-red-100:oklch(.936 .032 17.717);--color-red-200:oklch(.885 .062 18.334);--color-red-300:oklch(.808 .114 19.571);--color-red-400:oklch(.704 .191 22.216);--color-red-500:oklch(.637 .237 25.331);--color-red-600:oklch(.577 .245 27.325);--color-red-700:oklch(.505 .213 27.518);--color-red-800:oklch(.444 .177 26.899);--color-red-900:oklch(.396 .141 25.723);--color-red-950:oklch(.258 .092 26.042);--color-orange-50:oklch(.98 .016 73.684);--color-orange-100:oklch(.954 .038 75.164);--color-orange-200:oklch(.901 .076 70.697);--color-orange-300:oklch(.837 .128 66.29);--color-orange-400:oklch(.75 .183 55.934);--color-orange-500:oklch(.705 .213 47.604);--color-orange-600:oklch(.646 .222 41.116);--color-orange-700:oklch(.553 .195 38.402);--color-orange-800:oklch(.47 .157 37.304);--color-orange-900:oklch(.408 .123 38.172);--color-orange-950:oklch(.266 .079 36.259);--color-amber-50:oklch(.987 .022 95.277);--color-amber-100:oklch(.962 .059 95.617);--color-amber-200:oklch(.924 .12 95.746);--color-amber-300:oklch(.879 .169 91.605);--color-amber-400:oklch(.828 .189 84.429);--color-amber-500:oklch(.769 .188 70.08);--color-amber-600:oklch(.666 .179 58.318);--color-amber-700:oklch(.555 .163 48.998);--color-amber-800:oklch(.473 .137 46.201);--color-amber-900:oklch(.414 .112 45.904);--color-amber-950:oklch(.279 .077 45.635);--color-yellow-50:oklch(.987 .026 102.212);--color-yellow-100:oklch(.973 .071 103.193);--color-yellow-200:oklch(.945 .129 101.54);--color-yellow-300:oklch(.905 .182 98.111);--color-yellow-400:oklch(.852 .199 91.936);--color-yellow-500:oklch(.795 .184 86.047);--color-yellow-600:oklch(.681 .162 75.834);--color-yellow-700:oklch(.554 .135 66.442);--color-yellow-800:oklch(.476 .114 61.907);--color-yellow-900:oklch(.421 .095 57.708);--color-yellow-950:oklch(.286 .066 53.813);--color-lime-50:oklch(.986 .031 120.757);--color-lime-100:oklch(.967 .067 122.328);--color-lime-200:oklch(.938 .127 124.321);--color-lime-300:oklch(.897 .196 126.665);--color-lime-400:oklch(.841 .238 128.85);--color-lime-500:oklch(.768 .233 130.85);--color-lime-600:oklch(.648 .2 131.684);--color-lime-700:oklch(.532 .157 131.589);--color-lime-800:oklch(.453 .124 130.933);--color-lime-900:oklch(.405 .101 131.063);--color-lime-950:oklch(.274 .072 132.109);--color-green-50:oklch(.982 .018 155.826);--color-green-100:oklch(.962 .044 156.743);--color-green-200:oklch(.925 .084 155.995);--color-green-300:oklch(.871 .15 154.449);--color-green-400:oklch(.792 .209 151.711);--color-green-500:oklch(.723 .219 149.579);--color-green-600:oklch(.627 .194 149.214);--color-green-700:oklch(.527 .154 150.069);--color-green-800:oklch(.448 .119 151.328);--color-green-900:oklch(.393 .095 152.535);--color-green-950:oklch(.266
```

.065 152.934);--color-emerald-50:oklch(.979 .021 166.113);--color-emerald-100:oklch(.95 .052 163.051);--color-emerald-200:oklch(.905 .093 164.15);--color-emerald-300:oklch(.845 .143 164.978);--color-emerald-400:oklch(.765 .177 163.223);--color-emerald-500:oklch(.696 .17 162.48);--color-emerald-600:oklch(.596 .145 163.225);--color-emerald-700:oklch(.508 .118 165.612);--color-emerald-800:oklch(.432 .095 166.913);--color-emerald-900:oklch(.378 .077 168.94);--color-emerald-950:oklch(.262 .051 172.552);--color-teal-50:oklch(.984 .014 180.72);--color-teal-100:oklch(.953 .051 180.801);--color-teal-200:oklch(.91 .096 180.426);--color-teal-300:oklch(.855 .138 181.071);--color-teal-400:oklch(.777 .152 181.912);--color-teal-500:oklch(.704 .14 182.503);--color-teal-600:oklch(.6 .118 184.704);--color-teal-700:oklch(.511 .096 186.391);--color-teal-800:oklch(.437 .078 188.216);--color-teal-900:oklch(.386 .063 188.416);--color-teal-950:oklch(.277 .046 192.524);--color-cyan-50:oklch(.984 .019 200.873);--color-cyan-100:oklch(.956 .045 203.388);--color-cyan-200:oklch(.917 .08 205.041);--color-cyan-300:oklch(.865 .127 207.078);--color-cyan-400:oklch(.789 .154 211.53);--color-cyan-500:oklch(.715 .143 215.221);--color-cyan-600:oklch(.609 .126 221.723);--color-cyan-700:oklch(.52 .105 223.128);--color-cyan-800:oklch(.45 .085 224.283);--color-cyan-900:oklch(.398 .07 227.392);--color-cyan-950:oklch(.302 .056 229.695);--color-sky-50:oklch(.977 .013 236.62);--color-sky-100:oklch(.951 .026 236.824);--color-sky-200:oklch(.901 .058 230.902);--color-sky-300:oklch(.828 .111 230.318);--color-sky-400:oklch(.746 .16 232.661);--color-sky-500:oklch(.685 .169 237.323);--color-sky-600:oklch(.588 .158 241.966);--color-sky-700:oklch(.5 .134 242.749);--color-sky-800:oklch(.443 .11 240.79);--color-sky-900:oklch(.391 .09 240.876);--color-sky-950:oklch(.293 .066 243.157);--color-blue-50:oklch(.97 .014 254.604);--color-blue-100:oklch(.932 .032 255.585);--color-blue-200:oklch(.882 .059 254.128);--color-blue-300:oklch(.809 .105 251.813);--color-blue-400:oklch(.707 .165 254.624);--color-blue-500:oklch(.623 .214 259.815);--color-blue-600:oklch(.546 .245 262.881);--color-blue-700:oklch(.488 .243 264.376);--color-blue-800:oklch(.424 .199 265.638);--color-blue-900:oklch(.379 .146 265.522);--color-blue-950:oklch(.282 .091 267.935);--color-indigo-50:oklch(.962 .018 272.314);--color-indigo-100:oklch(.93 .034 272.788);--color-indigo-200:oklch(.87 .065 274.039);--color-indigo-300:oklch(.785 .115 274.713);--color-indigo-400:oklch(.673 .182 276.935);--color-indigo-500:oklch(.585 .233 277.117);--color-indigo-600:oklch(.511 .262 276.966);--color-indigo-700:oklch(.457 .24 277.023);--color-indigo-800:oklch(.398 .195 277.366);--color-indigo-900:oklch(.359 .144 278.697);--color-indigo-950:oklch(.257 .09 281.288);--color-violet-50:oklch(.969 .016 293.756);--color-violet-100:oklch(.943 .029 294.588);--color-violet-200:oklch(.894 .057 293.283);--color-violet-300:oklch(.811 .111 293.571);--color-violet-400:oklch(.702 .183 293.541);--color-violet-500:oklch(.606 .25 292.717);--color-violet-600:oklch(.541 .281 293.009);--color-violet-700:oklch(.491 .27 292.581);--color-violet-800:oklch(.432 .232 292.759);--color-violet-900:oklch(.38 .189 293.745);--color-violet-950:oklch(.283 .141 291.089);--color-purple-50:oklch(.977 .014 308.299);--color-purple-100:oklch(.946 .033 307.174);--color-purple-200:oklch(.902 .063 306.703);--color-purple-300:oklch(.827 .119 306.383);--color-purple-400:oklch(.714 .203 305.504);--color-purple-500:oklch(.627 .265 303.9);--color-purple-600:oklch(.558 .288 302.321);--color-purple-700:oklch(.496 .265 301.924);--color-purple-800:oklch(.438 .218 303.724);--color-purple-900:oklch(.381 .176 304.987);--color-purple-950:oklch(.291 .149 302.717);--color-fuchsia-50:oklch(.977 .017 320.058);--color-fuchsia-100:oklch(.952 .037 318.852);--color-fuchsia-200:oklch(.903 .076 319.62);--color-fuchsia-300:oklch(.833 .145 321.434);--color-fuchsia-400:oklch(.74 .238 322.16);--color-fuchsia-500:oklch(.667 .295 322.15);--color-fuchsia-600:oklch(.591 .293 322.896);--color-fuchsia-700:oklch(.518 .253 323.949);--color-fuchsia-800:oklch(.452 .211 324.591);--color-fuchsia-900:oklch(.401 .17 325.612);--color-fuchsia-950:oklch(.293 .136 325.661);--color-pink-50:oklch(.971 .014 343.198);--color-pink-100:oklch(.948 .028 342.258);--color-pink-200:oklch(.899 .061 343.231);--color-pink-300:oklch(.823 .12 346.018);--color-pink-400:oklch(.718 .202 349.761);--color-pink-500:oklch(.656 .241 354.308);--color-pink-600:oklch(.592 .249 .584);--color-pink-700:oklch(.525 .223 3.958);--color-pink-800:oklch(.459 .187 3.815);--color-pink-

900:oklch(.408 .153 2.432);--color-pink-950:oklch(.284 .109 3.907);--color-rose-50:oklch(.969 .015 12.422);--color-rose-100:oklch(.941 .03 12.58);--color-rose-200:oklch(.892 .058 10.001);--color-rose-300:oklch(.81 .117 11.638);--color-rose-400:oklch(.712 .194 13.428);--color-rose-500:oklch(.645 .246 16.439);--color-rose-600:oklch(.586 .253 17.585);--color-rose-700:oklch(.514 .222 16.935);--color-rose-800:oklch(.455 .188 13.697);--color-rose-900:oklch(.41 .159 10.272);--color-rose-950:oklch(.271 .105 12.094);--color-slate-50:oklch(.984 .003 247.858);--color-slate-100:oklch(.968 .007 247.896);--color-slate-200:oklch(.929 .013 255.508);--color-slate-300:oklch(.869 .022 252.894);--color-slate-400:oklch(.704 .04 256.788);--color-slate-500:oklch(.554 .046 257.417);--color-slate-600:oklch(.446 .043 257.281);--color-slate-700:oklch(.372 .044 257.287);--color-slate-800:oklch(.279 .041 260.031);--color-slate-900:oklch(.208 .042 265.755);--color-slate-950:oklch(.129 .042 264.695);--color-gray-50:oklch(.985 .002 247.839);--color-gray-100:oklch(.967 .003 264.542);--color-gray-200:oklch(.928 .006 264.531);--color-gray-300:oklch(.872 .01 258.338);--color-gray-400:oklch(.707 .022 261.325);--color-gray-500:oklch(.551 .027 264.364);--color-gray-600:oklch(.446 .03 256.802);--color-gray-700:oklch(.373 .034 259.733);--color-gray-800:oklch(.278 .033 256.848);--color-gray-900:oklch(.21 .034 264.665);--color-gray-950:oklch(.13 .028 261.692);--color-zinc-50:oklch(.985 0 0);--color-zinc-100:oklch(.967 .001 286.375);--color-zinc-200:oklch(.92 .004 286.32);--color-zinc-300:oklch(.871 .006 286.286);--color-zinc-400:oklch(.705 .015 286.067);--color-zinc-500:oklch(.552 .016 285.938);--color-zinc-600:oklch(.442 .017 285.786);--color-zinc-700:oklch(.37 .013 285.805);--color-zinc-800:oklch(.274 .006 286.033);--color-zinc-900:oklch(.21 .006 285.885);--color-zinc-950:oklch(.141 .005 285.823);--color-neutral-50:oklch(.985 0 0);--color-neutral-100:oklch(.97 0 0);--color-neutral-200:oklch(.922 0 0);--color-neutral-300:oklch(.87 0 0);--color-neutral-400:oklch(.708 0 0);--color-neutral-500:oklch(.556 0 0);--color-neutral-600:oklch(.439 0 0);--color-neutral-700:oklch(.371 0 0);--color-neutral-800:oklch(.269 0 0);--color-neutral-900:oklch(.205 0 0);--color-neutral-950:oklch(.145 0 0);--color-stone-50:oklch(.985 .001 106.423);--color-stone-100:oklch(.97 .001 106.424);--color-stone-200:oklch(.923 .003 48.717);--color-stone-300:oklch(.869 .005 56.366);--color-stone-400:oklch(.709 .01 56.259);--color-stone-500:oklch(.553 .013 58.071);--color-stone-600:oklch(.444 .011 73.639);--color-stone-700:oklch(.374 .01 67.558);--color-stone-800:oklch(.268 .007 34.298);--color-stone-900:oklch(.216 .006 56.043);--color-stone-950:oklch(.147 .004 49.25);--color-black:#000;--color-white:#fff;--spacing:.25rem;--breakpoint-sm:40rem;--breakpoint-md:48rem;--breakpoint-lg:64rem;--breakpoint-xl:80rem;--breakpoint-2xl:96rem;--container-3xs:16rem;--container-2xs:18rem;--container-xs:20rem;--container-sm:24rem;--container-md:28rem;--container-lg:32rem;--container-xl:36rem;--container-2xl:42rem;--container-3xl:48rem;--container-4xl:56rem;--container-5xl:64rem;--container-6xl:72rem;--container-7xl:80rem;--text-xs:.75rem;--text-xs--line-height:calc(1/.75);--text-sm:.875rem;--text-sm--line-height:calc(1.25/.875);--text-base:1rem;--text-base--line-height: 1.5 ;--text-lg:1.125rem;--text-lg--line-height:calc(1.75/1.125);--text-xl:1.25rem;--text-xl--line-height:calc(1.75/1.25);--text-2xl:1.5rem;--text-2xl--line-height:calc(2/1.5);--text-3xl:1.875rem;--text-3xl--line-height: 1.2 ;--text-4xl:2.25rem;--text-4xl--line-height:calc(2.5/2.25);--text-5xl:3rem;--text-5xl--line-height:1;--text-6xl:3.75rem;--text-6xl--line-height:1;--text-7xl:4.5rem;--text-7xl--line-height:1;--text-8xl:6rem;--text-8xl--line-height:1;--text-9xl:8rem;--text-9xl--line-height:1;--font-weight-thin:100;--font-weight-extralight:200;--font-weight-light:300;--font-weight-normal:400;--font-weight-medium:500;--font-weight-semibold:600;--font-weight-bold:700;--font-weight-extrabold:800;--font-weight-black:900;--tracking-tighter:-.05em;--tracking-tight:-.025em;--tracking-normal:0em;--tracking-wide:.025em;--tracking-wider:.05em;--tracking-widest:.1em;--leading-tight:1.25;--leading-snug:1.375;--leading-normal:1.5;--leading-relaxed:1.625;--leading-loose:2;--radius-xs:.125rem;--radius-sm:.25rem;--radius-md:.375rem;--radius-lg:.5rem;--radius-xl:.75rem;--radius-2xl:1rem;--radius-3xl:1.5rem;--radius-4xl:2rem;--shadow-2xs:0 1px #0000000d;--shadow-xs:0 1px 2px 0 #0000000d;--shadow-sm:0 1px 3px 0 #0000001a,0 1px 2px -1px #0000001a;--

```

shadow-md:0 4px 6px -1px #0000001a,0 2px 4px -2px #0000001a;--shadow-lg:0 10px 15px -3px
#0000001a,0 4px 6px -4px #0000001a;--shadow-xl:0 20px 25px -5px #0000001a,0 8px 10px -6px
#0000001a;--shadow-2xl:0 25px 50px -12px #00000040;--inset-shadow-2xs:inset 0 1px #0000000d;--
inset-shadow-xs:inset 0 1px 1px #0000000d;--inset-shadow-sm:inset 0 2px 4px #0000000d;--drop-
shadow-xs:0 1px 1px #0000000d;--drop-shadow-sm:0 1px 2px #00000026;--drop-shadow-md:0 3px 3px
#0000001f;--drop-shadow-lg:0 4px 4px #00000026;--drop-shadow-xl:0 9px 7px #0000001a;--drop-
shadow-2xl:0 25px 25px #00000026;--ease-in:cubic-bezier(.4,0,1,1);--ease-out:cubic-bezier(0,0,.2,1);--
ease-in-out:cubic-bezier(.4,0,.2,1);--animate-spin:spin 1s linear infinite;--animate-ping:ping 1s cubic-
bezier(0,0,.2,1)infinite;--animate-pulse:pulse 2s cubic-bezier(.4,0,.6,1)infinite;--animate-bounce:bounce
1s infinite;--blur-xs:4px;--blur-sm:8px;--blur-md:12px;--blur-lg:16px;--blur-xl:24px;--blur-2xl:40px;--blur-
3xl:64px;--perspective-dramatic:100px;--perspective-near:300px;--perspective-normal:500px;--
perspective-midrange:800px;--perspective-distant:1200px;--aspect-video:16/9;--default-transition-
duration:.15s;--default-transition-timing-function:cubic-bezier(.4,0,.2,1);--default-font-family:var(--font-
sans);--default-font-feature-settings:var(--font-sans--font-feature-settings);--default-font-variation-
settings:var(--font-sans--font-variation-settings);--default-mono-font-family:var(--font-mono);--default-
mono-font-feature-settings:var(--font-mono--font-feature-settings);--default-mono-font-variation-
settings:var(--font-mono--font-variation-settings)}}@layer base{*,:after,:before,:backdrop{box-
sizing:border-box;border:0 solid;margin:0;padding:0}:.file-selector-button{box-sizing:border-
box;border:0 solid;margin:0;padding:0}html,.host{-webkit-text-size-adjust:100%;-moz-tab-size:4;tab-
size:4;line-height:1.5;font-family:var(--default-font-family,ui-sans-serif,system-ui,sans-serif,"Apple Color
Emoji","Segoe UI Emoji","Segoe UI Symbol","Noto Color Emoji");font-feature-settings:var(--default-font-
feature-settings,normal);font-variation-settings:var(--default-font-variation-settings,normal);-webkit-
tap-highlight-color:transparent}body{line-height:inherit}hr{height:0;color:inherit;border-top-
width:1px}abbr:where([title]){-webkit-text-decoration:underline dotted;text-decoration:underline
dotted}h1,h2,h3,h4,h5,h6{font-size:inherit;font-weight:inherit}a{color:inherit;-webkit-text-
decoration:inherit;text-decoration:inherit}b,strong{font-weight:bolder}code,kbd,samp,pre{font-
family:var(--default-mono-font-family,ui-monospace,SFMono-
Regular,Menlo,Monaco,Consolas,"Liberation Mono","Courier New",monospace);font-feature-
settings:var(--default-mono-font-feature-settings,normal);font-variation-settings:var(--default-mono-
font-variation-settings,normal);font-size:1em}small{font-size:80%}sub,sup{vertical-align:baseline;font-
size:75%;line-height:0;position:relative}sub{bottom:-.25em}sup{top:-.5em}table{text-indent:0;border-
color:inherit;border-collapse:collapse}:-moz-focusing{outline:auto}progress{vertical-
align:baseline}summary{display:list-item}ol,ul,menu{list-
style:none}img,svg,video,canvas,audio,iframe,embed,object{vertical-
align:middle;display:block}img,video{max-
width:100%;height:auto}button,input,select,optgroup,textarea{font:inherit;font-feature-
settings:inherit;font-variation-settings:inherit;letter-spacing:inherit;color:inherit;opacity:1;background-
color:#0000;border-radius:0}:.file-selector-button{font:inherit;font-feature-settings:inherit;font-
variation-settings:inherit;letter-spacing:inherit;color:inherit;opacity:1;background-color:#0000;border-
radius:0}:where(select:is([multiple],[size])) optgroup{font-
weight:bolder}:where(select:is([multiple],[size])) optgroup option{padding-inline-start:20px}:.file-
selector-button{margin-inline-end:4px}:.placeholder{opacity:1;color:color-mix(in oklab,currentColor
50%,transparent)}textarea{resize:vertical}:-webkit-search-decoration{-webkit-appearance:none}:-
webkit-date-and-time-value{min-height:1lh;text-align:inherit}:-webkit-datetime-edit{display:inline-
flex}:-webkit-datetime-edit-fields-wrapper{padding:0}:-webkit-datetime-edit{padding-block:0}:-
webkit-datetime-edit-year-field{padding-block:0}:-webkit-datetime-edit-month-field{padding-

```

block:0>::-webkit-datetime-edit-day-field{padding-block:0::-webkit-datetime-edit-hour-field{padding-block:0::-webkit-datetime-edit-minute-field{padding-block:0::-webkit-datetime-edit-second-field{padding-block:0::-webkit-datetime-edit-millisecond-field{padding-block:0::-webkit-datetime-edit-meridiem-field{padding-block:0};-moz-ui-invalid{box-shadow:none}button,input:where([type=button],[type=reset],[type=submit]){-webkit-appearance:button;-moz-appearance:button;appearance:button}::file-selector-button{-webkit-appearance:button;-moz-appearance:button;appearance:button}::-webkit-inner-spin-button{height:auto}::-webkit-outer-spin-button{height:auto}[hidden]:where(:not([hidden=until-found])){display:none!important}@layer components;@layer utilities{absolute{position:absolute}.relative{position:relative}.static{position:static}.inset-0{inset:calc(var(--spacing)*0)}.mt-\[4\.9rem\]{margin-top:-4.9rem}.mb-px{margin-bottom:-1px}.mb-1{margin-bottom:calc(var(--spacing)*1)}.mb-2{margin-bottom:calc(var(--spacing)*2)}.mb-4{margin-bottom:calc(var(--spacing)*4)}.mb-6{margin-bottom:calc(var(--spacing)*6)}.ml-8{margin-left:calc(var(--spacing)*-8)}.flex{display:flex}.hidden{display:none}.inline-block{display:inline-block}.inline-flex{display:inline-flex}.table{display:table}.aspect-\[335\376\]{aspect-ratio:335/376}.h-1{height:calc(var(--spacing)*1)}.h-1\.5{height:calc(var(--spacing)*1.5)}.h-2{height:calc(var(--spacing)*2)}.h-2\.5{height:calc(var(--spacing)*2.5)}.h-3{height:calc(var(--spacing)*3)}.h-3\.5{height:calc(var(--spacing)*3.5)}.h-14{height:calc(var(--spacing)*14)}.h-14\.5{height:calc(var(--spacing)*14.5)}.min-h-screen{min-height:100vh}.w-1{width:calc(var(--spacing)*1)}.w-1\.5{width:calc(var(--spacing)*1.5)}.w-2{width:calc(var(--spacing)*2)}.w-2\.5{width:calc(var(--spacing)*2.5)}.w-3{width:calc(var(--spacing)*3)}.w-3\.5{width:calc(var(--spacing)*3.5)}.w-\[448px\]{width:448px}.w-full{width:100%}.max-w-\[335px\]{max-width:335px}.max-w-none{max-width:none}.flex-1{flex:1}.shrink-0{flex-shrink:0}.translate-y-0{--tw-translate-y:calc(var(--spacing)*0);transform:var(--tw-translate-x)var(--tw-translate-y)}.transform{transform:var(--tw-rotate-x)var(--tw-rotate-y)var(--tw-rotate-z)var(--tw-skew-x)var(--tw-skew-y)}.flex-col{flex-direction:column}.flex-col-reverse{flex-direction:column-reverse}.items-center{align-items:center}.justify-center{justify-content:center}.justify-end{justify-content:flex-end}.gap-3{gap:calc(var(--spacing)*3)}.gap-4{gap:calc(var(--spacing)*4)}:where(.space-x-1>:not(:last-child)){--tw-space-x-reverse:0;margin-inline-start:calc(calc(var(--spacing)*1)*var(--tw-space-x-reverse));margin-inline-end:calc(calc(var(--spacing)*1)*calc(1 - var(--tw-space-x-reverse)))}.overflow-hidden{overflow:hidden}.rounded-full{border-radius:3.40282e38px}.rounded-sm{border-radius:var(--radius-sm)}.rounded-t-lg{border-top-left-radius:var(--radius-lg);border-top-right-radius:var(--radius-lg)}.rounded-br-lg{border-bottom-right-radius:var(--radius-lg)}.rounded-bl-lg{border-bottom-left-radius:var(--radius-lg)}.border{border-style:var(--tw-border-style);border-width:1px}.border-\[#19140035\]{border-color:#19140035}.border-\[#e3e3e0\]{border-color:#e3e3e0}.border-black{border-color:var(--color-black)}.border-transparent{border-color:#0000}.bg-\[#1b1b18\]{background-color:#1b1b18}.bg-\[#FDFDFC\]{background-color:#fdfdfc}.bg-\[#dbdbd7\]{background-color:#dbdbd7}.bg-\[fff2f2\]{background-color:#fff2f2}.bg-white{background-color:var(--color-white)}.p-6{padding:calc(var(--spacing)*6)}.px-5{padding-inline:calc(var(--spacing)*5)}.py-1{padding-block:calc(var(--spacing)*1)}.py-1\.5{padding-block:calc(var(--spacing)*1.5)}.py-2{padding-block:calc(var(--spacing)*2)}.pb-12{padding-bottom:calc(var(--spacing)*12)}.text-sm{font-size:var(--text-sm);line-height:var(--tw-leading, var(--text-sm--line-height))}.text-\[13px\]{font-size:13px}.leading-\[20px\]{--tw-leading:20px;line-height:20px}.leading-normal{--tw-leading:var(--leading-normal);line-height:var(--leading-normal)}.font-medium{--tw-font-weight:var(--font-weight-medium);font-weight:var(--font-weight-medium)}.text-\[#1b1b18\]{color:#1b1b18}.text-\[#706f6c\]{color:#706f6c}.text-\[#F53003\],.text-


```
\[ #53003]{color:#53003}.text-white{color:var(--color-white)}.underline{text-decoration-line:underline}.underline-offset-4{text-underline-offset:4px}.opacity-100{opacity:1}.shadow-\[0px_0px_1px_0px_rgba(0,0,0,0.03)\]\[0px_1px_2px_0px_rgba(0,0,0,0.06)\]{--tw-shadow:0px 0px 1px 0px var(--tw-shadow-color,#00000008),0px 1px 2px 0px var(--tw-shadow-color,#0000000f);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.shadow-\[inset_0px_0px_0px_1px_rgba(26,26,0,0.16)\]{--tw-shadow:inset 0px 0px 0px 1px var(--tw-shadow-color,#1a1a0029);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-shadow),var(--tw-ring-shadow),var(--tw-shadow)}.!filter{filter:var(--tw-blur),var(--tw-brightness),var(--tw-contrast),var(--tw-grayscale),var(--tw-hue-rotate),var(--tw-invert),var(--tw-saturate),var(--tw-sepia),var(--tw-drop-shadow),!important}.filter{filter:var(--tw-blur),var(--tw-brightness),var(--tw-contrast),var(--tw-grayscale),var(--tw-hue-rotate),var(--tw-invert),var(--tw-saturate),var(--tw-sepia),var(--tw-drop-shadow),}.transition-all{transition-property:all;transition-timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration))}.transition-opacity{transition-property:opacity;transition-timing-function:var(--tw-ease,var(--default-transition-timing-function));transition-duration:var(--tw-duration,var(--default-transition-duration))}.delay-300{transition-delay:.3s}.duration-750{--tw-duration:.75s;transition-duration:.75s}.not-has-\[nav\]:hidden:not(:has(:is(nav)))>{display:none}.before\:absolute:before{content:var(--tw-content);position:absolute}.before\:top-0:before{content:var(--tw-content);top:calc(var(--spacing)*0)}.before\:top-1/2:before{content:var(--tw-content);top:50%}.before\:bottom-0:before{content:var(--tw-content);bottom:calc(var(--spacing)*0)}.before\:bottom-1/2:before{content:var(--tw-content);bottom:50%}.before\:left-\[0.4rem\]:before{content:var(--tw-content);left:.4rem}.before\:border-l:before{content:var(--tw-content);border-left-style:var(--tw-border-style);border-left-width:1px}.before\:border-\[#e3e3e0\]:before{content:var(--tw-content);border-color:#e3e3e0}@media (hover: hover){.hover\:border-\[#1915014a\]:hover{border-color:#1915014a}.hover\:border-\[#19140035\]:hover{border-color:#19140035}.hover\:border-black:hover{border-color:var(--color-black)}.hover\:bg-black:hover{background-color:var(--color-black)}}@media (width>=64rem){.lg\:mt-\[6.6rem\]{margin-top:6.6rem}.lg\:mb-0{margin-bottom:calc(var(--spacing)*0)}.lg\:mb-6{margin-bottom:calc(var(--spacing)*6)}.lg\:ml-px{margin-left:1px}.lg\:ml-0{margin-left:calc(var(--spacing)*0)}.lg\:block{display:block}.lg\:aspect-auto{aspect-ratio:auto}.lg\:w-\[438px\]{width:438px}.lg\:max-w-4xl{max-width:var(--container-4xl)}.lg\:grow{flex-grow:1}.lg\:flex-row{flex-direction:row}.lg\:justify-center{justify-content:center}.lg\:rounded-t-none{border-top-left-radius:0;border-top-right-radius:0}.lg\:rounded-tl-lg{border-top-left-radius:var(--radius-lg)}.lg\:rounded-r-lg{border-top-right-radius:var(--radius-lg);border-bottom-right-radius:var(--radius-lg)}.lg\:rounded-br-none{border-bottom-right-radius:0}.lg\:p-8{padding:calc(var(--spacing)*8)}.lg\:p-20{padding:calc(var(--spacing)*20)}}@media (prefers-color-scheme: dark){.dark\:block{display:block}.dark\:hidden{display:none}.dark\:border-\[#3E3E3A\]{border-color:#3e3e3a}.dark\:border-\[#eeeeec\]{border-color:#eeeeec}.dark\:bg-\[#0a0a0a\]{background-color:#0a0a0a}.dark\:bg-\[#1D0002\]{background-color:#1d0002}.dark\:bg-\[#3E3E3A\]{background-color:#3e3e3a}.dark\:bg-\[#161615\]{background-color:#161615}.dark\:bg-\[#eeeeec\]{background-color:#eeeeec}.dark\:text-\[#1C1C1A\]{color:#1c1c1a}.dark\:text-\[#A1A09A\]{color:#a1a09a}.dark\:text-\[#EDEDEC\]{color:#ededec}.dark\:text-\[#F61500\]{color:#f61500}.dark\:text-\[#FF4433\]{color:#ff43}.dark\:shadow-\[inset_0px_0px_0px_1px_#fffaed2d\]{--tw-shadow:inset 0px 0px 0px 1px var(--tw-shadow-color,#fffaed2d);box-shadow:var(--tw-inset-shadow),var(--tw-inset-ring-shadow),var(--tw-ring-offset-
```

```

shadow),var(--tw-ring-shadow),var(--tw-shadow)).dark\:before\:border-
\[#3E3E3A\]:before{content:var(--tw-content);border-color:#3e3e3a}@media
(hover:hover){.dark\:hover\:border-\[#3E3E3A\]:hover{border-color:#3e3e3a}.dark\:hover\:border-
\[#62605b\]:hover{border-color:#62605b}.dark\:hover\:border-white:hover{border-color:var(--color-
white)}}.dark\:hover\:bg-white:hover{background-color:var(--color-white)}}@starting-
style{.starting\:translate-y-4{--tw-translate-y:calc(var(--spacing)*4);translate:var(--tw-translate-x)var(--
tw-translate-y)}}@starting-style{.starting\:translate-y-6{--tw-translate-y:calc(var(--
spacing)*6);translate:var(--tw-translate-x)var(--tw-translate-y)}}@starting-style{.starting\:opacity-
0{opacity:0}}@keyframes spin{to{transform:rotate(360deg)}}@keyframes
ping{75%,to{opacity:0;transform:scale(2)}}@keyframes pulse{50%{opacity:.5}}@keyframes
bounce{0%,to{animation-timing-function:cubic-bezier(.8,0,1,1);transform:translateY(-
25%)}}50%{animation-timing-function:cubic-bezier(0,0,.2,1);transform:none}}@property --tw-translate-
x{syntax:"*";inherits:false;initial-value:0}@property --tw-translate-y{syntax:"*";inherits:false;initial-
value:0}@property --tw-translate-z{syntax:"*";inherits:false;initial-value:0}@property --tw-rotate-
x{syntax:"*";inherits:false;initial-value:rotateX(0)}@property --tw-rotate-
y{syntax:"*";inherits:false;initial-value:rotateY(0)}@property --tw-rotate-
z{syntax:"*";inherits:false;initial-value:rotateZ(0)}@property --tw-skew-x{syntax:"*";inherits:false;initial-
value:skewX(0)}@property --tw-skew-y{syntax:"*";inherits:false;initial-value:skewY(0)}@property --tw-
space-x-reverse{syntax:"*";inherits:false;initial-value:0}@property --tw-border-
style{syntax:"*";inherits:false;initial-value:solid}@property --tw-
leading{syntax:"*";inherits:false}@property --tw-font-weight{syntax:"*";inherits:false}@property --tw-
shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-shadow-
color{syntax:"*";inherits:false}@property --tw-inset-shadow{syntax:"*";inherits:false;initial-value:0 0
#0000}@property --tw-inset-shadow-color{syntax:"*";inherits:false}@property --tw-ring-
color{syntax:"*";inherits:false}@property --tw-ring-shadow{syntax:"*";inherits:false;initial-value:0 0
#0000}@property --tw-inset-ring-color{syntax:"*";inherits:false}@property --tw-inset-ring-
shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-ring-
inset{syntax:"*";inherits:false}@property --tw-ring-offset-width{syntax:"<length>";inherits:false;initial-
value:0}@property --tw-ring-offset-color{syntax:"*";inherits:false;initial-value:#fff}@property --tw-ring-
offset-shadow{syntax:"*";inherits:false;initial-value:0 0 #0000}@property --tw-
blur{syntax:"*";inherits:false}@property --tw-brightness{syntax:"*";inherits:false}@property --tw-
contrast{syntax:"*";inherits:false}@property --tw-grayscale{syntax:"*";inherits:false}@property --tw-
hue-rotate{syntax:"*";inherits:false}@property --tw-invert{syntax:"*";inherits:false}@property --tw-
opacity{syntax:"*";inherits:false}@property --tw-saturate{syntax:"*";inherits:false}@property --tw-
sepia{syntax:"*";inherits:false}@property --tw-drop-shadow{syntax:"*";inherits:false}@property --tw-
duration{syntax:"*";inherits:false}@property --tw-content{syntax:"*";inherits:false;initial-value:""}

```

```
</style>
```

```
@endif
```

```
</head>
```

```
<body class="bg-[#FDFDFC] dark:bg-[#0a0a0a] text-[#1b1b18] flex p-6 lg:p-8 items-center lg:justify-
center min-h-screen flex-col">
```

```
<header class="w-full lg:max-w-4xl max-w-[335px] text-sm mb-6 not-has-[nav]:hidden">
```

```
@if (Route::has('login'))
```

```

<nav class="flex items-center justify-end gap-4">

  @auth

    <a

      href="{{ url('/dashboard') }}"

      class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] border-[#19140035] hover:border-
[#1915014a] border text-[#1b1b18] dark:border-[#3E3E3A] dark:hover:border-[#62605b] rounded-sm
text-sm leading-normal"

    >

      Dashboard

    </a>

  @else

    <a

      href="{{ route('login') }}"

      class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] text-[#1b1b18] border border-
transparent hover:border-[#19140035] dark:hover:border-[#3E3E3A] rounded-sm text-sm leading-
normal"

    >

      Log in

    </a>

  @if (Route::has('register'))

    <a

      href="{{ route('register') }}"

      class="inline-block px-5 py-1.5 dark:text-[#EDEDEC] border-[#19140035] hover:border-
[#1915014a] border text-[#1b1b18] dark:border-[#3E3E3A] dark:hover:border-[#62605b] rounded-sm
text-sm leading-normal">

      Register

    </a>

  @endif

@endauth

</nav>

```

[illegible]

```

        class="w-2.5 h-2.5"
      >
      <path
        d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"
        stroke="currentColor"
        stroke-linecap="square"
      />
    </svg>
  </a>
</span>
</li>

<li class="flex items-center gap-4 py-2 relative before:border-l before:border-[#e3e3e0]
dark:before:border-[#3E3E3A] before:bottom-1/2 before:top-0 before:left-[0.4rem] before:absolute">

  <span class="relative py-1 bg-white dark:bg-[#161615]">

    <span class="flex items-center justify-center rounded-full bg-[#FDFDFC] dark:bg-
[#161615] shadow-[0px_0px_1px_0px_rgba(0,0,0,0.03),0px_1px_2px_0px_rgba(0,0,0,0.06)] w-3.5 h-3.5
border dark:border-[#3E3E3A] border-[#e3e3e0]">

      <span class="rounded-full bg-[#dbdbd7] dark:bg-[#3E3E3A] w-1.5 h-1.5"></span>

    </span>

  </span>

  <span>
    Watch video tutorials at

    <a href="https://laracasts.com" target="_blank" class="inline-flex items-center space-
x-1 font-medium underline underline-offset-4 text-[#f53003] dark:text-[#FF4433] ml-1">

      <span>Laracasts</span>

    <svg

      width="10"

      height="11"

      viewBox="0 0 10 11"

      fill="none"

```

```

xmlns="http://www.w3.org/2000/svg"

class="w-2.5 h-2.5"

>

<path

d="M7.70833 6.95834V2.79167H3.54167M2.5 8L7.5 3.00001"

stroke="currentColor"

stroke-linecap="square"

/>

</svg>

</a>

</span>

</li>

</ul>

<ul class="flex gap-3 text-sm leading-normal">

<li>

<a href="https://cloud.laravel.com" target="_blank" class="inline-block dark:bg-
[#eeeeec] dark:border-[#eeeeec] dark:text-[#1C1C1A] dark:hover:bg-white dark:hover:border-white
hover:bg-black hover:border-black px-5 py-1.5 bg-[#1b1b18] rounded-sm border border-black text-
white text-sm leading-normal">

Deploy now

</a>

</li>

</ul>

</div>

<div class="bg-[#fff2f2] dark:bg-[#1D0002] relative lg:-ml-px -mb-px lg:mb-0 rounded-t-lg
lg:rounded-t-none lg:rounded-r-lg aspect-[335/376] lg:aspect-auto w-full lg:w-[438px] shrink-0
overflow-hidden">

{{-- Laravel Logo --}}

<svg class="w-full text-[#F53003] dark:text-[#F61500] transition-all translate-y-0 opacity-100
max-w-none duration-750 starting:opacity-0 starting:translate-y-6" viewBox="0 0 438 104" fill="none"
xmlns="http://www.w3.org/2000/svg">

```

<path d="M17.2036 -3H0V102.197H49.5189V86.7187H17.2036V-3Z" fill="currentColor" />

<path d="M110.256 41.6337C108.061 38.1275 104.945 35.3731 100.905 33.3681C96.8667 31.3647 92.8016 30.3618 88.7131 30.3618C83.4247 30.3618 78.5885 31.3389 74.201 33.2923C69.8111 35.2456 66.0474 37.928 62.9059 41.3333C59.7643 44.7401 57.3198 48.6726 55.5754 53.1293C53.8287 57.589 52.9572 62.274 52.9572 67.1813C52.9572 72.1925 53.8287 76.8995 55.5754 81.3069C57.3191 85.7173 59.7636 89.6241 62.9059 93.0293C66.0474 96.4361 69.8119 99.1155 74.201 101.069C78.5885 103.022 83.4247 103.999 88.7131 103.999C92.8016 103.999 96.8667 102.997 100.905 100.994C104.945 98.9911 108.061 96.2359 110.256 92.7282V102.195H126.563V32.1642H110.256V41.6337ZM108.76 75.7472C107.762 78.4531 106.366 80.8078 104.572 82.8112C102.776 84.8161 100.606 86.4183 98.0637 87.6206C95.5202 88.823 92.7004 89.4238 89.6103 89.4238C86.5178 89.4238 83.7252 88.823 81.2324 87.6206C78.7388 86.4183 76.5949 84.8161 74.7998 82.8112C73.004 80.8078 71.6319 78.4531 70.6856 75.7472C69.7356 73.0421 69.2644 70.1868 69.2644 67.1821C69.2644 64.1758 69.7356 61.3205 70.6856 58.6154C71.6319 55.9102 73.004 53.5571 74.7998 51.5522C76.5949 49.5495 78.738 47.9451 81.2324 46.7427C83.7252 45.5404 86.5178 44.9396 89.6103 44.9396C92.7012 44.9396 95.5202 45.5404 98.0637 46.7427C100.606 47.9451 102.776 49.5487 104.572 51.5522C106.367 53.5571 107.762 55.9102 108.76 58.6154C109.756 61.3205 110.256 64.1758 110.256 67.1821C110.256 70.1868 109.756 73.0421 108.76 75.7472Z" fill="currentColor" />

<path d="M242.805 41.6337C240.611 38.1275 237.494 35.3731 233.455 33.3681C229.416 31.3647 225.351 30.3618 221.262 30.3618C215.974 30.3618 211.138 31.3389 206.75 33.2923C202.36 35.2456 198.597 37.928 195.455 41.3333C192.314 44.7401 189.869 48.6726 188.125 53.1293C186.378 57.589 185.507 62.274 185.507 67.1813C185.507 72.1925 186.378 76.8995 188.125 81.3069C189.868 85.7173 192.313 89.6241 195.455 93.0293C198.597 96.4361 202.361 99.1155 206.75 101.069C211.138 103.022 215.974 103.999 221.262 103.999C225.351 103.999 229.416 102.997 233.455 100.994C237.494 98.9911 240.611 96.2359 242.805 92.7282V102.195H259.112V32.1642H242.805V41.6337ZM241.31 75.7472C240.312 78.4531 238.916 80.8078 237.122 82.8112C235.326 84.8161 233.156 86.4183 230.614 87.6206C228.07 88.823 225.251 89.4238 222.16 89.4238C219.068 89.4238 216.275 88.823 213.782 87.6206C211.289 86.4183 209.145 84.8161 207.35 82.8112C205.554 80.8078 204.182 78.4531 203.236 75.7472C202.286 73.0421 201.814 70.1868 201.814 67.1821C201.814 64.1758 202.286 61.3205 203.236 58.6154C204.182 55.9102 205.554 53.5571 207.35 51.5522C209.145 49.5495 211.288 47.9451 213.782 46.7427C216.275 45.5404 219.068 44.9396 222.16 44.9396C225.251 44.9396 228.07 45.5404 230.614 46.7427C233.156 47.9451 235.326 49.5487 237.122 51.5522C238.917 53.5571 240.312 55.9102 241.31 58.6154C242.306 61.3205 242.806 64.1758 242.806 67.1821C242.805 70.1868 242.305 73.0421 241.31 75.7472Z" fill="currentColor" />

<path d="M438 -3H421.694V102.197H438V-3Z" fill="currentColor" />

<path d="M139.43 102.197H155.735V48.2834H183.712V32.1665H139.43V102.197Z" fill="currentColor" />

<path d="M324.49 32.1665L303.995 85.794L283.498 32.1665H266.983L293.748 102.197H314.242L341.006 32.1665H324.49Z" fill="currentColor" />

<path d="M376.571 30.3656C356.603 30.3656 340.797 46.8497 340.797 67.1828C340.797 89.6597 356.094 104 378.661 104C391.29 104 399.354 99.1488 409.206 88.5848L398.189 80.0226C398.183 80.031 389.874 90.9895 377.468 90.9895C363.048 90.9895 356.977 79.3111 356.977

73.269H411.075C413.917 50.1328 398.775 30.3656 376.571 30.3656ZM357.02 61.0967C357.145
59.7487 359.023 43.3761 376.442 43.3761C393.861 43.3761 395.978 59.7464 396.099
61.0967H357.02Z" fill="currentColor" />

</svg>

{{-- Light Mode 12 SVG --}}

<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem]
dark:hidden" viewBox="0 0 440 376" fill="none" xmlns="http://www.w3.org/2000/svg">

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">

<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03
270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346
333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087
405.649L188.263 355.73Z" fill="black" />

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" fill="black" />

<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03
270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346
333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087
405.649L188.263 355.73Z" stroke="#1B1B18" stroke-width="1" />

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" stroke="#1B1B18" stroke-width="1" />

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464

199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" fill="#F8B803" />

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" fill="#F8B803" />

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" stroke="#1B1B18" stroke-width="1" />

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" stroke="#1B1B18" stroke-width="1" />

</g>

<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-
100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" fill="#F0ACB8" />

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" fill="#F0ACB8" />

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985

266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#1B1B18" stroke-width="1" />

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#1B1B18" stroke-width="1" />

</g>

<g style="mix-blend-mode: plus-darker" class="transition-all delay-300 translate-y-0
opacity-100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823
262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749
165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823
154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335
181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289
109.659C186.442 102.583 201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655
109.663C296.649 116.549 313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895
367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399
367.438 250.814C361.033 259.229 351.095 269.557 337.624 281.796L419.782 281.8L448.605
331.719L259.774 331.712L230.951 281.792Z" fill="#F3BEC7" />

<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608
102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z" fill="#F3BEC7" />

<path d="M230.951 281.792L231.282 281.793C238.128 274.907 248.453 265.823
262.256 254.539C275.617 243.256 285.666 234.267 292.402 227.573C299.027 220.688 303.554
213.421 305.983 205.771C308.412 198.12 307.253 190.183 302.504 181.959C297.203 172.778 289.749
165.415 280.142 159.868C270.645 154.13 260.596 151.26 249.995 151.26C239.615 151.26 232.823
154.033 229.621 159.579C226.309 164.934 227.413 172.393 232.935 181.956L168.335
181.954C159.058 165.888 155.082 151.543 156.407 138.92C157.953 126.298 164.247 116.544 175.289
109.659C186.442 102.583 201.294 99.045 219.846 99.0457C239.281 99.0464 258.551 102.585 277.655
109.663C296.649 116.549 313.986 126.303 329.667 138.927C345.349 151.551 357.827 165.895
367.104 181.961C375.718 196.88 379.528 209.981 378.535 221.265C377.762 232.549 374.063 242.399
367.438 250.814C361.033 259.229 351.095 269.557 337.624 281.796L419.782 281.8L448.605
331.719L259.774 331.712L230.951 281.792Z" stroke="#1B1B18" stroke-width="1" />

<path d="M51.8063 152.402L28.9479 152.401L-0.0411453 102.195L85.7608
102.198L218.282 331.711L155.339 331.709L51.8063 152.402Z" stroke="#1B1B18" stroke-width="1" />

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:translate-y-4">

<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393 219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792 293.166 259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768 263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111 224.831 207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929 245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615 206.836 116.261 201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958 176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164 190.119 271.502 199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233 270.45 337.044 283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915 320.337 326.515 322.4 324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297 355.37L406.121 405.289L217.29 405.282L188.467 355.363Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765 175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235 82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.915Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182 212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.964Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366 172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688 154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.257Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875 82.6442L132.806 183.221C143.959 176.145 158.812 172.607 177.363 172.608L235.432 72.0311Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013 255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049 294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.608Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.027 122.059 191.702 118.857 197.25L176.925 96.6737Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454 255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925 212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />

```
<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92
154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842
227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.562Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212
175.756L15.5469 75.1797Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862
254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z"
stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358
304.706Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401
225.966L44.5279 125.39Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733
175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431
75.19Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798
355.361L246.866 254.784Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471
355.358L246.539 254.781Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257
225.967L67.3906 125.391Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853
405.276L170.921 304.699Z" stroke="#1B1B18" stroke-width="1" stroke-linejoin="bevel" />
```

```
</g>
```

```
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-
100 duration-750 starting:opacity-0 starting:translate-y-4">
```

```
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849
227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577
178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735
132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214
132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
```

```
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" fill="#F0ACB8" />
```

```
<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849
227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577
178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735
132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214
132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" stroke="#1B1B18" stroke-width="1" stroke-
linejoin="round" />
```

```
</g>
```

```
<g style="mix-blend-mode: hard-light" class="transition-all delay-300 translate-y-0 opacity-
100 duration-750 starting:opacity-0 starting:translate-y-4">
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" fill="#F0ACB8" />
```

```
<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" stroke="#1B1B18" stroke-width="1" />
```

```
</g>
```

```
</svg>
```

```
{{-- Dark Mode 12 SVG --}}
```

```
<svg class="w-[448px] max-w-none relative -mt-[4.9rem] -ml-8 lg:ml-0 lg:-mt-[6.6rem]
hidden dark:block" viewBox="0 0 440 376" fill="none" xmlns="http://www.w3.org/2000/svg">
```

```
<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">
```

```
<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03
270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346
```

333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087
405.649L188.263 355.73Z" fill="black"/>

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" fill="black"/>

<path d="M188.263 355.73L188.595 355.73C195.441 348.845 205.766 339.761 219.569
328.477C232.93 317.193 242.978 308.205 249.714 301.511C256.34 294.626 260.867 287.358 263.296
279.708C265.725 272.058 264.565 264.121 259.816 255.896C254.516 246.716 247.062 239.352
237.454 233.805C227.957 228.067 217.908 225.198 207.307 225.198C196.927 225.197 190.136 227.97
186.934 233.516C183.621 238.872 184.726 246.331 190.247 255.894L125.647 255.891C116.371
239.825 112.395 225.481 113.72 212.858C115.265 200.235 121.559 190.481 132.602 183.596C143.754
176.52 158.607 172.982 177.159 172.983C196.594 172.984 215.863 176.523 234.968 183.6C253.961
190.486 271.299 200.241 286.98 212.864C302.661 225.488 315.14 239.833 324.416 255.899C333.03
270.817 336.841 283.918 335.847 295.203C335.075 306.487 331.376 316.336 324.75 324.751C318.346
333.167 308.408 343.494 294.936 355.734L377.094 355.737L405.917 405.656L217.087
405.649L188.263 355.73Z" stroke="#FF750F" stroke-width="1"/>

<path d="M9.11884 226.339L-13.7396 226.338L-42.7286 176.132L43.0733
176.135L175.595 405.649L112.651 405.647L9.11884 226.339Z" stroke="#FF750F" stroke-width="1"/>

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" fill="#391800"/>

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" fill="#391800"/>

<path d="M204.592 327.449L204.923 327.449C211.769 320.564 222.094 311.479
235.897 300.196C249.258 288.912 259.306 279.923 266.042 273.23C272.668 266.345 277.195 259.077
279.624 251.427C282.053 243.777 280.893 235.839 276.145 227.615C270.844 218.435 263.39 211.071
253.782 205.524C244.285 199.786 234.236 196.917 223.635 196.916C213.255 196.916 206.464
199.689 203.262 205.235C199.949 210.59 201.054 218.049 206.575 227.612L141.975 227.61C132.699
211.544 128.723 197.2 130.048 184.577C131.593 171.954 137.887 162.2 148.93 155.315C160.083
148.239 174.935 144.701 193.487 144.702C212.922 144.703 232.192 148.242 251.296
155.319C270.289 162.205 287.627 171.96 303.308 184.583C318.989 197.207 331.468 211.552 340.745
227.618C349.358 242.536 353.169 255.637 352.175 266.921C351.403 278.205 347.704 288.055
341.078 296.47C334.674 304.885 324.736 315.213 311.264 327.453L393.422 327.456L422.246
377.375L233.415 377.368L204.592 327.449Z" stroke="#FF750F" stroke-width="1"/>

<path d="M25.447 198.058L2.58852 198.057L-26.4005 147.851L59.4015
147.854L191.923 377.368L128.979 377.365L25.447 198.058Z" stroke="#FF750F" stroke-width="1"/>
</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4" style="mix-blend-mode:hard-light">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" fill="#733000"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" fill="#733000"/>

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.725 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046
133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#FF750F" stroke-width="1"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#FF750F" stroke-width="1"/>
</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">

<path d="M217.342 305.363L217.673 305.363C224.519 298.478 234.844 289.393
248.647 278.11C262.008 266.826 272.056 257.837 278.792 251.144C285.418 244.259 289.945 236.991
292.374 229.341C294.803 221.691 293.643 213.753 288.895 205.529C283.594 196.349 276.14 188.985
266.532 183.438C257.035 177.7 246.986 174.831 236.385 174.83C226.005 174.83 219.214 177.603
216.012 183.149C212.699 188.504 213.804 195.963 219.325 205.527L154.726 205.524C145.449
189.458 141.473 175.114 142.798 162.491C144.343 149.868 150.637 140.114 161.68 133.229C172.833
126.153 187.685 122.615 206.237 122.616C225.672 122.617 244.942 126.156 264.046

133.233C283.039 140.119 300.377 149.874 316.058 162.497C331.739 175.121 344.218 189.466
353.495 205.532C362.108 220.45 365.919 233.551 364.925 244.835C364.153 256.12 360.454 265.969
353.828 274.384C347.424 282.799 337.486 293.127 324.014 305.367L406.172 305.37L434.996
355.289L246.165 355.282L217.342 305.363Z" stroke="#FF750F" stroke-width="1"/>

<path d="M38.197 175.972L15.3385 175.971L-13.6505 125.765L72.1515
125.768L204.673 355.282L141.729 355.279L38.197 175.972Z" stroke="#FF750F" stroke-width="1"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4">

<path d="M188.467 355.363L188.798 355.363C195.644 348.478 205.969 339.393
219.772 328.11C233.133 316.826 243.181 307.837 249.917 301.144C253.696 297.217 256.792 293.166
259.205 288.991C261.024 285.845 262.455 282.628 263.499 279.341C265.928 271.691 264.768
263.753 260.02 255.529C254.719 246.349 247.265 238.985 237.657 233.438C228.16 227.7 218.111
224.831 207.51 224.83C197.13 224.83 190.339 227.603 187.137 233.149C183.824 238.504 184.929
245.963 190.45 255.527L125.851 255.524C116.574 239.458 112.598 225.114 113.923 212.491C114.615
206.836 116.261 201.756 118.859 197.253C122.061 191.704 126.709 187.03 132.805 183.229C143.958
176.153 158.81 172.615 177.362 172.616C196.797 172.617 216.067 176.156 235.171 183.233C254.164
190.119 271.502 199.874 287.183 212.497C302.864 225.121 315.343 239.466 324.62 255.532C333.233
270.45 337.044 283.551 336.05 294.835C335.46 303.459 333.16 311.245 329.151 318.194C327.915
320.337 326.515 322.4 324.953 324.384C318.549 332.799 308.611 343.127 295.139 355.367L377.297
355.37L406.121 405.289L217.29 405.282L188.467 355.363Z" stroke="#FF750F" stroke-width="1"
stroke-linejoin="bevel"/>

<path d="M9.32197 225.972L-13.5365 225.971L-42.5255 175.765L43.2765
175.768L175.798 405.282L112.854 405.279L9.32197 225.972Z" stroke="#FF750F" stroke-width="1"
stroke-linejoin="bevel"/>

<path d="M345.247 111.915C329.566 99.2919 312.229 89.5371 293.235
82.6512L235.167 183.228C254.161 190.114 271.498 199.869 287.179 212.492L345.247 111.915Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M382.686 154.964C373.41 138.898 360.931 124.553 345.25 111.93L287.182
212.506C302.863 225.13 315.342 239.475 324.618 255.541L382.686 154.964Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M293.243 82.6472C274.139 75.57 254.869 72.031 235.434 72.0303L177.366
172.607C196.801 172.608 216.071 176.147 235.175 183.224L293.243 82.6472Z" stroke="#FF750F"
stroke-width="1" stroke-linejoin="bevel"/>

<path d="M394.118 194.257C395.112 182.973 391.301 169.872 382.688
154.953L324.619 255.53C333.233 270.448 337.044 283.55 336.05 294.834L394.118 194.257Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M235.432 72.0311C216.88 72.0304 202.027 75.5681 190.875
82.6442L132.806 183.221C143.959 176.145 158.812 172.607 177.363 172.608L235.432 72.0311Z"
stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M265.59 124.25C276.191 124.251 286.24 127.12 295.737 132.858L237.669 233.435C228.172 227.697 218.123 224.828 207.522 224.827L265.59 124.25Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M295.719 132.859C305.326 138.406 312.78 145.77 318.081 154.95L260.013 255.527C254.712 246.347 247.258 238.983 237.651 233.436L295.719 132.859Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M387.218 217.608C391.227 210.66 393.527 202.874 394.117 194.25L336.049 294.827C335.459 303.451 333.159 311.237 329.15 318.185L387.218 217.608Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M245.211 132.577C248.413 127.03 255.204 124.257 265.584 124.258L207.516 224.835C197.136 224.834 190.345 227.607 187.143 233.154L245.211 132.577Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M318.094 154.945C322.842 163.17 324.002 171.107 321.573 178.757L263.505 279.334C265.934 271.684 264.774 263.746 260.026 255.522L318.094 154.945Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M176.925 96.6737C180.127 91.1249 184.776 86.4503 190.871 82.6499L132.803 183.227C126.708 187.027 122.059 191.702 118.857 197.25L176.925 96.6737Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M387.226 217.606C385.989 219.749 384.59 221.813 383.028 223.797L324.96 324.373C326.522 322.39 327.921 320.326 329.157 318.183L387.226 217.606Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M317.269 188.408C319.087 185.262 320.519 182.045 321.562 178.758L263.494 279.335C262.451 282.622 261.019 285.839 259.201 288.985L317.269 188.408Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M245.208 132.573C241.895 137.928 243 145.387 248.522 154.95L190.454 255.527C184.932 245.964 183.827 238.505 187.14 233.15L245.208 132.573Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M176.93 96.6719C174.331 101.175 172.686 106.255 171.993 111.91L113.925 212.487C114.618 206.831 116.263 201.752 118.862 197.249L176.93 96.6719Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M317.266 188.413C314.853 192.589 311.757 196.64 307.978 200.566L249.91 301.143C253.689 297.216 256.785 293.166 259.198 288.99L317.266 188.413Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M464.198 304.708L435.375 254.789L377.307 355.366L406.13 405.285L464.198 304.708Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M353.209 254.787C366.68 242.548 376.618 232.22 383.023 223.805L324.955 324.382C318.55 332.797 308.612 343.124 295.141 355.364L353.209 254.787Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M435.37 254.787L353.212 254.784L295.144 355.361L377.302 355.364L435.37 254.787Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M183.921 154.947L248.521 154.95L190.453 255.527L125.853 255.524L183.921 154.947Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M171.992 111.914C170.668 124.537 174.643 138.881 183.92 154.947L125.852 255.524C116.575 239.458 112.599 225.114 113.924 212.491L171.992 111.914Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M307.987 200.562C301.251 207.256 291.203 216.244 277.842 227.528L219.774 328.105C233.135 316.821 243.183 307.832 249.919 301.139L307.987 200.562Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M15.5469 75.1797L44.5359 125.386L-13.5321 225.963L-42.5212 175.756L15.5469 75.1797Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M277.836 227.536C264.033 238.82 253.708 247.904 246.862 254.789L188.794 355.366C195.64 348.481 205.965 339.397 219.768 328.113L277.836 227.536Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M275.358 304.706L464.189 304.713L406.12 405.29L217.29 405.283L275.358 304.706Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M44.5279 125.39L67.3864 125.39L9.31834 225.967L-13.5401 225.966L44.5279 125.39Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M101.341 75.1911L233.863 304.705L175.795 405.282L43.2733 175.768L101.341 75.1911ZM15.5431 75.19L-42.525 175.767L43.277 175.77L101.345 75.1932L15.5431 75.19Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M246.866 254.784L246.534 254.784L188.466 355.361L188.798 355.361L246.866 254.784Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M246.539 254.781L275.362 304.701L217.294 405.277L188.471 355.358L246.539 254.781Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M67.3906 125.391L170.923 304.698L112.855 405.275L9.32257 225.967L67.3906 125.391Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

<path d="M170.921 304.699L233.865 304.701L175.797 405.278L112.853 405.276L170.921 304.699Z" stroke="#FF750F" stroke-width="1" stroke-linejoin="bevel"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0 starting:translate-y-4" style="mix-blend-mode:hard-light">

<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849 227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577 178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735 132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214

132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" fill="#4B0600"/>

<path d="M246.544 254.79L246.875 254.79C253.722 247.905 264.046 238.82 277.849
227.537C291.21 216.253 301.259 207.264 307.995 200.57C314.62 193.685 319.147 186.418 321.577
178.768C324.006 171.117 322.846 163.18 318.097 154.956C312.796 145.775 305.342 138.412 295.735
132.865C286.238 127.127 276.189 124.258 265.588 124.257C255.208 124.257 248.416 127.03 245.214
132.576C241.902 137.931 243.006 145.39 248.528 154.953L183.928 154.951C174.652 138.885 170.676
124.541 172 111.918C173.546 99.2946 179.84 89.5408 190.882 82.6559C202.035 75.5798 216.887
72.0421 235.439 72.0428C254.874 72.0435 274.144 75.5825 293.248 82.6598C312.242 89.5457
329.579 99.3005 345.261 111.924C360.942 124.548 373.421 138.892 382.697 154.958C391.311
169.877 395.121 182.978 394.128 194.262C393.355 205.546 389.656 215.396 383.031
223.811C376.627 232.226 366.688 242.554 353.217 254.794L435.375 254.797L464.198
304.716L275.367 304.709L246.544 254.79Z" stroke="#FF750F" stroke-width="1" stroke-
linejoin="round"/>

</g>

<g class="transition-all delay-300 translate-y-0 opacity-100 duration-750 starting:opacity-0
starting:translate-y-4" style="mix-blend-mode:hard-light">

<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" fill="#4B0600"/>

<path d="M67.41 125.402L44.5515 125.401L15.5625 75.1953L101.364 75.1985L233.886
304.712L170.942 304.71L67.41 125.402Z" stroke="#FF750F" stroke-width="1"/>

</g>

</svg>

<div class="absolute inset-0 rounded-t-lg lg:rounded-t-none lg:rounded-r-lg shadow-
[inset_0px_0px_0px_1px_rgba(26,26,0,0.16)] dark:shadow-
[inset_0px_0px_0px_1px_#fffaed2d]"></div>

</div>

</main>

</div>

@if (Route::has('login'))

<div class="h-14.5 hidden lg:block"></div>

@endif

</body>

</html>