

Warrant

A prompt is not suitability.

提示词，不等于适当性。

On-chain, revocable trade limits for AI agents, a preflight that scores every trade against them, and proof the agent was told before it traded.

给 AI 交易代理的链上可撤销授权：每笔交易前按授权打分，并在链上留下「它事先被告知过」的证据。

Today, an agent's trading limits live in a prompt.

今天，AI 代理的交易边界写在一段提示词里。

A TYPICAL SYSTEM PROMPT · 典型提示词

You are a trading agent.
Never trade more than \$1,000.
Keep slippage under 1%.
Only send funds back to my wallet.
Ask me before anything risky.

Nobody can check it.

外人无法核查代理被授权做什么。

Nobody can revoke it on its own.

不改代理本身，就无法单独撤销授权。

After a bad trade, nobody can prove the agent was told.

出事之后，无法证明代理事先被告知过风险。

The wallet already limits spend. Nothing limits suitability.

钱包管得住「花多少」，管不住「该不该这样成交」。

4 / 7


suitability checks that MetaMask Agent Wallet's Guard Mode policy cannot express at all.

七项适当性检查中，有四项是 Guard Mode 策略完全无法表达的。

CHECK	GUARD MODE POLICY	WARRANT
Trade size 单笔金额	24h outflow total	per trade
Slippage 滑点	—	✓
Price impact 价格冲击	—	✓
Fee load 费用占比	—	✓
Recipient is self 收款回本钱包	address allowlist	✓
Cross-chain 跨链	allowed chains	✓
New token approval 新增授权	—	✓

Limits on-chain. Scoring before the trade. A receipt after.

授权放上链，交易前打分，事后留凭证。



- 01

Grant

授权人为代理设定边界，可随时撤销。

setWarrant / revoke
- 02

Preflight

代理下单前，按链上授权给报价打分。

mm warrant preflight
- 03

Attest

把打分结论的哈希写上链，绑定当前授权版本。

attestPreflight
- 04

Verify

任何人都能核对：授权了什么、代理被告知了什么。

PreflightAttested

Same warrant, two quotes.

同一份授权，两笔报价。

\$120.3

worst-case loss on the second quote 第二笔的最坏损失

```
$ mm warrant preflight # quote A

SUITABLE

✓ size      $250
✓ slippage  0.50%
✓ impact    0.21%
✓ fees      14bps
✓ recipient self
✓ chain     same
✓ approval  none

worst case ≈ $1.25
```

```
$ mm warrant preflight # quote B

UNSUITABLE

✗ size      $4,200    limit $1,000
✗ slippage  3.00%     limit 1.00%
✗ impact    2.80%     limit 1.50%
✗ fees      79bps    limit 50bps
✗ recipient 0xBEEF...C0DE self only
▲ chain     1 → 42161 bridge risk
▲ approval  required

worst case ≈ $120.3 (3.00%) · may prompt Guard Mode 2FA
```

Source: output of test/demo.mjs on the synthetic quotes in test/fixtures.mjs, scored against the default warrant (\$1,000 · 100 · 150 · 50 bps). 报价为合成数据。

Deployed and exercised on Monad and Avalanche.

已在 Monad 与 Avalanche 测试网部署并完整跑通。

8 / 8

live transactions succeeded, one event each: grant, attest PASS, attest FAIL, revoke — on both chains.

两条链各四笔：授权、记录通过、记录不通过、撤销，全部成功。

STEP	MONAD TESTNET	AVALANCHE FUJI
setWarrant	0xf864...fbf8	0x50a8...df54
attestPreflight · PASS	0x5fc8...9d5e	0xc719...cbca
attestPreflight · FAIL	0x18d4...9a0e	0x27a2...bfc9
revoke	0xc7db...5921	0x90e7...4400

GAS PER ATTESTPREFLIGHT · 每次记录的 GAS

Monad testnet		35,130 · 0.0036 MON
Avalanche Fuji		30,788 · ≈0 AVAX

Source: transaction receipts via RPC, 2026-09-26. Registry 0x37cdFe2a144993dC3145367305fF66E29302E673 (same address on both chains). Gas prices at run time: 102 gwei (Monad), 160 wei (Fuji).

Reveal, not enforce.

只揭示，不拦截。

A wallet plugin cannot intercept native commands.

插件拦不住钱包的原生命令，所以我们不假装能拦。

An attestation proves what the agent was shown, not that prices were right.

链上凭证证明「代理看到了什么」，不证明报价本身正确。

So skipping preflight is made detectable, not impossible.

代理可以跳过打分，但跳过会在链上留下缺口。

Complements Guard Mode: it enforces spend, Warrant reveals suitability.

与 Guard Mode 互补：它管花钱上限，Warrant 管成交是否合适。

From a receipt to a reputation.

从一张凭证，到一份可追溯的信誉。

2026-09-26 · shipped

Registry on Monad + Fuji, plugin, agent skill, 30 tests

两链部署、插件、代理指令、30 项测试

next

Agent signs its own attestations (MetaMask BYOK wallet)

代理用自己持有的密钥签署凭证

next

ERC-8004 identity + reputation for agents

接入 ERC-8004：代理身份与信誉，两条测试网已有官方注册表

by 2026-10-13

Violation detector: trades with no attestation, or FAIL then trade

违规检测：没打分就成交，或判定不通过仍成交

TRY IT · 试用

github.com/Beltran12138/warrant

One contract, one CLI command, one live walkthrough on either chain.

一个合约、一条命令，任选一条链即可完整跑通。

Built solo with AI coding tools, disclosed in the README.

独立开发，使用 AI 编程工具，已在 README 中披露。