



JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



The screenshot shows the Visual Studio Code editor with the file menu.html open. The Explorer sidebar on the left shows the project structure: GUIA10DAW, css, img, js, scriptjs, and menu.html. The main editor area displays the following HTML code:

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <script src="http://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>
8   <script src="js/script.js"></script>
9   <link rel="stylesheet" href="css/style.css">
10  <title>Dropdown Menu</title>
11 </head>
12 <nav id="navigation">
13   <ul class="parent">
14     <li>Item 1</li>
15     <li>Item 2
16       <ul class="child">
17         <li>Item 2.1</li>
18         <li>Item 2.2</li>
19         <li>Item 2.3</li>
20         <li>Item 2.4</li>
21       </ul>
22     </li>
23     <li>Item 3</li>
24     <li>Item 4</li>
25     <li>Item 5
26       <ul class="child">
27         <li>Item 5.1</li>
28         <li>Item 5.2</li>
29         <li>Item 5.3</li>
30         <li>Item 5.4</li>
31       </ul>
32     </li>
33   </ul>
```

The status bar at the bottom indicates the current position is Line 38, Column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the HTML language mode selected. The system tray shows a temperature of 81°F, partly sunny weather, and the date 11/7/2023.





The screenshot shows the Visual Studio Code editor with the file menu.html open. The Explorer sidebar on the left shows the project structure: GUIA10DAW, css, img, js, scriptjs, and menu.html. The main editor area displays the following HTML code:

```
12 <nav id="navigation">
13   <ul class="parent">
14     <li>Item 1</li>
15     <li>Item 2
16       <ul class="child">
17         <li>Item 2.1</li>
18         <li>Item 2.2</li>
19         <li>Item 2.3</li>
20         <li>Item 2.4</li>
21       </ul>
22     </li>
23     <li>Item 3</li>
24     <li>Item 4</li>
25     <li>Item 5
26       <ul class="child">
27         <li>Item 5.1</li>
28         <li>Item 5.2</li>
29         <li>Item 5.3</li>
30         <li>Item 5.4</li>
31       </ul>
32     </li>
33   </ul>
34 </nav>
35 <body class="container">
36 </body>
37 </html>
```

The status bar at the bottom indicates the current position is Line 38, Column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and the HTML language mode selected. The system tray shows a temperature of 81°F, partly sunny weather, and the date 11/7/2023.

GUIA 10
DAW 06L

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



GUIA 10
DAW 06L


JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, user-scalable=no, initial-scale=1.0,
6     maximum-scale=1.0, minimum-scale=1.0">
7   <title>Slider JQuery</title>
8   <link rel="stylesheet" href="css/estilos.css">
9   <link rel="stylesheet" href="css/font-awesome.css">
10  <script src="http://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>
11  <script src="js/main.js"></script>
12 </head>
13 <body>
14   <div class="slideshow">
15     <ul class="slider">
16     <li>
17       
18       <section class="caption">
19         <h1>Lorem ipsum 1</h1>
20         <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
21         quis ipsa, id quidem quisquam unde.</p>
22       </section>
23     </li>
24     <li>
25       
26       <section class="caption">
27         <h1>Lorem ipsum 2</h1>
28         <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
29         quis ipsa, id quidem quisquam unde.</p>
30       </section>
31     </li>
32   </ul>
```

```
22 </section>
23 </li>
24 <li>
25   
26   <section class="caption">
27     <h1>Lorem ipsum 2</h1>
28     <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
29     quis ipsa, id quidem quisquam unde.</p>
30   </section>
31 </li>
32 <li>
33   
34   <section class="caption">
35     <h1>Lorem ipsum 3</h1>
36     <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
37     quis ipsa, id quidem quisquam unde.</p>
38   </section>
39 </li>
40 </ul>
41 
42 <section class="caption">
43   <h1>Lorem ipsum 4</h1>
44   <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
45   quis ipsa, id quidem quisquam unde.</p>
46 </section>
47 </li>
48 </ul>
49 <ol class="pagination">
50 </ol>
51 <div class="left">
52   <span class="fa fa-chevron-left"></span>
53 </div>
```


GUIA 10
DAW 06L

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



The screenshot shows the Visual Studio Code editor with the file 'galleryview.html' open. The Explorer sidebar on the left shows a project structure for 'GUIA10DAW' with folders for 'css', 'img', 'js', and 'server'. The 'js' folder is expanded, showing 'main.js', 'noise.js', 'script.js', and 'speaker-big-1.2.24r229.min.js'. The 'galleryview.html' file is selected. The main editor area displays the HTML code for the gallery, including image tags, captions, and pagination controls. The status bar at the bottom indicates 'Ln 59, Col 8', 'Spaces: 4', 'UTF-8', 'CRLF', and 'HTML'.

```
30 </section>
31 </li>
32 </li>
33 
34 <section class="caption">
35 <h1>Lorem ipsum 3</h1>
36 <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
37 quis ipsa, id quidem quisquam unde.</p>
38 </section>
39 </li>
40 </li>
41 
42 <section class="caption">
43 <h1>Lorem ipsum 4</h1>
44 <p>Lorem ipsum dolor sit amet, consectetur adipisicing elit. Adipisci
45 quis ipsa, id quidem quisquam unde.</p>
46 </section>
47 </li>
48 </ul>
49 <ol class="pagination">
50 </ol>
51 <div class="left">
52 <span class="fa fa-chevron-left"></span>
53 </div>
54 <div class="right">
55 <span class="fa fa-chevron-right"></span>
56 </div>
57 </div>
58 </body>
59 </html>
```




The screenshot shows the Visual Studio Code editor with the file 'main.js' open. The Explorer sidebar on the left shows the same project structure as the previous screenshot. The 'main.js' file is selected. The main editor area displays the JavaScript code for the gallery, including jQuery selectors, event handlers, and pagination logic. The status bar at the bottom indicates 'Ln 2, Col 44', 'Spaces: 4', 'UTF-8', 'CRLF', and 'JavaScript'.

```
1 $(document).ready(function(){
2   var imgItems = $('.slider li').length;
3   var imgPos = 1;
4
5   for(i = 1; i <= imgItems; i++){
6     $('.pagination').append('<li><span class="fa fa-circle"></span></li>');
7   }
8
9   $('.slider li').hide();
10  $('.slider li:first').show();
11  $('.pagination li:first').css({'color': '#CD6E2E'});
12
13  $('.pagination li').click(pagination);
14  $('.right span').click(nextSlider);
15  $('.left span').click(prevSlider);
16  setInterval(function(){
17    nextSlider();
18  }, 4000);
19
20  function pagination(){
21    var paginationPos = $(this).index() + 1;
22    $('.slider li').hide();
23    $('.slider li:nth-child('+ paginationPos +)').fadeIn();
24    seleccionado
25    $('.pagination li').css({'color': '#858585'});
26    $(this).css({'color': '#CD6E2E'});
27    imgPos = paginationPos;
28  }
29  function nextSlider(){
30    if( imgPos >= imgItems){imgPos = 1;}
31    else {imgPos++;}
32    $('.pagination li').css({'color': '#858585'});
```


GUIA 10
DAW 06L

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784




The screenshot shows the Visual Studio Code editor with two files open: `galleryview.html` and `main.js`. The `main.js` file contains JavaScript code for a slider gallery. The code includes a `ready()` callback, a `nextSlider()` function, a `pagination()` function, and a `prevSlider()` function. The `pagination()` function updates the pagination position and hides/shows the corresponding slider and pagination links. The `nextSlider()` and `prevSlider()` functions handle the navigation between slides.


```
17 nextSlider();
18 }, 4000);
19
20 function pagination(){
21   var paginationPos = $(this).index() + 1;
22   $('.slider li').hide();
23   $('.slider li:nth-child('+ paginationPos +)').fadeIn();
24   seleccionado
25   $('.pagination li').css({'color': '#858585'});
26   $(this).css({'color': '#CD6E2E'});
27   imgPos = paginationPos;
28 }
29 function nextSlider(){
30   if( imgPos >= imgItems){imgPos = 1;}
31   else {imgPos++;}
32   $('.pagination li').css({'color': '#858585'});
33   $('.pagination li:nth-child(' + imgPos +)').css({'color': '#CD6E2E'});
34   $('.slider li').hide();
35   $('.slider li:nth-child(' + imgPos +)').fadeIn();
36 }
37 function prevSlider(){
38   if( imgPos <= 1){imgPos = imgItems;}
39   else {imgPos--;}
40   $('.pagination li').css({'color': '#858585'});
41   $('.pagination li:nth-child(' + imgPos +)').css({'color': '#CD6E2E'});
42   $('.slider li').hide();
43   $('.slider li:nth-child(' + imgPos +)').fadeIn();
44 }
45
46
```



GUIA 10
DAW 06L




```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <title>Speakker | Reproductor de audio</title>
5   <meta charset="utf-8" />
6   <meta name="description" content="Audioplayer from a new generation" />
7   <link rel="Shortcut Icon" type="image/ico" href="img/speakker.ico" />
8   <link rel="stylesheet" media="screen" href="css/player.css" />
9
10  <script src="http://ajax.googleapis.com/ajax/libs/jquery/2.1.3/jquery.min.js"></script>
11  <script src="js/speakker-big-1.2.24r229.min.js"></script>
12  <script>
13    $(document).ready(function() {
14      projekktor('.projekktor');
15    });
16  </script>
17 </head>
18 <body>
19   <div id="wrap">
20     <header class="inside-plus">
21       <div id="logo">
22         
23         <h1>Reproductor Speakker</h1>
24       </div>
25     </header>
26     <div class="inside">
27       <p>
28         Esta es una pequeña demostración de un
29         reproductor de audio en web llamado Speakker
30         implementado con la librería jQuery.
31         Este reproductor usa una lista de reproducción
32         con JSON que puede verificar en el archivo
```




```
33   <a href="js/playlist.json">playlist.json</a>
34   para que puede tener una idea de cómo
35   personalizar otra lista más acorde a su gusto
36   musical.
37   Puede encontrar más información sobre cómo hacer
38   su propia lista.
39   <a href="http://www.projekktor.com/docs/playlists">aquí</a>.
40   Si desea chequear un poco la documentación de
41   este reproductor ve a <a href="http://www.projekktor.com/docs/api">este sitio</a>.
42   </p>
43   <p>
44     Speakker es un producto de libre distribución.
45     De modo que si te gusta lo que ves puedes hacer
46     una:
47     <a href="http://www.projekktor.com/donate.php">donación</a>.
48   </p>
49   <div class="separator">&nbsp;</div>
50
51   <audio class="projekktor speakker light">
52     <source src="js/playlist.json" type="application/json" />
53   </audio>
54   <div id="about">
55     <p class="left">
56       Speakker es un producto de last.fm-resque
57       audio player construido sobre la base del
58       famoso reproductor de video
59       <a href="http://www.projekktor.com" title="projekktor website">projekktor</a>
```

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



The screenshot shows the VS Code editor with the 'player.html' file open. The Explorer sidebar on the left shows the project structure for 'GUIA10DAW', including folders for 'css', 'img', 'js', and 'server'. The main editor area displays the HTML code for 'player.html', which includes a header with a link to the Projekktor website, a paragraph about the product, a link to the donation page, a separator, an audio player, and a footer with copyright information and links to 'Porkhead.org' and 'Spinning Airwhale'. The status bar at the bottom indicates the file is at line 50, column 1, with 4 spaces, UTF-8 encoding, CRLF line endings, and is being previewed in HTML. The system tray shows the date and time as 3:59 PM on 11/7/2023.

```
41 <!-- caso chequear un par de documentacion de
42 este reproductor ve a <a href="http://www.projekktor.com/docs/api">este sitio</a>.
43 </p>
44 Speakker es un producto de libre distribución.
45 De modo que si te gusta lo que ves puedes hacer
46 una:
47 <a href="http://www.projekktor.com/donate.php">donación</a>.
48 </p>
49 <div class="separator">&nbsp;</div>
50
51 <audio class="projekktor speakker light">
52 <source src="js/playlist.json" type="application/json" />
53 </audio>
54 <div id="about">
55 <p class="left">
56 Speakker es un producto de last.fm-resque
57 audio player construido sobre la base del
58 famoso reproductor de video
59 <a href="http://www.projekktor.com" title="projekktor website">projekktor</a>.
60 </p>
61 <p class="separator">
62 &copy; 2011-201 Follow link (ctrl + click) i.porkhead.org>Porkhead.org</a>
63 &amp; <a href="http://www.spinningairwhale.com">Spinning Airwhale</a>
64 </p>
65 </div>
66 </div>
67 </div>
68 <script src="js/noise.js"></script>
69 </body>
70 </html>
```




The screenshot shows the VS Code editor with the 'player.css' file open. The Explorer sidebar on the left shows the project structure for 'GUIA10DAW', including folders for 'css', 'img', 'js', and 'server'. The main editor area displays the CSS code for 'player.css', which includes a base style for 'article, aside, audio, canvas, command, datalist, details, embed, figcaption, figure, footer, header, hgroup, keygen, meter, nav, output, progress, section, source, video' with 'display: block;'. It also includes a style for 'mark, rp, rt, ruby, summary, time' with 'display: inline;'. A reset style for '*' sets 'margin: 0; padding: 0; border: 0;'. The 'body' style sets 'background-color: #60607b; font: normal normal 14px/12px Tahoma, Arial, Helvetica, Verdana, sans-serif; text-shadow: 0px -1px 0px #3f4353; color: #fff;'. The 'h1' style sets 'font-size: 1.6em; font-weight: normal; font-family: "DINNeuzeitGroteskLightRegul", Arial, Helvetica, sans-serif; padding: 0 0 12px;'. The status bar at the bottom indicates the file is at line 1, column 32, with a tab size of 4, UTF-8 encoding, LF line endings, and is being previewed in CSS. The system tray shows the date and time as 4:00 PM on 11/7/2023.

```
1 article, aside, audio, canvas,
2 command, datalist, details, embed,
3 figcaption, figure, footer, header,
4 hgroup, keygen, meter, nav, output,
5 progress, section, source, video {
6   display: block;
7 }
8
9 mark, rp, rt, ruby, summary, time {
10   display: inline
11 }
12
13 * {
14   margin: 0;
15   padding: 0;
16   border: 0;
17 }
18
19 body {
20   background-color: #60607b;
21   font: normal normal 14px/12px Tahoma, Arial, Helvetica, Verdana, sans-serif;
22   text-shadow: 0px -1px 0px #3f4353;
23   color: #fff;
24 }
25
26 h1 {
27   font-size: 1.6em;
28   font-weight: normal;
29   font-family: "DINNeuzeitGroteskLightRegul", Arial, Helvetica, sans-serif;
30   padding: 0 0 12px;
31 }
32
```

GUIA 10
DAW 06L


JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



A screenshot of the Visual Studio Code editor interface. The Explorer panel on the left shows a project named 'GUIA10DAW' with a file structure including 'css' (containing 'estilos.css', 'font-awesome.css', and 'player.css'), 'img', 'js' (containing 'main.js', 'noise.js', 'playlist.json', 'script.js', and 'speaker-big-1.2.24r229.min.js'), 'junk', and 'server' (containing 'galleryview.html', 'jarisplayer.swf', 'menu.html', and 'player.html'). The main editor area displays the 'player.css' file with the following CSS code:

```
22 text-shadow: 0px -1px 0px #3f4353;
23 color: #fff;
24 }
25
26 h1 {
27   font-size: 1.6em;
28   font-weight: normal;
29   font-family: "DINNeuzeitGroteskLTLightRegul", Arial, Helvetica, sans-serif;
30   padding: 0 0 12px;
31 }
32
33 h2 {
34   font-size: 1.2em;
35   font-weight: normal;
36   padding: 0 0 8px;
37 }
38
39 p {
40   padding: 0 0 10px;
41 }
42
43 a {
44   color: #fff;
45   font-weight: bold;
46   outline: none;
47 }
48
49 a:hover {
50   color: #b8c6ef;
51   text-decoration: none;
52 }
53
```

The status bar at the bottom indicates 'Ln 1, Col 32', 'Tab Size: 4', 'UTF-8', 'LF', 'CSS', 'Port: 5500', 'Prettier', and the system clock shows '4:00 PM 11/7/2023'.




A screenshot of the Visual Studio Code editor interface, showing the same project as the first image. The main editor area displays the 'player.css' file with the following CSS code:

```
46 outline: none;
47 }
48
49 a:hover {
50   color: #b8c6ef;
51   text-decoration: none;
52 }
53
54 #navigation {
55   list-style-type: none;
56   float: right;
57   margin-top: 10px;
58 }
59
60 #navigation li {
61   float: left;
62 }
63
64 .left {
65   float: left;
66 }
67
68 .right {
69   float: right;
70 }
71
72 .inside, .inside-plus {
73   padding: 20px 20px;
74   float: left;
75   line-height: 20px;
76   width: 940px;
77 }
```


The status bar at the bottom indicates 'Ln 71, Col 1', 'Tab Size: 4', 'UTF-8', 'LF', 'CSS', 'Port: 5500', 'Prettier', and the system clock shows '4:00 PM 11/7/2023'.

GUIA 10
DAW 06L

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784



```
css > player.css > .two-third
80 padding: 40px 20px 0;
81 }
82
83 .inside-plus-demo {
84 padding: 40px 20px 0;
85 width: 750px;
86 }
87
88 .half, .half-pad, .third, .quarter, .fifth, .sixth, .two-third {
89 padding: 0;
90 float: left;
91 }
92
93 .half li, .third li, .quarter li, .fifth li, .sixth li {
94 float: left;
95 list-style-type: none;
96 }
97
98 .half li {
99 padding-right: 5%;
100 width: 45%;
101 }
102
103 .third li {
104 padding-right: 5%;
105 width: 28.3%;
106 }
107
108 .quarter li {
109 padding-right: 5%;
110 width: 20%;
111 }
```



```
css > player.css > ...
167 }
168
169 #about {
170 width: 940px;
171 float: left;
172 clear: both;
173 padding: 25px 0 0;
174 margin-top: 30px;
175 border-top: 2px dotted #8e97b2;
176 }
177
178 .home, .board, .contact, .download {
179 display: block;
180 background: transparent url('projekktor.png') left top no-repeat;
181 width: 82px;
182 height: 33px;
183 text-indent: -9999px;
184 }
185
186 .home:hover {
187 background: transparent url('projekktor.png') left bottom no-repeat;
188 }
189
190 .board {
191 background: transparent url('discuss.png') left top no-repeat;
192 }
193
194 .board:hover {
195 background: transparent url('discuss.png') left bottom no-repeat;
196 }
197
198 .contact {
```

GUIA 10
DAW 06L

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784

```
196 }
197
198 .contact {
199     background: transparent url('contact.png') left top no-repeat;
200     width:80px;
201 }
202
203 .contact: hover {
204     background: transparent url('contact.png') left bottom no-repeat;
205 }
206
207 .download {
208     background: transparent url('download.png') left top no-repeat;
209     width:102px;
210 }
211
212 .download: hover {
213     background: transparent url('download.png') left bottom no-repeat;
214 }
215
216 .soon {
217     display: block;
218     background: transparent url('soon.png') left top no-repeat;
219     width:90px;
220     height:77px;
221     text-indent:-99999px;
222 }
223
224 .demo {
225     display: block;
226     background: transparent url('demo.png') left top no-repeat;
227     width:90px;
```

```
288
289 /* General Info Box */
290 #infobox {
291     position: absolute;
292     bottom: -210px;
293     Left: 480px;
294     height: 250px;
295     width: 500px;
296     z-index: 20;
297     margin: 0 0 -125px -250px;
298     background: #e6e8ef;
299     -webkit-border-radius: 5px;
300     -moz-border-radius: 5px;
301     border-radius: 5px;
302     text-align: center;
303     color: #191919;
304     text-shadow: #fff 0px 1px 0px;
305 }
306
307 span.close {
308     position: absolute;
309     right: 5px;
310     top: 5px;
311 }
312
313
314 #fade_bg {
315     position: absolute;
316     z-index: 15;
317     width: 100%;
318     height: 100%;
319     background: url('speaker-dim.png');
```

JENNIFER PATRICIA ZALDANA BELTRAN
ZB212784

