

- important for rest of the course that you understand plate tectonics discussed in last class
- Topic 04B not on midterm

National parks of the Cascades geologic province:


- Mount Rainier NP
- Crater Lake NP
- Lassen Volcanic NP
- Mt. St. Helens NM

1



Crater Lake NP - 5 miles across, steep-walled (~1000' high)

- 1950' deep (deepest lake in N.A.), visibility to 325' (Tahoe is 1650' deep and visible to <100')



oblique view into Crater Lake from side-scan sonar mapping - note emergent volcanic cone & submergent cone

- technically a "caldera" lake formed by a catastrophic eruption 7700 years ago


3






The walls of Crater Lake reveal the interior of Mazama and permit geologists to piece together its growth and evolution prior to the eruption of 7700 years ago.





















- Cinder Cone

13

main roadway






View northwest from Lake Almanor toward the reconstructed profile of ancient Brokeoff volcano and modern Lassen Peak.

- Last major eruption of Brokeoff ~400,000 years ago


15




- dormant for past 26,000 years















Lava flows emanate from the base of Cinder Cone, damming creeks to form lakes



Bumpass Hell hydrothermal area – hot springs & fumaroles

 light-colored clays formed by in-place alteration of volcanic rock by hot, acidic groundwater



