

24. Count and Remove Comments

```
#include <stdio.h>

#include <string.h>

int main()
{
    char program[] =
        "#include<stdio.h>\n"
        "int main()\n"
        "{\n"
        "int a,b,c; /* variable declaration */\n"
        "printf(\"enter two numbers\");\n"
        "scanf(\"%d %d\",&a,&b); // input numbers\n"
        "c=a+b;\n"
        "printf(\"sum is %d\",c);\n"
        "return 0;\n"
        "}";

    int i = 0;

    int comments = 0;

    printf("PROGRAM WITHOUT COMMENTS\n");
    printf("-----\n");

    while (program[i] != '\0')
    {
        /* Single-line comment */
        if (program[i] == '/' && program[i + 1] == '/')
            comments++;
        i++;
    }

    printf("Number of comments: %d\n", comments);
}
```

```
{  
    comments++;  
    i += 2;  
  
    while (program[i] != '\0' && program[i] != '\n')  
        i++;  
}
```

```
/* Multi-line comment */  
else if (program[i] == '/' && program[i + 1] == '*')  
{  
    comments++;  
    i += 2;  
  
    while (program[i] != '\0' &&  
        !(program[i] == '*' && program[i + 1] == '/'))  
    {  
        i++;  
    }  
  
    if (program[i] != '\0')  
        i += 2;  
}
```

```
else  
{  
    printf("%c", program[i]);  
    i++;  
}
```

```

    }
}

printf("\n\nNumber of comments = %d\n", comments);

return 0;
}

```

Output

```

PROGRAM WITHOUT COMMENTS
-----
#include<stdio.h>
int main()
{
int a,b,c;
printf("enter two numbers");
scanf("%d %d",&a,&b);
c=a+b;
printf("sum is %d",c);
return 0;
}

Number of comments = 2

-----
Process exited after 1.043 seconds with return value 0
Press any key to continue . . . |

```