

Tenable Vulnerability Management Report

Tenable Vulnerability Management

Thu, 30 Jan 2025 11:19:48 UTC

Table Of Contents

Vulnerabilities By Host..... 3

- api.sa.leantech.me.....4
- app.sa.leantech.me.....13
- dev.sa.leantech.me.....23
- link.sa.leantech.me.....33
- link.sandbox.sa.leantech.me.....43
- sandbox.sa.leantech.me.....52

Assets Summary (Executive)..... 61

- api.sa.leantech.me.....62
- app.sa.leantech.me.....63
- dev.sa.leantech.me.....64
- link.sa.leantech.me.....65
- link.sandbox.sa.leantech.me.....66
- sandbox.sa.leantech.me.....67

Vulnerabilities By Host

api.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

api.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical

High

Medium

Low

Info

Total

0

0

0

0

16

16

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Country: SA

State/Province: Saudi Arabia

Organization: Lean Technologies Saudi

Organization Unit: Lean Technologies ICA

Common Name: Lean Technologies Saudi Prod ICA

Email Address: devops@leantech.me

Issuer Name:

Country: SA

State/Province: Saudi Arabia

Locality: Riyadh

Organization: Lean Technologies Saudi

Organization Unit: Lean Technologies CA

Common Name: Lean Technologies Saudi Prod Root CA

Email Address: devops@leantech.me

Serial Number: 10 00

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Nov 10 06:32:19 2022 GMT

Not Valid After: Nov 07 06:32:19 2032 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 4096 bits

Public Key: 00 E2 7C FA 66 D8 2F 06 DF 76 1F 6D 4E 92 EE 0F 22 25 9B E2
91 C3 98 8B 96 C1 93 2B 51 86 E7 77 AE 53 75 51 19 E9 2A 70
70 1C 0C B3 5F 4A AC 82 47 D9 14 6D BA 92 0C 7A CA DC 71 FE
91 24 3B 23 66 BA DB 4A 43 E1 D2 75 29 C0 DB 9D F4 F5 9A CE
0F 0D D2 01 A8 5F AA CC B3 A5 30 A0 8E E1 0E 23 E0 E1 32 F0
0F A9 4B 6F 07 DA 2B 85 5C 10 D5 FC 20 36 B8 93 70 1B E9 B4
79 1E 44 1E 27 E9 DD D8 A7 EE 87 DC 92 2B 8B CD ED B3 10 CA
86 8D A0 39 FC E9 7B 78 69 66 28 09 1F 38 C7 99 37 84 9B B1
A3 D5 56 C2 FA 0C 02 22 92 A4 35 CB 5A 6C 7D 7F 93 98 46 B9
1E 39 6B 95 63 F5 87 96 88 41 B1 74 F7 81 90 39 27 E5 34 C0
E4 1D 9F 2E 4D 0E 6C 97 C4 86 3E 9A 69 1E A6 66 64 5B 8E BD
4A 6A D0 87 05 AE A7 91 CA 46 B3 00 AA 87 54 8B 1B E2 9B F7
03 A2 79 28 E2 D1 2D CE DC C2 20 0F 7A D2 2C D1 D0 A4 91 92
7D 48 AF 1A 88 C5 AF A4 83 87 1B 4B FA E2 DD 64 67 A2 E6 75
99 90 3C AA F0 E0 73 4A 23 1B 02 37 FF 0E B9 B3 BB 78 17 BC
6E A3 5B 48 52 08 67 A9 AC E6 87 9C 25 9F 82 DC 91 1A 26 97
AB 14 4F BD A3 C3 7D 2B F0 36 41 DC A3 5A 7E 9E 3C 5F D6 F6
5E DC 0D 72 88 32 9D 03 90 0B AA F1 AB CE F1 A8 02 2B A4 F3
5A 25 D1 B2 6C 2A 33 EF 10 [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target. Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[api.sa.leantech.me \(TCP/0\) Vulnerability State: Active](#)

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[api.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote operating system : Linux Kernel 2.x
Confidence level : 54
Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

api.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

```
Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scam
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 89.702 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 10:48 UTC
Scan duration : 646 sec
Scan for malware : no
```

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

Response Code : HTTP/1.1 401 Unauthorized

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

content-length: 0

connection: close

Response Body :

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

[api.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

[api.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

The remote operating system matched the following CPE :

```
cpe:/o:linux:linux_kernel -> Linux Kernel
```

51192 - SSL Certificate Cannot Be Trusted

Synopsis

The SSL certificate for this service cannot be trusted.

Description

The server's X.509 certificate cannot be trusted. This situation can occur in three different ways, in which the chain of trust can be broken, as stated below :

- First, the top of the certificate chain sent by the server might not be descended from a known public certificate authority. This can occur either when the top of the chain is an unrecognized, self-signed certificate, or when intermediate certificates are missing that would connect the top of the certificate chain to a known public certificate authority.
- Second, the certificate chain may contain a certificate that is not valid at the time of the scan. This can occur either when the scan occurs before one of the certificate's 'notBefore' dates, or after one of the certificate's 'notAfter' dates.
- Third, the certificate chain may contain a signature that either didn't match the certificate's information or could not be verified. Bad signatures can be fixed by getting the certificate with the bad signature to be re-signed by its issuer. Signatures that could not be verified are the result of the certificate's issuer using a signing algorithm that Nessus either does not support or does not recognize.

If the remote host is a public host in production, any break in the chain makes it more difficult for users to verify the authenticity and identity of the web server. This could make it easier to carry out man-in-the-middle attacks against the remote host.

See Also

<https://www.itu.int/rec/T-REC-X.509/en>

<https://en.wikipedia.org/wiki/X.509>

Solution

Purchase or generate a proper SSL certificate for this service.

Risk Factor

None

CVSS v3.0 Base Score

6.5 (AV:N/AC:L/PR:N/UI:N/S:U/C:L/I:L/A:N)

CVSS Base Score

6.4 (AV:N/AC:L/Au:N/C:P/I:P/A:N)

Plugin Information:

Publication date: 2010/12/15, Modification date: 2020/04/27

Ports

[api.sa.leantech.me \(TCP/443\)](#) Vulnerability State: Active

The following certificate was at the top of the certificate chain sent by the remote host, but it is signed by an unknown certificate authority :

```
| -Subject : C=SA/ST=Saudi Arabia/O=Lean Technologies Saudi/OU=Lean Technologies ICA/CN=Lean Technologies Saudi Prod ICA /E=devops@leantech.me  
| -Issuer : C=SA/ST=Saudi Arabia/L=Riyadh/O=Lean Technologies Saudi/OU=Lean Technologies CA/CN=Lean Technologies Saudi Prod Root CA/E=devops@leantech.me
```

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

[api.sa.leantech.me \(TCP/0\)](#) Vulnerability State: Resurfaced

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

[api.sa.leantech.me \(TCP/443\)](#) Vulnerability State: Active

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/07, Modification date: 2021/03/09

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphernam}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

84502 - HSTS Missing From HTTPS Server

Synopsis

The remote web server is not enforcing HSTS.

Description

The remote HTTPS server is not enforcing HTTP Strict Transport Security (HSTS). HSTS is an optional response header that can be configured on the server to instruct the browser to only communicate via HTTPS. The lack of HSTS allows downgrade attacks, SSL-stripping man-in-the-middle attacks, and weakens cookie-hijacking protections.

See Also

<https://tools.ietf.org/html/rfc6797>

Solution

Configure the remote web server to use HSTS.

Risk Factor

None

Plugin Information:

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

HTTP/1.1 401 Unauthorized
content-length: 0
connection: close

The remote HTTPS server does not send the HTTP
"Strict-Transport-Security" header.

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

api.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

TLSv1.3 is enabled and the server supports at least one cipher.

app.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

app.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical

High

Medium

Low

Info

Total

0

0

0

0

19

19

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

app.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Common Name: app.sa.leantech.me

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: R11

Serial Number: 04 56 DC 10 38 D7 22 A1 1B AD 25 72 50 B3 EA EE FA FD

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Dec 28 08:39:52 2024 GMT

Not Valid After: Mar 28 08:39:51 2025 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 E8 67 79 0C 14 31 80 A6 19 13 CB 9E 32 E5 1E 9B 01 8D 2B
FC A7 33 70 78 8C C7 90 FB 2A 4E F1 65 AF 7C 6D 9F 04 CA 57
84 06 71 54 2D 4E D8 1D FB F5 0A 7C 43 A8 24 10 07 9C B1 B1
87 16 02 61 8C 3B 8B 39 9E D3 15 67 DC FD C0 C1 DE A5 7A 76
A4 77 4D 8C BF C4 45 15 A8 32 66 D0 44 F5 7C 85 CC BC E0 1F
E0 6D 66 FE D2 19 73 09 A2 FE E6 B7 98 28 40 09 A6 8E 76 65
4D 1C F4 A2 D0 3C 59 D3 DD AF 69 35 95 A9 B7 ED FF 5D 33 34

13

```
17 9C 35 0E A4 E8 74 47 9B BF 7A E2 7D CF 6A 66 7B 95 F5 E1
7C 60 AC 42 21 AD BA A3 5B 36 56 86 3D F6 7F C7 D1 E3 01 50
BD 4B 4C 22 A8 4F 01 21 87 05 F3 C8 E5 6B D3 9A 64 37 87 E3
1A 94 F7 33 3F 2B 28 C8 96 C7 10 D7 41 1E 34 40 17 2D 31 C3
1A E1 98 69 C6 6D 5C 1F 0F E0 0E AA D3 07 AC F4 7C 99 CD 72
E5 1C F6 0E 66 F9 86 E0 D7 18 01 64 68 54 6D D3 27
```

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 4D 19 8A 6F 05 0E 2D 26 38 54 CC 1F 75 0E B5 8E FE D4 B4
19 2A 93 74 94 47 FA 96 6A 95 33 99 A8 4B 86 C0 83 00 33 8E
8E 23 0C 64 64 4F 9B E8 45 A7 05 FD 21 51 20 54 8F 5D F4 21
35 11 24 F2 DE A0 02 0A 7C B2 6C DD F7 45 F0 AB 60 F6 AF DF
64 BB 3D 50 1D 36 AD 96 DC C4 1C 05 97 2A 3A 7E 0F 83 31 40
C5 6F 9F F6 4E 9C 60 03 2F 83 3E 21 B7 9E 38 C9 0C 8D F0 38
4D CE D8 E9 AB F5 91 DC C7 C6 F3 52 C7 A8 7E BB 4C 0E 90 A4
45 49 4A 0A 99 E6 B1 44 BE 79 6A DF 73 FD D4 87 4F 00 0B 74
D0 68 C8 CC 22 8C 13 03 1C 06 20 C9 CA CA 55 7E 9D [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target. Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[app.sa.leantech.me \(TCP/0\) Vulnerability State: Active](#)

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[app.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote operating system : Linux Kernel 2.x
Confidence level : 54
Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

app.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scam
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 104.494 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 10:48 UTC
Scan duration : 609 sec
Scan for malware : no

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

app.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1

HTTP/2 TLS Support: Yes

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 30 Jan 2025 10:54:23 GMT

Content-Type: text/html

Content-Length: 548

Connection: keep-alive

Strict-Transport-Security: max-age=31536000; includeSubDomains

Response Body :

```
<html>
<head><title>403 Forbidden</title></head>
<body>
<center><h1>403 Forbidden</h1></center>
<hr><center>nginx</center>
</body>
</html>
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
```

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

[app.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2009/11/16, Modification date: 2019/11/22

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

The STS header line is :

Strict-Transport-Security: max-age=31536000; includeSubDomains

42981 - SSL Certificate Expiry - Future Expiry

Synopsis

The SSL certificate associated with the remote service will expire soon.

Description

The SSL certificate associated with the remote service will expire soon.

Solution

Purchase or generate a new SSL certificate in the near future to replace the existing one.

Risk Factor

None

Plugin Information:

Publication date: 2009/12/02, Modification date: 2020/09/04

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

The SSL certificate will expire within 60 days, at

Mar 28 08:39:51 2025 GMT :

Subject : CN=app.sa.leantech.me
Issuer : C=US, O=Let's Encrypt, CN=R11
Not valid before : Dec 28 08:39:52 2024 GMT
Not valid after : Mar 28 08:39:51 2025 GMT

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

app.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

The remote operating system matched the following CPE :

cpe:/o:linux:linux_kernel -> Linux Kernel

46180 - Additional DNS Hostnames

Synopsis

Nessus has detected potential virtual hosts.

Description

Hostnames different from the current hostname have been collected by miscellaneous plugins. Nessus has generated a list of hostnames that point to the remote host. Note that these are only the alternate hostnames for vhosts discovered on a web server.

Different web servers may be hosted on name-based virtual hosts.

See Also

https://en.wikipedia.org/wiki/Virtual_hosting

Solution

If you want to test them, re-scan using the special vhost syntax, such as :
`www.example.com[192.0.32.10]`

Risk Factor

None

Plugin Information:

Publication date: 2010/04/29, Modification date: 2022/08/15

Ports

app.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

The following hostnames point to the remote host :
- connect.sa.leantech.me

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

app.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

app.sa.leantech.me (TCP/443) Vulnerability State: Active

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Ports

app.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384 SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)

The fields above are :

```
{Tenable ciphertype}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

83298 - SSL Certificate Chain Contains Certificates Expiring Soon

Synopsis

The remote host has an SSL certificate chain with one or more certificates that are going to expire soon.

Description

The remote host has an SSL certificate chain with one or more SSL certificates that are going to expire soon. Failure to renew these certificates before the expiration date may result in denial of service for users.

Solution

Renew any soon to expire SSL certificates.

Risk Factor

None

Plugin Information:

Publication date: 2015/05/08, Modification date: 2015/05/08

Ports

app.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

The following soon to expire certificate was part of the certificate chain sent by the remote host :

```
| -Subject      : CN=app.sa.leantech.me
| -Not After    : Mar 28 08:39:51 2025 GMT
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication date: 2016/11/14, Modification date: 2018/11/15

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

The following root Certification Authority certificate was found :

```
| -Subject          : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Issuer           : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Valid From       : Jun 04 11:04:38 2015 GMT
| -Valid To         : Jun 04 11:04:38 2035 GMT
| -Signature Algorithm : SHA-256 With RSA Encryption
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

[app.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

TLSv1.3 is enabled and the server supports at least one cipher.

dev.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

dev.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical	High	Medium	Low	Info	Total
0	0	0	0	17	17

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

dev.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Common Name: dev.sa.leantech.me

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: R10

Serial Number: 03 5E 91 8A 98 B6 EE 85 0A 00 2D 05 31 42 9D B0 BF 89

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Jan 22 15:51:57 2025 GMT

Not Valid After: Apr 22 15:51:56 2025 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 BC F4 07 78 4E 27 DB FA F1 DD 1B AC 0F 20 7B C3 B8 FA BF
84 50 EF F1 F0 38 B4 F3 9F A5 82 6A D9 4A EC 4C E8 8A 2A CB
66 51 54 1B 6C BA 9A 4F E3 6E B5 12 61 3A 5A 3A 44 96 46 64
C1 5E 4E BF 26 83 DA 9C 13 61 15 50 E5 1C 6E 0F 69 36 20 E1
08 0D 1B DC CF E8 39 9C 4F FC 62 CF EC 62 70 68 53 16 0B 1F
47 AA 67 37 44 57 AE FF CC 9A B8 80 82 90 F8 D3 12 89 D7 54
F4 11 76 28 75 0A 5D 42 2B 3F 86 A5 44 36 9B E7 FD C8 68 14

23

```
02 03 40 84 8B EC E9 6D 10 A5 4F 02 E5 A1 9A E4 11 27 7A BE
8F 47 10 40 42 27 C3 F6 65 12 6F A1 1C 77 C5 9B DA 47 6C 73
BA 31 80 59 E0 C8 48 A8 1D 75 74 B6 97 07 B0 CE 8D 29 32 24
9D 1A C4 6D A3 C0 65 21 3A BA 70 CD 02 52 C0 9A 81 28 31 92
6C 33 65 C3 F1 DB B1 32 71 8D F9 8B E9 7B E7 43 F5 CB 8F 46
FB FD DF 3F 58 AB E1 80 4F 51 02 6C 04 30 99 26 8D
```

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 97 26 90 FB AD 4C BB B1 68 C5 ED C0 FE 94 F5 1F EF E0 89
7E 5B 2D 0A 10 15 2E 64 3C E4 19 0D 5F B2 A6 08 4C EA F1 BE
A0 11 48 80 9C 25 E5 32 76 A6 4B 4B 18 80 5D 23 B8 42 90 B0
52 78 DE D1 8E D3 0F BC 09 CE 63 11 73 F1 A0 62 92 E1 BB B5
C1 98 8F 0C AF 0E 0F 16 86 EB B3 2D 85 EC 74 EE 84 26 CB 01
AA 0B A2 AF 39 2B 31 57 17 A5 63 E0 0C EC 96 1B 34 E3 33 82
96 B2 7A 52 0C 1A 94 56 36 83 CC DF A4 26 DE B1 C6 40 4A 19
70 C8 E0 BE C4 78 B0 0E 86 44 A3 21 1E 1A C2 EB CB 35 DA 5B
40 35 6B 02 C4 A6 06 DF 65 96 D7 EC 40 91 6E F7 5B [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target. Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[dev.sa.leanotech.me \(TCP/0\) Vulnerability State: Active](#)

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[dev.sa.leanotech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote operating system : Linux Kernel 2.x
Confidence level : 54
Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

dev.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

```
Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scam
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 94.985 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 10:59 UTC
Scan duration : 609 sec
Scan for malware : no
```

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

dev.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

[dev.sa.leantech.me \(TCP/443\)](#) Vulnerability State: Active

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

[dev.sa.leantech.me \(TCP/443\)](#) Vulnerability State: Active

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1

HTTP/2 TLS Support: No

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 30 Jan 2025 11:04:48 GMT

Content-Type: text/html

Content-Length: 548

Connection: keep-alive

Strict-Transport-Security: max-age=31536000; includeSubDomains

Response Body :

```
<html>
<head><title>403 Forbidden</title></head>
<body>
<center><h1>403 Forbidden</h1></center>
<hr><center>nginx</center>
</body>
</html>
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
```

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

[dev.sa.leantech.me \(TCP/0\) Vulnerability State: Active](#)

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2009/11/16, Modification date: 2019/11/22

Ports

[dev.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

The STS header line is :

Strict-Transport-Security: max-age=31536000; includeSubDomains

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

dev.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

The remote operating system matched the following CPE :

```
cpe:/o:linux:linux_kernel -> Linux Kernel
```

46180 - Additional DNS Hostnames

Synopsis

Nessus has detected potential virtual hosts.

Description

Hostnames different from the current hostname have been collected by miscellaneous plugins. Nessus has generated a list of hostnames that point to the remote host. Note that these are only the alternate hostnames for vhosts discovered on a web server.

Different web servers may be hosted on name-based virtual hosts.

See Also

https://en.wikipedia.org/wiki/Virtual_hosting

Solution

If you want to test them, re-scan using the special vhost syntax, such as :
`www.example.com[192.0.32.10]`

Risk Factor

None

Plugin Information:

Publication date: 2010/04/29, Modification date: 2022/08/15

Ports

dev.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

The following hostnames point to the remote host :
- `connect.sa.leantech.me`

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

dev.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

[dev.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/07, Modification date: 2021/03/09

Ports

[dev.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication date: 2016/11/14, Modification date: 2018/11/15

Ports

dev.sa.leantech.me (TCP/443) Vulnerability State: Active

The following root Certification Authority certificate was found :

```
| -Subject          : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Issuer           : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Valid From       : Jun 04 11:04:38 2015 GMT
| -Valid To         : Jun 04 11:04:38 2035 GMT
| -Signature Algorithm : SHA-256 With RSA Encryption
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

dev.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

[dev.sa.leantech.me \(TCP/443\)](#) Vulnerability State: Resurfaced

TLSv1.3 is enabled and the server supports at least one cipher.

link.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

link.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical	High	Medium	Low	Info	Total
0	0	0	0	19	19

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

link.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Common Name: link.sa.leantech.me

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: R10

Serial Number: 03 9A 0B 59 C1 02 D1 E3 14 F6 7A 1B 58 9A 92 E0 69 B8

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Dec 28 08:38:53 2024 GMT

Not Valid After: Mar 28 08:38:52 2025 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 AB C2 8C 6B E1 A5 FE DB C8 A0 84 23 2B EB 39 CD 64 A2 88 9F E9 13 0E 44 7B 42 67 02 D7 D8 7D A6 1C 3F F2 42 1D D7 44 01 6C 41 4E A2 CC CC 15 71 E2 2E 4F 14 30 43 E3 D7 BE 1A D8 DB AF CA 38 AD 89 11 29 9F F1 8E DB 76 D7 23 BE FD 2A E2 37 BD FC 9B 09 F0 00 35 D1 26 A0 93 02 03 B3 2D BD 5A 17 F5 DD FC 77 A4 DB DF 20 91 53 07 28 AE B9 80 7F 5A B0 1E 58 46 47 3F 8E 63 5A CE AF FA BC 31 85 55 AB 82 0A 19 10 40 E1 31 E6

33

```
82 22 3D 94 13 40 5F 6F 59 6E AE A9 B0 8D 2D F8 65 E9 BF EE
6C D2 61 E8 3C EC 4A 2B E5 38 86 87 22 9D 8C 00 1D 47 C9 18
09 01 B9 00 2F E4 D9 8A C3 F4 C8 02 E2 7B 08 01 F7 A5 5D DB
A2 A5 AC C0 E2 C1 B3 D2 93 1F 80 A4 B7 81 CA 93 5F 56 7F F4
DB 0E B8 55 DE C6 6A 7F 7A 61 D7 69 1E E2 7F 0E 6B 7D AA 90
A3 1D 64 8A BD B8 68 8D FF E0 BD 85 65 A5 8E BF 93
```

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 A2 06 DE 49 CC 66 DA FA 2A 69 26 9A C6 5F B3 16 39 06 FC
4C F5 2D 14 0E F3 27 80 5F 6C 74 A1 89 58 81 43 14 53 FE B7
9C 67 85 66 9E A6 35 EA FD AC 72 C8 61 27 63 46 64 F4 01 D0
17 56 A6 DF 02 06 28 AF 15 8F 25 91 EB 4D 5E 25 2D 96 69 61
8E 8A BB C5 F6 AD 6C 17 3A AE D6 BD 29 CD AF CB BA 54 5B 5A
88 F6 A1 89 24 D1 4C B4 89 F5 2E 55 18 E5 1E D9 EE 8B 08 BB
54 44 0E ED 7B 82 48 C3 A1 27 E7 5B 55 33 35 BE FE EF 26 7B
B1 3E 93 CF 58 73 24 83 31 29 28 B4 10 45 84 8F 39 E4 5C 59
6A 24 DB 2A 70 2D 67 13 E1 87 93 A9 4C 99 23 1A [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target. Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[link.sa.leantech.me \(TCP/0\) Vulnerability State: Active](#)

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[link.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote operating system : Linux Kernel 2.x
Confidence level : 54
Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

link.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

```
Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scam
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 90.659 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 11:09 UTC
Scan duration : 607 sec
Scan for malware : no
```

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

link.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1

HTTP/2 TLS Support: Yes

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 30 Jan 2025 11:15:11 GMT

Content-Type: text/html

Content-Length: 548

Connection: keep-alive

Strict-Transport-Security: max-age=31536000; includeSubDomains

Response Body :

```
<html>
<head><title>403 Forbidden</title></head>
<body>
<center><h1>403 Forbidden</h1></center>
<hr><center>nginx</center>
</body>
</html>
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
```

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

[link.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2009/11/16, Modification date: 2019/11/22

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

The STS header line is :

Strict-Transport-Security: max-age=31536000; includeSubDomains

42981 - SSL Certificate Expiry - Future Expiry

Synopsis

The SSL certificate associated with the remote service will expire soon.

Description

The SSL certificate associated with the remote service will expire soon.

Solution

Purchase or generate a new SSL certificate in the near future to replace the existing one.

Risk Factor

None

Plugin Information:

Publication date: 2009/12/02, Modification date: 2020/09/04

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

The SSL certificate will expire within 60 days, at

Mar 28 08:38:52 2025 GMT :

Subject : CN=link.sa.leantech.me
Issuer : C=US, O=Let's Encrypt, CN=R10
Not valid before : Dec 28 08:38:53 2024 GMT
Not valid after : Mar 28 08:38:52 2025 GMT

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

[link.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

The remote operating system matched the following CPE :

```
cpe:/o:linux:linux_kernel -> Linux Kernel
```

46180 - Additional DNS Hostnames

Synopsis

Nessus has detected potential virtual hosts.

Description

Hostnames different from the current hostname have been collected by miscellaneous plugins. Nessus has generated a list of hostnames that point to the remote host. Note that these are only the alternate hostnames for vhosts discovered on a web server.

Different web servers may be hosted on name-based virtual hosts.

See Also

https://en.wikipedia.org/wiki/Virtual_hosting

Solution

If you want to test them, re-scan using the special vhost syntax, such as :
`www.example.com[192.0.32.10]`

Risk Factor

None

Plugin Information:

Publication date: 2010/04/29, Modification date: 2022/08/15

Ports

[link.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

The following hostnames point to the remote host :
- connect.sa.leantech.me

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

link.sa.leantech.me (TCP/0) Vulnerability State: Resurfaced

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

link.sa.leantech.me (TCP/443) Vulnerability State: Active

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384 SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)

The fields above are :

```
{Tenable ciphertype}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

83298 - SSL Certificate Chain Contains Certificates Expiring Soon

Synopsis

The remote host has an SSL certificate chain with one or more certificates that are going to expire soon.

Description

The remote host has an SSL certificate chain with one or more SSL certificates that are going to expire soon. Failure to renew these certificates before the expiration date may result in denial of service for users.

Solution

Renew any soon to expire SSL certificates.

Risk Factor

None

Plugin Information:

Publication date: 2015/05/08, Modification date: 2015/05/08

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

The following soon to expire certificate was part of the certificate chain sent by the remote host :

```
| -Subject      : CN=link.sa.leantech.me
| -Not After    : Mar 28 08:38:52 2025 GMT
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication date: 2016/11/14, Modification date: 2018/11/15

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

The following root Certification Authority certificate was found :

```
| -Subject          : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Issuer           : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Valid From       : Jun 04 11:04:38 2015 GMT
| -Valid To         : Jun 04 11:04:38 2035 GMT
| -Signature Algorithm : SHA-256 With RSA Encryption
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

[link.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

TLSv1.3 is enabled and the server supports at least one cipher.

link.sandbox.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

link.sandbox.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical	High	Medium	Low	Info	Total
0	0	0	0	16	16

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Common Name: link.sandbox.sa.leantech.me

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: R11

Serial Number: 04 AA 47 13 B2 EF 1B A3 45 1A 63 05 5B 49 8B 4B 59 C5

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Jan 24 23:39:00 2025 GMT

Not Valid After: Apr 24 23:38:59 2025 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 9A EE BF DA 9F EE 97 9A 01 00 67 27 5E 7A 7E 49 8E 62 E2 BB 26 AC B2 F5 D3 95 4E 64 50 26 FE 19 8C 30 7F A6 3F EA A4 07 F0 D0 12 8F 91 2B 9A 9E 50 D3 65 CA B0 BB 91 06 AB F3 BF AB F2 0C E2 A8 1F B8 95 F4 BF 0E 8D CA BE 77 8E D3 15 72 16 92 A0 66 CD DB 4C 6B 66 D4 80 CD EC F3 6C 97 D9 67 07 CF 62 55 5A FF D6 82 4A EA CC E0 4C 2E 6C DE 54 0A 32 BA AF 3D 33 95 D5 B4 6E 8B D7 3C EE 9E E3 5C 2B 8E 16 D7 7A C4 A8 F1 FA

43

```
1C 46 49 E2 DF A9 89 2E 7F 45 FC 0A 42 35 F6 4E B7 68 55 C2
E2 69 C5 90 0B 8C 0E 88 3E 68 D4 8C 4A F1 AD B6 25 86 2B 1B
30 85 98 5A 67 EA A9 E6 87 0E 51 19 82 76 3D 25 F6 D7 51 0F
6C 50 C8 53 0A 21 85 69 83 39 16 4C 08 72 D5 4E A1 DD AF A5
F4 E1 3C 25 55 27 D6 90 6F 43 F6 AD 58 B9 BB 42 76 C8 9B C1
A8 73 EF 33 70 70 1B 10 E4 CD A1 1D 1D AB 4A DC 37
```

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 33 90 0A 93 B0 35 93 0F 4A B4 E2 6B 31 C7 5F AA A2 49 DD
87 E9 98 9D 80 5B 62 91 02 5E E0 5A 60 75 47 1F E9 3B 9F 17
78 55 1E 79 D3 8E D4 B9 27 81 34 D9 7F 6F 70 65 3D DF 57 C7
5C 20 1F B1 16 30 50 23 7D C9 AD 8A 96 08 BF 7A 2D 98 94 53
99 CE 28 25 F8 54 C9 01 6A 6F 86 3C E8 4B A8 94 87 1C E8 6C
A9 3C C5 DB 55 29 B3 D7 54 1C 0D 1D A0 F2 7A EE 92 1E 67 75
4E E6 3E 6E 7C E8 8D 5A 3A F6 B8 4B 06 01 01 5E 41 FB 3B 6C
44 2B 25 AF 97 AF 60 E3 F5 7B CB 5C 1D B1 80 94 B2 8F 26 B9
B3 24 65 0F E2 E9 BC 1D D7 10 38 8E 18 A3 [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target. Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[link.sandbox.sa.leantech.me \(TCP/0\)](#) Vulnerability State: Active

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[link.sandbox.sa.leantech.me \(TCP/0\)](#) Vulnerability State: Resurfaced

Remote operating system : Linux Kernel 2.x
Confidence level : 54
Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

link.sandbox.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

```
Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scan
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 86.782 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 10:48 UTC
Scan duration : 602 sec
Scan for malware : no
```

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1

HTTP/2 TLS Support: Yes

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 30 Jan 2025 10:54:20 GMT

Content-Type: text/html

Content-Length: 548

Connection: keep-alive

Strict-Transport-Security: max-age=31536000; includeSubDomains

Response Body :

```
<html>
<head><title>403 Forbidden</title></head>
<body>
<center><h1>403 Forbidden</h1></center>
<hr><center>nginx</center>
</body>
</html>
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
```

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

[link.sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2009/11/16, Modification date: 2019/11/22

Ports

[link.sandbox.sa.leantech.me \(TCP/443\) Vulnerability State: Resurfaced](#)

The STS header line is :

Strict-Transport-Security: max-age=31536000; includeSubDomains

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

[link.sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

The remote operating system matched the following CPE :

```
cpe:/o:linux:linux_kernel -> Linux Kernel
```

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

[link.sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

[link.sandbox.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/07, Modification date: 2021/03/09

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication date: 2016/11/14, Modification date: 2018/11/15

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

The following root Certification Authority certificate was found :

```
| -Subject          : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Issuer          : C=US/O=Internet Security Research Group/CN=ISRG Root X1
| -Valid From      : Jun 04 11:04:38 2015 GMT
| -Valid To       : Jun 04 11:04:38 2035 GMT
| -Signature Algorithm : SHA-256 With RSA Encryption
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

link.sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.3 is enabled and the server supports at least one cipher.

sandbox.sa.leantech.me

Scan Information

Start time:

2025/01/30 10:48

End time:

2025/01/30 11:19

Host Information

DNS Name:

sandbox.sa.leantech.me

OS:

Linux Kernel 2.2

Results Summary

Critical	High	Medium	Low	Info	Total
0	0	0	0	16	16

Results Details

/

10863 - SSL Certificate Information

Synopsis

This plugin displays the SSL certificate.

Description

This plugin connects to every SSL-related port and attempts to extract and dump the X.509 certificate.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2008/05/19, Modification date: 2021/02/03

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Subject Name:

Common Name: sandbox.sa.leantech.me

Issuer Name:

Country: US

Organization: Let's Encrypt

Common Name: R10

Serial Number: 03 43 06 FD 79 52 C4 45 F2 56 A2 EB 95 1B 83 AE B1 59

Version: 3

Signature Algorithm: SHA-256 With RSA Encryption

Not Valid Before: Jan 24 23:35:00 2025 GMT

Not Valid After: Apr 24 23:34:59 2025 GMT

Public Key Info:

Algorithm: RSA Encryption

Key Length: 2048 bits

Public Key: 00 CA 92 93 BF 8D 81 E2 F5 EF 71 4A 32 54 3F E0 3B D5 07 BF 83 6B C1 0C F1 8E 3F 7E CD D1 AA C3 65 4B C7 7E 0C E5 61 CA 4F A8 20 89 29 75 63 02 F0 D4 7B D6 C0 0E 96 1E 78 0F 45 AF 5E 9D E9 33 F6 E2 05 51 3D 37 14 95 D3 74 DE B9 A5 5F F5 B1 E1 1D F8 5B D0 81 AD 83 DE FC EC D7 CD 79 1B 13 D1 B7 16 DF CD 5D BA CD DC A3 1E 12 5B 74 B8 68 FA 04 02 5B 6F 5E 6F 16 F8 2C C8 35 F6 64 40 AD C5 26 6B 39 99 28 0E 29 58 45 B3 A6

52

```
4F D1 81 35 5A 3D 40 83 D1 C5 61 D2 00 D2 75 69 93 05 37 79
06 CF C6 F4 1B E5 6A 90 84 30 65 BC D8 3A 1E FC 85 AC AA 47
44 C5 1E 67 10 00 18 3E 7F 93 8A 6E 5C 6C C3 2B E4 ED 3B E6
48 A6 98 C5 F7 4F 41 82 F4 87 84 22 0B A1 0C 8D E6 1B DB 95
91 4B E7 49 0E 53 B9 EF 53 A3 E5 CF 32 B7 2D 3A BD DD 3B 80
B4 62 83 AD 65 70 9C 51 97 FB E3 0F 0E 59 8A 0D 0B
```

Exponent: 01 00 01

Signature Length: 256 bytes / 2048 bits

Signature: 00 36 01 32 C5 20 86 0B 56 98 91 AA 69 DB BB CC 52 55 26 F1
33 D4 3A 85 11 B6 30 86 E5 B1 3F 4E AB AE AA C9 21 F3 FE 7B
EE F3 9C 04 BE 77 9D F4 11 B0 F3 A5 15 B8 AE 4E 91 3B 8B 39
D1 4D 01 32 42 CD C8 1F F6 27 43 88 9E 8E B6 35 CF 76 A2 10
01 8B 05 B9 A8 C2 AD 13 98 63 15 09 82 63 4E 4C 75 1E 91 BA
2C CA F3 F7 88 0C 89 43 ED B7 5B 1A 56 D0 8C 93 25 BA E3 7D
07 F8 52 23 67 0F 7C 00 76 A8 FF BC E6 4F C9 00 05 47 05 3A
FC 40 72 74 0B 12 D4 3F 81 CB 11 42 D7 DF 7E 3D BF E5 12 83
BA 11 A8 99 A4 2D 0E 76 70 4E 40 67 7C D2 5E [...]

11219 - Nessus SYN scanner

Synopsis

It is possible to determine which TCP ports are open.

Description

This plugin is a SYN 'half-open' port scanner. It shall be reasonably quick even against a firewalled target.

Note that SYN scans are less intrusive than TCP (full connect) scans against broken services, but they might cause problems for less robust firewalls and also leave unclosed connections on the remote target, if the network is loaded.

Solution

Protect your target with an IP filter.

Risk Factor

None

Plugin Information:

Publication date: 2009/02/04, Modification date: 2025/01/13

Ports

[sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Active](#)

[...]

11936 - OS Identification

Synopsis

It is possible to guess the remote operating system.

Description

Using a combination of remote probes (e.g., TCP/IP, SMB, HTTP, NTP, SNMP, etc.), it is possible to guess the name of the remote operating system in use. It is also possible sometimes to guess the version of the operating system.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2003/12/09, Modification date: 2024/10/14

Ports

[sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote operating system : Linux Kernel 2.x

Confidence level : 54

Method : SinFP

The remote host is running Linux Kernel 2.x

19506 - Nessus Scan Information

Synopsis

This plugin displays information about the Nessus scan.

Description

This plugin displays, for each tested host, information about the scan itself :

- The version of the plugin set.
- The type of scanner (Nessus or Nessus Home).
- The version of the Nessus Engine.
- The port scanner(s) used.
- The port range scanned.
- The ping round trip time
- Whether credentialed or third-party patch management checks are possible.
- Whether the display of superseded patches is enabled
- The date of the scan.
- The duration of the scan.
- The number of hosts scanned in parallel.
- The number of checks done in parallel.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2005/08/26, Modification date: 2024/12/31

Ports

sandbox.sa.leantech.me (TCP/0) Vulnerability State: Active

Information about this scan :

Nessus version : 10.8.3
Nessus build : 20010
Plugin feed version : 202501300348
Scanner edition used : Nessus
Scanner OS : LINUX
Scanner distribution : ubuntu1804-aarch64
Scan type : Normal
Scan name : Unauthenticated Scam
Scan policy used : Basic Network Scan
Scanner IP : tenable Vulnerability Management Scanner (3.124.123.134)
Port scanner(s) : nessus_syn_scanner
Port range : default
Ping RTT : 87.112 ms
Thorough tests : no
Experimental tests : no
Scan for Unpatched Vulnerabilities : no
Plugin debugging enabled : no
Paranoia level : 1
Report verbosity : 1
Safe checks : yes
Optimize the test : no
Credentialed checks : no
Patch management checks : None
Display superseded patches : yes (supersedence plugin did not launch)
CGI scanning : disabled
Web application tests : disabled
Max hosts : 30
Max checks : 4
Recv timeout : 5
Backports : None
Allow post-scan editing : Yes
Nessus Plugin Signature Checking : Enabled
Audit File Signature Checking : Disabled
Scan Start Date : 2025/1/30 10:59 UTC
Scan duration : 603 sec
Scan for malware : no

21643 - SSL Cipher Suites Supported

Synopsis

The remote service encrypts communications using SSL.

Description

This plugin detects which SSL ciphers are supported by the remote service for encrypting communications.

See Also

<https://www.openssl.org/docs/man1.0.2/man1/ciphers.html>

<http://www.nessus.org/u?e17ffced>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2006/06/05, Modification date: 2024/09/11

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL ciphers supported by the remote server :
Each group is reported per SSL Version.

SSL Version : TLSv13

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

TLS_AES_256_GCM_SHA384	0x13, 0x02	-	-	AES-GCM(256)
AEAD				

SSL Version : TLSv12

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}
{Cipher ID code}
Kex={key exchange}
Auth={authentication}
Encrypt={symmetric encryption method}
MAC={message authentication code}
{export flag}
```

22964 - Service Detection

Synopsis

The remote service could be identified.

Description

Nessus was able to identify the remote service by its banner or by looking at the error message it sends when it receives an HTTP request.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/08/19, Modification date: 2024/03/26

Ports

[sandbox.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

A TLSv1.2 server answered on this port.

A web server is running on this port through TLSv1.2.

24260 - HyperText Transfer Protocol (HTTP) Information

Synopsis

Some information about the remote HTTP configuration can be extracted.

Description

This test gives some information about the remote HTTP protocol - the version used, whether HTTP Keep-Alive is enabled, etc...

This test is informational only and does not denote any security problem.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/01/30, Modification date: 2024/02/26

Ports

[sandbox.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

Response Code : HTTP/1.1 403 Forbidden

Protocol version : HTTP/1.1

HTTP/2 TLS Support: Yes

HTTP/2 Cleartext Support: No

SSL : yes

Keep-Alive : no

Options allowed : (Not implemented)

Headers :

Date: Thu, 30 Jan 2025 11:04:37 GMT

Content-Type: text/html

Content-Length: 548

Connection: keep-alive

Strict-Transport-Security: max-age=31536000; includeSubDomains

Response Body :

```
<html>
<head><title>403 Forbidden</title></head>
<body>
<center><h1>403 Forbidden</h1></center>
<hr><center>nginx</center>
</body>
</html>
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
<!-- a padding to disable MSIE and Chrome friendly error page -->
```

25220 - TCP/IP Timestamps Supported

Synopsis

The remote service implements TCP timestamps.

Description

The remote host implements TCP timestamps, as defined by RFC1323. A side effect of this feature is that the uptime of the remote host can sometimes be computed.

See Also

<http://www.ietf.org/rfc/rfc1323.txt>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2007/05/16, Modification date: 2023/10/17

Ports

sandbox.sa.leantech.me (TCP/0) Vulnerability State: Active

42822 - Strict Transport Security (STS) Detection

Synopsis

The remote web server implements Strict Transport Security.

Description

The remote web server implements Strict Transport Security (STS).

The goal of STS is to make sure that a user does not accidentally downgrade the security of his or her browser.

All unencrypted HTTP connections are redirected to HTTPS. The browser is expected to treat all cookies as 'secure' and to close the connection in the event of potentially insecure situations.

See Also

<http://www.nessus.org/u?2fb3aca6>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2009/11/16, Modification date: 2019/11/22

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

The STS header line is :

Strict-Transport-Security: max-age=31536000; includeSubDomains

45590 - Common Platform Enumeration (CPE)

Synopsis

It was possible to enumerate CPE names that matched on the remote system.

Description

By using information obtained from a Nessus scan, this plugin reports CPE (Common Platform Enumeration) matches for various hardware and software products found on a host.

Note that if an official CPE is not available for the product, this plugin computes the best possible CPE based on the information available from the scan.

See Also

<http://cpe.mitre.org/>

<https://nvd.nist.gov/products/cpe>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2010/04/21, Modification date: 2025/01/15

Ports

[sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

The remote operating system matched the following CPE :

```
cpe:/o:linux:linux_kernel -> Linux Kernel
```

54615 - Device Type

Synopsis

It is possible to guess the remote device type.

Description

Based on the remote operating system, it is possible to determine what the remote system type is (eg: a printer, router, general-purpose computer, etc).

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/05/23, Modification date: 2022/09/09

Ports

[sandbox.sa.leantech.me \(TCP/0\) Vulnerability State: Resurfaced](#)

Remote device type : general-purpose
Confidence level : 54

56984 - SSL / TLS Versions Supported

Synopsis

The remote service encrypts communications.

Description

This plugin detects which SSL and TLS versions are supported by the remote service for encrypting communications.

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/01, Modification date: 2023/07/10

Ports

[sandbox.sa.leantech.me \(TCP/443\) Vulnerability State: Active](#)

This port supports TLSv1.3/TLSv1.2.

57041 - SSL Perfect Forward Secrecy Cipher Suites Supported

Synopsis

The remote service supports the use of SSL Perfect Forward Secrecy ciphers, which maintain confidentiality even if the key is stolen.

Description

The remote host supports the use of SSL ciphers that offer Perfect Forward Secrecy (PFS) encryption. These cipher suites ensure that recorded SSL traffic cannot be broken at a future date if the server's private key is compromised.

See Also

<https://www.openssl.org/docs/manmaster/man1/ciphers.html>

https://en.wikipedia.org/wiki/Diffie-Hellman_key_exchange

https://en.wikipedia.org/wiki/Perfect_forward_secrecy

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2011/12/07, Modification date: 2021/03/09

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

Here is the list of SSL PFS ciphers supported by the remote server :

High Strength Ciphers (>= 112-bit key)

Name	Code	KEX	Auth	Encryption
MAC				
-----	-----	---	----	-----

ECDHE-RSA-AES256-SHA384	0xC0, 0x30	ECDH	RSA	AES-GCM(256)
SHA384				

The fields above are :

```
{Tenable ciphername}  
{Cipher ID code}  
Kex={key exchange}  
Auth={authentication}  
Encrypt={symmetric encryption method}  
MAC={message authentication code}  
{export flag}
```

94761 - SSL Root Certification Authority Certificate Information

Synopsis

A root Certification Authority certificate was found at the top of the certificate chain.

Description

The remote service uses an SSL certificate chain that contains a self-signed root Certification Authority certificate at the top of the chain.

See Also

[https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623\(v=ws.10\)](https://docs.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2003/cc778623(v=ws.10))

Solution

Ensure that use of this root Certification Authority certificate complies with your organization's acceptable use and security policies.

Risk Factor

None

Plugin Information:

Publication date: 2016/11/14, Modification date: 2018/11/15

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Resurfaced

The following root Certification Authority certificate was found :

```
| -Subject          : C=US/O=Internet Security Research Group/CN=ISRG Root X1  
| -Issuer          : C=US/O=Internet Security Research Group/CN=ISRG Root X1  
| -Valid From      : Jun 04 11:04:38 2015 GMT  
| -Valid To       : Jun 04 11:04:38 2035 GMT  
| -Signature Algorithm : SHA-256 With RSA Encryption
```

136318 - TLS Version 1.2 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.2.

See Also

<https://tools.ietf.org/html/rfc5246>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/05/04, Modification date: 2020/05/04

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.2 is enabled and the server supports at least one cipher.

138330 - TLS Version 1.3 Protocol Detection

Synopsis

The remote service encrypts traffic using a version of TLS.

Description

The remote service accepts connections encrypted using TLS 1.3.

See Also

<https://tools.ietf.org/html/rfc8446>

Solution

N/A

Risk Factor

None

Plugin Information:

Publication date: 2020/07/09, Modification date: 2023/12/13

Ports

sandbox.sa.leantech.me (TCP/443) Vulnerability State: Active

TLSv1.3 is enabled and the server supports at least one cipher.

Assets Summary (Executive)

api.sa.leantech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	16	16
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	19506	Nessus Scan Information			
Info	25220	TCP/IP Timestamps Supported			
Info	21643	SSL Cipher Suites Supported			
Info	51192	SSL Certificate Cannot Be Trusted			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			
Info	84502	HSTS Missing From HTTPS Server			

app.sa.leanotech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	19	19
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	46180	Additional DNS Hostnames			
Info	42981	SSL Certificate Expiry - Future Expiry			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	42822	Strict Transport Security (STS) Detection			
Info	25220	TCP/IP Timestamps Supported			
Info	19506	Nessus Scan Information			
Info	21643	SSL Cipher Suites Supported			
Info	94761	SSL Root Certification Authority Certificate Information			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	83298	SSL Certificate Chain Contains Certificates Expiring Soon			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			

dev.sa.leanotech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	17	17
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	46180	Additional DNS Hostnames			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	42822	Strict Transport Security (STS) Detection			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	25220	TCP/IP Timestamps Supported			
Info	19506	Nessus Scan Information			
Info	21643	SSL Cipher Suites Supported			
Info	94761	SSL Root Certification Authority Certificate Information			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			

link.sa.leanotech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	19	19
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	46180	Additional DNS Hostnames			
Info	42981	SSL Certificate Expiry - Future Expiry			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	42822	Strict Transport Security (STS) Detection			
Info	25220	TCP/IP Timestamps Supported			
Info	19506	Nessus Scan Information			
Info	21643	SSL Cipher Suites Supported			
Info	94761	SSL Root Certification Authority Certificate Information			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	83298	SSL Certificate Chain Contains Certificates Expiring Soon			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			

link.sandbox.sa.leantech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	16	16
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	42822	Strict Transport Security (STS) Detection			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	19506	Nessus Scan Information			
Info	25220	TCP/IP Timestamps Supported			
Info	21643	SSL Cipher Suites Supported			
Info	94761	SSL Root Certification Authority Certificate Information			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			

sandbox.sa.leanotech.me					
Summary					
Critical	High	Medium	Low	Info	Total
0	0	0	0	16	16
Details					
Severity	Plugin Id	Name			
Info	138330	TLS Version 1.3 Protocol Detection			
Info	136318	TLS Version 1.2 Protocol Detection			
Info	10863	SSL Certificate Information			
Info	11219	Nessus SYN scanner			
Info	57041	SSL Perfect Forward Secrecy Cipher Suites Supported			
Info	42822	Strict Transport Security (STS) Detection			
Info	24260	HyperText Transfer Protocol (HTTP) Information			
Info	19506	Nessus Scan Information			
Info	25220	TCP/IP Timestamps Supported			
Info	21643	SSL Cipher Suites Supported			
Info	94761	SSL Root Certification Authority Certificate Information			
Info	54615	Device Type			
Info	11936	OS Identification			
Info	22964	Service Detection			
Info	56984	SSL / TLS Versions Supported			
Info	45590	Common Platform Enumeration (CPE)			