



PROVE IT ON-CHAIN

Boiler Blockchain Challenges

All use is encouraged — but you must understand what is going on and what you are doing. Be able to explain every line, every decision, and how you verified it works.

Stuck or have a question? Message **Ispek (@sp3ked)** on Discord.

LEVEL 1

Ship a TipJar

Write a TipJar contract, deploy it to the **Sepolia** testnet, verify it on Etherscan, and send a few real transactions through it.

1. Build a **TipJar**: anyone deposits ETH, totals tracked **per address**, only the owner withdraws. Use **OpenZeppelin v5** for **Ownable**.
2. Deploy to **Sepolia** and verify the source on Etherscan.
3. Send at least two deposits from one address and one withdrawal.

READ THE FULL BRIEF

SUBMIT · LEVEL 1

NAME

EMAIL



0x...

ETHERSCAN LINK, DEPLOY TX, AND REPO

<https://sepolia.etherscan.io/address/...#code> + [deploy tx](#) + <https://github.com/...>

HOW YOU TESTED IT / DECISIONS YOU MADE

Keep it simple and in your own words — don't paste AI slop.

[SUBMIT TIPJAR](#)

LEVEL 2

Break a vault

Each challenge is a **custom vulnerable contract** with a hidden flaw. Launch your own live instance and exploit it.

[LAUNCH YOUR INSTANCE](#)



Multisig Mayhem

A jackpot vault guarded by a three-owner multisig. It checks the signatures on a withdrawal — but how carefully?

SOURCE (DEV
LOCALLY) ↓

Flash Crash

A neon flash-credit desk that opens a session for the length of your transaction, then trusts that session a little too much.

SOURCE (DEV
LOCALLY) ↓

Double Down Drain

A high-roller vault that runs your module and pays its owner. Neither lever is enough on its own.

SOURCE (DEV
LOCALLY) ↓

The goal: every challenge is a vault holding 10 ETH with a hidden flaw. Break it, drain the vault to zero, and capture the flag.

1. **Launch your instance** with your email — you get a private RPC URL, a funded player key, and the contract addresses. Your flag is tied to that email, so use the one you will submit with.
2. **Point Foundry at that RPC** and exploit the bug to **drain the vault** (balance → 0).
3. **POST** to your instance's **/claim** → it hands you the flag.
4. **Paste the flag** into the form below.

Use the same email twice. Every instance mints its own flag, tied to the email you launched with. Submit under a different address and the flag will not count for you.

Your instance expires after 30 minutes of inactivity. The source download is optional — for reading the code or testing your exploit locally first. Needs Foundry.

SUBMIT · LEVEL 2

NAME

EMAIL — THE ONE YOU LAUNCHED WITH



BOILER BLOCKCHAIN

CONTACT

Select...

WHAT IS THE FLAG?

boiler{...} — from /claim after you drain the vault

PASTE YOUR EXPLOIT (FORGE TEST / SOLVE SCRIPT)

Paste the exploit you used to drain the vault.

THE VULNERABILITY + HOW YOU'D FIX IT

In your own words, keep it simple — don't paste AI slop. The bug, how your exploit drains it, and the fix.

SUBMIT FLAG

Problems submitting or a question about a challenge? Message **!spek (@sp3ked)** on Discord.



Boiler Blockchain

Bringing Purdue Onchain.



BOILER BLOCKCHAIN

[CONTACT](#)

Developer Team

Research Team

Operations Team

Technical Course

Partners

The Team

Contact Us

© 2026 Boiler Blockchain. All rights reserved.