


**FRONT VIEW**  
**BOTTOM VIEW**



**ISOMETRIC VIEW - BAY DOOR SIDE**  
**ISOMETRIC VIEW - MAN DOOR SIDE**

**NOTES:**

- 20' CONTAINER TO OPEN FROM BAY DOOR END.
- MAN DOOR DIMENSIONS CAN VARY TO MATCH SUPPLIER'S STANDARD SIZES. DOOR WIDTH CAN VARY BETWEEN 32" - 40". MINIMUM WINDOW SIZE: 20" X 30". INSTALL WATER AND WEATHER RESISTANT PUSH-ON SEALS ONTO MAN DOOR.
- REFERENCE IE DWG #1450725 FOR EXTERIOR PAINT DETAILS.
- STRUCTURE TO BE MOVEABLE BY CRANE/FORKLIFT IN COMPLIANCE WITH CSA LIFTING STANDARDS.
- ALL ELECTRICAL WORK MUST COMPLY WITH CANADIAN ELECTRICAL CODE AND ALL COMPONENTS MUST BE CSA CERTIFIED.
- ALL STOREWALL PRODUCTS MAY BE REPLACED WITH EQUIVALENT PRODUCTS.





**DISCLAIMER OF LIABILITY AND INTELLECTUAL PROPERTY**

THE DEPARTMENT OF NATIONAL DEFENCE DOES NOT WARRANT OR GUARANTEE THE CORRECTNESS OR ACCURACY OF THE INFORMATION CONTAINED IN THIS DOCUMENT FOR USE OUTSIDE NATIONAL DEFENSE. THE DEPARTMENT OF NATIONAL DEFENCE DOES NOT GRANT ANY LICENSE, CONVEY ANY INTELLECTUAL PROPERTY RIGHTS, OR GIVE PERMISSION FOR ANY USE IN WHOLE OR IN PART BY ANY RECIPIENT, HOLDER, OR USER OF THIS DOCUMENT, AND ANY SUCH PERSON USING THIS DOCUMENT OR THE INFORMATION THEREIN DOES SO AT THEIR OWN RISK.

PRODUCTION REVIEW & SIGN-OFF						
GROUP #	WC	POSITION	NAME	DATE	SHEETS TO REVIEW	SIGNATURE

ENG. APPROVAL	IEM APPROVAL	UNLESS OTHERWISE SPECIFIED:	DEPARTMENT OF NATIONAL DEFENCE INDUSTRIAL ENGINEERING FMF CAPE BRETON			
NAME:	NAME:	DIMENSIONS ARE IN INCHES	<b>EXTERIOR DETAILS STORAGE SEACAN BUILDING D250 SHOP 144 TEMPORARY LIGHTING</b>			
SIGNATURE:	SIGNATURE:	TOLERANCES: FRACTIONS ± 1/16 ANGLES (DEGREES) ± 1 DECIMAL X.XXX ± 0.01 DECIMAL X.XXX ± 0.005 SURFACE FINISH 63 min				
DATE:	DATE:	MATERIAL				
COMMENTS:		FINISH SEE NOTE 3				
DO NOT SCALE DRAWING		IE PROJECT #:	SCALE 1:40	SHEET	1 OF 2	

ITEM NO.	QTY.	DESCRIPTION
1	1	POWER INLET
2	10	STOREWALL HEAVY DUTY UTILITY HOOK
3	15	STOREWALL HEAVY DUTY UNIVERSAL HOOK
4	3	STOREWALL LARGE SLATWALL BIN
5	2	CEILING MOUNTED LED LIGHTS
6	2	3-WAY LIGHT SWITCH
7	1	ADJUSTABLE THERMOSTAT
8	1	BREAKER BOX
9	1	BASEBOARD MOUNTED ELECTRIC HEATER



- NOTES:**
1. WALLS AND CEILING TO BE FRAMED USING 2"X4" WOODEN STUDS SPACED AT A MAXIMUM OF 16".
  2. CAVITY BETWEEN CONTAINER AND PLYWOOD OR SLATWALL TO BE INSULATED WITH AN R14 MINIMUM RATING.
  3. STOREWALL HEAVY DUTY SLATWALL TO BE INSTALLED IN 60" HIGH SECTIONS APPROXIMATELY 18" FROM THE FLOOR.
    1. SLATWALL TO BE INSTALLED DIRECTLY TO FRAMING STUDS WITH #6 BUGLE-HEAD SCREWS. SCREW THROUGH EACH SLOT INTO EVERY STUD.
    2. SLATWALL LENGTHS MAY VARY. TRIM PANELS WHERE NECESSARY TO FIT MAXIMUM SLATWALL ONTO FRAMING.
    3. FASTEN STUDS TO INTERIOR OF BAY DOORS AND INSTALL SLATWALL PANELS. ENSURE SLATWALL DOES NOT INTERFERE WITH THE DOOR'S CLOSING OR LOCKING ABILITIES.
    4. DIMENSIONS FROM EDGE OF SLATWALL TO SEACAN MAY VARY. ITEMS 6, 7, AND 8 MUST FIT ON MAN DOOR SIDE AND ITEM 6 MUST FIT ON BAY DOOR SIDE.
    5. SEE BLUE HIGHLIGHTS IN SECTION C-C FOR ALL SLATWALL LOCATIONS.
  4. FRAMING NOT COVERED IN SLATWALL TO BE COVERED WITH 3/4" MARINE GRADE PLYWOOD AS FINISHED WALL AND CEILING SURFACE. PAINTED WHITE.
  5. FLOOR TO BE 3/4" MARINE GRADE PLYWOOD FINISHED WITH A 0.05" EPOXY COATING.
  6. DESIGN MUST INCLUDE 240V CEILING MOUNTED LED LIGHTS (ITEM 5). CONDUIT RUN FROM LIGHTS TO 240V 15A BREAKER IN BREAKER BOX. LED LOCATIONS MAY VARY.
  7. LEDS TO PRODUCE MINIMUM 250 LUX OF NEUTRAL WHITE LIGHT IN ALL LOCATIONS THROUGHOUT SEACAN.
  8. DESIGN MUST INCLUDE 120V ELECTRIC HEATER (ITEM 9) PRODUCING MINIMUM 750W. LOCATED APPROXIMATELY 4" FROM MAN DOOR WALL. MAXIMUM 36" LONG. CONDUIT RUN FROM HEATER TO 120V 15A BREAKER IN BREAKER BOX.
  9. BREAKER BOX TO HOUSE MINIMUM EIGHT BREAKER SPACES.
  10. WEATHER PROOF POWER INLET (ITEM 1) MUST SUPPORT 240V 60A AND HAVE A FEMALE TURN-LOCK SOCKET ACCESSIBLE FROM OUTSIDE THE SEACAN. CONDUIT RUN FROM POWER INLET TO BREAKER BOX.
  11. EACH 3-WAY LIGHTSWITCH MUST OPERATE ALL LIGHTS.

**DISCLAIMER OF LIABILITY AND INTELLECTUAL PROPERTY**  
THE DEPARTMENT OF NATIONAL DEFENCE DOES NOT WARRANT OR GUARANTEE THE CORRECTNESS OR ACCURACY OF THE INFORMATION CONTAINED IN THIS DOCUMENT FOR USE OUTSIDE NATIONAL DEFENSE. THE DEPARTMENT OF NATIONAL DEFENCE DOES NOT GRANT ANY LICENSE, CONVEY ANY INTELLECTUAL PROPERTY RIGHTS, OR GIVE PERMISSION FOR ANY USE IN WHOLE OR IN PART BY ANY RECIPIENT, HOLDER, OR USER OF THIS DOCUMENT, AND ANY SUCH PERSON USING THIS DOCUMENT OR THE INFORMATION THEREIN DOES SO AT THEIR OWN RISK.

ENG. APPROVAL	IEM APPROVAL	UNLESS OTHERWISE SPECIFIED:	DEPARTMENT OF NATIONAL DEFENCE INDUSTRIAL ENGINEERING FMF CAPE BRETON		
NAME:	NAME:	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16 ANGLES (DEGREES) ± 1 DECIMAL X.XX ± 0.01 DECIMAL X.XXX ± 0.005 SURFACE FINISH 63 min	INTERIOR DETAILS STORAGE SEACAN BUILDING D250 SHOP 144 TEMPORARY LIGHTING		
SIGNATURE:	SIGNATURE:				
DATE:	DATE:	MATERIAL	SIZE	DWG. NO.	REV
COMMENTS:		FINISH SEE SHEET 1 NOTE 3	<b>B</b>		
DO NOT SCALE DRAWING		IE PROJECT #:	SCALE 1:40	SHEET	2 OF 2